

SECTION 12 15 00  
ART HANGING, DISPLAY SYSTEMS AND ACCESSORIES

PART 1 - GENERAL

1.1 Description

- A. Section includes materials required for the Cable Wall Hanging Systems for hanging informational, directional, art, and regulatory notices with rigid track that does not bend.
- B. Section includes pre-manufactured, wall mounted magazine rack and literature racks.
- C. Section includes wall mounted clock.

1.2 SUBMITTALS

- A. Product Data: Indicate system, material type, color, composition, thickness, and installation procedure.
- B. Samples: One (1) sample of each of the components for the system to be installed.
  - 1. Track sample: 600 mm (24 inches) long.

1.3 QUALITY ASSURANCE

- A. Galvanized Steel Cables are 0.071-inches (1.8mm); Rated Strength: 45lbs (20.5Kg)
- B. Stainless Steel Cables are 0.071-inches (1.8mm); Rated Strength: 45lbs (20.5Kg)
- C. Nylon Cords (transparent and colored) are 0.078-inches (2.0mm); Rated Strength: 15lbs (7Kg)
- D. Aluminum Rods are 0.16-inches (4mm); Rated Strength: 70lbs (32Kg)
- E. Stainless Steel Rods are 0.16-inches (4mm); Rated Strength: 105lbs (48Kg)

1.4 WARRANTY

- A. Materials and Workmanship: One (1) year.

PART 2 - PRODUCTS

2.1 Cable Based Hanging System:

- A. Basis-of-Design Product: Subject to compliance with requirements, provide cable hanging system as manufactured by AS Hanging Systems or comparable product.
- B. Wall Track: Aluminum, Silver, satin anodized.
- C. J-End Cables: Stainless Steel.
  - 1. J-End Cable Length: 48in (120cm), 72in (180cm), 96in (220cm), 120in (305cm).
- D. P-End Cables: Stainless Steel.
  - 1. P-End Cable Length: 48in (120cm), 72in (180cm), 96in (220cm), 120in (305cm).
- E. Colored J-End Cables: Transparent Pink, Transparent Yellow, Transparent Red, Transparent Green, Transparent Blue, Dark Brown, Black, White.
  - 1. Colored J-End Cable Length: 48in (120cm), 72in (180cm), 96in (220cm).
- F. Hooks: Secure Self-Gripping (Large)
- G. Cable Clamp (Galv. or SS cables only): Single Sided.
- H. Frame Stabilizer: 5.75" / 17 cm, 12.5" / 32 cm.
- I. Tension Springs.

2.2 2-Pocket, wood magazine/literature rack.

- A. Size: 15 ¾"w x 25"h x 4"d
- B. Horizontal wood slats

2.3 2-tier, literature and brochure display rack.

- A. Size: 28"w x 24"h x 4"d
- B. Front panel 7"h clear acrylic

2.4 Wall mounted Square Clock, with quartz battery

- A. Size: 15"w x 15"h x 2"d
- B. Laser-cut "Floating Face" in Aluminum Metallic finish

PART 3 - EXECUTION

- 3.1 Installation shall be as required for each system in strict accordance with manufacture's requirements.
- 3.2 The wall surface and its substrate determine the type of fasteners to be used for the particular application. The manufacturer supplies prefinished wood screws to match the track color and plastic screw anchors that are suitable for mounting the track to gyp-board, lath & plaster and structural lumber. It is the responsibility of the installer

to select the correct fastener for the particular installation. Failure to do so may cause property damage or personal injury.

3.3 Fasten tracks into studs on blocking.

- - - E N D - - -