



- GENERAL NOTES:**
1. ALL PLUMBING EQUIPMENT SHOWN SHALL BE FURNISHED AND INSTALLED BY THE MECHANICAL CONTRACTOR UNLESS NOTED OTHERWISE.
  2. CONTRACTOR SHALL COORDINATE THE INSTALLATION OF THE PLUMBING SYSTEMS WITH OTHER TRADES TO ENSURE AN ORDERLY INSTALLATION. PIPING SHALL BE ROUTED TO AVOID CONFLICTS WITH ELECTRICAL PANELS, LIGHT FIXTURES.
  3. REFERENCE ARCHITECTURAL DRAWINGS FOR RELATED CONSTRUCTION DETAILS RELATED TO HVAC INCLUDING BUT NOT LIMITED TO CHASES, WALL PENETRATIONS, AND ROOF PENETRATIONS.
  4. ALL PIPING SHALL BE ROUTED PARALLEL AND PERPENDICULAR TO BUILDING COLUMN LINES UNLESS NOTED OTHERWISE.
  5. SEAL ALL PENETRATIONS THROUGH BUILDING COMPONENTS IN COMPLIANCE WITH THE SPECIFICATIONS. SEE FIRE SEALANTS AND RELATED U.I. REQUIREMENTS FOR PENETRATION OF FIRE RATED COMPONENTS.
  6. REFER TO SHEET G1-001 FOR BID DEDUCT ALTERNATE DESCRIPTIONS AND RELATED WORK.
- # PLUMBING PLAN NOTES**
1. PROVIDE TEMPORARY CAP FOR DRAIN TO BE REMOVED IN FUTURE ADDITION.
- BID DEDUCT ALTERNATE NOTES**
1. **BID DEDUCT ALTERNATE #3:** IF DEDUCT ALTERNATE IS CHOSEN, OMIT PLUMBING AND SUPPLY LINES IN BREAK ROOM 205. PROVIDE STUB UPS, CAPS AND WORK AS SHOWN IN SUITE C BID DEDUCT ALTERNATE #3 AREA ON PLAN DETAIL 4. THIS SHEET TO PROVIDE MINIMUM REQUIRED PLUMBING SUPPLY SYSTEMS FOR CONVERTING STORAGE AREA.
  2. **BID DEDUCT ALTERNATE #4:** IF DEDUCT ALTERNATE IS CHOSEN, OMIT PLUMBING SUPPLY LINES IN BREAK ROOM 206. PROVIDE STUB UPS, CAPS AND WORK AS SHOWN IN SUITE D BID DEDUCT ALTERNATE #4 AREA ON PLAN DETAIL 4. THIS SHEET TO PROVIDE MINIMUM REQUIRED PLUMBING SUPPLY SYSTEMS FOR CONVERTING STORAGE AREA.
  3. **BID DEDUCT ALTERNATE #5:** IF DEDUCT ALTERNATE IS CHOSEN, OMIT PLUMBING SUPPLY LINES IN COMMON CORE AREAS. PROVIDE WORK AS SHOWN IN COMMON CORE BID DEDUCT ALTERNATE #5 AREA ON PLAN DETAIL 4. THIS SHEET TO PROVIDE MINIMUM REQUIRED PLUMBING SUPPLY SYSTEMS FOR CONVERTING STORAGE AREA.

FULLY SPRINKLERED

BID DOCUMENTS

		CONSULTANTS		ARCHITECT & M.E.P. ENGINEER		APPROVED: DIRECTOR		SHEET TITLE PLUMBING SUPPLY FLOOR PLANS		PROJECT TITLE NEW ADMINISTRATION BUILDING		VA PROJECT NUMBER 580-CSI-110		<div>Office of Construction and Facilities Management</div>
		STRUCTURAL / CIVIL ENGINEER  H2B, INC. 1225 N. LOOP WEST, SUITE 800 HOUSTON, TX 77008 (713) 864-2900		FIRE PROTECTION / TELECOM ENGINEER  PAGE 400 W. CESAR CHAVEZ STREET, SUITE 500 AUSTIN, TX 78701 (512) 472-6721				APPROVED: ASSOCIATE DIRECTOR		PROJECT LOCATION 2002 HOLCOMBE BOULEVARD, HOUSTON, TX 77030		BUILDING NUMBER		
										APPROVED: ASSISTANT DIRECTOR		DRAWING NUMBER PP-101		
						TX ARCH REGISTRATION NO. BR 2171 TX ENGR REGISTRATION NO. F-17591		APPROVED: CHIEF ENGINEER		DATE 06-27-17		CHECKED JES	DRAWN SDE	
Revision #		Date										Dwg. 65 OF 95		

VA

U.S. Department of Veterans Affairs