NEW RAISED CURB
325 FEET

NEW CONCRETE
(10,100 SF)

PROVIDE 3-FT MAN GATE, AND
12-FT DOUBLE GATE FOR
EQUIPMENT ENTRY

6" SANITARY EXITING BUILDING
WITH CLEANOUT. CONNECT
DIRECTLY TO SANITARY MANHOLE
ROUTE BELOW WATER LINE.

NEW RAISED CURB
W/ DRAINAGE
OPENINGS, POSTS
AND STRIPED, SIGNAGE

SET PK NAIL
GRID NORTH = 237782.25
GRID EAST = 2653150.13
LATITUDE = 29°38'09.748" NORTH
LONGITUDE = 82°20'41.495" WEST
ELEVATION= 86.4'

PROVIDE 30-FT WIDE
ROLLING GATE
FOR VEHICLE ACCESS

NO PARKING

NO PARKING

NO PARKING

BOILER PLANT
FFE 88.5

NEW PERIMETER
SECURITY FENCE
(756 FT)
SPEC 32 31 53

NEW RAISED
CURB & GUTTER
MATCH EXISTING

FUEL PIPING

FUEL PIPING

FUEL PIPING

SET MAG NAIL & DISC
STAMPED "LB 7055"

GRAPHIC SCALE

20 0 10 20 40 80

(IN FEET)

SCALE: 30"X42" SHEET 1"= 20'

FINAL DESIGN
APPROVED FOR CONSTRUCTION

Revisions:	Date

CONSULTANTS:

ENGINEER-OF-RECORD MICHAEL D. TOOTLE FL. P.E. NO. 67818

ARCHITECT/ENGINEERS:

AKEA INC.
3603 NW 98th Street, Suite B
Gainesville, FL 32606
Phone: (352) 474-6124
Fax: (352) 553-4437
COA: FL #26693
AKEA Project No. 083-14

Drawing Title: SITE PLAN

Approved: Project Director

Project Title: REPLACE BOILERS - FCA D, ENERGY AT THE MALCOM RANDALL VAMC

Location: GAINESVILLE, FLORIDA

Date: JULY 8, 2016 | Checked: MDT | Drawn: JG

Project Number: 573-14-600

Building Number:

Drawing Number: C300

Office of Construction and Facilities Management

Department of Veterans Affairs

VA FORM 08-6231