

**Table 1**  
**Base Bid and Alternate Quantities Amendment 03**  
**Site Resurface Parking Lots 4-15**

BID ITEM NO.	Work Item Description	UNITS	Alt 5 Includes Lots: 11, 14, and 15 (no Talk A Phone)	Alt 4 Includes Lots: 11, 14, and 15 and Complete Talk A Phone System	Alt 3 Includes Lots: 11, 12, 13, 14, and 15 and Complete Talk A Phone System	Alt 2 Includes Lots: 10, 11, 12, 13, 14, and 15 and Complete Talk A Phone System	Alt 1 Includes Lots: 7, 8, 9, 10, 11, 12, 13, 14, and 15 and Complete Talk A Phone System	Base Bid Includes Lots: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, and 15 and Complete Talk A Phone System
A	ROAD REPAIRS, DEMOLITION AND TOTAL ROAD REPAIR, W/FILTER FABRIC	SF	-	2,000	2,000	2,000	2,000	2,000
B	ROADWAY STRIPING	LF	-	100	100	100	100	100
C	ASPHALT PAVEMENT REPAIRS IN PARKING LOTS AND NON-ROADWAY AREAS, DEMOLITION AND TOTAL PAVEMENT REPAIR	SF	110,200	110,200	190,400	214,042	363,072	464,825
D	OVER-EXCAVATE POOR SOIL, EACH ADDITIONAL 12" AND PROVIDE AN ADDITIONAL 12" BASE STONE, PLUS FILTER FABRIC	SF	36,733	37,400	64,133	72,014	121,691	155,608
E	FLOWABLE FILL, AS NEEDED FOR LARGE VOIDS	CY	12	12	24	36	48	60
F	ROAD REPAIRS, DEMOLITION, SCARIFY, AND ASPHALT OVERLAY ROAD REPAIR	SF	-	-	-	-	-	-
G	CONCRETE SIDEWALK, DEMOLITION AND REPLACEMENT WITH NEW	SF	1,650	1,650	1,650	4,211	9,138	15,026

**Table 1**  
**Base Bid and Alternate Quantities Amendment 03**  
**Site Resurface Parking Lots 4-15**

BID ITEM NO.	Work Item Description	UNITS	Alt 5 Includes Lots: 11, 14, and 15 (no Talk A Phone)	Alt 4 Includes Lots: 11, 14, and 15 and Complete Talk A Phone System	Alt 3 Includes Lots: 11, 12, 13, 14, and 15 and Complete Talk A Phone System	Alt 2 Includes Lots: 10, 11, 12, 13, 14, and 15 and Complete Talk A Phone System	Alt 1 Includes Lots: 7, 8, 9, 10, 11, 12, 13, 14, and 15 and Complete Talk A Phone System	Base Bid Includes Lots: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, and 15 and Complete Talk A Phone System
H	CONCRETE SIDEWALK REST AREA, 6'X6' , W/LANDSCAPE MODS	EA	1	1	1	14	38	68
I	CONCRETE RAMP, DEMOLITION AND H/C CURB RAMP FROM SIDEWALK TO ROAD OR PARKING LOT; EMBOSSED STIPPLE PAD FOR THE BLIND (AVG. 30"X48")	EA	9	9	9	21	33	45
J	CURB & GUTTER, DEMOLITION AND REPLACEMENT WITH NEW, SLIPFORMED	LF	2,211	2,211	4,261	5,191	7,496	9,285
K	CURB & GUTTER, DEMOLITION AND REPLACEMENT WITH NEW, NON-SLIPFORMED	LF	44	144	185	204	250	286
L	CATCH BASIN REPAIR, DEMOLITION AND NEW MH STEEL FRAME & STEEL COVER AND NEW CONCRETE COVER	EA	4	4	11	13	18	24
M	SIGNS WITH POST AND FOOTING, EXCAVATION AND NEW WORK	EA	200	200	400	412	424	436
N	ROUTE & FILL CRACKS	LF	10,018	10,018	17,309	19,458	33,007	42,257
O	STRIPING, NON-VAN H/C PARKING SPACE	EA	6	6	16	70	70	70
P	STRIPING, VAN H/C PARKING SPACE	EA	2	2	4	8	8	8
Q	STRIPING, STANDARD PARKING STALL	EA	-	-	-	-	-	-

Table 1  
Base Bid and Alternate Quantities Amendment 03  
Site Resurface Parking Lots 4-15

BID ITEM NO.	Work Item Description	UNITS	Alt 5 Includes Lots: 11, 14, and 15 (no Talk A Phone)	Alt 4 Includes Lots: 11, 14, and 15 and Complete Talk A Phone System	Alt 3 Includes Lots: 11, 12, 13, 14, and 15 and Complete Talk A Phone System	Alt 2 Includes Lots: 10, 11, 12, 13, 14, and 15 and Complete Talk A Phone System	Alt 1 Includes Lots: 7, 8, 9, 10, 11, 12, 13, 14, and 15 and Complete Talk A Phone System	Base Bid Includes Lots: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, and 15 and Complete Talk A Phone System
R	STRIPING, DOUBLE-STRIPE PARKING STALL	EA	269	269	548	548	824	1,042
S	STRIPING, STOP BAR	EA	2	2	3	5	11	17
T	STRIPING, CROSSWALK	EA	2	2	3	5	11	17
U	STRIPING, NO PARKING ZONE HATCHING	SF	5,510	5,510	9,520	10,702	18,154	23,241
V	NEW CONCRETE VEHICLE BARRIERS, ANCHORED TO PAVEMENT	EA	52	55	62	63	70	77
W	CONCRETE CROSS-GUTTER PER 6/DTL-1	LF	-	-	-	-	-	-
X	CONCRETE PAVEMENT PER 3/DTL-3	SF	-	-	-	-	-	-
Y	STAIRS, RAMP, RAILINGS, AND CONCRETE WALK	LF	50	50	50	50	50	80
Z	Talk A Phone Police Towers and Info Islands	LS	-	1	1	1	1	1
AA	ADDITIONAL 6" GRAVEL, GEOTEXTILE,	SF	110,200	110,200	190,400	214,042	363,072	464,825
AB	TOE DRAIN TILE SYSTEM	LF	1,474	1,474	3,126	3,726	5,263	5,983
AC	SIDEWALK RAILING AND ADDITIONAL CONCRETE FOR THICKENED EDGE AND RAILING CURB	LF	-	-	-	-	-	1,456
AD	RETAINING WALL	LF	-	-	-	-	-	280
	TOTAL							