## VHAPM Part 813.106 Simplified Acquisition Procedures: Soliciting from a Single Source Attachment 1: Single Source Justification for SAP under \$150K

## **DEPARTMENT OF VETERANS AFFAIRS**

Justification for Single Source Awards IAW FAR 13.106-1
For
Over Micro-Purchase Threshold but Not Exceeding the SAT (\$150K)

Acquisition Plan Action ID: VA252-18-AP-0156	
1.	<u>Contracting Activity</u> : Department of Veterans Affairs, VISN 12, Zablocki Medical Center
	NCO 12 Construction Team 2237#: 695-18-1-6985-0008
2.	Brief Description of Supplies/Services required and the intended use/Estimated Amount:
	This product, Siemens Cerberus Pyrotronics System is the only product that allows for a single fire alarm system to be used throughout the Milw aukee facility. VA Milw aukee currently has the Cerberus Pyrotronics System as the campus-wide fire alarm system. The equipment to be installed will be monitored the existing campus-wide Pyrotronics Fire Alarm.
3.	Unique characteristics that limit availability to only one source, with the reason no other supplies
	or services can be used:
	The fire alarm system will activate alarms within the building to alert occupants that assistance may be required. Installation of a system that interfaces properly with the existing system will ensure patient safety is maintained at the highest level. Additionally, installation of components that match the existing fire alarm system minimizes maintenance costs and bench stock requirements. No other system will integrate with our existing fire protection system. It is necessary to match the existing system to ensure there are no interface problems and that system operation and maintenance is maintained to ensure patient and worker safety.
4.	Description of market research conducted and results or statement why it was not conducted:
	We have not been able to identify any other system that offers a seamless integration with our existing system.
5.	<b>Contracting Officer's Certification:</b> Purchase is approved in accordance with FAR13.106-1(b). I certify that the foregoing justification is accurate and complete to the best of my knowledge and belief.
	Jerrod J. Schleis 12 December 2017 Contracting Officer NCO-12

VHAPM Part 813.106 Page **1** of **1**