

Item No.	QTY	DESCRIPTION
	1	NextGen LOGIQ e R7
1	1	<p>NextGen LOGIQ* e R7 Compact Digital Ultrasound Console USA Government</p> <p>NextGen LOGIQ* e portable high performance digital laptop ultrasound system. Standard package includes LOGIQ e Needle Recognition Software Option which helps provide precise and accurate display of the needle, anatomy and motion even in Color and Power Doppler. This feature harnesses pattern recognition technology that recognizes and accurately reveals the structure of a needle within the anatomy, without distortion of the needle and compromising the target. Also includes the ability to adjust needle gain and angle. Standard package includes AC power cord (USA), internet cord 3 meter in length CAT-5 type, PC to HUB structure, system software on USB, Optional Function Key Label, Ultrasound Transmission Gel .25L, English Basic Service Manual CD, English User Guide and AIUM booklet. The following scanning modes are included: B-mode, M-mode, anatomical M-mode, color flow mode, power Doppler imaging, pulsed wave Doppler and Ophthalmic. USA version includes; 5 year standard warranty and one day of On-site Applications Training. Additional On-site Applications Training days are available for purchase.*LOGIQ e is a trademark of the General Electric Company or one of its subsidiaries.</p>
2	1	<p>ComfortScan 3Sc-RS (Sector Probe 3Sc-RS)</p> <p>This wide-band multi-frequency Phased Array probe with bandwidth between 1.3 and 4.0 MHz supports the following main applications: cardiac, pediatric heart, coronary, fetal heart, adult cephalic, abdominal and renal. It provides a 18*24 mm footprint and a 90-degree field.</p>
3	1	<p>L4-12t-RS Probe</p> <p>L4-12t-RS Wide Band Linear transducer has configurable button functions which can enable single person control and simplifying interventional procedures. Applications include: Vascular, Pediatric/Neonatal, Small Parts, Nerve Block, MSK, Rhuema, ER (Pleural, Ophthalmic).</p>

Item No.	QTY	DESCRIPTION
4	1	<p>L8-18i-RS Linear array transducer 'hockey stick'.</p> <p>L8-18i-RS Linear Array Surgical Transducer. 8-18 MHz broadband, multi-frequency capability. Applications include: Intraoperative & surgical procedures, small parts and vascular.</p>
5	1	<p>C1-5-RS Transducer (USA PoC Only)</p> <p>C1-5-RS Wide Band Convex. Applications include: Abdomen, Obstetrics, Gynecology, Urology, Pediatric/Neonatal, Nerve Block, MSK, ER (FAST Pleural). Only for sale in USA PoC.</p>
6	1	<p>LE R6 CWD UPGRADE KITS</p> <p>Continuous Wave Doppler board for LOGIQ e.</p>
7	1	<p>LOGIQ e Extended Battery Life Option</p> <p>Extends LOGIQ e battery life by up to 2.5 hours. Provides a total of up to 3.4 hours of operation when used in combination with console battery.</p>
8	1	<p>LOGIQ* e docking cart with 3 probe port</p> <p>LOGIQ e docking cart with ergonomic features including: 110 and 220V Transformer, probe and gel holders, shelf for DVD-RW , shelf for B and W printer and VGA, DVI and 4 USB 2.0 ports. Also includes 3 probe port option installed.</p>

OPTIONS

Item QTY		DESCRIPTION
No.		
9	1	<p>LOGIQ e DICOM Software Option</p> <p>DICOM option can be used through LAN, and provides print, store, multi-frame, modality worklist, verify, MPPS (Modality Performed Procedure Step), and storage commitment functionality.</p>