

BUILDING ISOMETRIC






GENERAL NOTES

1. REFER TO SPECIFICATIONS DIVISION 01 GENERAL REQUIREMENTS.
2. REFER TO SPECIFICATIONS DIVISION 26 ELECTRICAL, DIVISION 27 COMMUNICATIONS AND DIVISION 28 ELECTRONIC SAFETY AND SECURITY FOR PROJECT SPECIFICATIONS AND REQUIREMENTS.
3. REFER TO DRAWING G-004 FOR PROJECT CONSTRUCTION PHASING NOTES.
4. REFER TO DRAWING E-001 FOR GENERAL ELECTRICAL NOTES, ELECTRICAL SYMBOLS LIST AND ABBREVIATIONS.
5. REFER TO DRAWINGS ED-101 FOR ELECTRICAL DEMOLITION PLANS.
6. REFER TO DRAWINGS E-101 THROUGH E-105 FOR ELECTRICAL LIGHTING AND POWER SYSTEM PLANS.
7. CONDUIT ROUTING IS SHOWN DIAGRAMMATICALLY ON FLOOR PLANS. CONTRACTOR WILL PROVIDE SHOP DRAWING INDICATING ROUTING OF ALL CONDUIT SYSTEMS PRIOR TO INSTALLATION. REFER TO DETAIL 1 ON S-515 FOR THE LOCATION AND QUANTITIES OF BLOCKOUTS AT THE PRECAST CONCRETE DOUBLE TEE MEMBERS.

FIRE ALARM PLAN NOTES

1. FIRE ALARM PULL STATION.
2. FIRE ALARM AUDIO/VISUAL DEVICE.
3. SECURITY CAMERA LOCATION MOUNTED AT LIGHT POLE STRUCTURE.
4. FAS CONDUITS SHALL BE 3/4" (19 MM) MINIMUM IN "RED" COLOR.

1 LEVEL E - COMMUNICATION, SURVEILLANCE AND FIRE ALARM PLAN
3/32"=1'-0"
PLAN NORTH

		CONSULTANTS:		KEYPLAN 		ARCHITECT + ENGINEERS:		Drawing Title		Project Title		Project Number		<div>Office of Construction and Facilities Management</div> <div> Department of Veterans Affairs</div>	
		<div><div>M I D W E S T E R N C O N S U L T I N G</div><div>3815 Plaza Drive Ann Arbor, Michigan 48108 (734) 995-0200 • www.midwesternconsulting.com Land Development • Land Survey • Institutional • Municipal Wireless Communications • Transportation • Landfill Services</div></div>				<div><div>BANCROFT ARCHITECTS + ENGINEERS 700 Nicholas Blvd., Suite 300 Elk Grove Village, IL 60007 Telephone : 847.952.9342 www.bancroft-ae.com Bancroft-AE Project No. 16-121</div></div>		LEVEL E - COMMUNICATION, SURVEILLANCE AND FIRE ALARM PLAN		CONSTRUCT NORTH PARKING STRUCTURE		506-331			
100% FINAL BID DOCUMENTS 08-18-2017								Approved: Project Director		Location ANN ARBOR, MICHIGAN		Drawing Number			
100% BID DOCUMENTS-NOT FOR CONSTRUCTION 07-24-2017										Date 08-18-2017		EC-105			
95% CONSTRUCTION DOCUMENTS SUBMISSION 06-15-2017										Checked LF					
65% DESIGN DEVELOPMENT SUBMISSION 04-19-2017										Drawn YY AG					
35% SCHEMATIC DESIGN SUBMISSION 03-06-2017															
Revisions Date															