Summary Printed: July 27, 2017 Addendum #2

12620 - Spec Section

Spec Item No.	Uph. Code	Furniture Selection	Manufacturer	Quantity
B-01S	S	3-Seat Bench	Krug	2
B-01PP	PP	3-Seat Bench	Krug	8
B-02	n/a	Portable Locker Room Bench (60")	List Industries OR EQUAL	1
B-03	n/a	Bench between Lobby and Vestibule	Arcadia	2
CH-01	Α	Desk Chair	Highmark	624
CH-02D	D	Hip Chair with Arms for Group Rooms	Highmark	6
CH-03B	В	Swivel Conference Chair with Upholstered Seat and Back	SitOnIt Seating	56
CH-03C	С	Swivel Conference Chair with Upholstered Seat and Back	SitOnIt Seating	10
CH-03D	D	Swivel Conference Chair with Upholstered Seat and Back	SitOnIt Seating	31
CH-04	W	Lounge Chair	Encore	2
CH-05QQ	QQ	Conference Chair with Arms, Upholstered Back and Seat, Stackable, No Casters	КІ	211
CH-05RR	RR	Conference Chair with Arms, Upholstered Back and Seat, Stackable, No Casters	КІ	50
CH-05SS	SS	Conference Chair with Arms, Upholstered Back and Seat, Stackable, No Casters	КІ	97
CH-05TT	TT	Conference Chair with Arms, Upholstered Back and Seat, Stackable, No Casters	КІ	9
CH-06B	В	Bariatric Chair with Arms for Group Rooms (42")	Highmark	10
CH-06C	С	Bariatric Chair with Arms for Group Rooms (42")	Highmark	5
CH-06D	D	Bariatric Chair with Arms for Group Rooms (42")	Highmark	4
CH-06E	Е	Bariatric Chair with Arms for Group Rooms (42")	Highmark	1
CH-07F	F	Private Office and Exam Room Side Chair with Arms	Highmark	8
CH-07G	G	Private Office and Exam Room Side Chair with Arms	Highmark	38
CH-07K	K	Private Office and Exam Room Side Chair with Arms	Highmark	11
CH-07L	L	Private Office and Exam Room Side Chair with Arms	Highmark	3
CH-07M	М	Private Office and Exam Room Side Chair with Arms	Highmark	195
CH-07N	N	Private Office and Exam Room Side Chair with Arms	Highmark	164
CH-08	n/a	Dining Chair with Arms	KI	73
CH-09U	U	Lounge Chair with High Back	Teknion - Studio	4
CH-09X	Х	Lounge Chair with High Back	Teknion - Studio	2
-		·		

Printed: July 27, 2017 Addendum #2

Summary

12620 - Spec Section

No.	Code	Furniture Selection	Manufacturer	Quantity
CH-09DD	DD	Lounge Chair with High Back	Teknion - Studio	2
CH-10		NOT USED		
CH-11B	В	Bariatric Chair with Arms for Group Rooms (30")	Highmark	46
CH-11C	С	Bariatric Chair with Arms for Group Rooms (30")	Highmark	45
CH-11D	D	Bariatric Chair with Arms for Group Rooms (30")	Highmark	26
CH-11E	Е	Bariatric Chair with Arms for Group Rooms (30")	Highmark	9
CH-11G	G	Bariatric Chair with Arms for Group Rooms (30")	Highmark	2
CH-11K	K	Bariatric Chair with Arms for Group Rooms (30")	Highmark	1
CH-11M	М	Bariatric Chair with Arms for Group Rooms (30")	Highmark	55
CH-11N	N	Bariatric Chair with Arms for Group Rooms (30")	Highmark	54
CH-12P	Р	Conference Nesting Chair with Arms and Upholstered and Plastic Back, Casters	KI	83
CH-12Q	Q	Conference Nesting Chair with Arms and Upholstered and Plastic Back, Casters	KI	52
CH-12R	R	Conference Nesting Chair with Arms and Upholstered and Plastic Back, Casters	KI	24
CH-12S	S	Conference Nesting Chair with Arms and Upholstered and Plastic Back, Casters	KI	67
CH-13T	Т	Lounge Chair with Tablet Arm	Arcadia	2
CH-13Z	Z	Lounge Chair with Tablet Arm	Arcadia	4
CH-13CC	CC	Lounge Chair with Tablet Arm	Arcadia	6
CH-13FF	FF	Lounge Chair with Tablet Arm	Arcadia	4
CH-14MM	MM	Waiting Area Unit, 1-Seat	Arcadia	4
CH-14NN	NN	Waiting Area Unit, 1-Seat	Arcadia	7
CH-15Y	Υ	Waiting Area Unit, 2-Seat	Arcadia	4
CH-15KK	KK	Waiting Area Unit, 2-Seat	Arcadia	1
CH-15MM	MM	Waiting Area Unit, 2-Seat	Arcadia	2
CH-16Y	Υ	Waiting Area Unit, 3-Seat	Arcadia	1
CH-16JJ	IJ	Waiting Area Unit, 3-Seat	Arcadia	8
CH-16KK	KK	Waiting Area Unit, 3-Seat	Arcadia	1
CH-16MM	MM	Waiting Area Unit, 3-Seat	Arcadia	4
CH-1600	00	Waiting Area Unit, 3-Seat	Arcadia	5

Printed: July 27, 2017 Addendum #2

Summary

12620 - Spec Section

Spec Item No.	Uph. Code	Furniture Selection	Manufacturer	Quantity	
CH-17Y	Υ	Hip Style Chair	Arcadia	1	
CH-17KK	KK	Hip Style Chair	Arcadia	4	
CH-17MM	MM	Hip Style Chair	Arcadia	3	
CH-17NN	NN	Hip Style Chair	Arcadia	2	
CH-18	n/a	Patio Chair	West Coast Industries	38	
CH-19N	N	Single Seat Chair with Arms Carolina Business Furniture			
CH-19II	II	Single Seat Chair with Arms	Carolina Business Furniture	15	
CH-20	n/a	Café Table Stool, Armless	KI	70	
CH-21M	М	Office Lounge Chair	Arcadia	5	
CH-21HH	НН	Office Lounge Chair	Arcadia	1	
CH-22	n/a	Swivel Task Chair with Arms	KI	2	
CH-23	М	Exam Room Chair with Arms and Casters	Highmark	8	
CH-24	М	Office Folding Chair with Uphostered Seat and Back	Weiland	20	
CH-25	R	Exam Room Task Chair, Armless, with Casters and Upholstered Seat and Plastic Back	KI	2	
CH-26Y	Y	Bariatric Lounge Chair	Arcadia	1	
CH-26KK	KK	Bariatric Lounge Chair	Arcadia	2	
CH-26MM	MM	Bariatric Lounge Chair	Arcadia	4	
CH-26NN	NN	Bariatric Lounge Chair	Arcadia	2	
CH-27		NOT USED			
CH-28		NOT USED			
CH-29	0	Lounge Chair	Carolina Business Furnitur	8	
S-01N	N	Two-Seat Sofa	Carolina Business Furniture	3	
S-01II	II	Two-Seat Sofa	Carolina Business Furniture	5	
S-01LL	LL	Two-Seat Sofa	Carolina Business Furniture	5	
S-02	II	Three-Seat Sofa	Carolina Business Furniture	3	
S-03	NN	Two-Seat Sofa with Arms	Encore	3	
S-04V	V	Three-Seat Sofa with Arms	Encore	1	

Summary Printed: July 27, 2017 Addendum #2

12620 - Spec Section

Spec Item No.	Uph. Code	Furniture Selection	Manufacturer	Quantity
S-04AA	AA	Three-Seat Sofa with Arms	Encore	2
S-05	J	Serpentine Lounge Seating with Tables	Carolina Business Furniture	1
ST-01H	Н	Exam Room Stool	Humanscale	5
ST-01I	I	Exam Room Stool	Humanscale	6
ST-02	See Finish	Lab Stool with Back, Arms and Foot Ring	Cramer	17
ST-03	See Finish	Lab Stool with Back Footring, and without Arms	Cramer	52

12620 - Chairs/Seating

Spec		
Item	Furniture	Uph.
No.	Selection	Code

No. Selection Code Qty Description

-01PP 3-Seat PP 8 As manufactur

B-01PP 3-Seat PP 8 As manufactured by Krug
Bench #CAR5-3-0 Carlyle 3-Seat 9

#CAR5-3-0 Carlyle 3-Seat Standard Upholstered Bench

Size: Overall - 81"w. x 26-1/2"d. x 17-1/2"h.

Finish: Base - #90 Metallic Silver

Performance Specification: The clean classic lines of the upholstered Carlyle Bench is offset by the gentle angle of the seat. Pre-consumer recycled content is 29.7%. Up to 68% of Carlyle Bench product is recyclable at the end of its useful life. GREENGUARD® certified. Level® certified.





Locations:

1W24 2 2W24 2 1H90 4

12620 - Chairs/Seating


Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
B-01S	3-Seat	S	2	As manufactured by Krug
	Bench			#CAR5-3-0 Carlyle 3-Seat Standard Upholstered Bench
				Size: Overall - 81"w. x 26-1/2"d. x 17-1/2"h.

Finish: Base - #90 Metallic Silver

Performance Specification: The clean classic lines of the upholstered Carlyle Bench is offset by the gentle angle of the seat. Pre-consumer recycled content is 29.7%. Up to 68% of Carlyle Bench product is recyclable at the end of its useful life. GREENGUARD® certified. Level®

certified.





Locations:

5H05

2

12620 - Chairs/Seating

Spec Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
No. B-02	Portable Locker Room Bench (60")	n/a	Qty 1 (1) (1)	Description As manufactured by List Industries OR EQUAL Each to Consist of: Superior Series Benchtop Made from Laminated Hardwood Size: 60"w. x 9-1/2"d. x 1-1/4" thickness #4820 Superior Series Quantity of (2) Standard Aluminum Moveable Pedestals, Fabricated of Extruded Aluminum Providing (4) Anchoring Overall Size: 60"w. x 9-1/2"d. x 17-1/2"h. Finish: Bench - finished with one coat deep penetrating sealer and two coats of heavy body high impact hot hydraulically applied lacquer; Pedestals - #729 Parchment
				Assembly and Installation Notes: Using the pedestal as a template, locate centers. Drill 3/16" holes and attach with the screws provided.



Locations:

GW15A 1

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
B-03	Bench	n/a	2	As manufactured by Arcadia
	between			#8273-NS10 Livia Three-Seat Scalloped Bench in Maple for Indoor Use
	Lobby			with Non-skid Indoor Glide for Hard Surfaces
	and			
	Vestibule			Size: Overall - 72"w. x 20"d. x 17"h.
				Finish: Maple Wood - #21 Caramel Maple;
				Frame - #90 Metallic Silver

Performance Specification: Spacers will match metal frame finish as standard. Tamper-resistant floor mount hardware available. Maximum weight capacity of 750 lbs. for 3-seat bench. Three-Seat bench has 3 legs. Design features an alluring side profile that may seem unassuming until

its impressive visual effect is realized.





Locations:

1st Floor Entry Vestibule 2 (no # on plans)

12620 - Chairs/Seating

Spec Item No.	Furniture Selection	Uph. Code	Qty	Description
CH-01	Desk Chair	A	622	As manufactured by Highmark #3615E-R3-A65-W24-SS-L6-B17-BF Genus High Back Task Chair, Tailored Seat, Elomaster Back, Body Balance Control, Height and Width Adjustable Arms with Lockable 3D Pads, Seat Slider, Lumbar Support, Low Profile Fiberglass Reinforced Nylon Base, No Headrest, Hard Wheel Casters, Fully Assembled
				Size: Overall - 27-1/2"w. x 27-1/2"d. x 39-1/4 - 43-1/5"h.; 25-1/4"s.w., 16-20"s.h.; 19-1/4" back width; 23-1/4" back height; 2-1/4" glide
				Finish: Frame - #BF Black; Elomaster Back - #EPI Pitch; Base - #B17 Standard Nylon

Performance Specification: Elomaster back of chair CAN NOT be substituted for mesh of any kind. Up to 300 lbs. capacity. Chair weight 49.8 lbs. with arms. Body Balance is the next generation of ergonomic office seating using weight sensing technology. Body Balance offers an intuitive, responsive seating experience. The chair adjusts to your every move and stops when you stop. A simple dual-function lever that adjusts seat height and allows the user to control the recline settings. Automatic tension adjustment ensures optimum back support during all stages of recline. Body Balance ensures perfect balance for every user during recline.







Locatio	ns:				
1E29	1	2W43	1	4E68	1
1E31	1	2W44	1	4E69	1
1E41	1	2W45	1	4E71	1
1E43	1	2W47	1	4E73	1
1E45	1	2W49	1	4E80	24

12620 - Chairs/Seating

CH-01 Desk Chair (cont.)

Location	ns (cont.):				
1E47	1	2W50	1	4E80A	1
1E48	1	2W51	1	4W29	1
1E49	1	2W52	1	4W31	1
1E50	1	2W53	1	4W35	1
1E51	1	2W54	1	4W36	1
1E53	1	2W55	1	4W37	1
1E55	1	2W56	1	4W38	1
1E56	1	2W57	1	4W39	1
1E57	1	2W58	1	4W40	1
1E58	1	2W59	1	4W43	1
1E59	1	2W61	1	4W45	1
1E61	1	2W63	1	4W49	1
1E62	1	2W65	1	4W50	1
1E63	1	2W67	1	4W51	1
1E64	1	2W69	1	4W52	1
1E65	1	2W80	1	4W53	1
1E66	2	2W82	1	4W54	1
1E67	1	2W84	1	4W55	1
1E68	2	2W86	1	4W56	1
1E69	1	2W90	1	4W57	1
1E70	2	2W92	1	4W58	1
1E71	2	3E08	1	4W59	1
1E75	2	3E25	1	4W61	1
1E77	2	3E27	1	4W63	1
1W07	11	3E34	1	4W65	1
1W07A	2	3E37	1	4W67	1
1W15	1	3E39	1	4W69	1
1W21	1	3E41	1	4W85	29
1W25	2	3E43	1	5E08	2
1W25A	1	3E45	1	5E10	1
1W30	1	3E47	1	5E12	1
1W34	1	3E49	1	5E16	1
1W35	1	3E51	1	5E21	1
1W36	1	3E53	1	5E22	1
1W37	1	3E55	1	5E23	1
1W38	1	3E56	6	5E24	1
1W39	1	3E57	1	5E25	1
1W40	1	3E59	1	5E27	1
1W41	1	3E61	1	5E30	2
1W42	1	3E63	1	5E34	1

12620 - Chairs/Seating

CH-01 Desk Chair (cont.)

Locatio	ns (cont.):					
1W43	1	3E64	6	5E36	4	
1W45	1	3E65	1	5E37	1	
1W47	1	3E67	1	5E41	1	
1W49	1	3E69	1	5E43	2	
1W50	1	3E71	1	5W10	16	
1W51	1	3E73	1	5W13	1	
1W52	3	3E80	4	5W25	8	
1W53	1	3E80A	1	5W29	2	
1W54	1	3E80B	1	5W30	2	
1W55	1	3E80C	1	5W31	2	
1W56	1	3E90	4	5W33	2	
1W57	1	3E90A	1	5W34	2	
1W58	1	3E90B	1	5W35	2	
1W59	1	3E90C	1	5W36	2	
1W61	1	3W09A	2	5W37	2	
1W63	1	3W09	2	5W39	2	
1W65	1	3W10	1	5W40	2	
2E18	3	3W21	2	5W41	2	
2E19	1	3W21A	2	5W42	2	
2E20	1	3W25	2	5W43	1	
2E22	1	3W25A	2	5W44	2	
2E23	1	3W31	1	5W45	1	
2E25	1	3W33	1	5W47	2	
2E27	1	3W35	1	5W49	1	
2E28	1	3W37	1	5W51	1	
2E29	1	3W39	1	5W52	2	
2E37	1	3W41	1	5W53	1	
2E39	1	3W42	1	5W54	1	
2E41	1	3W43	1	5W55	1	
2E43	1	3W45	1	5W56	1	
2E45	1	3W47	1	5W57	1	
2E47	1	3W49	1	5W58	1	
2E48	2	3W50	2	5W59	2	
2E49	1	3W51	1	5W61	1	
2E50	2	3W52	1	5W63	2	
2E51	1	3W53	1	5W82	1	
2E52	1	3W54	1	5W84	3	
2E53	1	3W55	1	5W85	10	
2E54	1	3W56	1	5W87	9	
2E55	1	3W57	1	GE27	1	

12620 - Chairs/Seating

Locatio	ns (cont.):				
2E56	1	3W59	1	GW03B	4
2E57	1	3W60	3	GW10	10
2E58	1	3W61	1	GW11	2
2E59	1	3W63	1	GW15	5
2E61	1	3W65	1	GW29	3
2E63	1	3W67	1	GW33	3
2E64	1	3W69	1	GW35	1
2E65	1	3W85	1	GW36	3
2E66	1	3W85A	1	GW37	1
2E67	1	3W85B	1	GW38	3
2E68	1	4E20	28	GW39	2
2E69	1	4E37	1	GW40	3
2E70	1	4E39	1	GW41	1
2E71	1	4E41	1	GW42	3
2E75	1	4E43	1	GW43	1
2E76	1	4E45	1	GW44	3
2E78	1	4E47	1	GW45	1
2W07	18	4E48	1	GW47	1
2W07A	2	4E49	1	GW48	3
2W09	1	4E50	1	GW49	1
2W14	2	4E51	1	GW51	3
2W29	1	4E53	1	GW52	10
2W30	1	4E54	1	GW53	1
2W31	1	4E55	1	GW55	2
2W32	1	4E56	1	GW57	2
2W33	1	4E57	1	GW59	1
2W34	1	4E58	1	GW61	1
2W35	1	4E59	1	GW63	1
2W37	1	4E61	1	GW80	1
2W38	1	4E63	1	GW85	4
2W39	1	4E64	1	GW87	2
2W40	1	4E65	1	GW89	6
2W41	1	4E66	1	GW90	1
2W42	1	4E67	1		

12620 - Chairs/Seating


Spec Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-02D	Hip Chair with Arms for Group Rooms	D	6	As manufactured by Highmark #2419-SF-BA-W37 Lynx Easy Access Chair with Arms and Armrest, Footrest, with Floor Saver Swivel Glides For Carpeted or Tile Floor Surfaces Size: Overall - 24"w. x 25"d. x 39"h.; 16-1/2"s.w., 18-1/2"s.d., 24"s.h., 17"b.w., 14-1/2"b.h. Swivel - 3/4"h., x 1-1/4"dia. Base with 3/8" stem Finish: Frame - Silver; Arm - Standard Black

Performance Specification: Reinforced welded steel structure made out of 1" Diameter 13G steel tube. Wall saver frame. Lifetime warranty on parts. Up to 350 lbs. weight rating. Ergonomically curved back and contoured waterfall seat. Items CH-02, CH-06, CH-07 and CH-11 must all be manufactured in matching style and like finishes. Upholstered back and seat with clean through design.



Back:





Locations:

1W80	2
1W84	2
1W88	2

12620 - Chairs/Seating

	· · · · · ·			
Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-03B	Swivel	В	56	As manufactured by SitOnIt Seating
	Conference			#2723 B3 T FC1 A140 B17 C16F S0 FG8 AC Amplify High Back Task
	Chair with			Chair (Upholstered Back with Silica Leather Seat) with Adjustable
	Upholstered			Lumber, Swivel/Tilt, Fixed Polyurethane Arms, Standard Cylinder
	Seat and Back			Height, and #C16 Carpet Casters, Fully Assembled in Carton, No
				Seat Depth Adjustment
				Size: Overall - 27-3/4"w. x 24-1/2"d. x 42"h.
				19-1/4"s.w.; 18-1/4"s.d.; 16-1/2 - 22-1/2"s.h.
				13-1/4 3.w., 10-1/4 3.u., 10-1/2 - 22-1/2 3.ii.
				Finish: Frame, Arms & Base - Black
				Casters - #C16 Black
				Performance Specification: Waterfall seat. 300 lb. weight
				capacity. Lifetime Warranty; 12-Years for 24/7 use. Waterfall

Performance Specification: Waterfall seat. 300 lb. weight capacity. Lifetime Warranty; 12-Years for 24/7 use. Waterfall seat. Back is upholstered, not mesh. Arrives fully assembled in carton.



Back:



Seat:



Locations:

1E04	12	3W03 12
1E20	10	3W05 12
1F30A	10	

12620 - Chairs/Seating

Spe Iten		Uph.		
No.	Selection	Code	Qty	Description
CH-0:		C	10	As manufactured by SitOnIt Seating #2723 B3 T FC1 A140 B17 C16F S0 FG8 AC Amplify High Back Task Chair (Upholstered Back with Silica Leather Seat) with Adjustable Lumber, Swivel/Tilt, Fixed Polyurethane Arms, Standard Cylinder Height, and #C16 Carpet Casters, Fully Assembled in Carton, No Seat Depth Adjustment Size: Overall - 27-3/4"w. x 24-1/2"d. x 42"h. 19-1/4"s.w.; 18-1/4"s.d.; 16-1/2 - 22-1/2"s.h. Finish: Frame, Arms & Base - Black Casters - #C16 Black Performance Specification: Waterfall seat. 300 lb. weight capacity. Lifetime Warranty; 12-Years for 24/7 use. Waterfall seat. Back is upholstered, not mesh. Arrives fully assembled in carton.



Back:

Seat:



Locations:

5W15 10

12620 - Chairs/Seating

Spec Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-03D	Swivel Conference Chair with Upholstered Seat and Back	D	31	As manufactured by SitOnIt Seating #2723 B3 T FC1 A140 B17 C16F S0 FG8 AC Amplify High Back Task Chair (Upholstered Back with Silica Leather Seat) with Adjustable Lumber, Swivel/Tilt, Fixed Polyurethane Arms, Standard Cylinder Height, and #C16 Carpet Casters, Fully Assembled in Carton, No Seat Depth Adjustment
				Size: Overall - 27-3/4"w. x 24-1/2"d. x 42"h. 19-1/4"s.w.; 18-1/4"s.d.; 16-1/2 - 22-1/2"s.h.
				Finish: Frame, Arms & Base - Black Casters - #C16 Black
				Performance Specification: Waterfall seat. 300 lb. weight capacity. Lifetime Warranty; 12-Years for 24/7 use. Waterfall seat. Back is upholstered, not mesh. Arrives fully assembled in carton.



Back:



Seat:



Locations:

4W10	10
4W20	10
4W34	6
4W43	5

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-04	Lounge Chair	W	2	As manufactured by Encore

#6270-90-VCT1-CL4 Clipse Single Lounge Chair with Platform Base and (4) Fixed Legs, with Modified Seat to Provide Clean Out, Fully Upholstered, on Glides

Size: Overall - 32"w. x 29"d. x 29-1/2"h.; 17-1/2"s.h.; Seat - 24"w. x 20"d.; Back - 22"w. x 15"h.

Finish: Legs - #90 Metallic Silver

Performance Specification: 350 lb. weight capacity. VCT tile glides are for hard surface flooring. SCS Outdoor Advantage Bold Certified.



Back:



Seat:



Locations:

4H10 2

Summary

Printed: July 27, 2017 Addendum #2

12620 - Spec Section

Spec Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-05QQ	Conference	QQ	211	As manufactured by KI
	Chair with			#DN1311-NFR-PFN-SX-GSL Doni Four-Leg Stack Chair with Arms,
	Arms,			Upholstered Seat and Back, Polypropylene Solid Color Shell,
	Upholstered			Steel Glides and Floor Contact in Neutral Nylon Color, Stacking
	Back and			
	Seat,			Size: Overall - 25-3/8"w. x 21-1/2"d. x 33-3/4"h.; 18"s.h.;
	Stackable, No			Seat - 19-1/4"w. x 18-3/4"d.; 26-1/2"a.h.
	Casters			Finish: Frame - #SX Starlight Silver Metallic Arms & Solid Color Shell - #PFN Flannel

Performance Specification: The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion. A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. The bottom ends of the 4-leg chair tubes are formed to be vertical where they meet the floor. The leg tubes are capped with polypropylene end caps matching the leg color. Legs are made from 3/4" diameter steel tubing. All joints are welded and the frames are finished in baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint. Tested to 300 lb. weight limit. Stacks 12-high on dolly, 6-high on floor. When equipped with arms, the support structure is a continuation of the rear leg. The armrests are injection-molded, glass-reinforced polypropylene. The steel frame tube is inserted into a socket molded into the armrest and secured with a screw. The floor contact surface on the glide is neutral color nylon.









Loca	tio	ns:

1E04	7	2E80	30
1E19	60	2E86	10

CH-05QQ Conference Chair with Arms, Upholstered Back and Seat, Stackable, No Casters (cont.)

Summary Printed: July 27, 2017

Addendum #2

12620 - Spec Section

CH-05QQ Conference Chair with Arms, Upholstered Back and Seat, Stackable, No Casters (cont.)

Location	ons (cont.):			
	1E20	17	2E90	20
	1E30A	5	2W10	10
	1W10	19	3W03	7
	1W20	14	3W05	7
	2E10	5		

Summary Printed: July 27, 2017

Addendum #2

12620 - Spec Section

Spec	Furniture	Uph.		
Item No.	Selection	Code	Qty	Description
CH-05RR	Conference	RR	50	As manufactured by KI
	Chair with			#DN1311-NFR-PFN-SX-GSL Doni Four-Leg Stack Chair with Arms,
	Arms,			Upholstered Seat and Back, Polypropylene Solid Color Shell, Steel
	Upholstered			Glides and Floor Contact in Neutral Nylon Color, Stacking
	Back and Seat, Stackable, No			Size: Overall - 25-3/8"w. x 21-1/2"d. x 33-3/4"h.; 18"s.h.; Seat - 19-1/4"w. x 18-3/4"d.; 26-1/2"a.h.
	Casters			Finish: Frame - #SX Starlight Silver Metallic Arms & Solid Color Shell - #PFN Flannel

Performance Specification: The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion. A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. The bottom ends of the 4-leg chair tubes are formed to be vertical where they meet the floor. The leg tubes are capped with polypropylene end caps matching the leg color. Legs are made from 3/4" diameter steel tubing. All joints are welded and the frames are finished in baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint. Tested to 300 lb. weight limit. Stacks 12-high on dolly, 6-high on floor. When equipped with arms, the support structure is a continuation of the rear leg. The armrests are injection-molded, glass-reinforced polypropylene. The steel frame tube is inserted into a socket molded into the armrest and secured with a screw. The floor contact surface on the glide is neutral color nylon.



Back:



\sim	ca	Ť١	\sim	n	c	•
L∪	ca	u	v		э	٠

2W15	10	2W21	10
2W17	10	2W25	10
2W19	10		

Summary Printed: July 27, 2017

Addendum #2

12620 - Spec Section

Spec	Furniture	Uph.		
Item No.	Selection	Code	Qty	Description
CH-05SS	Conference	SS	97	As manufactured by KI
	Chair with			#DN1311-NFR-PFN-SX-GSL Doni Four-Leg Stack Chair with Arms,
	Arms,			Upholstered Seat and Back, Polypropylene Solid Color Shell, Steel
	Upholstered			Glides and Floor Contact in Neutral Nylon Color, Stacking
	Back and Seat, Stackable, No			Size: Overall - 25-3/8"w. x 21-1/2"d. x 33-3/4"h.; 18"s.h.; Seat - 19-1/4"w. x 18-3/4"d.; 26-1/2"a.h.
	Casters			Finish: Frame - #SX Starlight Silver Metallic Arms & Solid Color Shell - #PFN Flannel

Performance Specification: The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion. A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. The bottom ends of the 4-leg chair tubes are formed to be vertical where they meet the floor. The leg tubes are capped with polypropylene end caps matching the leg color. Legs are made from 3/4" diameter steel tubing. All joints are welded and the frames are finished in baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint. Tested to 300 lb. weight limit. Stacks 12-high on dolly, 6-high on floor. When equipped with arms, the support structure is a continuation of the rear leg. The armrests are injection-molded, glass-reinforced polypropylene. The steel frame tube is inserted into a socket molded into the armrest and secured with a screw. The floor contact surface on the glide is neutral color nylon.



Locations:

1W80 7 2W89 10 1W84 7 4W10 6

CH-05SS Conference Chair with Arms, Upholstered Back and Seat, Stackable, No Casters (cont.)

Summary Printed: July 27, 2017

Addendum #2

12620 - Spec Section

CH-05SS Conference Chair with Arms, Upholstered Back and Seat, Stackable, No Casters (cont.)

Loca	ations (cont.):			
	1W85	15	4W20	6
	1W88	13	GW78	1
	1W89	20	GW84	1
	2W87	10	GW86	1

Summary Printed: July 27, 2017

Addendum #2

12620 - Spec Section

Spec	Furniture	Uph.		
Item No.	Selection	Code	Qty	Description
CH-05TT	Conference	TT	9	As manufactured by KI
	Chair with			#DN1311-NFR-PFN-SX-GSL Doni Four-Leg Stack Chair with Arms,
	Arms,			Upholstered Seat and Back, Polypropylene Solid Color Shell, Steel
	Upholstered			Glides and Floor Contact in Neutral Nylon Color, Stacking
	Back and Seat, Stackable, No			Size: Overall - 25-3/8"w. x 21-1/2"d. x 33-3/4"h.; 18"s.h.; Seat - 19-1/4"w. x 18-3/4"d.; 26-1/2"a.h.
	Casters			Finish: Frame - #SX Starlight Silver Metallic Arms & Solid Color Shell - #PFN Flannel

Performance Specification: The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion. A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. The bottom ends of the 4-leg chair tubes are formed to be vertical where they meet the floor. The leg tubes are capped with polypropylene end caps matching the leg color. Legs are made from 3/4" diameter steel tubing. All joints are welded and the frames are finished in baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint. Tested to 300 lb. weight limit. Stacks 12-high on dolly, 6-high on floor. When equipped with arms, the support structure is a continuation of the rear leg. The armrests are injection-molded, glass-reinforced polypropylene. The steel frame tube is inserted into a socket molded into the armrest and secured with a screw. The floor contact surface on the glide is neutral color nylon.



Back:

Seat:



Locations:

2E30

۵

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-06B	Bariatric	В	10	As manufactured by Highmark
	Chair with			#2449-SF-BP-W37 Lynx 42" Bariatric Chair with Fixed Arms with
	Arms for			Armrest, and Floor Saver Swivel Glides For Carpeted or Tile Floor
	Group Rooms			Surfaces
	(42")			Size: Overall - 46-1/2"w. x 27.75"d. x 33"h.; 42-1/2"s.w., 18-3/4"s.d., 18"s.h., 42"b.w., 14-3/4"b.h. Swivel - 3/4"h., x 1-1/4"dia. Base with 3/8" stem
				Finish: Frame - Silver; Armrest - Standard Black

Performance Specification: Wall-Saver frame. Rated to 1,000 lbs. Backed by Highmark's Lifetime warranty. Comes packed (3) chairs to a box. Reinforced welded steel structure made out of 1" Diameter 13G steel tube. Ergonomically curved back and contoured waterfall seat. Items CH-02, CH-06, CH-07 and CH-11 must all be manufactured in matching style and like finishes. Upholstered back and seat with clean through design.



Back:





Locations:			
1E20	1	2E10	1
1E80	1	2E80	1
1E90	1	2E86	1
1W10	1	2E90	1
1W20	1	2W10	1

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-06C	Bariatric	С	5	As manufactured by Highmark
	Chair with			#2449-SF-BP-W37 Lynx 42" Bariatric Chair with Fixed Arms with
	Arms for			Armrest, and Floor Saver Swivel Glides For Carpeted or Tile Floor
	Group Rooms			Surfaces
	(42")			Size: Overall - 46-1/2"w. x 27.75"d. x 33"h.; 42-1/2"s.w., 18-3/4"s.d., 18"s.h., 42"b.w., 14-3/4"b.h. Swivel - 3/4"h., x 1-1/4"dia. Base with 3/8" stem
				Finish: Frame - Silver; Armrest - Standard Black

Performance Specification: Wall-Saver frame. Rated to 1,000 lbs. Backed by Highmark's Lifetime warranty. Comes packed (3) chairs to a box. Reinforced welded steel structure made out of 1" Diameter 13G steel tube. Ergonomically curved back and contoured waterfall seat. Items CH-02, CH-06, CH-07 and CH-11 must all be manufactured in matching style and like finishes. Upholstered back and seat with clean through design.



Back:

Seat:



Locations:

2W15	1	2W21	1
2W17	1	2W25	1
2W19	1		

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-06D	Bariatric	D	4	As manufactured by Highmark
	Chair with			#2449-SF-BP-W37 Lynx 42" Bariatric Chair with Fixed Arms with
	Arms for			Armrest, and Floor Saver Swivel Glides For Carpeted or Tile Floor
	Group Rooms			Surfaces
	(42")			Size: Overall - 46-1/2"w. x 27.75"d. x 33"h.; 42-1/2"s.w.,
				18-3/4"s.d., 18"s.h., 42"b.w., 14-3/4"b.h.
				Swivel - 3/4"h., x 1-1/4"dia. Base with 3/8" stem
				Finish: Frame - Silver; Armrest - Standard Black

Performance Specification: Wall-Saver frame. Rated to 1,000 lbs. Backed by Highmark's Lifetime warranty. Comes packed (3) chairs to a box. Reinforced welded steel structure made out of 1" Diameter 13G steel tube. Ergonomically curved back and contoured waterfall seat. Items CH-02, CH-06, CH-07 and CH-11 must all be manufactured in matching style and like finishes. Upholstered back and seat with clean through design.



Back:

Seat:





Locations:

1W80	1	1W85	1
1W84	1	1W88	1

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-06E	Bariatric	Е	1	As manufactured by Highmark
	Chair with			#2449-SF-BP-W37 Lynx 42" Bariatric Chair with Fixed Arms with
	Arms for			Armrest, and Floor Saver Swivel Glides For Carpeted or Tile Floor
	Group Rooms			Surfaces
	(42")			Size: Overall - 46-1/2"w. x 27.75"d. x 33"h.; 42-1/2"s.w., 18-3/4"s.d., 18"s.h., 42"b.w., 14-3/4"b.h. Swivel - 3/4"h., x 1-1/4"dia. Base with 3/8" stem
				Finish: Frame - Silver; Armrest - Standard Black

Performance Specification: Wall-Saver frame. Rated to 1,000 lbs. Backed by Highmark's Lifetime warranty. Comes packed (3) chairs to a box. Reinforced welded steel structure made out of 1" Diameter 13G steel tube. Ergonomically curved back and contoured waterfall seat. Items CH-02, CH-06, CH-07 and CH-11 must all be manufactured in matching style and like finishes. Upholstered back and seat with clean through design.



Back:



Seat:



Locations:

2E30

1

g 101, Seattle, WA Printed: 4/14/2017

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-07F	Private Office	F	8	As manufactured by Highmark
	and Exam			#2409-SF-BA-W37 Lynx Heavy Duty Guest Chair with Fixed Black
	Room Side			Arms, Upholstered Back and Seat, with Floor Saver Swivel Glides
	Chair with			For Carpeted or Tile Floor Surfaces
	Arms			Size: Overall - 24"w. x 24"d. x 33"h.; 18"s.h., 18-1/4"s.d., 16-1/2"s.w., 17"b.w., 14-1/2"b.h.; Glides - 3/4"h. x 1-1/4"dia. with 3/8" Stem
				Finish: Frame - Silver; Arm - Standard Black; Glides - Silver/White
				Performance Specification: Wall-Saver frame. Reinforced welded steel structure made out of 1" Diameter 13G steel tube. Rated to 350 lbs. Backed by Highmark's Lifetime warranty. Stacks (4) on floor. Stacks (6) on dellar. Company packed (2) shairs to a bay.

steel structure made out of 1" Diameter 13G steel tube. Rated to 350 lbs. Backed by Highmark's Lifetime warranty. Stacks (4) on floor. Stacks (6) on dolly. Comes packed (3) chairs to a box. Ergonomically curved back and contoured waterfall seat. Items CH-02, CH-06, CH-07 and CH-11 must all be manufactured in matching style and like finishes. Upholstered back and seat with clean through design.



Back:



Locations:		
1W29	1	1'

1W29	1	10034	1
1W30	1	2W29	1
1W31	1	5W69	2
1W33	1		

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-07G	Private Office	G	38	As manufactured by Highmark
	and Exam			#2409-SF-BA-W37 Lynx Heavy Duty Guest Chair with Fixed Black
	Room Side			Arms, Upholstered Back and Seat, with Floor Saver Swivel Glides
	Chair with			For Carpeted or Tile Floor Surfaces
	Arms			Size: Overall - 24"w. x 24"d. x 33"h.; 18"s.h., 18-1/4"s.d., 16-1/2"s.w., 17"b.w., 14-1/2"b.h.;
				Glides - 3/4"h. x 1-1/4"dia. with 3/8" Stem

Performance Specification: Wall-Saver frame. Reinforced welded steel structure made out of 1" Diameter 13G steel tube. Rated to 350 lbs. Backed by Highmark's

Finish: Frame - Silver; Arm - Standard Black; Glides - Silver/White

Lifetime warranty. Stacks (4) on floor. Stacks (6) on dolly. Comes packed (3) chairs to a box. Ergonomically curved back and contoured waterfall seat. Items CH-02, CH-06, CH-07 and CH-11 must all be manufactured in matching style and

like finishes. Upholstered back and seat with clean through design.



Back:



Locatio	ns:				
		3E32	2	5E25 2	
3E20	1	5E16	2	5E30 4	
3E22	2	5E21	2	5E34 2	
3E24	2	5E22	2	5E37 2	
3E28	2	5E23	2	5E41 2	
3E29	1	5E24	2	5E43 4	
3E30	2				

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-07K	Private Office	K	11	As manufactured by Highmark
	and Exam			#2409-SF-BA-W37 Lynx Heavy Duty Guest Chair with Fixed Black
	Room Side			Arms, Upholstered Back and Seat, with Floor Saver Swivel Glides
	Chair with			For Carpeted or Tile Floor Surfaces
	Arms			Size: Overall - 24"w. x 24"d. x 33"h.; 18"s.h., 18-1/4"s.d., 16-1/2"s.w., 17"b.w., 14-1/2"b.h.;
				Glides - 3/4"h. x 1-1/4"dia. with 3/8" Stem
				Finish: Frame - Silver; Arm - Standard Black; Glides - Silver/White

Performance Specification: Wall-Saver frame. Reinforced welded steel structure made out of 1" Diameter 13G steel tube. Rated to 350 lbs. Backed by Highmark's Lifetime warranty. Stacks (4) on floor. Stacks (6) on dolly. Comes packed (3) chairs to a box. Ergonomically curved back and contoured waterfall seat. Items CH-02, CH-06, CH-07 and CH-11 must all be manufactured in matching style and like finishes. Upholstered back and seat with clean through design.



Back:





Locations:			
2W14	1	3E90A	1
3E80A	1	3E90B	1
3E80B	1	3E90C	1
3E80C	1		
2E76	2		
2E78	2		

12620 - Chairs/Seating

	, 0				
Spec					
Item	Furniture	Uph.			
No.	Selection	Code	Qty	Description	
CH-07L	Private Office	L	3	As manufactured by Highmark	
	and Exam			#2409-SF-BA-W37 Lynx Heavy Duty Guest Chair with Fixed Black	
	Room Side			Arms, Upholstered Back and Seat, with Floor Saver Swivel Glides	
	Chair with			For Carpeted or Tile Floor Surfaces	
	Arms			Size: Overall - 24"w. x 24"d. x 33"h.; 18"s.h., 18-1/4"s.d.,	
				16-1/2"s.w., 17"b.w., 14-1/2"b.h.;	
				Glides - 3/4"h. x 1-1/4"dia. with 3/8" Stem	
				Finish: Frame - Silver; Arm - Standard Black; Glides - Silver/White	
				Performance Specification: Wall-Saver frame. Reinforced welded	

Performance Specification: Wall-Saver frame. Reinforced welded steel structure made out of 1" Diameter 13G steel tube. Rated to 350 lbs. Backed by Highmark's Lifetime warranty. Stacks (4) on floor. Stacks (6) on dolly. Comes packed (3) chairs to a box. Ergonomically curved back and contoured waterfall seat. Items CH-02, CH-06, CH-07 and CH-11 must all be manufactured in matching style and like finishes. Upholstered back and seat with clean through design.



Back:



Seat:



Locations:

1W15	2
1W21	1

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-07M	Private Office	М	195	As manufactured by Highmark
	and Exam			#2409-SF-BA-W37 Lynx Heavy Duty Guest Chair with Fixed Black
	Room Side			Arms, Upholstered Back and Seat, with Floor Saver Swivel Glides
	Chair with			For Carpeted or Tile Floor Surfaces
	Arms			Size: Overall - 24"w. x 24"d. x 33"h.; 18"s.h., 18-1/4"s.d., 16-1/2"s.w., 17"b.w., 14-1/2"b.h.; Glides - 3/4"h. x 1-1/4"dia. with 3/8" Stem
				Finish: Frame - Silver; Arm - Standard Black; Glides - Silver/White

Performance Specification: Wall-Saver frame. Reinforced welded steel structure made out of 1" Diameter 13G steel tube. Rated to 350 lbs. Backed by Highmark's Lifetime warranty. Stacks (4) on floor. Stacks (6) on dolly. Comes packed (3) chairs to a box. Ergonomically curved back and contoured waterfall seat. Items CH-02, CH-06, CH-07 and CH-11 must all be manufactured in matching style and like finishes. Upholstered back and seat with clean through design.



Back:



Seat:



Locations:							
1W35	1	2W54	1	4W39	2		
1W36	1	2W55	1	4W40	2		
1W37	1	2W56	1	4W49	2		
1W38	1	2W57	1	4W50	4		

CH-07M Private Office and Exam Room Side Chair with Arms (cont.)

12620 - Chairs/Seating

CH-07M Private Office and Exam Room Side Chair with Arms (cont.)

Locatio	ns (cont.):				
1W39	1	2W58	1	4W51	2
1W40	1	2W59	1	4W52	2
1W41	1	2W61	1	4W53	2
1W42	1	2W63	1	4W54	2
1W43	1	2W65	1	4W55	2
1W45	2	2W67	1	4W56	2
1W47	1	2W69	2	4W57	2
1W49	1	2W80	1	4W58	2
1W50	1	2W82	1	4W59	2
1W51	1	2W84	1	4W61	2
1W52	1	2W86	1	4W63	2
1W53	1	2W90	1	4W65	2
1W54	1	2W92	1	4W67	2
1W55	1	3W31	1	4W69	3
1W56	1	3W33	1	5W43	3
1W57	1	3W35	1	5W45	3
1W58	1	3W37	1	5W49	2
1W59	1	3W39	1	5W51	2
1W61	1	3W41	1	5W52	1
1W63	1	3W42	1	5W53	2
1W65	2	3W43	1	5W54	2
2W30	1	3W45	2	5W55	2
2W31	1	3W47	1	5W56	2
2W32	1	3W49	1	5W57	2
2W33	1	3W51	2	5W58	2
2W34	1	3W52	1	5W59	1
2W35	1	3W53	1	5W61	2
2W37	1	3W54	1	5W63	1
2W38	1	3W55	2	5W82	2
2W39	1	3W56	1	GE27	1
2W40	1	3W57	1	GW35	2
2W41	1	3W59	1	GW37	2
2W42	1	3W61	1	GW41	2
2W43	2	3W63	1	GW43	3
2W44	1	3W65	1	GW45	3
2W45	2	3W67	1	GW49	2
2W47	1	3W69	3	GW53	2
2W49	1	4W35	2	GW59	2
2W51	1	4W36	2	GW61	2
2W52	1	4W37	2	GW63	2
2W53	1	4W38	2		

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-07N	Private Office	N	164	As manufactured by Highmark
	and Exam			#2409-SF-BA-W37 Lynx Heavy Duty Guest Chair with Fixed Black
	Room Side			Arms, Upholstered Back and Seat, with Floor Saver Swivel Glides
	Chair with			For Carpeted or Tile Floor Surfaces
	Arms			Size: Overall - 24"w. x 24"d. x 33"h.; 18"s.h., 18-1/4"s.d., 16-1/2"s.w., 17"b.w., 14-1/2"b.h.; Glides - 3/4"h. x 1-1/4"dia. with 3/8" Stem
				Finish: Frame - Silver; Arm - Standard Black; Glides - Silver/White

Performance Specification: Wall-Saver frame. Reinforced welded steel structure made out of 1" Diameter 13G steel tube. Rated to 350 lbs. Backed by Highmark's Lifetime warranty. Stacks (4) on floor. Stacks (6) on dolly. Comes packed (3) chairs to a box. Ergonomically curved back and contoured waterfall seat. Items CH-02, CH-06, CH-07 and CH-11 must all be manufactured in matching style and like finishes. Upholstered back and seat with clean through design.



Back:



Seat:



Locations:							
1E29	1	2E47	1	3E59	1		
1E31	1	2E48	1	3E61	3		
1E41	2	2E49	1	3E63	3		
1E43	1	2E50	1	3E65	1		

CH-07N Private Office and Exam Room Side Chair with Arms (cont.)

12620 - Chairs/Seating

CH-07N Private Office and Exam Room Side Chair with Arms (cont.)

Locatio	ons (cont.):					
1E45	1	2E51	1	3E67	1	
1E47	1	2E52	1	3E69	1	
1E48	1	2E53	1	3E71	1	
1E49	1	2E54	1	3E73	1	
1E50	1	2E55	1	4E37	3	
1E51	1	2E56	1	4E39	2	
1E53	1	2E57	1	4E41	2	
1E55	1	2E58	1	4E43	2	
1E56	1	2E59	1	4E45	2	
1E57	1	2E61	2	4E47	2	
1E58	1	2E63	2	4E48	2	
1E59	1	2E64	1	4E49	2	
1E61	2	2E65	1	4E50	2	
1E62	1	2E66	1	4E51	2	
1E63	1	2E67	1	4E53	2	
1E64	1	2E68	1	4E54	2	
1E65	1	2E69	1	4E55	2	
1E66	1	2E70	1	4E56	2	
1E67	1	2E71	1	4E57	2	
1E68	1	2E75	1	4E58	2	
1E69	1	3E17	2	4E59	2	
1E71	1	3E19	2	4E61	3	
1E75	1	3E21	2	4E63	3	
2E19	1	3E25	1	4E64	2	
2E20	2	3E37	3	4E65	2	
2E22	1	3E39	1	4E66	2	
2E23	1	3E41	1	4E67	2	
2E25	1	3E43	1	4E69	2	
2E27	1	3E45	1	4E71	2	
2E28	2	3E47	1	4E73	2	
2E29	1	3E49	1	5E10	2	
2E37	2	3E51	1	5E12	2	
2E39	1	3E53	1			
2E41	1	3E55	1			
2E43	1	3E57	1			
2E45	1					

Furniture Specification


Printed: 4/14/2017

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-08	Dining Chair	n/a	73	As manufactured by KI
	with Arms #DN1A11	#DN1A11-NFR-7683C-5865C-CM-GSL Doni Four-Leg Stack Chair		
				with Arms, Two-tone Color, Polypropylene Seat/Backrest, Steel
				Glides and Floor Contact in Neutral Nylon Color, Stacking, Custom
				Pantone Poly Colors
				Size: Overall - 25-3/8"w. x 21-1/2"d. x 33-3/4"h.; 18"s.h.;
				Seat - 19-1/4"w. x 18-3/4"d.; 26-1/2"a.h.
				Finish: Frame - #CM Champagne Metallic;
				Poly Outside Shell & Arms - Pantone #7683 C;
				•
				Poly Inside Shell - Pantone #5865 C

Performance Specification: The backrest and seat are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion. A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. The bottom ends of the 4-leg chair tubes are formed to be vertical where they meet the floor. The leg tubes are capped with polypropylene end caps matching the leg color. Legs are made from 3/4" diameter steel tubing. All joints are welded and the frames are finished in baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint. Tested to 300 lb. weight limit. Stacks 12-high on dolly, 6-high on floor. When equipped with arms, the support structure is a continuation of the rear leg. The armrests are injection-molded, glass-reinforced polypropylene. Arm color matches the outside shell poly color. The steel frame tube is inserted into a socket molded into the armrest and secured with a screw. The floor contact surface on the glide is neutral color nylon.





Locations:	
1F37	

8	3W72	11
4	4W32A	4
13	4W70	16
11	5W72	6
	4 13	4 4W32A 13 4W70

12620 - Chairs/Seating

Spec	Furniture	Uph.		
Item No.	Selection	Code	Qty	Description
CH-09U	Lounge Chair	U	4	As manufactured by Teknion - Studio
	with High			#STFS1-H-U-F7 Fractals High-Back Lounge Chair with Matching
	Back			Upholstered Seat and Bolster, and Matching Upholstered Interior
				and Exterior Back
				Size: Overall - 45-3/4"w. x 35-1/2"d. x 54"h.; 19"s.h.

Finish: Frame - #F7 Satin Nickel

Performance Specification: The surface planes, volumes and modularity of the pieces are intended to create a broad canvas on to create distinctive looks. Boldly innovative and visually compelling.



Interior & **Exterior Back:**







Seat & **Bolster:**



Locations:

4W25


12620 - Chairs/Seating

Spec	Furniture	Uph.			
Item No.	Selection	Code	Qty	Description	
CH-09X	Lounge Chair	Χ	2	As manufactured by Teknion - Studio	
	with High			#STFS1-H-U-F7 Fractals High-Back Lounge Chair with Matching	
	Back			Upholstered Seat and Bolster, and Matching Upholstered Interio	
				and Exterior Back	
				Size: Overall - 45-3/4"w. x 35-1/2"d. x 54"h.; 19"s.h.	
				312e. Overall - 43-3/4 W. X 33-1/2 U. X 34 II., 13 3.11.	
				Finish: Frame - #F7 Satin Nickel	

Performance Specification: The surface planes, volumes and modularity of the pieces are intended to create a broad canvas on to create distinctive looks. Boldly innovative and visually compelling.



Interior & Exterior Back:







Seat & Bolster:



Locations:

3W24

12620 - Chairs/Seating

	Spec	Furniture	Uph.			
	Item No.	Selection	Code	Qty	Description	
	CH-09DD	Lounge Chair	DD	2	As manufactured by Teknion - Studio	
		with High			#STFS1-H-U-F7 Fractals High-Back Lounge Chair with Matching	
Back Upholstered Seat and Bolster, and Matching Upholstered Interior		Upholstered Seat and Bolster, and Matching Upholstered Interior				
					and Exterior Back	
					Size: Overall - 45-3/4"w. x 35-1/2"d. x 54"h.; 19"s.h.	
					·	

Finish: Frame - #F7 Satin Nickel

Performance Specification: The surface planes, volumes and modularity of the pieces are intended to create a broad canvas on to create distinctive looks. Boldly innovative and visually compelling.



Interior & Exterior Back:







Seat & Bolster:



Locations:

GW24

VA Puget Sound Health Care System (VAPSHCS) Building 101, Seattle, WA

Furniture Specification

Printed: 4/14/2017

12620 - Chairs/Seating

c		_	_
J	ν	c	u

Item Furniture Uph.

No. Selection Code Qty Description

CH-10 NOT USED

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-11B	Bariatric	В	46	As manufactured by Highmark
	Chair with			#2439-SF-BP-W37 Lynx 30" Bariatric Guest Chair with Fixed Arms
	Arms for			and Armrests, with Floor Saver Swivel Glides For Carpeted or Tile
	Group Rooms (30")			Floor Surfaces
	(30)			Size: Overall - 34-3/4"w. x 27-3/4"d. x 33"h.; 30-3/4"s.w.,
				18-3/4"s.d., 18"s.h., 30-3/4"b.w., 14-3/4"b.h.
				Swivel - 3/4"h., x 1-1/4"dia. Base with 3/8" stem

Finish: Frame - Silver; Armrest - Standard Black

Performance Specification: Wall saver frame. Lifetime warranty on parts. Up to 500 lbs. weight rating. Reinforced welded steel structure made out of 1" Diameter 13G steel tube. Ergonomically curved back and contoured waterfall seat. Items CH-02, CH-06, CH-07 and CH-11 must all be manufactured in matching style and like finishes. Upholstered back and seat with clean through design.



Back:



Seat:



ı	OC:	¬+i	\sim	2	
	()(/		()		

1E20	2	2E80	9
1W10	2	2E86	9
1W20	2	2E90	9
2E10	4	2W10	9

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-11C	Bariatric	С	45	As manufactured by Highmark
	Chair with			#2439-SF-BP-W37 Lynx 30" Bariatric Guest Chair with Fixed Arms
	Arms for			and Armrests, with Floor Saver Swivel Glides For Carpeted or Tile
Group Rooms			Floor Surfaces	
	(30")			Size: Overall - 34-3/4"w. x 27-3/4"d. x 33"h.; 30-3/4"s.w.,
				18-3/4"s.d., 18"s.h., 30-3/4"b.w., 14-3/4"b.h.
				Swivel - 3/4"h., x 1-1/4"dia. Base with 3/8" stem
				Finish: Frame - Silver; Armrest - Standard Black

Performance Specification: Wall saver frame. Lifetime warranty on parts. Up to 500 lbs. weight rating. Reinforced welded steel structure made out of 1" Diameter 13G steel tube. Ergonomically curved back and contoured waterfall seat. Items CH-02, CH-06, CH-07 and CH-11 must all be manufactured in matching style and like finishes. Upholstered back and seat with clean through design.



Back:



Seat:

1 000	+10	nc
Loca		

2W15	9	2W21	9
2W17	9	2W25	9
2W19	9		

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-11D	Bariatric	D	26	As manufactured by Highmark
	Chair with			#2439-SF-BP-W37 Lynx 30" Bariatric Guest Chair with Fixed Arms
	Arms for			and Armrests, with Floor Saver Swivel Glides For Carpeted or Tile
Group Rooms (30")				Floor Surfaces
	(30)			Size: Overall - 34-3/4"w. x 27-3/4"d. x 33"h.; 30-3/4"s.w.,
				18-3/4"s.d., 18"s.h., 30-3/4"b.w., 14-3/4"b.h.
				Swivel - 3/4"h., x 1-1/4"dia. Base with 3/8" stem
				Finish: Frame - Silver; Armrest - Standard Black

Performance Specification: Wall saver frame. Lifetime warranty on parts. Up to 500 lbs. weight rating. Reinforced welded steel structure made out of 1" Diameter 13G steel tube. Ergonomically curved back and contoured waterfall seat. Items CH-02, CH-06, CH-07 and CH-11 must all be manufactured in matching style and like finishes. Upholstered back and seat with clean through design.



Back:

Seat:



Locations:

1W80	2	1W88	2
1W84	2	2W87	9
1W85	2	2W89	9

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-11E	Bariatric	Е	9	As manufactured by Highmark
	Chair with			#2439-SF-BP-W37 Lynx 30" Bariatric Guest Chair with Fixed Arms
Arms for		and Armrests, with Floor Saver Swivel Glides For Carpeted o		
	Group Rooms		F	Floor Surfaces
	(30")			Size: Overall - 34-3/4"w. x 27-3/4"d. x 33"h.; 30-3/4"s.w., 18-3/4"s.d., 18"s.h., 30-3/4"b.w., 14-3/4"b.h. Swivel - 3/4"h., x 1-1/4"dia. Base with 3/8" stem
				Finish: Frame - Silver; Armrest - Standard Black

Performance Specification: Wall saver frame. Lifetime warranty on parts. Up to 500 lbs. weight rating. Reinforced welded steel structure made out of 1" Diameter 13G steel tube. Ergonomically curved back and contoured waterfall seat. Items CH-02, CH-06, CH-07 and CH-11 must all be manufactured in matching style and like finishes. Upholstered back and seat with clean through design.





Locations:

2E30

9

CH-11E Bariatric Chair with Arms for Group Rooms - 30" (cont.)

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-11G	Bariatric	G	2	As manufactured by Highmark
	Chair with			#2439-SF-BP-W37 Lynx 30" Bariatric Guest Chair with Fixed Arms
	Arms for			and Armrests, with Floor Saver Swivel Glides For Carpeted or Tile
	Group Rooms			Floor Surfaces
	(30")			Size: Overall - 34-3/4"w. x 27-3/4"d. x 33"h.; 30-3/4"s.w., 18-3/4"s.d., 18"s.h., 30-3/4"b.w., 14-3/4"b.h. Swivel - 3/4"h., x 1-1/4"dia. Base with 3/8" stem
				Finish: Frame - Silver; Armrest - Standard Black

Performance Specification: Wall saver frame. Lifetime warranty on parts. Up to 500 lbs. weight rating. Reinforced welded steel structure made out of 1" Diameter 13G steel tube. Ergonomically curved back and contoured waterfall seat. Items CH-02, CH-06, CH-07 and CH-11 must all be manufactured in matching style and like finishes. Upholstered back and seat with clean through design.



Back:



Seat:

Locations:

2E71A 1 5E16 1

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-11K	Bariatric	K	1	As manufactured by Highmark
	Chair with			#2439-SF-BP-W37 Lynx 30" Bariatric Guest Chair with Fixed Arms
	Arms for			and Armrests, with Floor Saver Swivel Glides For Carpeted or Tile
Group Rooms			Floor Surfaces	
	(30")			Size: Overall - 34-3/4"w. x 27-3/4"d. x 33"h.; 30-3/4"s.w.,
				18-3/4"s.d., 18"s.h., 30-3/4"b.w., 14-3/4"b.h.
				Swivel - 3/4"h., x 1-1/4"dia. Base with 3/8" stem
				Finish: Frame - Silver; Armrest - Standard Black

Performance Specification: Wall saver frame. Lifetime warranty on parts. Up to 500 lbs. weight rating. Reinforced welded steel structure made out of 1" Diameter 13G steel tube. Ergonomically curved back and contoured waterfall seat. Items CH-02, CH-06, CH-07 and CH-11 must all be manufactured in matching style and like finishes. Upholstered back and seat with clean through design.



Back:





Locations:

2W14 1

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-11M	Bariatric	М	55	As manufactured by Highmark
	Chair with			#2439-SF-BP-W37 Lynx 30" Bariatric Guest Chair with Fixed Arms
	Arms for			and Armrests, with Floor Saver Swivel Glides For Carpeted or Tile
Group Rooms			Floor Surfaces	
	(30")			Size: Overall - 34-3/4"w. x 27-3/4"d. x 33"h.; 30-3/4"s.w.,
				18-3/4"s.d., 18"s.h., 30-3/4"b.w., 14-3/4"b.h.
				Swivel - 3/4"h., x 1-1/4"dia. Base with 3/8" stem
				Finish: Frame - Silver; Armrest - Standard Black

Performance Specification: Wall saver frame. Lifetime warranty on parts. Up to 500 lbs. weight rating. Reinforced welded steel structure made out of 1" Diameter 13G steel tube. Ergonomically curved back and contoured waterfall seat. Items CH-02, CH-06, CH-07 and CH-11 must all be manufactured in matching style and like finishes. Upholstered back and seat with clean through design.



Back:



Seat:



Location	ns:				
1W35	1	1W61	1	2W51	1
1W36	1	1W63	1		
1W37	1	1W65	1	2W53	1

CH-11M Bariatric Chair with Arms for Group Rooms - 30" (cont.)

12620 - Chairs/Seating

CH-11M Bariatric Chair with Arms for Group Rooms - 30" (cont.)

Locatio	ns (cont.):						
1W38	1	2W30	1				
1W39	1	2W31	1	2W55	1		
1W40	1	2W32	1				
1W41	1	2W33	1	2W57	1		
1W42	1						
1W45	1	2W35	1	2W59	1		
1W47	1	2W37	1	2W61	1		
1W49	1	2W38	1	2W63	1		
1W50	1	2W39	1	2W65	1		
1W51	1	2W40	1	2W67	1		
1W53	1	2W41	1	2W69	1		
1W54	1	2W42	1	2W80	1		
1W55	1	2W43	1	2W82	1		
1W56	1	2W44	1	2W84	1		
1W57	1	2W45	1	2W86	1		
1W58	1	2W47	1	2W90	1		
1W59	1	2W49	1	2W92	1		

12620 - Chairs/Seating

Spec						
Item	Furniture	Uph.				
No.	Selection	Code	Qty	Description		
CH-11N	Bariatric	N	54	As manufactured by Highmark		
	Chair with			#2439-SF-BP-W37 Lynx 30" Bariatric Guest Chair with Fixed Arms		
	Arms for			and Armrests, with Floor Saver Swivel Glides For Carpeted or Tile		
Group Rooms			Floor Surfaces			
	(30")			Size: Overall - 34-3/4"w. x 27-3/4"d. x 33"h.; 30-3/4"s.w., 18-3/4"s.d., 18"s.h., 30-3/4"b.w., 14-3/4"b.h. Swivel - 3/4"h., x 1-1/4"dia. Base with 3/8" stem		

Performance Specification: Wall saver frame. Lifetime warranty on parts. Up to 500 lbs. weight rating. Reinforced welded steel structure made out of 1" Diameter 13G steel tube. Ergonomically curved back and contoured waterfall seat. Items CH-02, CH-06, CH-07 and CH-11 must all be manufactured in matching style and like finishes. Upholstered back and seat with clean through design.





Finish: Frame - Silver; Armrest - Standard Black



Seat:



Locatio	ns:				
1E29	1	1E63	1	2E49	1
1E31	1	1E64	1	2E51	1
1E41	1	1E65	1	2E52	1

CH-11E Bariatric Chair with Arms for Group Rooms - 30" (cont.)

12620 - Chairs/Seating

CH-11E Bariatric Chair with Arms for Group Rooms - 30" (cont.)

Locatio	ns (cont.):					
1E43	1	1E67	1	2E53	1	
1E45	1	1E69	1	2E54	1	
1E47	1	2E19	1	2E55	1	
1E48	1	2E64	1	2E56	1	
1E49	1	2E22	1	2E57	1	
1E50	1	2E23	1	2E58	1	
1E51	1	2E25	1	2E59	1	
1E53	1	2E27	1	2E61	1	
1E55	1	2E29	1	2E63	1	
1E56	1	2E37	1	2E65	1	
1E57	1	2 E39	1	2E66	1	
1E58	1	2E41	1	2E67	1	
1E59	1	2E43	1	2E68	1	
1E61	1	2E45	1	2E69	1	
1E62	1	2E47	1	2E70	1	


12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-12P	Conference	Р	83	As manufactured by KI
	Nesting Chair			#SNCAU-FN-PFN-C-NFR Strive Nesting Cantilever Armchair with
	with Arms			Upholstered Seat, Poly Back, Fixed-Position T-Arms, with Carpet
	and			Casters
	Upholstered and Plastic			Size: Overall - 23"w. x 22-3/4"d. x 33-3/4"h.; 17"s.w., 18"s.d., 17-
				1/2"s.h.
	Back, Casters			First France (IFN Flace)
				Finish: Frame - #FN Flannel;
				Poly Back - #PFN Flannel;
				Casters - Black

Performance Specification: Seat flips up to allow chairs to nest for storage and transport. Seat is two-piece construction of injection-molded polypropylene, reinforced with internal steel channels, and assembled using hidden fasteners. Backrest is injection-molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire. Integral molded handle on seat back makes it easy to roll chair anywhere. Flex-back design encourages movement, relaxation and enhanced circulation. Slats permit flexing; radiused back conforms to your back; contoured seat dissipates pressure points. No need to lift and stack these chairs. Just flip-up the seats and conveniently nest them for simplified storage or relocation. The legs are 1", 13-gauge high-strength steel tubing. All frame joints are welded. Casters are double wheels (60mm) of high-impact thermoplastic with high-impact plastic frame. Frame has baked-on electrostatically-applied 30 gloss epoxy powder coating.



Seat:



	റ	ca	ŤΙ	\sim	n	c.
_	u	La	u	v		э.

1E80	30	5W70	8
1E90	30	GW10	3
		GW30	12


12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-12Q	Conference	Q	52	As manufactured by KI
	Nesting Chair		Total	#SNCAU-FN-PFN-C-NFR Strive Nesting Cantilever Armchair with
	with Arms			Upholstered Seat, Poly Back, Fixed-Position T-Arms, with Carpet
	and		*Below	Casters OR
	Upholstered		Means	#SNCAU-FN-PFN-S-NFR Strive Nesting Cantilever Armchair with
	and Plastic		Hard	Upholstered Seat, Poly Back, Fixed-Position T-Arms, with Hard
	Back, Casters		Floor	Floor Casters
			Casters;	
			Qty: 22	Size: Overall - 23"w. x 22-3/4"d. x 33-3/4"h.; 17"s.w., 18"s.d., 17-
				1/2"s.h.
				Finish: Frame - #FN Flannel;
				Poly Back - #PFN Flannel;
				Casters - Black

Performance Specification: Seat flips up to allow chairs to nest for storage and transport. Seat is two-piece construction of injection-molded polypropylene, reinforced with internal steel channels, and assembled using hidden fasteners. Backrest is injection-molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire. Integral molded handle on seat back makes it easy to roll chair anywhere. Flex-back design encourages movement, relaxation and enhanced circulation. Slats permit flexing; radiused back conforms to your back; contoured seat dissipates pressure points. No need to lift and stack these chairs. Just flip-up the seats and conveniently nest them for simplified storage or relocation. The legs are 1", 13-gauge high-strength steel tubing. All frame joints are welded. Casters are double wheels (60mm) of high-impact thermoplastic with high-impact plastic frame. Frame has baked-on electrostatically-applied 30 gloss epoxy powder coating.



Seat:



Locations:

GW25 30 *GW24 10 *4W25 8 *5W13 4


12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-12R	Conference	R	24	As manufactured by KI
	Nesting Chair			#SNCAU-FN-PFN-C-NFR Strive Nesting Cantilever Armchair with
	with Arms			Upholstered Seat, Poly Back, Fixed-Position T-Arms, with Carpet
	and			Casters
	Upholstered			Size: Overall - 23"w. x 22-3/4"d. x 33-3/4"h.; 17"s.w., 18"s.d., 17-
	and Plastic		1/2"s.h.	
	Back, Casters			Finish - France - HENI Flammal
				Finish: Frame - #FN Flannel;
				Poly Back - #PFN Flannel;
				Casters - Black

Performance Specification: Seat flips up to allow chairs to nest for storage and transport. Seat is two-piece construction of injection-molded polypropylene, reinforced with internal steel channels, and assembled using hidden fasteners. Backrest is injection-molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire. Integral molded handle on seat back makes it easy to roll chair anywhere. Flex-back design encourages movement, relaxation and enhanced circulation. Slats permit flexing; radiused back conforms to your back; contoured seat dissipates pressure points. No need to lift and stack these chairs. Just flip-up the seats and conveniently nest them for simplified storage or relocation. The legs are 1", 13-gauge high-strength steel tubing. All frame joints are welded. Casters are double wheels (60mm) of high-impact thermoplastic with highimpact plastic frame. Frame has baked-on electrostatically-applied 30 gloss epoxy powder coating.



Seat:



Locations:

2W85


12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-12S	Conference	S	67	As manufactured by KI
	Nesting Chair		Total	#SNCAU-FN-PFN-C-NFR Strive Nesting Cantilever Armchair with
	with Arms			Upholstered Seat, Poly Back, Fixed-Position T-Arms, with Carpet
	and		*Below	Casters OR
	Upholstered		Means	#SNCAU-FN-PFN-S-NFR Strive Nesting Cantilever Armchair with
	and Plastic		Hard	Upholstered Seat, Poly Back, Fixed-Position T-Arms, with Hard
	Back, Casters		Floor	Floor Casters
			Casters; Qty: 1	Size: Overall - 23"w. x 22-3/4"d. x 33-3/4"h.; 17"s.w., 18"s.d., 17-1/2"s.h.
				Finish: Frame - #FN Flannel; Poly Back - #PFN Flannel; Casters - Black

Performance Specification: Seat flips up to allow chairs to nest for storage and transport. Seat is two-piece construction of injection-molded polypropylene, reinforced with internal steel channels, and assembled using hidden fasteners. Backrest is injection-molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire. Integral molded handle on seat back makes it easy to roll chair anywhere. Flex-back design encourages movement, relaxation and enhanced circulation. Slats permit flexing; radiused back conforms to your back; contoured seat dissipates pressure points. No need to lift and stack these chairs. Just flip-up the seats and conveniently nest them for simplified storage or relocation. The legs are 1", 13-gauge high-strength steel tubing. All frame joints are welded. Casters are double wheels (60mm) of high-impact thermoplastic with high-impact plastic frame. Frame has baked-on electrostatically-applied 30 gloss epoxy powder coating.



Seat:



Locations:

3E12 6 *2E71A 1 4E90 60

12620 - Chairs/Seating


Spec Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-13T	Lounge Chair	Т	2	As manufactured by Arcadia
	with Tablet			#2552-TAR13-CO-NS04-NL1 Nios Mid Back Lounge Chair, Swivel
	Arm			Pedestal Base, Multifunctional Rotating Corian Tablet Right (as

Size: Chair - 33"w. x 31-1/2"d. x 32"h.; 16-3/4"s.h.; Inside Seat 19-1/4"w., Inside Seat 20"d. Tablet - 16-1/2"w. x 12-1/2"w. x 3/4"d. (affixed right)

seated) with Clear Coat Edge Finish, with Non-Skid Glides

Finish: Base & Table Mounting Post - #90 Metallic Silver; Corian - Designer White with Clear Coat Edge Finish Fabric Pattern Code: #NL1

Performance Specification: 4-Prong swivel pedestal base manufactured in aluminum with auto-return feature as standard. SCS Indoor Advantage Gold certified. Maximum weight capacity of 300 lbs. Tablet mounting post will match chair base finish as standard, unless otherwise specified. Tablet has 270-degree tablet turning radius. Non-skid glides.



Inside Back / Top of Seat:

Balance of Chair:



Locations:

4H10 2


12620 - Chairs/Seating


Spec Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-13Z	Lounge Chair	Z	4	As manufactured by Arcadia
	with Tablet			#2552-TAR13-CO-NS04-NL1 Nios Mid Back Lounge Chair, Swivel
	Arm			Pedestal Base, Multifunctional Rotating Corian Tablet Right (as
				seated) with Clear Coat Edge Finish, with Non-Skid Glides

Size: Chair - 33"w. x 31-1/2"d. x 32"h.; 16-3/4"s.h.; Inside Seat 19-1/4"w., Inside Seat 20"d. Tablet - 16-1/2"w. x 12-1/2"w. x 3/4"d. (affixed right)

Finish: Base & Table Mounting Post - #90 Metallic Silver; Corian - Designer White with Clear Coat Edge Finish Fabric Pattern Code: #NL1

Performance Specification: 4-Prong swivel pedestal base manufactured in aluminum with auto-return feature as standard. SCS Indoor Advantage Gold certified. Maximum weight capacity of 300 lbs. Tablet mounting post will match chair base finish as standard, unless otherwise specified. Tablet has 270-degree tablet turning radius. Non-skid glides.







Inside Back / Top of Seat:

Balance of Chair:



Locations:

3W24 4


12620 - Chairs/Seating

Spec Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-13CC	Lounge Chair	CC	6	As manufactured by Arcadia
	with Tablet			#2552-TAR13-CO-NS04-NL1 Nios Mid Back Lounge Chair, Swivel
	Arm			Pedestal Base, Multifunctional Rotating Corian Tablet Right (as
				seated) with Clear Coat Edge Finish, with Non-Skid Glides

Size: Chair - 33"w. x 31-1/2"d. x 32"h.; 16-3/4"s.h.; Inside Seat 19-1/4"w., Inside Seat 20"d. Tablet - 16-1/2"w. x 12-1/2"w. x 3/4"d. (affixed right)

Finish: Base & Table Mounting Post - #90 Metallic Silver; Corian - Designer White with Clear Coat Edge Finish Fabric Pattern Code: #NL1

Performance Specification: 4-Prong swivel pedestal base manufactured in aluminum with auto-return feature as standard. SCS Indoor Advantage Gold certified. Maximum weight capacity of 300 lbs. Tablet mounting post will match chair base finish as standard, unless otherwise specified. Tablet has 270-degree tablet turning radius. Non-skid glides.



Tablet Shape



Inside Back / Top of Seat:

Balance of Chair:



Locations:

GW90A 2 GW24 4

12620 - Chairs/Seating


Spec Item	Furniture	Uph.			
No.	Selection	Code	Qty	Description	
CH-13FF	Lounge Chair	FF	4	As manufactured by Arcadia	
	with Tablet			#2552-TAR13-CO-NS04-NL1 Nios Mid Back Lounge Chair, Swivel	
	Arm			Pedestal Base, Multifunctional Rotating Corian Tablet Right (as	
				seated) with Clear Coat Edge Finish, with Non-Skid Glides	

Size: Chair - 33"w. x 31-1/2"d. x 32"h.; 16-3/4"s.h.; Inside Seat 19-1/4"w., Inside Seat 20"d. Tablet - 16-1/2"w. x 12-1/2"w. x 3/4"d. (affixed right)

Finish: Base & Table Mounting Post - #90 Metallic Silver; Corian - Designer White with Clear Coat Edge Finish Fabric Pattern Code: #NL1

Performance Specification: 4-Prong swivel pedestal base manufactured in aluminum with auto-return feature as standard. SCS Indoor Advantage Gold certified. Maximum weight capacity of 300 lbs. Tablet mounting post will match chair base finish as standard, unless otherwise specified. Tablet has 270-degree tablet turning radius. Non-skid glides.







Inside Back / Top of Seat:



Balance of Chair:

Locations:

4W47 4

12620 - Chairs/Seating

Spec Item No.	Furniture Selection	Uph. Code	Qty	Description
CH-14MM	Waiting Area Unit, 1-Seat	MM	4	As manufactured by Arcadia #4410-CO-90-SH1 Soleil Single Guest Chair with Corian Arm Caps, White Oak Wood for Lower Portion of Arm Cap with Standard Glides Size: Overall - 24-1/2"w. x 26-1/21"d. x 34"h.; 18"s.h., 24-3/4"a.h.; Inside Seat Width - 20-1/2"; Inside Seat Depth - 18"

Finish: Frame - #90 Metallic Silver; Corian - Designer White; Wood Lower Portion of Arm Cap - #18 Slate Grey White Oak

Performance Specification: Metal seat frame construction ensures durability and allows in-field component replacement. Passive flex back motion provides long-term seated comfort. Arm cap features radiused edges for smooth surface contact; all styles field-replaceable. Clean-outs on every side, including between the seat and back. Enables crumbs and debris to fall through for maintenance ease. Wall-saver leg design. SCS Indoor Advantage Gold certified. Replaceable componentry. 350 lbs. Maximum seat capacity.



Back:



Seat:



Locations:

2W91

12620 - Chairs/Seating

Spec Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-14NN	Waiting Area	NN	7	As manufactured by Arcadia
	Unit, 1-Seat		Total	#4410-CO-90-SH1 Soleil Single Guest Chair with Corian Arm Caps,
				White Oak Wood for Lower Portion of Arm Cap with Standard
				Glide OR
			* Below	#4410-CO-90-SH1-NS07B Soleil Single Guest Chair with Corian Arm
			Means	Caps, White Oak Wood for Lower Portion of Arm Cap with Non-
			Non-	Skid Glides
			Skid Glides; Qty: 3	Size: Overall - 24-1/2"w. x 26-1/21"d. x 34"h.; 18"s.h., 24-3/4"a.h.; Inside Seat Width - 20-1/2"; Inside Seat Depth - 18"
				Finish: Frame - #90 Metallic Silver; Corian - Designer White; Wood Lower Portion of Arm Cap - #18 Slate Grey White Oak

Performance Specification: Metal seat frame construction ensures durability and allows in-field component replacement. Passive flex back motion provides long-term seated comfort. Arm cap features radiused edges for smooth surface contact; all styles field-replaceable. Clean-outs on every side, including between the seat and back. Enables crumbs and debris to fall through for maintenance ease. Wall-saver leg design. SCS Indoor Advantage Gold certified. Replaceable componentry. 350 lbs. Maximum seat capacity.



Back:



Seat:




Locations:

1W11 4 *GW11 2 *GW15 1


12620 - Chairs/Seating

Spec Item No.	Furniture Selection	Uph. Code	Qty	Description
CH-15Y	Waiting Area Unit, 2-Seat	Y	4	As manufactured by Arcadia #4410-2-CO-90-SH1 Soleil Two-Seat Tandem with Corian Arm Caps, White Oak Wood for Lower Portion of Arm Cap with Standard Glides
				Size: Overall - 46-1/2"w. x 26-1/2"d. x 34"h.; 18"s.h., 24-3/4"a.h.; Inside Seat Width - 20-1/2"; Inside Seat Depth - 18"
				Finish: Frame - #90 Metallic Silver; Corian - Designer White; Wood Lower Portion of Arm Cap - #18 Slate Grey White Oak

Performance Specification: Metal seat frame construction ensures durability and allows in-field component replacement. Passive flex back motion provides long-term seated comfort. Arm cap features radiused edges for smooth surface contact; all styles are field-replaceable. Clean-outs on every side, including between the seat and back. Enables crumbs and debris to fall through for maintenance ease. Wall-saver leg design. SCS Indoor Advantage Gold certified. Replaceable componentry. 350 lbs. Maximum seat capacity.







Seat:



Locations:

2E24

Seattle, WA Printed: 4/14/2017

12620 - Chairs/Seating

Spec Item No.	Furniture Selection	Uph. Code	Qty	Description
CH-15KK	Waiting Area Unit, 2-Seat	KK	1	As manufactured by Arcadia #4410-2-CO-90-SH1 Soleil Two-Seat Tandem with Corian Arm Caps, White Oak Wood for Lower Portion of Arm Cap with Standard Glides
				Size: Overall - 46-1/2"w. x 26-1/2"d. x 34"h.; 18"s.h., 24-3/4"a.h.; Inside Seat Width - 20-1/2"; Inside Seat Depth - 18"
				Finish: Frame - #90 Metallic Silver; Corian - Designer White; Wood Lower Portion of Arm Cap - #18 Slate Grey White Oak

Performance Specification: Metal seat frame construction ensures durability and allows in-field component replacement. Passive flex back motion provides long-term seated comfort. Arm cap features radiused edges for smooth surface contact; all styles are field-replaceable. Clean-outs on every side, including between the seat and back. Enables crumbs and debris to fall through for maintenance ease. Wall-saver leg design. SCS Indoor Advantage Gold certified. Replaceable componentry. 350 lbs. Maximum seat capacity.

Seat:





Locations:

GW90 1

12620 - Chairs/Seating

Spec Item No.	Furniture Selection	Uph. Code	Qty	Description
CH-15MM	Waiting Area Unit, 2-Seat	ММ	2	As manufactured by Arcadia #4410-2-CO-90-SH1 Soleil Two-Seat Tandem with Corian Arm Caps, White Oak Wood for Lower Portion of Arm Cap with Standard Glides
				Size: Overall - 46-1/2"w. x 26-1/2"d. x 34"h.; 18"s.h., 24-3/4"a.h.; Inside Seat Width - 20-1/2"; Inside Seat Depth - 18"
				Finish: Frame - #90 Metallic Silver; Corian - Designer White; Wood Lower Portion of Arm Cap - #18 Slate Grey White Oak

Performance Specification: Metal seat frame construction ensures durability and allows in-field component replacement. Passive flex back motion provides long-term seated comfort. Arm cap features radiused edges for smooth surface contact; all styles are field-replaceable. Clean-outs on every side, including between the seat and back. Enables crumbs and debris to fall through for maintenance ease. Wall-saver leg design. SCS Indoor Advantage Gold certified. Replaceable componentry. 350 lbs. Maximum seat capacity.

Seat:





Locations:

1W91 2


12620 - Chairs/Seating

Spec Item	Furniture	Uph.	٠.	
No.	Selection	Code	Qty	Description
CH-16Y	Waiting Area	Υ	1	As manufactured by Arcadia #4410-3-CO-90-SH1 Soleil Three-Seat Tandem with Corian Arm
	Unit, 3-Seat			Caps, White Oak Wood for Lower Portion of Arm Cap with
				• •
				Standard Glides
				Size: Overall - 69"w. x 26-1/21"d. x 34"h.; 18"s.h.,
				24-3/4"a.h.; Inside Seat Width - 20-1/2"; Inside Seat Depth - 18"
				Finish: Frame - #90 Metallic Silver; Corian - Designer White; Wood Lower Portion of Arm Cap - #18 Slate Grey White Oak

Performance Specification: Metal seat frame construction ensures durability and allows in-field component replacement. Passive flex back motion provides long-term seated comfort. Arm cap features radiused edges for smooth surface contact; all styles field replaceable. Clean-outs on every side, including between the seat and back. Enables crumbs and debris to fall through for maintenance ease. Wall-saver leg design. SCS Indoor Advantage Gold certified. Replaceable componentry. 350 lbs. Maximum seat capacity.



Back:



Seat:



Locations:

2E24

12620 - Chairs/Seating

Spec Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-16JJ	Waiting Area	JJ	8	As manufactured by Arcadia
	Unit, 3-Seat			#4410-3-CO-90-SH1-NS07B Soleil Three-Seat Tandem with Corian
				Arm Caps, White Oak Wood for Lower Portion of Arm Cap with
				Non-Skid Glides
				Size: Overall - 69"w. x 26-1/21"d. x 34"h.; 18"s.h.,
				24-3/4"a.h.; Inside Seat Width - 20-1/2"; Inside Seat Depth - 18"
				Finish: Frame - #90 Metallic Silver; Corian - Designer White; Wood Lower Portion of Arm Cap - #18 Slate Grey White Oak

Performance Specification: Metal seat frame construction ensures durability and allows in-field component replacement. Passive flex back motion provides long-term seated comfort. Arm cap features radiused edges for smooth surface contact; all styles field replaceable. Clean-outs on every side, including between the seat and back. Enables crumbs and debris to fall through for maintenance ease. Wall-saver leg design. SCS Indoor Advantage Gold certified. Replaceable componentry. 350 lbs. Maximum seat capacity.



Back:



Seat:



Locations:

1W24 2W24 2

12620 - Chairs/Seating

Spec Item No.	Furniture Selection	Uph. Code	Qty	Description
CH-16KK	Waiting Area Unit, 3-Seat	KK	1	As manufactured by Arcadia #4410-3-CO-90-SH1 Soleil Three-Seat Tandem with Corian Arm Caps, White Oak Wood for Lower Portion of Arm Cap with Standard Glides
				Size: Overall - 69"w. x 26-1/21"d. x 34"h.; 18"s.h., 24-3/4"a.h.; Inside Seat Width - 20-1/2"; Inside Seat Depth - 18" Finish: Frame - #90 Metallic Silver; Corian - Designer White; Wood Lower Portion of Arm Cap - #18 Slate Grey White Oak

Performance Specification: Metal seat frame construction ensures durability and allows in-field component replacement. Passive flex back motion provides long-term seated comfort. Arm cap features radiused edges for smooth surface contact; all styles field replaceable. Clean-outs on every side, including between the seat and back. Enables crumbs and debris to fall through for maintenance ease. Wall-saver leg design. SCS Indoor Advantage Gold certified. Replaceable componentry. 350 lbs. Maximum seat capacity.







Seat:

Locations:

3E10

12620 - Chairs/Seating

Spec Item No.	Furniture Selection	Uph. Code	Qty	Description
CH-16MM	Waiting Area Unit, 3-Seat	MM	4	As manufactured by Arcadia #4410-3-CO-90-SH1 Soleil Three-Seat Tandem with Corian Arm Caps, White Oak Wood for Lower Portion of Arm Cap with Standard Glides
				Size: Overall - 69"w. x 26-1/21"d. x 34"h.; 18"s.h., 24-3/4"a.h.; Inside Seat Width - 20-1/2"; Inside Seat Depth - 18"

Finish: Frame - #90 Metallic Silver; Corian - Designer White; Wood Lower Portion of Arm Cap - #18 Slate Grey White Oak

Performance Specification: Metal seat frame construction ensures durability and allows in-field component replacement. Passive flex back motion provides long-term seated comfort. Arm cap features radiused edges for smooth surface contact; all styles field replaceable. Clean-outs on every side, including between the seat and back. Enables crumbs and debris to fall through for maintenance ease. Wall-saver leg design. SCS Indoor Advantage Gold certified. Replaceable componentry. 350 lbs. Maximum seat capacity.



Back:



Seat:



Locations:

1W91 2 2W91 2

12620 - Chairs/Seating

Spec Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-1600	Waiting Area	00	5	As manufactured by Arcadia
	Unit, 3-Seat			#4410-3-CO-90-SH1 Soleil Three-Seat Tandem with Corian Arm
				Caps, White Oak Wood for Lower Portion of Arm Cap with
				Standard Glide
				Size: Overall - 69"w. x 26-1/21"d. x 34"h.; 18"s.h.,
				24-3/4"a.h.; Inside Seat Width - 20-1/2"; Inside Seat Depth - 18"
				Finish: Frame - #90 Metallic Silver; Corian - Designer White; Wood Lower Portion of Arm Cap - #18 Slate Grey White Oak

Performance Specification: Metal seat frame construction ensures durability and allows in-field component replacement. Passive flex back motion provides long-term seated comfort. Arm cap features radiused edges for smooth surface contact; all styles field replaceable. Clean-outs on every side, including between the seat and back. Enables crumbs and debris to fall through for maintenance ease. Wall-saver leg design. SCS Indoor Advantage Gold certified. Replaceable componentry. 350 lbs. Maximum seat capacity.



Back:



Seat:



Locations:

1W11

12620 - Chairs/Seating

Spec	Furniture	Uph.		
Item No.	Selection	Code	Qty	Description
CH-17Y	Hip Style	Υ	1	As manufactured by Arcadia
	Chair			#4457-CO-90-SH1 Soleil Hip Chair with Corian Arm Caps, White
				Oak Wood for Lower Portion of Arm Cap, Non-skid Foot Step is
				Positioned 6-1/2" From Floor, with Standard Glides


Size: Overall - 24-1/2"w. x 26-1/2"d. x 41-1/2"h.; 25"s.h., 32-1/4"a.h.; Inside Seat Width - 20-1/2"; Inside Seat Depth - 18"

Finish: Frame - #90 Metallic Silver; Corian - Designer White; Wood Lower Portion of Arm Cap - #18 Slate Grey White Oak

Performance Specification: Metal seat frame construction ensures durability and allows in-field component replacement. Passive flex back motion provides long-term seated comfort. Arm cap features radiused edges for smooth surface contact; all styles field replaceable. Clean-outs on every side, including between the seat and back. Enables crumbs and debris to fall through for maintenance ease. Wall-saver leg design. SCS Indoor Advantage Gold certified. Replaceable componentry. 350 lbs. Maximum seat capacity.







Seat:



Locations:

2E24

12620 - Chairs/Seating

Spec	Furniture	Uph.		
Item No.	Selection	Code	Qty	Description
CH-17KK	Hip Style	KK	4	As manufactured by Arcadia
	Chair			#4457-CO-90-SH1 Soleil Hip Chair with Corian Arm Caps, White
				Oak Wood for Lower Portion of Arm Cap, Non-skid Foot Step is
				Positioned 6-1/2" From Floor, with Standard Glides

Size: Overall - 24-1/2"w. x 26-1/2"d. x 41-1/2"h.; 25"s.h., 32-1/4"a.h.; Inside Seat Width - 20-1/2"; Inside Seat Depth - 18"

Finish: Frame - #90 Metallic Silver; Corian - Designer White; Wood Lower Portion of Arm Cap - #18 Slate Grey White Oak

Performance Specification: Metal seat frame construction ensures durability and allows in-field component replacement. Passive flex back motion provides long-term seated comfort. Arm cap features radiused edges for smooth surface contact; all styles field replaceable. Clean-outs on every side, including between the seat and back. Enables crumbs and debris to fall through for maintenance ease. Wall-saver leg design. SCS Indoor Advantage Gold certified. Replaceable componentry. 350 lbs. Maximum seat capacity.







Seat:



Locations:

GW90A 2 3E10 2

12620 - Chairs/Seating

Spec	Furniture	Uph.		
Item No.	Selection	Code	Qty	Description
CH-17MM	Hip Style	MM	3	As manufactured by Arcadia
	Chair			#4457-CO-90-SH1 Soleil Hip Chair with Corian Arm Caps, White
				Oak Wood for Lower Portion of Arm Cap, Non-skid Foot Step is
				Positioned 6-1/2" From Floor, with Standard Glides

Size: Overall - 24-1/2"w. x 26-1/2"d. x 41-1/2"h.; 25"s.h., 32-1/4"a.h.; Inside Seat Width - 20-1/2"; Inside Seat Depth - 18"

Finish: Frame - #90 Metallic Silver; Corian - Designer White; Wood Lower Portion of Arm Cap - #18 Slate Grey White Oak

Performance Specification: Metal seat frame construction ensures durability and allows in-field component replacement. Passive flex back motion provides long-term seated comfort. Arm cap features radiused edges for smooth surface contact; all styles field replaceable. Clean-outs on every side, including between the seat and back. Enables crumbs and debris to fall through for maintenance ease. Wall-saver leg design. SCS Indoor Advantage Gold certified. Replaceable componentry. 350 lbs. Maximum seat capacity.







Seat:



Locations:

1W91 1 2W91 2

12620 - Chairs/Seating

Spo	ec	Furniture	Uph.		
Item	No.	Selection	Code	Qty	Description
CH-1	7NN	Hip Style	NN	2	As manufactured by Arcadia
		Chair			#4457-CO-90-SH1 Soleil Hip Chair with Corian Arm Caps, White
					Oak Wood for Lower Portion of Arm Cap, Non-skid Foot Step is
					Positioned 6-1/2" From Floor, with Standard Glides

Size: Overall - 24-1/2"w. x 26-1/2"d. x 41-1/2"h.; 25"s.h., 32-1/4"a.h.; Inside Seat Width - 20-1/2"; Inside Seat Depth - 18"

Finish: Frame - #90 Metallic Silver; Corian - Designer White; Wood Lower Portion of Arm Cap - #18 Slate Grey White Oak

Performance Specification: Metal seat frame construction ensures durability and allows in-field component replacement. Passive flex back motion provides long-term seated comfort. Arm cap features radiused edges for smooth surface contact; all styles field replaceable. Clean-outs on every side, including between the seat and back. Enables crumbs and debris to fall through for maintenance ease. Wall-saver leg design. SCS Indoor Advantage Gold certified. Replaceable componentry. 350 lbs. Maximum seat capacity.



Back:



Seat:



Locations:

1W11

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-18	Patio Chair	n/a	38	As manufactured by West Coast Industries
				#CYCA Courtyard Outdoor Arm Chair

Size: Overall - 20-1/2"w. x 20-1/2"d. x 33"h.

Finish: Metallics # MSL Silver

Performance Specification: Stacks 6-high. Weight 15 lbs. All outdoor products manufactured by WCI are warranted to the original purchaser covering normal usage for a period of one year from the date of the original invoice. WCI will replace or repair (at their discretion) without cost to customer any item found to be defective as a result of defective material or workmanship. They will not repair any item which has been abused or subjected to any use other than that which was originally intended for product. Any repairs by the customer must receive specific written authorization from WCI before being executed on location to receive proper reimbursement for associated costs. In no event shall liability under this warranty exceed the original purchase price.



2W71	4	5W71
3W71	4	GW24A

4W15 6 GW25A 8 4W71 4

12620 - Chairs/Seating

Spec Item No.	Furniture Selection	Uph. Code	Qty	Description
CH-19N	Single Seat Chair with Arms	N	1	As manufactured by Carolina Business Furniture #472-1-MWS-90 Serony Fully Upholstered Single Lounge Chair with Clean-Thru Design, Wall Saver Legs, Tight Cushion, Solid Surface Arm Caps, Non-Marring Adjustable Glides, and Powdercoat Frame Finish
				Size: Overall - 27"w. x 25-1/2"d. x 31"h. Seat - 23"s.w. x 20"s.d., x 18"s.h.; 25"a.h. Seat to Top of Back - 13"
				Finish: Corian Arm Caps - #MWS Modern White; Frame - #90 Metallic Silver
				Performance Specification: SCS Indoor Advantage Gold Certified. Limited Lifetime Warranty.



Back:



Seat:



Locations:

3E17 1

12620 - Chairs/Seating

Spec Item No.	Furniture Selection	Uph. Code	Qty	Description
CH-19II	Single Seat Chair with Arms	II	15	As manufactured by Carolina Business Furniture #472-1-MWS-90 Serony Fully Upholstered Single Lounge Chair with Clean-Thru Design, Wall Saver Legs, Tight Cushion, Solid Surface Arm Caps, Non-Marring Adjustable Glides, and Powdercoat Frame Finish
				Size: Overall - 27"w. x 25-1/2"d. x 31"h. Seat - 23"s.w. x 20"s.d., x 18"s.h.; 25"a.h. Seat to Top of Back - 13"
				Finish: Corian Arm Caps - #MWS Modern White; Frame - #90 Metallic Silver
				Performance Specification: SCS Indoor Advantage Gold Certified. Limited Lifetime Warranty.



Back:



Seat:



1W24	6
2W24	6
5W05	3

12620 - Chairs/Seating

Spec Item No.	Furniture Selection	Uph. Code	Qty	Description
CH-20	Café Table Stool, Armless	n/a	70	As manufactured by KI #DN4A00H30-NFR-7683C-5865C-CM-GSL Doni Four-Leg Armless 30" Café Stool, Two-tone Color, Polypropylene Seat/Backrest, Steel Glides and Floor Contact in Neutral Nylon Color, Non- stacking, Custom Pantone Poly Colors
				Size: Overall - 22-1/2"w. x 21-1/2"d. x 45-3/4"h.; 30"s.h.; Seat - 19-1/4"w. x 18-3/4"d.
				Finish: Frame - #CM Champagne Metallic; Poly Outside Shell - Pantone #7683 C; Poly Inside Shell - Pantone #5865 C
				Performance Specification: The backrest and seat are injection-



Performance Specification: The backrest and seat are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion. A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. Legs are made from 3/4" diameter steel tubing, and the footring is formed of 1/2" diameter steel wire. All joints are welded and the frames are finished in either baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint. Café stools are equipped with swivel glides in a bright steel finish. The floor contact surface on the glide is neutral color nylon. Tested to 300 lb. weight limit.

Outside

Locatio	ns:				
1E25	2	3W2	4 4	5W01	8
2H31	6	3W7	1A 6	5W71	6
3E62	2	4H10	0 6	5W72	4
3E80	2	4W0	1 8	GW24	4
3E90	2	4W7	0 6	GW90A	4

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-21M	Office	М	5	As manufactured by Arcadia
	Lounge			#2561-NS11-NL4 Nios High-Back Lounge Chair, Sled Base with Non-
	Chair			Skid Glides

Size: Overall - 33"w. x 31-1/2"d. x 41"h.; 16-3/4"s.h.; Inside Seat 19-1/4"w. x 20"d.

Finish: Base - #90 Metallic Silver Fabric Pattern Code: #NL4

Performance Specification: 4-Prong swivel pedestal base manufactured in aluminum with auto-return feature as standard. SCS Indoor Advantage Gold certified. Maximum weight capacity of 350 lbs. for sled base.



Inside Headrest & Back / Top of Seat:



Balance of Chair:



GW39	1
GW47	2
GW55	1
GW57	1

12620 - Chairs/Seating

Spec	Furniture	Uph.		
Item No.	Selection	Code	Qty	Description
CH-21HH	Office	НН	1	As manufactured by Arcadia
	Lounge			#2561-NS11-NL4 Nios High-Back Lounge Chair, Sled Base with Non-
	Chair			Skid Glides

Size: Overall - 33"w. x 31-1/2"d. x 41"h.; 16-3/4"s.h.; Inside Seat 19-1/4"w. x 20"d.

Finish: Base - #90 Metallic Silver Fabric Pattern Code: #NL4

Performance Specification: 4-Prong swivel pedestal base manufactured in aluminum with auto-return feature as standard. SCS Indoor Advantage Gold certified. Maximum weight capacity of 350 lbs. for sled base.



Inside Headrest & Back / Top of Seat:







Locations:

2E80A

Furniture Specification

Printed: 4/14/2017

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-22	Swivel Task	n/a	2	As manufactured by KI
	Chair with			#SPDCAP-NO-NFR-S Strive Task Swivel Chair without Arms, Not
	Arms			Upholstered on Seat or Back, Height Adjustability, with Hard Floor
				Casters
				Size: Overall - 23"w. x 22-3/4"d. x 33-3/4"h.;
				17"s.w., 18"s.d., 17-1/2"s.h.
				Finish: Frame - #ND Nordic;
				Poly Back - #PND Nordic
				Casters - Black

Performance Specification: Seat flips up to allow chairs to nest for storage and transport. Seat is two-piece construction of injection-molded polypropylene, reinforced with internal steel channels, and assembled using hidden fasteners. Backrest is injection-molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire. Integral molded handle on seat back makes it easy to roll chair anywhere. Flex-back design encourages movement, relaxation and enhanced circulation. Slats permit flexing; radiused back conforms to your back; contoured seat dissipates pressure points. No need to lift and stack these chairs. Just flip-up the seats and conveniently nest them for simplified storage or relocation. The legs are 1", 13-gauge high-strength steel tubing. All frame joints are welded. Casters are double wheels (60mm) of high-impact thermoplastic with high-impact plastic frame. Frame has baked-on electrostatically-applied 30 gloss epoxy powder coating.



Locations:

GW21

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-23	Exam Room	М	8	As manufactured by Highmark
	Chair with			#2209-SF-BA-W16 Lynx Guest Chair with Fixed Black Arms,
	Arms and			Upholstered Back and Seat with #W-16 Soft Wheel Casters with
	Casters			Safety Break for Hard Surfaces

Size: Overall - 24"w. x 23-1/2"d. x 33"h.

Finish: Frame - Silver; Arm - Standard Black; Casters - #W-16 Soft Wheel with Safety Break

Performance Specification: Wall-Saver frame. Reinforced welded steel structure made out of 1" Diameter 13G steel tube. Rated to 350 lbs. Backed by Highmark's Lifetime warranty. Stacks (4) on floor. Stacks (6) on dolly. Comes packed (3) chairs to a box. Ergonomically curved back and contoured waterfall seat. Upholstered back and seat with clean through design.



Back:



Seat:



Locations:

5W65 4 5W67 4

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-24	Office Folding	M	20	As manufactured by Weiland
	Chair with			Each Unit to Consist of:
	Uphostered		(1)	#7028202 Plyfold Folding Chair with Upholstered Seat and Back, 2"
	Seat and Back			Wider, Wood Backside, Stacking, Back Edge Wall Guard, Plastitack
				Glides
				Size: Overall - 21"w. x 22-3/4"d. x 32-1/2"h.; 18.25"s.w.; 18"s.d.;
				18"s.h.
				Finish: Wood - Beech
			(1)	#717003 Plyfold SmartRail
			. ,	Size: Overall - 23"w. x 3"d. x 5"h.

Performance Specification: Chair has a weight capacity of 400 lbs. Solid wood construction provides durability and strength. Contoured cushions provide ergonomic comfort and are easily removable for cleaning, repair or replacement. Hidden hinges eliminate potential pinch points. Stackable to 20 high on dolly. Back edge wall guard is standard on upholstered backs to prevent damage. Stores easily on SmartRail hanger system. SmartRail® is a patented product, US patent no. 9,486,082. No additional hardware is needed. SmartRail® requires no additional hardware to hang the chair. All wall fasteners are included with the SmartRail®. 10 year warranty, including foam.



Back:



Locations	:				
5W29	1	5W35	1	5W41	1
5W30	2	5W36	2	5W42	2
5W31	1	5W37	1	5W44	2
5W33	1	5W39	1	5W47	1
5W34	2	5W40	2		


12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
CH-25	Exam Room	R	2	As manufactured by KI
	Task Chair,			#SPDNAU-FN-NFR-C Strive Armless Task Chair with Upholstered
	Armless, with			Seat, Poly Back, with Carpet Casters
	Casters and			Size: Overall - 23"w. x 22-3/4"d. x 33-3/4"h.;
	Upholstered			17"s.w., 18"s.d., 17-1/2"s.h.
	Seat and			17 S.W., 10 S.U., 17-1/2 S.II.
	Plastic Back			Finish: Frame - #FN Flannel;
				Poly Back - #PFN Flannel;
				Casters - Black
	Item No.	Item Furniture No. Selection CH-25 Exam Room Task Chair, Armless, with Casters and Upholstered Seat and	Item Furniture Uph. No. Selection Code CH-25 Exam Room R	Item Furniture Uph. No. Selection Code Qty CH-25 Exam Room R 2 Task Chair, Armless, with Casters and Upholstered Seat and

Performance Specification: Seat flips up to allow chairs to nest for storage and transport. Seat is two-piece construction of injection-molded polypropylene, reinforced with internal steel channels, and assembled using hidden fasteners. Backrest is injection-molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire. Integral molded handle on seat back makes it easy to roll chair anywhere. Flex-back design encourages movement, relaxation and enhanced circulation. Slats permit flexing; radiused back conforms to your back; contoured seat dissipates pressure points. No need to lift and stack these chairs. Just flip-up the seats and conveniently nest them for simplified storage or relocation. The legs are 1", 13-gauge high-strength steel tubing. All frame joints are welded. Casters are double wheels (60mm) of high-impact thermoplastic with high-impact plastic frame. Frame has baked-on electrostatically-applied 30 gloss epoxy powder coating.



Seat:



Locations:

GW84 1 GW86 1

12620 - Chairs/Seating

Spe	Furniture	Uph.		
Item N	lo. Selection	Code	Qty	Description
CH-26	SY Bariatric	Υ	1	As manufactured by Arcadia
	Lounge Cha	ir		#4440-CO-90-SH2 Soleil Bariatric Settee, Fully Upholstered with
				Corian Arm Caps, White Oak Wood for Lower Portion of Arm Cap,
				Standard Glides
				Size: Overall - 34"w. x 26-1/2"d. x 34"h., 24-3/8"a.h.; 18"s.h.;
				Inside Seat Width - 30"; Inside Seat Depth - 18"
				Finish: Frame - #90 Metallic Silver;


Corian - Designer White;

Wood Lower Portion of Arm Cap - #18 Slate Grey White Oak

Performance Specification: Metal seat frame construction ensures durability and allows in-field component replacement. Passive flex back motion provides long-term seated comfort. Arm cap features radiused edges for smooth surface contact; all styles are field replaceable. Clean-outs on every side, including between the seat and back. Enables crumbs and debris to fall through for maintenance ease. Wall-saver leg design. SCS Indoor Advantage Gold certified. Replaceable componentry. 750 lbs. maximum seat capacity.



Back:



Seat:



Locations:

2E24

12620 - Chairs/Seating

Spec	Furniture	Uph.		
Item No.	Selection	Code	Qty	Description
CH-26KK	Bariatric	KK	2	As manufactured by Arcadia
	Lounge Chair			#4440-CO-90-SH2 Soleil Bariatric Settee, Fully Upholstered with
				Corian Arm Caps, White Oak Wood for Lower Portion of Arm Cap,
				Standard Glides
				Size: Overall - 34"w. x 26-1/2"d. x 34"h., 24-3/8"a.h.; 18"s.h.;
				Inside Seat Width - 30"; Inside Seat Depth - 18"
				Finish: Frame - #00 Metallic Silver:

Finish: Frame - #90 Metallic Silver;

Corian - Designer White;

Wood Lower Portion of Arm Cap - #18 Slate Grey White Oak

Performance Specification: Metal seat frame construction ensures durability and allows in-field component replacement. Passive flex back motion provides long-term seated comfort. Arm cap features radiused edges for smooth surface contact; all styles are field replaceable. Clean-outs on every side, including between the seat and back. Enables crumbs and debris to fall through for maintenance ease. Wall-saver leg design. SCS Indoor Advantage Gold certified. Replaceable componentry. 750 lbs. maximum seat capacity.



Back:



Seat:



Locations:

GW90A 1 3E10 1

12620 - Chairs/Seating

Spec Item No.	Furniture Selection	Uph. Code	Qty	Description
CH-26MM	Bariatric Lounge Chair	MM	4	As manufactured by Arcadia #4440-CO-90-SH2 Soleil Bariatric Settee, Fully Upholstered with Corian Arm Caps, White Oak Wood for Lower Portion of Arm Cap, Standard Glides
				Size: Overall - 34"w. x 26-1/2"d. x 34"h., 24-3/8"a.h.; 18"s.h.; Inside Seat Width - 30"; Inside Seat Depth - 18"

Finish: Frame - #90 Metallic Silver;

Corian - Designer White;

Wood Lower Portion of Arm Cap - #18 Slate Grey White Oak

Performance Specification: Metal seat frame construction ensures durability and allows in-field component replacement. Passive flex back motion provides long-term seated comfort. Arm cap features radiused edges for smooth surface contact; all styles are field replaceable. Clean-outs on every side, including between the seat and back. Enables crumbs and debris to fall through for maintenance ease. Wall-saver leg design. SCS Indoor Advantage Gold certified. Replaceable componentry. 750 lbs. maximum seat capacity.



Back:



Seat:



Locations:

1W91 2 2W91 2

12620 - Chairs/Seating

Spec	Furniture	Uph.		
Item No.	Selection	Code	Qty	Description
CH-26NN	Bariatric	NN	2	As manufactured by Arcadia
	Lounge Chair			#4440-CO-90-SH2 Soleil Bariatric Settee, Fully Upholstered with
				Corian Arm Caps, White Oak Wood for Lower Portion of Arm Cap,
				Standard Glides
				Size: Overall - 34"w. x 26-1/2"d. x 34"h., 24-3/8"a.h.; 18"s.h.;
				Inside Seat Width - 30"; Inside Seat Depth - 18"
				·
				Finish: Frame - #90 Metallic Silver;

Corian - Designer White; Wood Lower Portion of Arm Cap - #18 Slate Grey White Oak

Performance Specification: Metal seat frame construction ensures durability and allows in-field component replacement. Passive flex back motion provides long-term seated comfort. Arm cap features radiused edges for smooth surface contact; all styles are field replaceable. Clean-outs on every side, including between the seat and back. Enables crumbs and debris to fall through for maintenance ease. Wall-saver leg design. SCS Indoor Advantage Gold certified. Replaceable componentry. 750 lbs. maximum seat capacity.



Back:



Seat:



Locations:

1W11

VA Puget Sound Health Care System (VAPSHCS) Building 101, Seattle, WA

Furniture Specification

Printed: 4/14/2017

12620 - Chairs/Seating

Spec

Item Furniture Uph.

No. Selection Code Qty Description

CH-27 NOT USED

VA Puget Sound Health Care System (VAPSHCS) Building 101, Seattle, WA

Furniture Specification

Printed: 4/14/2017

12620 - Chairs/Seating

Spec

No.

Item Furniture Uph.

Selection Code Qty Description

CH-28 NOT USED

12620 - Chairs/Seating

Spec Item No.	Furniture Selection	Uph. Code	Qty	Description
CH-29	Lounge Chair	0	8	As manufactured by Carolina Business Furniture #678-1-MGW Hide Lounge Chair, Fully Upholstered, Clean-thru Design, Spiny Seat, Tapered Beech Leg and Tack-in Non-marring Glide
				Size: Overall - 33-1/2"w. x 33-1/2"d. x 45"h. Seat - 21"s.w., x 21"s.d., x 19-1/2"s.h. Finish: Leg - English Walnut

Performance Specification: Hide lounge chair offers grand silhouettes that take comfort to a new level, offers sophisticated solution for providing semi-private areas for waiting. Chair to have a built-in clean-out space between seat and back, standard. Lifetime warranty.



Pillow not included.







Locations:

1W01 8

12620 - Chairs/Seating

	•	•		
Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
S-01N	Two-Seat	N	3	As manufacti
	Sofa			#472-2-MWS
				Design, Wall

As manufactured by Carolina Business Furniture #472-2-MWS-90 Serony Fully Upholstered Loveseat with Clean-Thru Design, Wall Saver Legs, Tight Cushion, Solid Surface Arm Caps, Non-Marring Adjustable Glides, and Powdercoat Frame Finish

Size: Overall - 49"w. x 25-1/2"d. x 31"h. Seat - 46"s.w. x 20"s.d., x 18"s.h.; 25"a.h. Seat to Top of Back - 13"

Finish: Corian Arm Caps - #MWS Modern White; Frame - #90 Metallic Silver

Performance Specification: SCS Indoor Advantage Gold Certified. Limited Lifetime Warranty.



Back:



Seat:



3E17	1
3E19	1
3E21	1

12620 - Chairs/Seating

Furniture Uph. Item

No. Selection Code Qty Description Ш

S-01II Two-Seat Sofa

As manufactured by Carolina Business Furniture 5

#472-2-MWS-90 Serony Fully Upholstered Loveseat with Clean-Thru Design, Wall Saver Legs, Tight Cushion, Solid Surface Arm Caps, Non-

Marring Adjustable Glides, and Powdercoat Frame Finish

Size: Overall - 49"w. x 25-1/2"d. x 31"h. Seat - 46"s.w. x 20"s.d., x 18"s.h.; 25"a.h.

Seat to Top of Back - 13"

Finish: Corian Arm Caps - #MWS Modern White;

Frame - #90 Metallic Silver

Performance Specification: SCS Indoor Advantage Gold Certified. Limited

Lifetime Warranty.



Back:



Seat:



Locations:

1W24 2 2W24 2 5W05 1

12620 - Chairs/Seating

Spec
1+000

Item Furniture Uph.

No. Selection Code Qty Description
6-01LL Two-Seat LL 5 As manufac

S-01LL Two-Seat Sofa 5 As manufactured by Carolina Business Furniture #472-2-MWS-90 Serony Fully Upholstered Loveseat with Clean-Thru

Design, Wall Saver Legs, Tight Cushion, Solid Surface Arm Caps, Non-

Marring Adjustable Glides, and Powdercoat Frame Finish

Size: Overall - 49"w. x 25-1/2"d. x 31"h.

Seat - 46"s.w. x 20"s.d., x 18"s.h.; 25"a.h.

Finish: Corian Arm Caps - #MWS Modern White;

Frame - #90 Metallic Silver

Seat to Top of Back - 13"

Performance Specification: SCS Indoor Advantage Gold Certified. Limited

Lifetime Warranty.



Back:



Seat:




1E37	1
2W70	2
1W69	2

12620 - Chairs/Seating

Spec Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
S-02	Three- Seat Sofa	II	3	As manufactured by Carolina Business Furniture #472-3-MWS-90 Serony Fully Upholstered 3-Seat Sofa with Clean-Thru Design, Wall Saver Legs, Tight Cushion, Solid Surface Arm Caps, Non- Marring Adjustable Glides, and Powdercoat Frame Finish Size: Overall - 73"w. x 25-1/2"d. x 31"h. Seat - 69"s.w. x 20"s.d., x 18"s.h.; 25"a.h. Seat to Top of Back - 13" Finish: Corian Arm Caps - #MWS Modern White; Frame - #90 Metallic Silver
				Performance Specification: SCS Indoor Advantage Gold Certified. Limited Lifetime Warranty.



Back:



Seat:



1W24	1
2W24	1
5W05	1

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
S-03	Two-Seat	NN	3	As manufactured by Encore
	Sofa with			#6280-90-VCT1-CL4 Clipse Love Seat with Platform Base and (4) Fixed
	Arms			Legs, with Modified Seat to Provide Clean Out, Fully Upholstered, on
				Glides
				Size: Overall - 58"w. x 29"d. x 29-1/2"h.; 17-1/2"s.h.;
				Seat - 49"w. x 20"d.;
				Back - 50"w. x 15"h.
				Finish: Legs - #90 Metallic Silver

Performance Specification: 700 lb. weight capacity. VCT tile glides are for hard surface flooring. SCS Outdoor Advantage Bold Certified.



Back:



Seat:



2E28	1
2E20	1
2W50	1

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
S-04V	Three-	V	1	As manufactured by Encore
	Seat Sofa			#6290-90-VCT1-CL4 Clipse Sofa with Platform Base and (4) Fixed Legs,
	with Arms			with Modified Seat to Provide Clean Out, Fully Upholstered, on Glides
				Size: Overall - 81-1/2"w. x 29"d. x 29-1/2"h.; 17-1/2"s.h.;
				Seat - 73"w. x 20"d.;
				Back - 74"w. x 15"h.
				Finish: Legs - #90 Metallic Silver

Performance Specification: 700 lb. weight capacity. VCT tile glides are for hard surface flooring. SCS Outdoor Advantage Bold Certified.



Back:



Seat:



Locations:

4H10

12620 - Chairs/Seating

Spec Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
S-04AA	Three- Seat Sofa with Arms	AA	2	As manufactured by Encore #6290-90-VCT1-CL4 Clipse Sofa with Platform Base and (4) Fixed Legs, with Modified Seat to Provide Clean Out, Fully Upholstered, on Glides Size: Overall - 81-1/2"w. x 29"d. x 29-1/2"h.; 17-1/2"s.h.; Seat - 73"w. x 20"d.; Back - 74"w. x 15"h.
				Finish: Legs - #90 Metallic Silver

Performance Specification: 700 lb. weight capacity. VCT tile glides are for hard surface flooring. SCS Outdoor Advantage Bold Certified.



Back:



Locations:

3W24 2

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
S-05	Serpentine Lounge	J	1	As manufactured by Carolina Business Furniture Each to Consist of:
	Seating with Tables		(3)	#5110-30-I-O Basil 30 Degree Inside Wedge Middle Table, High Pressure Laminate in Natural Steam Wash Finish, No Legs Size: 34-3/4"w. x 25-3/4"d. x 2"h.
			(2)	#5110-60I-E1W-E1W-D1E Basil 60 Degree Inside Wedge Fully Upholstered

Polyurethane Arm Cap and Metal Leg



Size: Outside - 73"w. x 33-3/4"d. x 32"h.; Seat - 42"sw. x 20"sd. x 18"sh.; Seat to Top of Back - 13"; Arm - 2-1/4"w. x 21-1/4"d. x 3/4"h.; Arm Height - 25-1/4"a.h.

(2) #5110-60I-D1E Basil 60 Degree Inside Wedge Fully Upholstered Armless Loveseat and Metal Leg

Loveseat with Left Facing Arm in Brushed Aluminum with Black

Size: Outside - 73"w. x 33-3/4"d. x 32"h.; Seat - 42"sw. x 20"sd. x 18"sh.; Seat to Top of Back - 13"




Finish: Table - Natural Steam Wash Arm Cap - Standard Black

Arm & Leg - Brushed Aluminum Finish on Metal Arms

Performance Specification: All seating has clean-thru design, tight cushion, and double top stitch in center of seat and back. All items on non-marring adjustable glides. Poly arm caps included on metal arm.

Some field installation required.



Back:

Seat:

Locations:

1W01

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
ST-01H	Exam	Н	5	As manufactured by Humanscale
	Room			#F400TK302S Freedom Pony Saddle Stool, Height Adjustable
	Stool			Pneumatic Cylinder, Soft Casters
				Size: Base - 22"dia.; 16"-21"h.; 16"s.w. Finish: Frame - Titanium
				Performance Specification: Five year warranty on cushions and textiles, and 15 year 24/7 warranty on cylinders, casters and other mechanical addons.



Seat:



1W29	1
1W31	1
1W33	1
5W69	2

12620 - Chairs/Seating

Spec				
Item	Furniture	Uph.		
No.	Selection	Code	Qty	Description
ST-01I	Exam	1	6	As manufactured by Humanscale
	Room			#F400TK302S Freedom Pony Saddle Stool, Height Adjustable
	Stool			Pneumatic Cylinder, Soft Casters
				Size: Base - 22"dia.; 16"-21"h.; 16"s.w.
				Finish: Frame - Titanium
				Performance Specification: Five year warranty on cushions and textiles, and 15 year 24/7 warranty on cylinders, casters and other mechanical addons.



Seat:



Location	ıs:
	3E30

3E20	1	3E28	1
3E22	1	3E30	1
3F24	1	3F32	1

12620 - Chairs/Seating


Spec		
Item	Furniture	Uph.
No.	Selection	Code
ST-02	Lab Stool	See
	with	Finish
	Back,	
	Arms and	
	Foot Ring	

As manufactured by Cramer

Qty Description

#RPMM7-New Version Rhino Poly (Smooth)-10-T-X RhinoPlus Mid-Height Lab Stool with Back, Hard Surface Single Wheel Caster with 3" Diameter, High Performance Flat Surface Footring, Fully Articulating Arm with Slide (3 locking pivot positions and 2.5" of travel front to back), 7-Way Adjustment Mechanism (Seat Height, Back Height, Back Angle, Seat Angle, Chair Tilt, Forward Tilt Limiter, Seat Depth), and the New Version of Rhino Poly (Smooth) Upholstered Seat and Back

Size: Overall - 33-1/2"w. x 27-12"d. x 45-1/4"h.; 20"s.w., 20-3/4" - 28-1/4"s.h.



Performance Specification: Patented* RhinoPlus combination of urethane and molded foam provides a comfortable seat; resists punctures, abrasions, tears, and virtually all spills; and cleans easily with bleach or ethanol; seamless molded cover keeps out dirt and impurities. The steel inner structure stands up to wear-and-tear throughout multiple shifts. Contoured molded seat with waterfall edge ensures 24hour comfort. Dynamic range of adjustments support the full range of seated postures from active forward-leaning to recline. High performance sure-lock footring with 20" diameter (on stool heights). Supports up to 350 lbs. 10-Year, Three-Shift Warranty. RhinoPlus has SCS Indoor Advantage Gold Certification and may help contribute toward LEED certification. 26" fiberglass-reinforced nylon base. 16gauge steel seat pan. High resiliency flame-retardant 3" thick seat foam with a density of 2.4 lbs. per cubic foot. Rhino urethane properties: tear strength of 17.7 kgF, puncture resistance of 9.9 kgF, stretch of 660%, abrasion resistance of 25,000, and a Ross Flex rating of 150,000 flexes. Class 4 pneumatic cylinder: 1.12" diameter with a 17-4 taper top end for maximum strength. Heat-bonded powder coat finish. Material Content: 100% urethane, PVC free; Ross Flex Rating: -5° C < 25% Cut Growth, 150,000 Flexes; Finish: Non-slip; Properties: Anti-bacterial, Antimicrobial, Soil & Stain Resistant, Reduced Environmental Impact.



Back & Seat:



Shown textured; item specified to have smooth finish

GW03B	3	GW67	1
GW07	3	GW87	5
GW21	4	GW88	1

12620 - Chairs/Seating

niture Uph.
ection Code
Stool See
n Back Finish
tring,
ind
hout
rms




Qty Description

52

#RPMM7-New Version Rhino Poly (Smooth)-10-X RhinoPlus Mid-Height Lab Stool with Back, Hard Surface Single Wheel Caster with 3" Diameter, High Performance Flat Surface Footring, Armless, 7-Way Adjustment Mechanism (Seat Height, Back Height, Back Angle, Seat Angle, Chair Tilt, Forward Tilt Limiter, Seat Depth), and the New Version of Rhino Poly (Smooth) Upholstered Seat and Back

Size: Overall - 27-1/2"w. x 27-12"d. x 45-1/4"h.; 20"s.w., 20-3/4" - 28-1/4"s.h.



Performance Specification: Patented* RhinoPlus combination of urethane and molded foam provides a comfortable seat; resists punctures, abrasions, tears, and virtually all spills; and cleans easily with bleach or ethanol; seamless molded cover keeps out dirt and impurities. The steel inner structure stands up to wear-and-tear throughout multiple shifts. Contoured molded seat with waterfall edge ensures 24-hour comfort. Dynamic range of adjustments support the full range of seated postures from active forward-leaning to recline. High performance surelock footring with 20" diameter (on stool heights). Supports up to 350 lbs. 10-Year, Three-Shift Warranty. RhinoPlus has SCS Indoor Advantage Gold Certification and may help contribute toward LEED certification. 26" fiberglass-reinforced nylon base. 16-gauge steel seat pan. High resiliency flame-retardant 3" thick seat foam with a density of 2.4 lbs. per cubic foot. Rhino urethane properties: tear strength of 17.7 kgF, puncture resistance of 9.9 kgF, stretch of 660%, abrasion resistance of 25,000, and a Ross Flex rating of 150,000 flexes. Class 4 pneumatic cylinder: 1.12" diameter with a 17-4 taper top end for maximum strength. Heat-bonded powder coat finish. Material Content: 100% urethane, PVC free; Ross Flex Rating: -5° C < 25% Cut Growth, 150,000 Flexes; Finish: Non-slip; Properties: Anti-bacterial, Anti-microbial, Soil & Stain Resistant, Reduced Environmental Impact.



Back & Seat:



Shown textured; item specified to have smooth finish

Location	ıs:				
1W25A	1	3W13	1	3W85	3
3W09A	6	3W21	6	3W85A	3
3W09	6	3W21A	6	3W85B	1
3W10	1	3W25	6	3W86	2
3W11	1	3W25A	6	5E20	2
				GW15B	1