


PLUMBING FIXTURE SCHEDULE									
MARK	DESCRIPTION	WASTE PIPE	VENT PIPE	COLD WATER	HOT WATER	WASTE FIXTURE UNITS	WATER FIXTURE UNITS	WRIST BLADE HANDLES	ELECTRIC SENSOR
		IN	IN	IN	IN				
P-524	BREAKROOM SINK	2	1 1/2	1/2	1/2	1	1	N	N
FS	FLOOR SINK	3	2	-	-	2	-	-	-

- NOTES**
- A. REFER TO DWG. P-001 FOR PLUMBING ABBREVIATIONS, SYMBOLS, AND GENERAL NOTES RELATED TO THIS SHEET.
  - B. ALL EXISTING PIPING, DUCTWORK, SPRINKLERS, CONDUIT, LIGHTING OR OTHER CONSTRUCTION SHALL BE RELOCATED AS REQUIRED FOR ALL DEMOLITION AND INSTALLATION WORK.
  - C. REFER TO SHEET PD102 FOR SANITARY AND VENT PLAN, EXISTING CONDITIONS AND DEMOLITION.
  - D. REFER TO SHEET PP102 FOR PLUMBING PLAN, NEW WORK.


- KEY NOTES**
- 1. NEW 12" FLOOR SINK. LOCATE 6" OUTSIDE OF NEW EQUIPMENT PAD.
  - 2. ROUTE NEW 3" SANITARY BELOW FLOOR AS INDICATED.
  - 3. NEW 2" VENT ROUTE ABOVE CEILING AS INDICATED AND DOWN WALL AS REQUIRED.
  - 4. NEW 2" SANITARY BELOW FLOOR. ROUTE TO EXISTING STACK #73 AS INDICATED; REFER TO AD101 FOR CEILING WORK BELOW.
  - 5. NEW 1-1/2" VENT ABOVE CEILING. ROUTE TO EXISTING STACK #73 AS INDICATED.



**FI FLOOR PLAN**  
SCALE 1/4" = 1'-0"

VA WESTERN NEW YORK HEALTHCARE SYSTEM  
3495 BAILEY AVENUE  
BUFFALO, NEW YORK 14215

**paradigm**  
Architecture | Engineering | Design-Build  
200 Envoy Circle, Suite 201 Louisville, KY 40299  
www.paradigmusa.com



MANAGER	DATE	ENGINEERING MANAGER	DATE
INFECTION CONTROL	DATE	MANAGER	DATE
SAFETY OFFICER	DATE	CHIEF OF STAFF	DATE

Drawing Title  
SANITARY AND VENT PLAN  
NEW WORK  
SECOND FLOOR

MEDICAL CENTER DIRECTOR  
ASSOCIATE MEDICAL CENTER DIRECTOR

Project Title  
BUFFALO GU AHU

Building Number 1  
Location V.A.M.C. BUFFALO, NEW YORK

Date 09-07-2017  
Station No. 528

17-S06-PS102

FULLY SPRINKLERED  
BID DOCUMENTS  
FOR CONSTRUCTION

