Approved By: Date:

VA Long Beach Health Care System

5901 East 7th Street Long Beach, CA 90822



VA Long Beach Health Care System Initial Outfitting, Transition & Activation

General Conditions and Statement of Work

LBEQ19 – Physiological Monitors

5901 East 7th Street Long Beach, CA 90822

General Conditions and Statement of Work

LBEQ19 – Physiological Monitors

VA Long Beach Healthcare System

5901 East 7th Street Long Beach, CA 90822

General Conditions and Statement of Work

LBEQ19 – Physiological Monitors

Table of Contents

1.0 Intr	oduction	3
1.1 0	oduction Document Organization	3
2.0 Ger	neral Conditions	4
2.1	Supplies	4
2.2	Address	4
2.3	Schedule of Work	4
2.4	Schedule and Order Management	4
2.5	Delivery and Receiving	5
2.6	Use of Premises	5
2.7	Clean up and disposal	5
2.8	WarrantyPerformance	5
2.9	Performance	5
2.10	Drawing Documents and Specifications	5
3.1	Welch Allyn Connex 6800 Vital Signs Monitors (or equal) – Monitor, Physiologic, Vital Signs, with Pulse Ox	e
3.1.1	1. Functional and Technical Specifications (Following Page)	e
3.2.2	Functional and Technical Specifications (Following Page)	8
3.3	GCX Wall Mount Kit for Welch Allyn Connex 6800 (or equal) Vital Signs Monitors	10
3.3.2	Functional and Technical Specifications (Following Page)	10

5901 East 7th Street Long Beach, CA 90822

General Conditions and Statement of Work

LBEQ19 – Physiological Monitors

1.0 Introduction

Veteran Affairs Long Beach Health Care System (VA LBHCS) has a requirement to purchase LBEQ19 – Physiological Monitors for Phase 1 with an authorized vendor for supply and delivery of the item(s) identified below to our activation contractors warehouse.

Table 1 provides a summary of the items required. Further information and details are provided in section 5. The vendor is required to provide fully functional system(s) for all item(s) listed.

Table 1 – Package Items Summary

Item Number	Item Description	Quantity
	Welch Allyn Connex 6800 Vital Signs Monitors (or equal)	11
	GCX Wall Mount Kit for Welch Allyn Connex 6800 (or equal) Vital Signs Monitors	2
	Cable Management and Accessory Stands – Rolling Stand Mount for Welch Allyn Connex 6800 (or equal)	9

1.1 Document Organization

This document provides details around the general conditions, technical and functional requirements applicable to the items and/or services required by the VA. The document is organized as depicted in Table 2 below.

Table 2 – Document Organization

Section	Name	Description
1.0	Introduction	Summary description of the VA's requirements and the structure of this document.
2.0	General Conditions	Information describing the VA's overall expectations for the items and/or services to be provided. This includes the schedule by which items and/or services are to be delivered in, and the environment in which they will be delivered.
3.0	Checklist for Proposal Document	A checklist of information to be provided when responding to a request for proposal for the items and/or services described here.
4.0	Checklist of Post- Award Document Submission	A checklist of information to be provided post-award for the items and/or services described here.
5.0	Functional and Technical Specifications	A detailed description of all items and services to be provided. This includes the salient characteristics of each individual item, and any services required (e.g., delivery, assembly, installation, testing, training, warranty, service, etc.)

5901 East 7th Street Long Beach, CA 90822

General Conditions and Statement of Work LBEQ19 – Physiological Monitors

2.0 General Conditions

2.1 Supplies

- **2.1.1** The vendor shall provide new products: Items that have not previously been incorporated into another project or facility. Products salvaged or recycled from other projects are not considered new products.
- **2.1.2** It is the intent of this proposal to establish complete "delivered" pricing. Such pricing will remain in effect through April 2018.
- **2.1.3** The vendor shall not provide gray market items. Gray market items are those that are distributed through channels not intended by the manufacturer. The vendor may be required to provide proof that the item is not a gray market item (e.g. authorized distributor letter).

2.2 Address

2.2.1 The address of the VA LBHCS Long Beach Building 126OP is provided below. Further information on delivery is located in section 2.5.

VA LBHCS 5901 East 7th Street Long Beach, CA 90822

2.3 Schedule of Work

Building Name	Building # & Letter	Acronym	Est. Delivery Start Date	Est. Delivery End Date
Go Energistics Warehouse		Whse	04/01/18	04/14/18

2.4 Schedule and Order Management

- 2.4.1. The vendor shall provide with his/her offer a proposed schedule to accommodate the deliveryof items, and completion of any services defined in this document per the schedule identified in Table 3. Response to this request indicates the vendor accepts these dates as part of their proposal. Proposals with schedules that do not meet the timeframes in Table 3 may be rejected for not meeting the Government's requirement. Actual dates will be confirmed by VA LBHCS upon award.
- 2.4.2 Vendors shall specify any assumptions or potential constraints to be considered in schedule development; lead times relevant to manufacturing and delivery; and identify critical dates and information required for order placement. This information will be verified post-award with VA LBHCS.
- 2.4.1 Post-award the vendor will coordinate delivery and the completion of any services identified in this document with the VA LBHCS Contracting Officer's Representative (COR) prior to beginning any work. Once the dates have been confirmed, modifications to the schedule are subject to written approval by the COR and the vendor. Schedule changes that are beyond the dates specified in the contract will require approval by the Contracting Officer and a contract modification.
- **2.4.2** The vendor will be responsible for management of the ordering process, receipt/storage of items prior to delivery, and completion of delivery as agreed to with VA LBHCS for all the items in section 5. This may require maintenance and confirmation of an acknowledged shipping schedule and tracking of all orders.

5901 East 7th Street Long Beach, CA 90822

General Conditions and Statement of Work LBEQ19 – Physiological Monitors

2.5 Delivery and Receiving

- 2.5.1 Delivery and receipt of the proposed items is anticipated to be directed to the locationidentified below. Confirmation of delivery location will be provided post-award. To coordinate delivery, contact Alex Vasquez at (210)-999-9232, alex.vasquez@goenergistics.com or Mike Olsonat (520) 982-2670, mike.olson@goenergistics.com
 - □ **VA LBHCS Building 126OP**(Direct Delivery to address detailed in paragraph 2.2.1)
 - IOT&A Contractor-Provided Warehouse Local to the VA LBHCS Circle Moving: Attn: GoE-VA Project, 3333 East Willow St. Long Beach, CA 90806.
- 2.5.2 Delivery shall be free on board (FOB) Destination
- **2.5.3** The vendor is required to define the need for a staging area to accommodate item delivery, if needed. Post-award, this information will be confirmed with the vendor.
- **2.5.4** The delivery of items identified in this document shall take place during normal business hours which are defined as: 0800 to 1630 (i.e.: 8:00am to 4:30pm Pacific Standard Time), Monday through Friday, and excluding Federal Holidays.
- **2.5.5** Delivery trucks will not be permitted to remain at the loading dock. Trucks shall be unloaded, moved from the dock, and then brought back to the dock if required to haul out any waste, tools, or excess materials.

2.6 Use of Premises

- **2.6.1** During the performance of this contract, work will be carried out at our activation vendors warehouse and will require a certificate of insurance prior to the deliver and off loading of the product. This insurance certificate will need to be completed and presented to the activation vendor prior to delivery.
- **2.6.2** The vendor will communicate through the COR any required coordination requirements.

2.7 Clean Up and Disposal

- **2.7.1** There are no dumpsters available for vendor use.
- 2.7.2 The removal of waste and/or excess material shall be conducted through the loading dockarea. Delivery trucks and/or other vendor vehicles will not be permitted to remain at the loading dock. Vehicles will need to be brought back to the dock if required to remove any waste, tools, or excess materials.

2.8 Warranty

2.8.1 The Contractor shall provide the manufacturer's standard commercial warranty.

2.9 Performance

2.9.1 The vendor shall conduct all operations in the vendor's own name as an independent contractor and not in the name of, or as an agent for VA LBHCS.

2.10 Drawing Documents and Specifications

2.10.1 VA LBHCS will have the right to use, for all its purposes, all CADD drawings (including shop drawings), specifications, and any other documentation submitted by the winning vendor at no

5901 East 7th Street Long Beach, CA 90822

> General Conditions and Statement of Work LBEQ19 – Physiological Monitors

additional cost to VA LBHCS.

3.0 Functional and Technical Specifications

A specific make and model were used for planning purposes during the renovation construction of Building 126OP, which is identified in the Description as "equivalent to" on the specific specification document.

3.1 Welch Allyn Connex 6800 Vital Signs Monitors (or equal) – Monitor, Physiologic, Vital Signs, with Pulse Ox

The item identified above is required in Building 126OP. The quantities are listed in Table 4 below. For anticipated delivery dates the vendor should reference section 2.3 above.

Table 4 – Item Quantity

Item Number	Item Description	Total Quantity
	Welch Allyn Connex 6800 Vital Signs Monitors (or equal)	11

3.1.1. Warranty

The vendor shall provide in writing, the manufacturer's standard commercial warranty.

3.1.1.1. Functional and Technical Specifications (Following Page)

5901 East 7th Street Long Beach, CA 90822

General Conditions and Statement of Work

LBEQ19 – Physiological Monitors

VA Long Beach Healthcare System

5901 East 7th Street Long Beach, CA 90822

Project: 402, Phase 2, Specialty Care in Buildling OP126

1

Total Quantity: 11

☐ Finish Sample Required

Item Name: Monitor, Physiologic, Vital Signs, with Pulse Ox

Welch Allyn Connex 6800 Vital Signs Monitors (or equal)

Included Options:

- Masimo SpO2, SureTemp
- Plus Thermometry,
- SureBP Non-invasive Blood Pressure,
- Pulse Rate, MAP, Custom Scoring, Nurse Call,
- Four USB Ports for Accessories
- Internal 802.11 a/b/g Wireless Radio;
- 100-240 V, 50-60 Hz AC, IEC Plug Type-B
- Standard Warranty
- FOB Destination

Picture is for reference only. Actual purchased product may vary:



5901 East 7th Street Long Beach, CA 90822

General Conditions and Statement of Work

LBEQ19 – Physiological Monitors

3.2 Cable Management and Accessory Stands – Rolling Stand Mount for Welch Allyn Connex 6800 (or equal)

The item identified above is required in Building 126OP. The quantities are listed in Table 4 below. For anticipated delivery dates the vendor should reference section 2.3 above.

Table 4 - Item Quantity

Item Number	em Number Item Description	
	Cable Management and Accessory Stands – Rolling Stand Mount for Welch Allyn Connex 6800 (or equal)	9

3.2.1 - Warranty

The vendor shall provide in writing, the manufacturer's standard commercial warranty.

3.2.2 Functional and Technical Specifications (Following Page)

5901 East 7th Street Long Beach, CA 90822

General Conditions and Statement of Work

LBEQ19 – Physiological Monitors

VA Long Beach Healthcare System

5901 East 7th Street Long Beach, CA 90822

Project: 402, Phase 2, Specialty Care in Buildling OP126

Total Quantity: 9

☐ Finish Sample Required

Item Name: Cable Management and Accessory Stands – Rolling Stand Mount

Welch Allyn Connex 6800 Vital Signs Monitors (or equal)

Included Options:

- WA Mobile Stand w/Cable Mgmt Storage System
- Standard Warranty
- FOB Destination

Picture is for reference only. Actual purchased product may vary:



5901 East 7th Street Long Beach, CA 90822

General Conditions and Statement of Work

LBEQ19 – Physiological Monitors

3.3 GCX Wall Mount Kit for Welch Allyn Connex 6800 (or equal) Vital Signs Monitors

The item identified above is required in Building 126OP. The quantities are listed in Table 4 below. For anticipated delivery dates the vendor should reference section 2.3 above.

Table 4 - Item Quantity

Item Number	Item Description	Total Quantity
	GCX Wall Mount Kit for Welch Allyn Connex 6800 (or equal) Vital Signs Monitors	2

3.3.1 - Warranty

The vendor shall provide in writing, the manufacturer's standard commercial warranty.

3.3.2 Functional and Technical Specifications (Following Page)

5901 East 7th Street Long Beach, CA 90822

Project: 402, Phase 2, Specialty Care in Buildling OP126

Т

Total Quantity: 2

☐ Finish Sample Required

Item Name: GCX Wall Mount Kit for Welch Allyn Connex 6800 (or equal) Vital Signs Monitors

Welch Allyn Connex 6800 Vital Signs Monitors (or equal)

Included Options:

- GCX Wall Channel
- Standard Warranty
- FOB Destination

Picture is for reference only. Actual purchased product may vary:

