

## B.2 SECTION B – SUPPLIES OR SERVICES AND PRICES

The Contractor shall perform maintenance on all low voltage data services to include but not be limited to cable terminations, faceplates, wall jacks, inserts, biscuit blocks, 110 blocks, and labeling within buildings defined by the PWS.

For the purpose of this contract INSTALLATION shall mean the installation of equipment specified below to include normal materials to make the equipment operational. Pre-wiring includes material and labor to pre-wire a jack location. Each pre-wire shall include but not be limited to run of 300 feet, jacks and cable, termination of jacks and termination to existing 110 hardware for voice or data. Pre-wiring is provided in two ways: EIA/TIA standard and VA provided standards. All faceplates are 6 Plex except for the single jacks installed for wall telephones. Blanks are provided for any unused port in the faceplate. The CLIN quantities are for the total of all 14 Locations.

**Base Year: May 1, 2018 through April 30, 2019**

CLIN	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	EXTENDED PRICE
0001	300ft of Cat 6, Pre-wire Plenum Quad Jack VA Standard (3 Level 6 Standard Cables 4 Jacks (4 D)	300	EA		
0002	300ft of Cat 6, Pre-wire Plenum Dual Jack EIA/TIA (2 Level 6 Standard Cables, Faceplate, 2 Jacks (2D)	2	EA		
0003	300ft of Cat 6, Pre-wire Plenum Single Jack EIA/TIA (1 Level 6 Standard Cable, single jack (Data)	2	EA		
0004a	Install Patch Panel 24Port w/wall mounting or equipment rack as appropriate	2	EA		
0004b	Install Patch Panel 48Port w/wall mounting or equipment rack as appropriate	2	EA		
0004c	Install Patch Panel 96Port w/wall mounting or equipment rack as appropriate	2	EA		
0005	Install horizontal cable management	2	EA		
0006	Install vertical cable management	2	EA		
0007	Install 110 Connecting Block 100/300	2	EA		
0008	Install Wiremold 2347 Device Box	2	EA		
0009	Install 800/2300 Wiremold in 10 ft. sections	2	EA		
0010	Repair/Install Blanks	2	EA		
0011	Repair/Install white sixplex faceplate	300	EA		
0012	Repair/Install outlet blank	300	EA		
0013	Install 2 stud metal face plate for wall phones	24	EA		
0014	Repair/Install Level 6 Jack	300	EA		
0015	Repair/Install Insert	300	EA		
0016	Install j-hook	480	EA		
0017	Install d-rings	2	EA		
0018	60x300 Basket Run way YZN in 10 ft. sections	2	EA		

0019a	1000ft of conduit including all fittings, boxes, and hangers. (To be included in the 1 year contract)	1000	EA		
0019b	Install of conduit including all fittings, boxes, and hangers. in per ft of conduit. (beyond the 1000ft included in the contract)	TBD	PER FT		
<b>Base Year</b>				<b>\$</b>	
<b>Total for Base Year</b>				<b>\$</b>	

**Option Year 1: May 1, 2019 through April 30, 2020**

CLIN	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	EXTENDED PRICE
1001	300ft of Cat 6, Pre-wire Plenum Quad Jack VA Standard (3 Level 6 Standard Cables 4 Jacks (4 D)	300	EA		
1002	300ft of Cat 6, Pre-wire Plenum Dual Jack EIA/TIA (2 Level 6 Standard Cables, Faceplate, 2 Jacks (2D)	2	EA		
1003	300ft of Cat 6, Pre-wire Plenum Single Jack EIA/TIA (1 Level 6 Standard Cable, single jack (Data)	2	EA		
1004a	Install Patch Panel 24Port w/wall mounting or equipment rack as appropriate	2	EA		
1004b	Install Patch Panel 48Port w/wall mounting or equipment rack as appropriate	2	EA		
1004c	Install Patch Panel 96Port w/wall mounting or equipment rack as appropriate	2	EA		
1005	Install horizontal cable management	2	EA		
1006	Install vertical cable management	2	EA		
1007	Install 110 Connecting Block 100/300	2	EA		
1008	Install Wiremold 2347 Device Box	2	EA		
1009	Install 800/2300 Wiremold in 10 ft. sections	2	EA		
1010	Repair/Install Blanks	2	EA		
1011	Repair/Install white sixplex faceplate	300	EA		
1012	Repair/Install outlet blank	300	EA		
1013	Install 2 stud metal face plate for wall phones	24	EA		
1014	Repair/Install Level 6 Jack	300	EA		
1015	Repair/Install Insert	300	EA		
1016	Install j-hook	480	EA		
1017	Install d-rings	2	EA		
1018	60x300 Basket Run way YZN in 10 ft. sections	2	EA		
1019a	1000ft of conduit including all fittings, boxes, and hangers. (To be included in the 1 year contract)	1000	EA		

1019b	Install of conduit including all fittings, boxes, and hangers. in per ft of conduit. (beyond the 1000ft included in the contract)	TBD	PER FT		
-------	---	-----	--------	--	--

<b>Option Year 1</b>	<b>\$</b>
<b>Total for Base Year + OY1</b>	<b>\$</b>

**Option Year 2: May 1, 2020 through April 30, 2021**

CLIN	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	EXTENDED PRICE
2001	300ft of Cat 6, Pre-wire Plenum Quad Jack VA Standard (3 Level 6 Standard Cables 4 Jacks (4 D)	300	EA		
2002	300ft of Cat 6, Pre-wire Plenum Dual Jack EIA/TIA (2 Level 6 Standard Cables, Faceplate, 2 Jacks (2D)	2	EA		
2003	300ft of Cat 6, Pre-wire Plenum Single Jack EIA/TIA (1 Level 6 Standard Cable, single jack (Data)	2	EA		
2004a	Install Patch Panel 24Port w/wall mounting or equipment rack as appropriate	2	EA		
2004b	Install Patch Panel 48Port w/wall mounting or equipment rack as appropriate	2	EA		
2004c	Install Patch Panel 96Port w/wall mounting or equipment rack as appropriate	2	EA		
2005	Install horizontal cable management	2	EA		
2006	Install vertical cable management	2	EA		
2007	Install 110 Connecting Block 100/300	2	EA		
2008	Install Wiremold 2347 Device Box	2	EA		
2009	Install 800/2300 Wiremold in 10 ft. sections	2	EA		
2010	Repair/Install Blanks	2	EA		
2011	Repair/Install white sixplex faceplate	300	EA		
2012	Repair/Install outlet blank	300	EA		
2013	Install 2 stud metal face plate for wall phones	24	EA		
2014	Repair/Install Level 6 Jack	300	EA		
2015	Repair/Install Insert	300	EA		
2016	Install j-hook	480	EA		
2017	Install d-rings	2	EA		
2018	60x300 Basket Run way YZN in 10 ft. sections	2	EA		
2019a	1000ft of conduit including all fittings, boxes, and hangers. (To be included in the 1 year contract)	1000	EA		

2019b	Install of conduit including all fittings, boxes, and hangers. in per ft of conduit. (beyond the 1000ft included in the contract)	TBD	PER FT		
-------	--	-----	--------	--	--

<b>Option Year 2</b>	<b>\$</b>
<b>Total for Base Year + OY1 + OY2</b>	<b>\$</b>

**Option Year 3: May 1, 2021 through April 30, 2022**

CLIN	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	EXTENDED PRICE
3001	300ft of Cat 6, Pre-wire Plenum Quad Jack VA Standard (3 Level 6 Standard Cables 4 Jacks (4 D)	300	EA		
3002	300ft of Cat 6, Pre-wire Plenum Dual Jack EIA/TIA (2 Level 6 Standard Cables, Faceplate, 2 Jacks (2D)	2	EA		
3003	300ft of Cat 6, Pre-wire Plenum Single Jack EIA/TIA (1 Level 6 Standard Cable, single jack (Data)	2	EA		
3004a	Install Patch Panel 24Port w/wall mounting or equipment rack as appropriate	2	EA		
3004b	Install Patch Panel 48Port w/wall mounting or equipment rack as appropriate	2	EA		
3004c	Install Patch Panel 96Port w/wall mounting or equipment rack as appropriate	2	EA		
3005	Install horizontal cable management	2	EA		
3006	Install vertical cable management	2	EA		
3007	Install 110 Connecting Block 100/300	2	EA		
3008	Install Wiremold 2347 Device Box	2	EA		
3009	Install 800/2300 Wiremold in 10 ft. sections	2	EA		
3010	Repair/Install Blanks	2	EA		
3011	Repair/Install white sixplex faceplate	300	EA		
3012	Repair/Install outlet blank	300	EA		
3013	Install 2 stud metal face plate for wall phones	24	EA		
3014	Repair/Install Level 6 Jack	300	EA		
3015	Repair/Install Insert	300	EA		
3016	Install j-hook	480	EA		
3017	Install d-rings	2	EA		
3018	60x300 Basket Run way YZN in 10 ft. sections	2	EA		
3019a	1000ft of conduit including all fittings, boxes, and hangers. (To be included in the 1 year contract)	1000	EA		
3019b	Install of conduit including all fittings, boxes, and hangers. in per ft of conduit.	TBD	PER FT		

	(beyond the 1000ft included in the contract)				
--	--	--	--	--	--

<b>Option Year 3</b>	<b>\$</b>
<b>Total for Base Year + OY1 + OY2 + OY3</b>	<b>\$</b>

**Option Year 4: May 1, 2022 through April 30, 2023**

CLIN	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	EXTENDED PRICE
4001	300ft of Cat 6, Pre-wire Plenum Quad Jack VA Standard (3 Level 6 Standard Cables 4 Jacks (4 D)	300	EA		
4002	300ft of Cat 6, Pre-wire Plenum Dual Jack EIA/TIA (2 Level 6 Standard Cables, Faceplate, 2 Jacks (2D)	2	EA		
4003	300ft of Cat 6, Pre-wire Plenum Single Jack EIA/TIA (1 Level 6 Standard Cable, single jack (Data)	2	EA		
4004a	Install Patch Panel 24Port w/wall mounting or equipment rack as appropriate	2	EA		
4004b	Install Patch Panel 48Port w/wall mounting or equipment rack as appropriate	2	EA		
4004c	Install Patch Panel 96Port w/wall mounting or equipment rack as appropriate	2	EA		
4005	Install horizontal cable management	2	EA		
4006	Install vertical cable management	2	EA		
4007	Install 110 Connecting Block 100/300	2	EA		
4008	Install Wiremold 2347 Device Box	2	EA		
4009	Install 800/2300 Wiremold in 10 ft. sections	2	EA		
4010	Repair/Install Blanks	2	EA		
4011	Repair/Install white sixplex faceplate	300	EA		
4012	Repair/Install outlet blank	300	EA		
4013	Install 2 stud metal face plate for wall phones	24	EA		
4014	Repair/Install Level 6 Jack	300	EA		
4015	Repair/Install Insert	300	EA		
4016	Install j-hook	480	EA		
4017	Install d-rings	2	EA		
4018	60x300 Basket Run way YZN in 10 ft. sections	2	EA		
4019a	1000ft of conduit including all fittings, boxes, and hangers. (To be included in the 1 year contract)	1000	EA		
4019b	Install of conduit including all fittings, boxes, and hangers. in per ft of conduit. (beyond the 1000ft included in the contract)	TBD	PER FT		

Option Year 4	\$
Grand Total for Base Year plus Option Years 1-4	\$

**NOTE: Contractors shall follow the instructions on FAR Provisions 52.212-1 and 52.212-2, including their addendums for quote submissions to include technical and past performance information. Your quote submission may not be considered for award if you fail to follow the submission instructions.**

**Prospective Offerors are required to submit three separate quote responses, one Technical Response, one Past Performance Response and one Price Quote. If all Quote responses are NOT received, it may result in rejection or elimination of your quote, and will not be considered for award.**

**The Government reserves the right to award any resultant contract from this solicitation with or without discussions. Therefore, each quote response should reflect the offerors best terms, both from a cost and technical standpoint.**