

VA Palo Alto Recreation Services

Sign Schedule

Sign Summary - Code - Wayfinding - Room-by-Room

CD2 Submittal

05.10.2013

Revised and Expanded by VA Interior Designer
06.12.2015

GENERAL NOTES:


1. Refer to sign location plans for the location of each sign in the building. Wayfinding and Code signs have markers on location plans. For room identification signs, refer to the architectural room number centered in each room or area on sign location plans. Wayfinding and Code required signs on location plans are annotated with these symbols:



2. Refer to sign schedule by sign number or room number for final sign types, quantities and messages.

VA Palo Alto Recreation Services - Package 4						Issue Date: 4 AUGUST 2011		
Signage Program: 100% DD2								
Code/ WFL	Room Room	Sign Number	Sign Type	Qty	Arrow	Message	Sheet	Notes
B	W	B054	IN-105	1		B DIRECTORY	AG1.1.0	
						B		
						Gymnasium		
						Locker Rooms		
						Vending		
						1		
						Conference		
						Recreation Services Offices		
						Running Track		
						2		
						Fitness		
						Green Roof		
						Restrooms		

3. See construction drawings for details on each sign type.



4. Elevations shown for coordination and reference. Final locations to be verified in the field.

VA Palo Alto Recreation Services - Package 4
 Signage Program: CD2 SUBMITTAL - Sign Type Summary

Issue Date: 10 MAY 2013
 Revised and Expanded by VA Interior Designer
 06.12.2015

Sign Type	Quantity	
	Wellness Center	Aquatic Center
EN-09	1	
IN-01.01.02	5	1
IN-01.04	3	
IN-01.31.1	20 X 19	5
IN-105	4	
IN-110	1	
IN-111	2	1
IN-120.1	3	
IN-18.01	4	
IN-300	1	2
IN-300.1	5 X 4	9
IN-300.2	18	8
IN-301	2	2
IN-301.2	5 X 4	2
IN-302	2	
IN-310	5	2
IN-315	4	
IN-320.1	2	2
IN-320.2	2	2
IN-321	2	2
IN-322	2	2
IN-325	1	
IN-351	3 X 2	3
IN-320.3		1
IN-323		1
Total Quantity	96	45

Level	Code/ WF/ Room	Room Number	Sign Number	Sign Type	Qty	Arrow	Message	Sheet	Notes
-------	----------------------	----------------	----------------	--------------	-----	-------	---------	-------	-------

Interior Signage

NOTE:
INTERIOR SIGNS ARE
LOCATED IN 3 WAYS:

W = WAYFINDING SIGN

Located by:
 SIGN NUMBER in this sign
 schedule and corresponding
 CIRCLE marker on sign location
 plan.

C = CODE REQUIRED SIGN

Located by:
 SIGN NUMBER in this sign
 schedule and corresponding
 RECTANGLE marker on sign
 location plan.

R = ROOM SIGN

Located by:
 ROOM NUMBER in this sign
 schedule and corresponding
 ARCHITECTURAL ROOM
 NUMBER
 on sign location plan, centered in
 each room or area.

Level B

B	R	B100A	IN-300.2	1		B100A STORAGE	AG1.1.0	
B	R	B100B	IN-300.2	1		B100B MEP	AG1.1.0	
B	R	B101A	IN-301	1		B101A ELEVATOR MACHINE ROOM	AG1.1.0	
B	R	B101	IN-300.2	1		B101 VENDING	AG1.1.1	Confirm if needed.

Level	Code/ WF/ Room	Room Number	Sign Number	Sign Type	Qty	Arrow	Message	Sheet	Notes
B	R	B104		IN-300.2	1		B104 HAC	AG1.1.0	
B	C		B001	IN-01.31.1	1		(fire extinguisher symbol)	AG1.1.0	Double-sided.
B	C		B002	IN-315	1		MAXIMUM OCCUPANCY 345	AG1.1.0	
B	C		B003	IN-01.31.1	1		(fire extinguisher symbol)	AG1.1.0	Double-sided.
B	C		B005	IN-01.04	1		(symbols) IN CASE OF FIRE, USE STAIRS. DO NOT USE ELEVATORS.	AG1.1.0	
B	C		B006	IN-01.01.02	1		(evacuation plan)	AG1.1.0	
B	C		B007	IN-300.1 IN-301.2	1		EXIT ROUTE	AG1.1.0	Confirm if needed. Glass mount. Provide vinyl backer.
B	C		B009	IN-300.2	1		B101B ELECTRICAL	AG1.1.0	Field place on door.
B	C		B010	IN-01.31.1	1		(fire extinguisher symbol)	AG1.1.0	Double sided.
B	C		B011	IN-321	1		(CA-T24 men's door sign)	AG1.1.0	Door mount.
B	C		B012	IN-320.1	1		B103 (male symbol) MEN	AG1.1.0	
B	C		B013	IN-01.31.1	1		(fire extinguisher symbol)	AG1.1.0	Double-sided.
B	C		B015	IN-320.2	1		B105 (female symbol) WOMEN	AG1.1.0	
B	C		B016	IN-322	1		(CA-T24 women's door sign)	AG1.1.0	Door mount.
B	C		B017	IN-01.31.1	1		(fire extinguisher symbol)	AG1.1.0	Double-sided.
B	C		B021	IN-01.31.1	1		(fire extinguisher symbol)	AG1.1.0	Double-sided.
B	C		B023	IN-01.31.1	1		(fire extinguisher symbol)	AG1.1.0	Double-sided.
B	C		B025	IN-01.01.02	1		(evacuation plan)	AG1.1.0	
B	C		B026	IN-301.2	1		EXIT STAIR UP	AG1.1.0	
B	C		B027	IN-01.31.1	1		(fire extinguisher symbol)	AG1.1.0	Double-sided.
B	W		B051	IN-310	1		RECREATION ROOM	AG1.1.0	

Level	Code/ WF/ Room	Room Number	Sign Number	Sign Type	Qty	Arrow	Message	Sheet	Notes
B	W		B052	IN-18.01	1		Recreation Room	AG1.1.0	Mount on glass door.
B	W		B053	IN-18.01	1		Recreation Room	AG1.1.0	Mount on glass door.
B	W		B054	IN-105	1		B DIRECTORY	AG1.1.0	
							B Recreation Room Locker Rooms Vending		
							1 Conference Recreation Services Offices Running Track Therapy Pool Locker Rooms		
							2 Wellness Center Green Roof Restrooms		
B	W		B055	IN-110	1	UP	Vending	AG1.1.0	
						RIGHT	Locker Rooms		
B	R	B105.1		IN-351	1	LEFT	Elevators	AG1.1.0	
B	R	B103.1		IN-351	1		(8 1/2" x 11" insert holder)	AG1.1.0	
							Level 1		
1	R	131.1		IN-301	1		131 CONFERENCE	AG1.1.1	Glass mount. Provide vinyl backer.
1	R	131.2		IN-351	1		(8 1/2" x 11" insert holder)	AG1.1.1	Glass mount. Provide vinyl backer.
1	R	132		IN-300.2	1		132 KITCHEN	AG1.1.1	Confirm if needed.
1	R	133		IN-300.2	1		133 INTERVIEW	AG1.1.1	
1	R	135		IN-300.2	1		135 INTERVIEW	AG1.1.1	
1	R	137		IN-302	1		137 (8 1/2" x 5 1/2" insert holder)	AG1.1.1	(office) List office occupant on printed insert.
1	R	139		IN-302	1		139 (8 1/2" x 5 1/2" insert holder)	AG1.1.1	(office) List office occupant on printed insert.
1	C		1001	IN-300.2	1		EC1 ELECTRICAL	AG1.1.1	Exterior grade.

Level	Code/ WF/ Room	Room Number	Sign Number	Sign Type	Qty	Arrow	Message	Sheet	Notes
1	C		1002	IN-01.31.1	1		(fire extinguisher symbol)	AG1.1.1	Double-sided.
1	C		1003	IN-300.1	1		EXIT ROUTE	AG1.1.1	
1	C		1005	IN-01.04	1		(symbols) IN CASE OF FIRE, USE STAIRS. DO NOT USE ELEVATORS.	AG1.1.1	
1	C		1007	IN-01.31.1	1		(fire extinguisher symbol)	AG1.1.1	Double-sided.
1	C		1008	IN-300.1 IN-301.2	1		EXIT ROUTE	AG1.1.1	Glass mount. Provide vinyl backer.
1	C		1009	IN-01.01.02	1		(evacuation plan)	AG1.1.1	
1	C		1015	IN-01.31.1	1		(fire extinguisher symbol)	AG1.1.1	Double-sided.
1	C		1017	IN-01.31.1	1		(fire extinguisher symbol)	AG1.1.1	Double-sided.
1	C		1019	IN-300.1	1		EXIT	AG1.1.1	Glass mount. Provide vinyl backer.
1	C		1021	IN-01.31.1	1		(fire extinguisher symbol)	AG1.1.1	Double-sided.
1	C		1022	IN-01.31.1	1		(fire extinguisher symbol)	AG1.1.1	Double-sided.
1	C		1023	IN-01.31.1	1		(fire extinguisher symbol)	AG1.1.1	Double-sided. Mount to right of window, 7'-0" AFF.
1	C		1025	IN-01.01.02	1		(evacuation plan)	AG1.1.1	
1	C		1026	IN-300.1	1		EXIT	AG1.1.1	
1	C		1027	IN-01.31.1	1		(fire extinguisher symbol)	AG1.1.1	Double-sided. Mount to right of window, 7'-0" AFF.
1	W		1053	IN-105	1		1 DIRECTORY B Recreation Room Locker Rooms Vending 1 Conference Recreation Services Offices Running Track Therapy Pool Locker Rooms Wellness Center Green Roof Restrooms	AG1.1.1	
1	W		1055	IN-310	1		RECREATION ROOM	AG1.1.1	Revised message.

Level	Code/ WF/ Room	Room Number	Sign Number	Sign Type	Qty	Arrow	Message	Sheet	Notes
1	W		1056	IN-120.1	1		Recreation Room	AG1.1.1	Mount on glass transom over door (s).
1	W		1057	IN-105	1		1 DIRECTORY B Recreation Room Locker Rooms Vending 1 Conference Recreation Services Offices Running Track Therapy Pool 2 Locker Rooms Wellness Center Green Roof Restrooms	AG1.1.1	
1	W		1059	IN-310	1		RUNNING TRACK	AG1.1.1	
1	W		1061	IN-18.01	1		Running Track	AG1.1.1	Mount on glass door.
1	W		1062	IN-18.01	1		Running Track	AG1.1.1	Mount on glass door.
1	W		1063	IN-310	1		RECREATION SERVICES OFFICES	AG1.1.1	Glass mount. Provide vinyl backer.
Level 2									
2	R	TC1		IN-300.2	1		TC1 DATA	AG1.1.2	
2	R	AV1		IN-300.2	1		AV1 AV / STORAGE	AG1.1.2	
2	R	C03A		IN-300.2	1		C03A HAC	AG1.1.2	
2	R	C03		IN-300	1		C03	AG1.1.2	
2	R	240		IN-300.2	1		240 EXERCISE 2	AG1.1.2	Glass mount. Provide vinyl backer. Align with bottom edge of sign C2014.
2	R	245		IN-300.2	1		245 STUDIO	AG1.1.2	Glass mount. Provide vinyl backer. Align with bottom edge of sign C2004.

Level	Code/ WF/ Room	Room Number	Sign Number	Sign Type	Qty	Arrow	Message	Sheet	Notes
2	R	250		IN-300.2	2		250 EXERCISE 1	AG1.1.2	Glass mount. Provide vinyl backers. Exterior grade for 1. Align with bottom edge of sign C2021.
2	C		2001	IN-300.1	1		EXIT ROUTE	AG1.1.2	
2	C		2002	IN-01.31.1	1		(fire extinguisher symbol)	AG1.1.2	Double-sided. Confirm if needed.
2	C		2003	IN-01.04	1		(symbols) IN CASE OF FIRE, USE STAIRS. DO NOT USE ELEVATORS.	AG1.1.2	
2	C		2004	IN-300.1 IN-301.2	1		EXIT ROUTE	AG1.1.2	Align with sign R245.
2	C		2005	IN-01.01.02	1		(evacuation plan)	AG1.1.2	
2	C		2006	IN-315	1		MAXIMUM OCCUPANCY 44	AG1.1.2	
2	C		2007	IN-300.2	1		EC2 ELECTRICAL	AG1.1.2	
2	C		2008	IN-01.31.1	1		(fire extinguisher symbol)	AG1.1.2	Double-sided. Confirm if needed.
2	C		2009	IN-322	1		(CA-T24 women's door sign)	AG1.1.2	Revised sign type. Door mount.
2	C		2010	IN-320.2	1		232 (female symbol) WOMEN	AG1.1.2	Revised sign type and message.
2	C		2011	IN-321	1		(CA-T24 men's door sign)	AG1.1.2	Revised sign type. Door mount.
2	C		2012	IN-320.1	1		234 (male symbol) MEN	AG1.1.2	Revised sign type and message.
2	C		2013	IN-315	1		MAXIMUM OCCUPANCY 20	AG1.1.2	Updated occupancy load. Glass mount. Provide vinyl backer.
2	C		2014	IN-300.1 IN-301.2	1		EXIT ROUTE	AG1.1.2	Align with sign R240.
2	C		2015	IN-315	1		MAXIMUM OCCUPANCY 66	AG1.1.2	

VA Palo Alto Recreation Services - Package 4
Signage Program: CD2 SUBMITTAL

Issue Date: 10 MAY 2013
Revised and Expanded by VA Interior Designer
06.12.2015

Level	Code/ WF/ Room	Room Number	Sign Number	Sign Type	Qty	Arrow	Message	Sheet	Notes
2	C		2017	IN-01.31.1	1		(fire extinguisher symbol)	AG1.1.2	Double-sided. Confirm if needed.
2	C		2019	IN-300.2	1		EC3 ELECTRICAL	AG1.1.2	
2	C		2020	IN-01.31.1	1		(fire extinguisher symbol)	AG1.1.2	Double-sided. Confirm if needed.
2	C		2021	IN-300.1	1		EXIT	AG1.1.2	Glass mount. Provide vinyl backer. Align with exterior sign R250.
2	W		2051	IN-120.1	1		Wellness Center	AG1.1.2	Mount on glass transom over door (s).
2	W		2052	IN-310	1		WELLNESS CENTER	AG1.1.2	
2	W		2053	IN-105	1		2 DIRECTORY B Recreation Room Locker Rooms Vending 1 Conference Recreation Services Offices Running Track Therapy Pool Locker Rooms 2 Wellness Center Green Roof Restrooms	AG1.1.2	
2	W		2055	IN-120.1	1		Wellness Center	AG1.1.2	Center over display case, 5" above top.
2	W		2057	IN-111	1	UP	Studio	AG1.1.2	
2	W		2059	IN-111	1	UP	Exercise 1 Exercise 2 Restrooms	AG1.1.2	
2	W		2061	IN-325	1		(unisex symbol)	AG1.1.2	Double-sided Place at 7'-3" AFF to bottom of sign to clear fire strobe.

Level	Code/ WF/ Room	Room Number	Sign Number	Sign Type	Qty	Arrow Message	Sheet	Notes
Level 1 - Aquatic Center								
1	R	118		IN-300.2	1	118 ELECTRICAL	AS2-1	
1	R	117		IN-300.2	1	117 BOILER	AS2-1	
1	R	116		IN-300.2	1	116 TEL./DATA	AS2-1	
1	R	113		IN-300.2	1	113 LAUNDRY	AS2-1	
1	R	114		IN-300.2	1	114 STAFF LOCKERS	AS2-1	
1	R	112.1		IN-300	1	112	AS2-1	
1	R	112.2		IN-300	1	112	AS2-1	Exterior Grade.
1	R	119		IN-301	2	119 POOL MECHANICAL	AS2-1	
1	R	119A		IN-300.2	1	119A CO2	AS2-1	
1	R	119B		IN-300.2	1	119B CHLORINE	AS2-1	
1	R	106		IN-300.2	1	106 HAC	AS2-1	
1	R	111		IN-300.1	3	POOL	AS2-1	
1	R	102.1		IN-351	2	(8 1/2" x 11" insert holder)	AS2-1	
1	R	107.1		IN-351	1	(8 1/2" x 11" insert holder)	AS2-1	
1	C		A001	IN-320.3	1	108 (unisex symbol) RESTROOM	AS2-1	
1	C		A002	IN-323	1	(CA-T24 unisex door sign)	AS2-1	Door Mount.
1	C		A003	IN-320.1	1	107 (male symbol) MEN	AS2-1	
1	C		A004	IN-321	1	(CA-T24 men's door sign)	AS2-1	Door Mount.
1	C		A005	IN-322	1	(CA-T24 women's door sign)	AS2-1	Door Mount.
1	C		A006	IN-320.2	1	102 (female symbol) WOMEN	AS2-1	

Level	Code/ WF/ Room	Room Number	Sign Number	Sign Type	Qty	Arrow Message	Sheet	Notes
1	C		A007	IN-301.2	1	EXIT ROUTE	AS2-1	Back to A022.
1	C		A008	IN-301.2	1	EXIT ROUTE	AS2-1	Back to A023.
1	C		A009	IN-300.1	1	EXIT ROUTE	AS2-1	
1	C		A010	IN-300.1	1	EXIT ROUTE	AS2-1	
1	C		A011	IN-320.1	1	107 (male symbol) MEN	AS2-1	
1	C		A012	IN-321	1	(CA-T24 men's door sign)	AS2-1	Door Mount.
1	C		A013	IN-322	1	(CA-T24 women's door sign)	AS2-1	Door Mount.
1	C		A014	IN-320.2	1	102 (female symbol) WOMEN	AS2-1	
1	C		A015	IN-300.1	1	EXIT ROUTE	AS2-1	
1	C		A016	IN-300.1	1	EXIT ROUTE	AS2-1	
1	C		A017	IN-01.31.1	1	(fire extinguisher symbol)	AS2-1	Double-sided.
1	C		A018	IN-01.31.1	1	(fire extinguisher symbol)	AS2-1	Double-sided.
1	C		A019	IN-01.31.1	1	(fire extinguisher symbol)	AS2-1	Double-sided.
1	C		A020	IN-01.31.1	1	(fire extinguisher symbol)	AS2-1	Double-sided.
1	C		A021	IN-01.31.1	1	(fire extinguisher symbol)	AS2-1	Double-sided.
1	W		A022	IN-310	1	THERAPY POOL	AS2-1	Back to A007.
1	W		A023	IN-310	1	THERAPY POOL	AS2-1	Back to A008.
1	C		A024	IN-300.1	1	EXIT ROUTE	AS2-1	
1	C		A025	IN-300.1	1	EXIT ROUTE	AS2-1	
1	W		A026	IN-01.01.02	1	(evacuation plan)	AS2-1	
1	W		A027	IN-111	1	RIGHT THERAPY POOLS LOCKER ROOMS	AS2-1	

END OF SECTION