

FedBizOpps Sources Sought Notice

CLASSIFICATION CODE *	65
SUBJECT *	AMBULANCE COT AND STAIR CHAIR Sources Sought Stryker
GENERAL INFORMATION	
CONTRACTING OFFICE'S * ZIP-CODE	85014
SOLICITATION NUMBER *	36C25818Q9415
RESPONSE DATE (MM-DD-YYYY)	05-02-2018
ARCHIVE	1 DAYS AFTER THE RESPONSE DATE
RECOVERY ACT FUNDS	N
SET-ASIDE	
NAICS CODE *	339113
CONTRACTING OFFICE ADDRESS	Department of Veterans Affairs NCO22-Gilbert Network Contracting 777 E. Missouri, Suite 300 Phoenix AZ 85014
DESCRIPTION *	See Attachment
POINT OF CONTACT * (POC Information Automatically Filled from User Profile Unless Entered)	Theresa Hamilton Theresa.Hamilton@va.gov Due by 5pm May 2, 2018
PLACE OF PERFORMANCE	
ADDRESS	Albuquerque, NM
POSTAL CODE	87107
COUNTRY	USA
ADDITIONAL INFORMATION	
AGENCY'S URL	
URL DESCRIPTION	
AGENCY CONTACT'S EMAIL ADDRESS	
EMAIL DESCRIPTION	

* = Required Field

Sources Sought

This is a SOURCES SOUGHT ANNOUNCEMENT ONLY. It is neither a solicitation announcement nor a request for proposals or quotes and does not obligate the Government to award a contract. Requests for a solicitation will not receive a response. Responses to this sources sought must be in writing. The purpose of this sources sought announcement is for market research to make appropriate acquisition decisions and to gain knowledge of potential qualified Service Disabled Veteran Owned Small Businesses (SDVOSB) and Veteran Owned Small Businesses (VOSB) interested and capable of providing the services and supplies described below. Documentation of technical expertise must be presented in sufficient detail for the Government to determine that your company possesses the necessary functional area expertise and experience to compete for this acquisition.

Responses to this notice shall include the following: **(a) company name (b) address (c) point of contact (d) phone, fax, and email (e) DUNS number (f) Cage Code (g) Tax ID Number (h) Type of small business, e.g. Services Disabled Veteran Owned Small Business, Veteran-owned small business or other designation and (i) must provide a capability statement that addresses the organizations qualifications and ability to perform as a contractor for the work described below.**

Send to: Theresa.Hamilton@va.gov

By: 5pm Eastern time Wednesday, May 2, 2018

Important information: The Government is not obligated to nor will it pay for or reimburse any costs associated with responding to this sources sought synopsis request. This notice shall not be construed as a commitment by the Government to issue a solicitation or ultimately award a contract, nor does it restrict the Government to a particular acquisition approach. The Government will in no way be bound to this information if any solicitation is issued. The VA is mandated by Public Law 109-461 to consider a total set-aside for Service Disabled Veteran Owned Small Business set aside. However, if response by Service Disabled Veteran Owned Small Business firms proves inadequate, an alternate set-aside or full and open competition may be determined. No sub-contracting opportunity is anticipated. The North American Classification System (NAICS) code for this acquisition is 339113 (750 Employees).

Notice to potential offerors: All offerors who provide goods or services to the United States Federal Government must be registered in the System for Award Management (SAM) at www.sam.gov and complete Online Representations and Certifications Application (ORCA). Additionally, all Service Disabled Veteran Owned Businesses or Veteran Owned Businesses who respond to a solicitation on this project must be registered with the Department of Veterans Affairs Center for Veterans Enterprise VetBiz Registry located at <http://vip.vetbiz.gov>

Written responses emailed to the point of contact for this synopsis will be used by the Government to make appropriate acquisition decisions. After review of the responses to this sources sought synopsis, a solicitation announcement may or may not be published in the Federal Business Opportunity (Fedbizopps/www.fbo.gov) website and/or in GSA eBuy. If solicitations are requested they will be requested per FAR and VAAR regulations. Responses to this sources sought synopsis are not considered adequate responses to future solicitation announcements. All interested offerors shall respond to the requisite solicitation announcement in addition to responding to sources sought announcements.

All interested Offerors should submit information by e-mail to Theresa.hamilton@va.gov All information submissions shall be received no later than **5:00 pm Eastern Time on May 2, 2018.** After review of the responses to this announcement, if the Government intends to proceed with the acquisition and a subsequent solicitation may or may not be published in accordance with FAR regulations.

RAYMOND G. MURPHY VA MEDICAL CENTER

Ambulance Stretcher and Stair chair

STATEMENT OF WORK (SOW)

Raymond G. Murphy VA Medical Center (Albuquerque, NM) request one power ambulance cot and one tread driven stair chair installed for the REdI Team.

1. **Background.** The procurement of one ambulance cot and stair chair for the REdI Team which will become an integral part of our campus Emergency Response Team which will allow safe lifting and moving of patients from the scene to the emergency department and will be in accordance with MCM 118-50 which speaks to staff not lifting greater than 35 lbs./ 15.9 kg of patient weight.
2. **Scope.** The overall scope of work is the procurement of one ambulance cot and stair chair for the REdI Team. The selected equipment manufacturer will furnish all necessary equipment. Vendor shall provide all labor, material, tools, parts, equipment, operating and/or Technical/maintenance manuals, training, delivery, and accessories necessary to safe operation of the ambulance cot and stair chair.

3. **Deliverables**

A. CLIN 00001 Ambulance Cot 1EA:

STRYKER IPX6 Power Pro Ambulance Cot or equivalent

With the following options:

1. Dual Wheel Lock #6086602010
2. Cot Retaining Post option #6085033000
3. STANDARD COMPONENT 6506PWR PRO model#6506026000
4. XPS Option Model #6506040000
5. No Runner Model #0054200994
6. Equipment Hook option #6500147000
7. Power load compatible option #6506127000
8. Nee Gatch/ Trendelenburg #6500082000
9. No Head Sect O2 btl hldr #6506036000
10. Backrest Storage Pouch #6500130000
11. H/E Storage Flat Option #6500128000
12. Fowler O2 Bottle Holder #6500241000
13. Unit manual English #6506600000
14. SMRT 120V AC North America #6500028000
15. SAFETY HOOK, SHORT Model#6060036017
16. KNEE GATCH BOLSTER MATRSS, XPS Model#6500003130
17. STEER LOCK OPTION Model#6506038000
18. 3 YR X-FRAME POWERTRAIN WRRNTY #7777881669
19. 2 YR BUMPER TO BUMPER WARRANTY #7777881670
20. 3 STAGE IV POLE PR OPTION #6500315000
21. X-RESTRAINT PACKAGE #6500001430
22. STANDARD FOWLER Model#6506012003

- a. The system is rated to withstand powerful water jets.
- b. IEC 60601-1 and IEC 60601-1-2: This certification includes that the power cot conforms to industry standards for mechanical and electrical safety for medical electrical devices, as well as electromagnetic compatibility and immunity.
- c. BS EN-1789 clause 4.5.9: This is a European dynamic crash test which subjects a 50th percentile dummy to a nominal 10g deceleration for a minimum of 50ms. Following the test, there shall be no sharp edges or danger to the safety of persons in the road ambulance.
- d. Powder-coating of the entire aluminum frame (including the patient handling surfaces), thus eliminating aluminum oxidation throughout the cot.
- e. Ambulance cot must have approx. 6" x 2" size with sealed bearing casters.
- f. Ambulance cot is power washable.
- g. Ambulance cot weight capacity of 700 lbs / 317.5 kg
- h. Ambulance cot, when unloading with the manual release handle will utilize hydraulic dampening. Thus, the cot will not abruptly jar the patient or operator.
- i. Ambulance cot will need to provide a load height of 36" / .9144 m and is operator adjustable to match the deck height of individual ambulances.
- j. Ambulance cot will provide controls and lifting bars at two different heights to provide optimum ergonomics to most operator heights.
- k. The battery is located on the foot end of the ambulance cot
- l. The ambulance cot legs power retracts in 2-3 seconds which will speed load time of the patient.
- m. The foot end of the cot contains a large battery indicator light which indicate battery level. A warning is given, providing the operator the time to change the battery before full depletion of power.
- n. The ambulance cot will also have a foot end mounted usage meter. This will determine preventative maintenance checks.
- o. User manual and maintenance manual

B. CLIN 00002 Stair Chair: Deliverables

1. STRYKER or Equal STAIR PRO- MODEL 6252 #6252000000
2. STAIR CHAIR - 6252 STD COMP #6252026000
3. HARD PLASTIC ABS SEAT OPTION #6250021000
4. POLYPROPELENE RESTRAINT OPTION #6250160000
5. HEAD SUPPORT OPTION #6252040000
6. 1 YR PARTS, LABOR, & TRAVEL #7777881660
7. MAIN FRAME ASSY OPTION #6252022000
8. LOWER LIFT HANDLE OPTION #6250024000
9. STAIR PRO DVD IN-SERVICE VIDEO #6250001162
10. FOOTREST OPTION Model#6252027000
11. NO IV BAG CLIP OPTION #6252024000

- a. Stair chair must be power washable.
- b. Seat assembly is mounted to the main frame and configured to pivot about on a first pivot access.
- c. High visibility powder coated frame.
- d. Lightweight, rugged aluminum construction.
- e. Powder-coating of the entire aluminum frame (including the patient handling surfaces), thus eliminating aluminum oxidation throughout the cot.
- f. Color coded controls.
- g. Molded hand grips

- h. Extendable foot end lift handles.
- i. Extendable upper control handle.
- j. 4 inch/ 10 cm front caster wheels.
- k. Oversized rear wheels with sealed bearings.
- l. Grease free maintenance
- m. Dual wheel locks.
- n. Positive action locking system.
- o. Stair- TREAD system or equal
- p. Compact storage
- q. User manual and maintenance manual

C. CLIN 00003 Installation:

- a. Contractor shall be responsible for a complete installation. Installation to be completed by the contractor shall take place during normal working hours 8:00am-4:00pm local time unless otherwise agreed upon with the POC .
- b. Contractor shall configure the system proposed to meet those functional requirements.
- c. Contractor shall pretest the entire system. After pretesting the system, the Contractor shall notify the COTR that the system is ready for acceptance testing.
- d. Contractor shall provide training on the use and operations of the equipment.
- e. Contractor shall provide two (2) copies of the Operating and /or Maintenance manuals, to include electronic copies.

7. Security Requirements

The C&A requirements do not apply, and that a Security Accreditation Package is not required:

8. Government-Furnished Equipment (GFE)/Government-Furnished Information (GFI).

None

9. Other Pertinent Information or Special Considerations

a. The ambulance cot shall carry a (3) year power train, and (2) year bumper to bumper warranty. The stair chair shall carry a (1) year parts, labor and travel. Continued training and in-servicing will be available at no cost for the life of the equipment.

b. Inspection and Acceptance Criteria.

Upon completing installation of the system, the Contractor shall pretest the entire system. After pretesting the system, the Contractor shall notify the POC that the system is ready for acceptance testing, and that it meets all requirements as specified. Submission of this notification of system readiness shall be accomplished by the contractor prior to the beginning of the scheduled Government Acceptance Test.

11. Place of Performance.

Delivery, Installation and training will be performed within REdI Team Training Center located on the basement level of the Raymond G. Murphy VA Medical Center. Installation to be scheduled with POC.

12. Period of Performance.

a. Delivery 4-6wks ARO.

b. Installation: Normal hours of operations at the VAMC are Monday through Friday from 8:00 am to 4:30 pm, excluding holidays. All work will be performed during normal hours of coverage unless requested or approved by CO or his designee.

Government POC:

Name:	Will be filled out on final contract document
Section:	
Address:	
Phone Number:	
Fax Number:	
E-Mail Address:	