



ELECTRICAL SYMBOLS

COMMUNICATIONS

- (PS) PUBLIC ADDRESS SPEAKER
- (F) FIRE ALARM MANUAL PULL STATION 4-1/2" HGT
- (L) FIRE ALARM VIBRO ALARM SIGNAL WALL MOUNTED 8-1/2" HGT
- (S) FIRE ALARM SMOKE DETECTOR MOUNTED ON A WALL MOUNTED 12" BELOW CEILING OR 10" HGT ABOVE CEILING (14" EXCEEDS 8'-0") HANG TYPE
- (Sp) FIRE ALARM AUTOMATIC SMOKE DETECTOR
- (FEC) FIRE EXTINGUISHER CABINET
- (X) EXIT LIGHT

9 LIFE SAFETY PLAN
SCALE: 3/16"=1'-0"



KEY PLAN BUILDING 5
OFFICE SPACE RENOVATION

Revision	Date

RECOMMEND APPROVAL			
REQUESTER	Date	CHIEF OF STAFF	Date
CHIEF OF SERVICE	Date	CHIEF OF STAFF	Date
ASSOC. DIR. PATIENT CARE SVC.	Date	ASSOC. DIR. for OPERATIONS	Date
APPROVAL BY:	Date		
MEDICAL CENTER DIRECTOR			

Drawing Title	
LIFE SAFETY PLAN	
Approved: Safety Manager/M&O Supervisor	
Approved: Chief of Facilities Management Svr.	

Project Title		
RENOVATE B5 OFFICES		
Building Number	Checked	Drawn
5	ES/JHM	GLW

Date	18 JULY 2012
Project No.	659-12-241
DRAWING NO.	FP-101
DWG.	9 OF 12

Department of Veterans Affairs