

PROJECT LIMITS

1 THIRD FLOOR PLAN - DEMOLITION

SCALE: 1/4" = 1' - 0"



DEMOLITION PLAN LEGEND

- EXISTING COLUMN GRID DESIGNATION
- EXISTING WALL, DOOR AND FRAME TO REMAIN (SCREENED)
- EXISTING WALL, DOOR AND FRAME TO BE REMOVED
- DEMOLITION NOTE SYMBOL

GENERAL DEMOLITION NOTES


- FIELD VERIFY ACTUAL CONDITIONS & DIMENSIONS TO EXISTING ELEMENTS. NOTIFY ARCHITECT OF DISCREPANCIES & UNDOCUMENTED CONDITIONS THAT CONFLICT WITH NEW WORK.
- MAINTAIN CONSTRUCTION AREA UNDER NEGATIVE PRESSURE RELATIVE TO ADJACENT AREAS. SEE SPEC SECTION 01 35 26 PARAGRAPH 1.12 FOR ADDITIONAL INFECTION CONTROL REQUIREMENTS.
- REMOVE EXISTING WALL, BASE, CORNER GUARDS AND WALL PROTECTION WITHIN THE PROJECT LIMITS. PATCH EXISTING PARTITIONS TO REMAIN THAT ARE DAMAGED BY THE REMOVAL OF THESE ITEMS.
- REMOVE EXISTING FLOOR FINISHES WITHIN THE PROJECT LIMITS. FILL DEPRESSIONS, RECESSED SLAB AREAS, AND LEVEL FLOORS IN PREPARATION FOR NEW FINISH.
- REMOVE EXISTING CEILINGS AND SOFFITS WITHIN THE PROJECT LIMITS. EXISTING CEILINGS INCLUDE RADIANT CEILING PANEL SYSTEMS (RCP). SEE MECHANICAL DEMOLITION DRAWINGS FOR ADDITIONAL INFORMATION ON THE DEMOLITION OF RCP CEILINGS.
- REMOVE EXISTING GYPSUM BOARD, METAL FRAMING, AND INSULATION AT EXTERIOR WALLS WITHIN THE PROJECT LIMITS.
- REMOVE EXISTING METAL WINDOW SILLS AT EXTERIOR WINDOWS WITHIN PROJECT LIMITS.
- PATCH FINISHES & MATERIALS DISTURBED IN DEMOLITION & IN EXECUTION OF NEW WORK TO MATCH ADJACENT SURFACES. PROVIDE INCONSPICUOUS TRANSITION BETWEEN NEW AND EXISTING FINISHES.

DEMOLITION PLAN NOTES

- REMOVE EXISTING MTL STUD/GWB PARTITION
- REMOVE EXISTING MTL STUD/GWB PARTITION-DOOR/FRAME
- NOT USED
- NOT USED
- NOT USED
- REMOVE EXISTING CASEWORK WITH SINK
- REMOVE EXISTING CABINETS
- REMOVE EXISTING TOILET FIXTURES
- NOT USED
- NOT USED
- TEMPORARY CONSTRUCTION INFECTION CONTROL BARRIER-- FULL PARTITION P-1A (1-HR RATED) WITH (45 MIN RATED) ACCESS DOOR MIN. 3'-0" WIDE. SECURE TO FLOOR & STRUCTURE ABOVE
- TEMPORARY CONSTRUCTION INFECTION CONTROL BARRIER-- VESTIBULE MIN. 5 FT X 5 FT. SECURE TO FLOOR & STRUCTURE ABOVE
- EXISTING WALL TO BE USED AS CONSTRUCTION BARRIER AND THEN REMOVED FOR NEW WALL IF DEDUCT ALT. #1 IS APPLIED.
- NOT USED
- DEMOLISH WINDOW FOR INSTALLATION OF LOUVER
- EXISTING DOOR TO BE USED AS CONSTRUCTION CONTROL WHEN CORRIDOR FINISHES ARE DONE.
- COORDINATE TEMPORARY BARRIERS & INFECTION CONTROL MEASURES NEEDED TO EXECUTE WORK IN CORRIDORS WITH VA COR.

FINAL DESIGN
APPROVED FOR CONSTRUCTION

CONSULTANTS:



ARCHITECT/ENGINEERS:

AKEA INC.
3603 NW 98th Street, Suite B
Gainesville, FL 32606
Phone: (352) 474-6124
Fax: (352) 553-4437
COA: FL #26693
AKEA Project No. 094-14

Drawing Title

THIRD FLOOR PLAN - DEMOLITION

Approved: Project Director

Project Title

RENOVATE WARD 3C FOR
CARDIOLOGY EQUIPMENT
INSTALLATION

Location

GAINESVILLE, FLORIDA

Date

MARCH 9, 2018

Checked

THG

Drawn

JG

Project Number

573-CSI-102

Building Number

1

Drawing Number

A101
4 OF 62

Office of
Construction
and Facilities
Management

