



three inches = one foot  
 one and one half inches = one foot  
 one inch = one foot  
 three quarters inch = one foot  
 one half inch = one foot  
 three eighths inch = one foot  
 one quarter inch = one foot  
 one eighth inch = one foot



**1** BUILDING 30 PARTIAL ROOF PLAN - DEMOLITION  
 1/8" = 1'-0"




**2** BUILDING 30 - SECOND FLOOR PLAN  
 1/8" = 1'-0"

**KEY NOTES**

- 1 REMOVE BRICK PAVERS, SAND, B.U.R. & RIGID INSULATION AND MASTIC DOWN TO BARE CONCRETE AS REQUIRED BY MANUF. NEW ROOF INSTALL. ALL BRICK PAVERS SHALL BE SALVAGED, PALLETIZED, WRAPPED IN PLASTIC AND DELIVERED TO A LOCATION NEAR THE WATER TOWER AS DESIGNATED BY THE VA.
- 2 REMOVE EXISTING CONCRETE SIDEWALK AND ROOFING SYSTEM BELOW SIDEWALK DOWN TO ORIGINAL CONCRETE ROOF DECK. (CONCRETE SIDEWALK IS APPROXIMATELY 4" THICK.)
- 3 REMOVE EXISTING REMAINING CANOPY SUPPORTS & PITCH POCKET DOWN TO ORIGINAL CONCRETE DECK.
- 4 EXISTING ROOF TILES TO REMAIN, NO WORK THIS AREA.
- 5 EXISTING CONCRETE STOOP AT DOOR TO BE REMOVED DOWN TO BARE CONCRETE ROOF DECK.
- 6 EXISTING ROOF DRAIN. REMOVE DRAIN BOX, GRATE & A PORTION OF DRAIN PIPE AS REQUIRED TO INSTALL NEW ROOF DRAIN FLUSH WITH EXISTING DECK. SEE 3/2-AS002
- 7 REMOVE EXISTING FLASHING, EXISTING REGLET IN WALL TO REMAIN.
- 8 EXISTING ANTENNA AND CONCRETE BASE TO REMAIN.
- 9 EXISTING BRICK PAVEMENT CURBS TO BE REMOVED.
- 10 EXISTING CONCRETE RAMP TO BE REMOVED TO BARE CONCRETE ROOF DECK.
- 11 NO WORK THIS AREA.
- 12 EXIST. LIGHTING PROTECTION GROUNDING CABLE TO BE REMOVED AND RE-ATTACHED FOR NEW WORK.
- 13 REMOVE EXISTING STEEL HAND RAIL.
- 14 EXIST. ELECT CONDUIT TO REMAIN. REMOVE & RE-ATTACH AS REQ'D FOR NEW WORK. PATCH & PAINT WALL TO MATCH EXIST.
- 15 EXIST. ELECTRICAL CONDUITS TO REMAIN, SEAL & FLASH NEW CONC. COATING TO CONDUITS
- 16 REMOVE & REPLACE EXIST. GRID CEILING SYSTEM AS REQ'D FOR NEW WORK INCLUDING ANY LIGHT FIXTURES.
- 17 REMOVE EXISTING PLASTER CEILING LOCATED ABOVE EXISTING GRID CEILING
- 18 APPROXIMATE LOCATION OF EXISTING ROOF DRAIN ABOVE CEILING. CONTRACTOR SHALL FIELD VERIFY LOCATION

**GENERAL NOTES**

1. BUILDING 30 CONTAINS AN ORIGINAL PLASTER CEILING AT APPROX. 13'-0" A.F.F. PORTIONS ON THIS CEILING MUST BE REMOVED TO ACCESS EXIST. UNDER SIDE OF ROOF DECK AT APPROX. 18' A.F.F.



**FULLY SPRINKLERED BID SET**

Revisions	Date

**CONSULTANTS:**



**ARCHITECT/ENGINEERS:**

**SBL**  
**SBBL Architecture + Planning**  
 1001 North Alvernon Way #105, Tucson, Arizona 85711  
 e: sbbl@sbbl.biz

**Drawing Title**  
 BUILDING 30 PARTIAL ROOF PLAN - DEMO

**Approved:**

**Project Title**  
 REPLACE VARIOUS ROOFS

**Location**  
 SAVAHCS Tucson, Arizona

**Date**  
 08/1/2012

**Checked**  
 KI

**Draw**  
 PP

**Project Number**  
 678-12-103

**Building Number**  
 30

**Drawing Number**  
 30-AS001R1

**Dwg** 6 of 13

**Office of Construction and Facilities Management**

**Department of Veterans Affairs**