



1. THE PROJECT SCOPE CONSISTS OF REPLACEMENT OF AND NEW INSTALLATION OF UNDERGROUND DOMESTIC WATER PIPING.
2. THE EXISTING PIPING IS ASSUMED TO BE CAST IRON. THE REPLACEMENT PIPING SHALL BE RESTRAINED JOINT AWWA C900 PVC/DR18.
3. DOMESTIC WATER PIPING SHALL CONSIST OF BUT NOT BE LIMITED TO PIPING, FITTINGS, VALVES, FIRE HYDRANTS AND INDICATOR POSTS.
4. ALL WORK SHALL BE PHASED TO PROVIDE MINIMUM DOWN TIME FOR EACH SECTOR AND OR BUILDING. THE CONTRACTOR SHALL PROVIDE A CONSTRUCTION SEQUENCE AND SCHEDULE INDICATING ANTICIPATED SYSTEM DOWN TIME.
5. THE CONTRACTOR IS RESPONSIBLE FOR LOCATING ALL EXISTING UNDERGROUND UTILITIES, ANY AND ALL DAMAGE CREATED BY WORK UNDER THIS PROJECT WILL BE THE RESPONSIBILITY OF THIS CONTRACTOR FOR REPAIR OR REPLACEMENT.
6. THE CONTRACTOR WILL UTILIZE BEST PRACTICE FOR UNDERGROUND PIPE INSTALLATION AND REPLACEMENT AS THE SITUATION DICTATES.
7. BED ALL PIPE IN SAND

[illegible]

RECOMMEND				APPROVAL	
REQUESTER	Date				
CHIEF OF SERVICE	Date	CHIEF OF STAFF			Date
ASSOC. DIR. PATIENT CARE SVC.	Date	ASSOC. DIR. for OPERATIONS			Date
APPROVAL BY:					Date
MEDICAL CENTER DIRECTOR					

	Drawing Title DOMESTIC WATER PIPING NOTES AND DETAILS
5	
9	Approved: Safety Manager/M&O Supervisor
2	Approved: Chief of Facilities Management Svr.

Project Title			
REPLACE DOMESTIC WATER PIPING-NORTH LOOP			
Building Number	Checked	Drawn	
OMAPUS		BLF	
Location	W.G.(Bill) Hefner Medical Center 1601 Brenner Ave. Salisbury NC 28144		



Department of Veterans Affairs