



ROOM	RATING	SIZE	RATED GLASS
165	20MIN	46" X 83" X 1-3/4"	NONE
168	20MIN	46" X 83" X 1-3/4"	NONE
169	20MIN	46" X 83" X 1-3/4"	NONE
172	20MIN	46" X 83" X 1-3/4"	NONE
173	20MIN	46" X 83" X 1-3/4"	NONE
175	20MIN	46" X 83" X 1-3/4"	NONE

DOOR SCHEDULE

1. REMOVE EXISTING WOOD DOOR COMPLETE AND HARDWARE. DOOR JAMB TO REMAIN.
2. PROVIDE NEW DOORS COMPLETE WITH NEW HARDWARE. NEW DOOR SHALL BE HIGH IMPACT RESISTANT FIBER REINFORCED ALUMINUM DOOR SYSTEM SEE DOOR SCHEDULE. FIELD VERIFY EXACT SIZE OF EACH EXISTING DOOR AND OPENINGS AND SWING.
3. NEW DOORS SHALL BE "CHAMELION" AMBER CHERRY (373) COLOR.
4. DOOR LOCKS SHALL BE REMOVED AND INSTALL TO NEW DOOR.
5. EXISTING METAL DOOR FRAME TO REMAIN AND PREPARE FOR REPAINTING.
6. PAINT DOOR JAMB AND THRESHOLD WITH SEMI-GLOSS FINISH PITTSBURGH PAINTS OR EQUIVALENT TO MATCH V.A. INTERIOR DESIGNER'S SAMPLE.

DOOR SCHEDULE

Room Rating Size			Rated Glass
11	20MIN	46" X 83" X 1-3/4"	NONE
12	20MIN	46" X 83" X 1-3/4"	NONE
17	20MIN	46" X 83" X 1-3/4"	NONE
18	20MIN	46" X 83" X 1-3/4"	NONE
19	20MIN	36" X 83" X 1-3/4	NONE
20	1 HR	44" X 83" X 1-3/4	NONE
21	20MIN	42" X 83" X 1-3/4	NONE
55A	20MIN	46" X 83" X 1-3/4"	NONE
55B	20MIN	46" X 83" X 1-3/4"	NONE
23	20MIN	46" X 83" X 1-3/4"	NONE
25	20MIN	46" X 83" X 1-3/4"	NONE
26	20MIN	46" X 83" X 1-3/4"	NONE
33	20MIN	46" X 83" X 1-3/4"	NONE
34	20MIN	46" X 83" X 1-3/4"	NONE
36	20MIN	36" X 83" X 1-3/4	NONE
37	20MIN	46" X 83" X 1-3/4"	NONE
38	20MIN	46" X 83" X 1-3/4"	NONE
39	20MIN	36" X 83" X 1-3/4	NONE
41	20MIN	46" X 83" X 1-3/4"	NONE
42	20MIN	46" X 83" X 1-3/4"	NONE
45	20MIN	36" X 83" X 1-3/4	NONE
46	20MIN	36" X 83" X 1-3/4	NONE
49	20MIN	46" X 83" X 1-3/4"	NONE
50	20MIN	46" X 83" X 1-3/4"	NONE
53	1 HR	42" X 83" X 1-3/4	5" X 20" L
54	1 HR	44" X 83" X 1-3/4	NONE
52	20MIN	36" X 83" X 1-3/4	5" X 20" R
59	20MIN	30" X 83" X 1-3/4"	NONE
T2	90MIN	60" X 83" X 1-3/4"	NONE
E3	90MIN	60" X 83" X 1-3/4"	NONE
57	1 HR	30" X 83" X 1-3/4	5" X 20" L
63	20MIN	46" X 83" X 1-3/4"	NONE
64	20MIN	46" X 83" X 1-3/4"	NONE
66	20MIN	46" X 83" X 1-3/4"	NONE
67	20MIN	46" X 83" X 1-3/4"	NONE
70	20MIN	46" X 83" X 1-3/4"	NONE
71	20MIN	46" X 83" X 1-3/4"	NONE
74	20MIN	46" X 83" X 1-3/4"	NONE
75	20MIN	46" X 83" X 1-3/4"	NONE
78	20MIN	46" X 83" X 1-3/4"	NONE
79	20MIN	46" X 83" X 1-3/4"	NONE
81	20MIN	46" X 83" X 1-3/4"	NONE
84	20MIN	46" X 83" X 1-3/4"	NONE
E5	90MIN	36" X 83" X 1-3/4	WITH LOUVER
T3	90MIN	36" X 83" X 1-3/4	WITH LOUVER
104	20MIN	72" X 83" X 1-3/4	5" X 20"(2)
104	20MIN	60" X 83" X 1-3/4	NONE
104	20MIN	72" X 83" X 1-3/4	5" X 20"(2)
104	20MIN	72" X 83" X 1-3/4	5" X 20"(2)
C6A	20MIN	84" X 83" X 1-3/4	10" X 10"(2)

Room Rating Size			Rated Glass
90	1 HR	36" X 83" X 1-3/4	NONE
94	1 HR	42" X 83" X 1-3/4	NONE
96	1 HR	30" X 83" X 1-3/4	5" X 20" L
97	20MIN	44" X 83" X 1-3/4	5" X 20" L
98	20MIN	36" X 83" X 1-3/4	NONE
99	20MIN	36" X 83" X 1-3/4	NONE
103	20MIN	44" X 83" X 1-3/4	5" X 20" R
107	20MIN	42" X 83" X 1-3/4	5" X 20" R
109	1 HR	36" X 83" X 1-3/4	5" X 20" L
110	20MIN	36" X 83" X 1-3/4	5" X 20" R
105	1 HR	42" X 83" X 1-3/4	5" X 20" L
106	20MIN	72" X 83" X 1-3/4	AS SHOWN
E6	90MIN	36" X 83" X 1-3/4	NONE
T4	90MIN	36" X 83" X 1-3/4	NONE
115	20MIN	46" X 83" X 1-3/4	NONE
118	20MIN	46" X 83" X 1-3/4	NONE
120	20MIN	46" X 83" X 1-3/4	NONE
121	20MIN	46" X 83" X 1-3/4	NONE
124	20MIN	46" X 83" X 1-3/4	NONE
125	20MIN	46" X 83" X 1-3/4	NONE
128	20MIN	46" X 83" X 1-3/4	NONE
129	20MIN	46" X 83" X 1-3/4	NONE
132	20MIN	46" X 83" X 1-3/4	NONE
136	20MIN	46" X 83" X 1-3/4	NONE
137	20MIN	46" X 83" X 1-3/4	NONE
139	1 HR	30" X 83" X 1-3/4	5" X 20" R
177A	20MIN	42" X 83" X 1-3/4	NONE
177B	20MIN	46" X 83" X 1-3/4	NONE
178	1 HR	44" X 83" X 1-3/4	5" X 20" R
180	20MIN	36" X 83" X 1-3/4	NONE
182	20MIN	46" X 83" X 1-3/4	NONE
187	20MIN	46" X 83" X 1-3/4	NONE
188	20MIN	46" X 83" X 1-3/4	NONE
179	20MIN	44" X 83" X 1-3/4	NONE
T5	90MIN	60" X 83" X 1-3/4	NONE
E8	90MIN	60" X 83" X 1-3/4	NONE
143	20MIN	30" X 83" X 1-3/4	NONE
146	20MIN	36" X 83" X 1-3/4	5" X 20" L
144	1 HR	44" X 83" X 1-3/4	5" X 20" R
145	1 HR	42" X 83" X 1-3/4	5" X 20" R
148	20MIN	46" X 83" X 1-3/4	NONE
149	20MIN	46" X 83" X 1-3/4	NONE
152	20MIN	46" X 83" X 1-3/4	NONE
153	20MIN	46" X 83" X 1-3/4	NONE
156	20MIN	46" X 83" X 1-3/4	NONE
157	20MIN	46" X 83" X 1-3/4	NONE
160	20MIN	46" X 83" X 1-3/4	NONE
161	20MIN	46" X 83" X 1-3/4	NONE
164	20MIN	46" X 83" X 1-3/4	NONE

	Drawing Title	Project Title	Date
	DOOR SCHEDULE NOTES AND DETAILS	REPLACE PATIENT ROOM DOORS	MARCH 6, 2018
	Director of Engineering Division	Building Number 146	Checked ACA
	Chief of Facilities Management Service	Location VAMC, HAMPTON VIRGINIA	Drawn ACA
Revisions	Date	DRAFTING NO. DWG. # OF #	
Department of Veterans Affairs			