


NOTE:  
THE CONTRACTOR SHALL LOCATE GRAB BARS AND TOILET ACCESSORIES IN ACCORDANCE WITH CHAPTER 6 OF THE ADA-ABA ACCESSIBILITY STANDARD.


PROVIDE & INSTALL NEW LAVS. REUSE EXISTING PLUMBING, SUPPLY AND WASTE. CAP OFF UNUSED PIPING BELOW THE FLOOR & PATCH WALLS TO MATCH EXISTING ADJACENT. TYPICAL.



PROVIDE & INSTALL NEW FLOOR MOUNTED URINALS. PROVIDE WITH BATTERY POWERED SENSOR ACTIVATED FLUSHMETER. REUSE EXISTING PLUMBING, SUPPLY & WASTE LINES. CAP UNUSED PIPING BELOW FLOOR AND PATCH WALLS TO MATCH EXISTING ADJACENT. TYPICAL.

**MEN'S TOILET STALL PLAN**


SCALE: 1/2" = 1'-0"



PROVIDE & INSTALL NEW LAVS. REUSE EXISTING PLUMBING, SUPPLY AND WASTE. CAP OFF UNUSED PIPING BELOW THE FLOOR & PATCH WALLS TO MATCH EXISTING ADJACENT. TYPICAL.

**WOMEN'S TOILET STALL PLAN**

SCALE: 1/2" = 1'-0"



**1 MEN'S TOILET STALL PLAN**  
30F3 SCALE: 3/4" = 1'-0"

**ROOM FINISH SCHEDULE**

FLOOR	ROOM No.	ROOM NAME	FLOOR		BASE		WALLS								CEILING			REMARKS
			MAT.	COLOR	MAT.	COLOR	NORTH		EAST		SOUTH		WEST		MAT.	HEIGHT	FINISH	
FIRST FLOOR	103	WOMEN'S LOUNGE	CARPET TILE	PER I.D. DEPT	VINYL	PER I.D. DEPT	DW / PLAS	PAINT	ACP / 2x4 GRID	8'-0"	-	CEILING TILE SHALL BE MOISTURE / MOLD RESISTANT						
	103A	WOMEN'S TOILET	2x2 CER. TILE	PER I.D. DEPT	CERAMIC	PER I.D. DEPT	4x4 C.T.	PER I.D.	ACP / 2x4 GRID	8'-0"	-	CEILING TILE SHALL BE MOISTURE / MOLD RESISTANT						
	104	MEN'S TOILET	2x2 CER. TILE	PER I.D. DEPT	CERAMIC	PER I.D. DEPT	4x4 C.T.	PER I.D.	ACP / 2x4 GRID	8'-0"	-	CEILING TILE SHALL BE MOISTURE / MOLD RESISTANT						

**ROOM FINISH NOTES:**

- 1. PATCH EXISTING FLOORING, BASE, ACT & ALL FINISHES TO REMAIN THAT ARE DISTURBED DUE TO REMOVALS AND/OR NEW CONSTRUCTION. NEW MATERIAL & FINISHES TO MATCH EXISTING ADJACENT MATERIAL & FINISHES.

Revisions	Date

Drawing Title <b>PLANS, DETAILS &amp; SCHEDULES</b>	Project Title <b>UPGRADE TOILET ROOMS BUILDING 92</b>	Date <b>01/29/2012</b>	<b>V.A.</b>
Approved: Engineering Project Manager Date	Building No. <b>92</b>	Checked <b>JAY</b>	
Approved: Medical Center Director Date	Location <b>BATH, NEW YORK</b>	Drawn <b>JHH</b>	
DRAWING NO. <b>VAMC-528A6-1731</b>		Date <b>3 Of 3</b>	