

SHIP TO:
BUILDING 149 B80010
V.A. Medical Center
5901 EAST 7TH ST
LONG BEACH, CA 90822

P.O.# 600-B80010

Qty	Description
1	3DIMENSIONS MAMMOGRAPHY SYSTEM 3D US
1	3DIMENSIONS HIGH-RESOLUTION DETECTOR
1	3DM ERGONOMIC UPGRADE
1	C-VIEW SOFTWARE LICENSE
1	SELENIA DIMENSIONS BTO ENABLED
1	ASSEMBLY, PADDLE, SMALL BREAST, FRAMELESS
3	RACK, PADDLE STORAGE
1	CLINICAL APPS INITIAL TRAINING

Qty	Description
1	MEDICAL PHYSICIST, INITIAL TRAINING, 8 HOURS (5 HOURS LIVE - 3 HOURS ONLINE TRAINING), 1 SITE, MAXIMUM 2 PHYSICISTS
1	RADIOLOGISTS 3D INITIAL TRAINING 8 HOURS VIRTUAL TRAINING, 14 RADIOLOGISTS, 90 DAY ACCESS PERIOD
1	DIMENSIONS NOTICES SOFTWARE LICENSE
1	TRADE-IN OF HOLOGIC SELENIA SYSTEM (INSTALLED AND FUNCTIONING)
1	CENOVA DIGITAL PORT LICENSE TRANSFER
1	CENOVA UPGRADE FOR CUSTOMERS W/ SERVICE CONTRACT, W/ HW (TOWER), US
1	UPGRADE ONE IMAGECHECKER CAD TO 10.0

3Dimensions

Product Name	Trade-In Manufacturer	Trade-In Serial #	
TRADE-HOLX_SEL		28410095114	

3Dimensions

Product Name	Long Description
3DM-SYS-STD	<p>3Dimensions™ mammography system for 3D™ screening and diagnostic mammography with 2D capabilities. Upgradeable to interventional imaging. 3Dimensions™ is a high-resolution capable system (once FDA approved and/or commercially available). Includes: X-ray Gantry: •Generator: Fully integrated constant potential, high frequency, inverter type •X-ray Tube: Tungsten, bi-angular, high speed, high heat capacity •X-ray Filters: Rhodium, silver, aluminum •Anti-scatter Grid: Auto-retracting linear grid •Dual-function gantry footswitches (2) with Genius™ 3D Mammography™ artwork on gantry foot cover Adjustable-height Acquisition Workstation: •CPU: Multi-Core Intel-based CPU, 16 GB RAM min., 2 TB disk min., DVD +/- R/W, Win 7/64 •NVIDIA GPU •User Interface Display: 1.2 MP color LCD touchscreen display •Image Review Display: 21.3" 3 MP, medical-grade color, DICOM monitor with double-jointed articulating arm •Full X-ray shield, X-ray exposure footswitch, pull-out keyboard drawer, keyboard and mouse •Uninterruptible Power Supply (UPS) 3Dimensions™ System Software: •User access control, patient and study selection, imaging procedure selection and definition, X-ray parameter control, image review and acceptance/rejection, quality control. •Software Licenses: 3Dimensions™ System, Diagnostic Imaging, Dynamic Tube Head Motion, Tomosynthesis Imaging, Advanced Connectivity, Bi-directional Communication (Notices), SmartCurve™ Breast Stabilization System (installed at a later date) Connectivity: •DICOM: Modality work list, storage, storage commitment, query/retrieve, print •IHE Profiles: Scheduled workflow, patient information reconciliation, mammography image •Advanced Connectivity: Ability for the system to participate in DICOM Modality Performed Procedure Step (MPPS) transactions and to output DICOM Radiation Dose Structured Report (RDSR) objects to third-party dose aggregation and reporting systems. The MPPS and RDSR capabilities can be enabled and disabled independently. Accessories: •Small 18 x 24 cm SmartCurve System and large 24 x 29 cm SmartCurve System (all to be shipped at a later date) •Screening Paddles (3): Frameless, 24 x 29 cm, 18 x 24 cm, small breast •Diagnostic Paddles (5): Spot contact, spot contact 10 cm, spot contact 7.5 cm, 10 cm magnification, 7.5 cm spot magnification •Spot Contact Paddle (1): 7.5 cm for use during QC testing only •Other: Magnification stand with platform, flat field phantom and case, ACR tomosynthesis geometry calibration phantom, Dimensions interconnect cable kit •Shields: 2D fixed face shield and sliding 3DMammography™ face shield •MammoPad® Breast Cushion trial box Platinum Marketplace: The Hologic® Platinum Marketplace provides access to free and for purchase promotional and educational material designed to help drive demand for the Hologic products that your site offers. From customizable features to options for digital download or professional printing, choose what works best for your practice. Added value: \$5000. Included Service: Installation by Hologic certified technicians. Warranty: Standard one-year parts and labor warranty; two-year prorated manufacturer's warranty on X-ray tube. Warranty service coverage is Monday-Friday from 8:00 am to 5:00 pm local time. Conditions: •Required but independently sold software features are not included gratis under Hologic Warranty, or Hologic Service Contracts that include software upgrades, and must be ordered separately •Required system software updates that are included under Hologic Warranty, or Hologic Service Contracts will be provided at no charge SecurView® Workstation Recommendations: If using SecurView workstations, please contact your Hologic representative to confirm that your workstations meet the minimum software and hardware requirements to support the 3Dimensions™ configuration.</p>
PRD-04420	<p>Hologic 3D Mammography™ high-resolution digital image receptor for 3Dimensions™ mammography systems or to upgrade existing Selenia® Dimensions® systems. Includes: Digital Image Receptor •Amorphous selenium, TFT •Structure: Single 24 x 29 cm plate •Image Matrix Sizes: 2560 x 3328 (18 x 24 cm); 3328 x 4096 (24 x 29 cm) •Pixel Size: 0.070 mm •Limiting Spatial Resolution: 7.1 lp/mm</p>
3DM-KIT-ERGO	<p>Provides an integrated ergonomic package for the 3Dimensions™ system. Includes: •Fingerprint reader for quick biometric login of the technologist, manager or other site personnel •Powered memory height adjust •Bar code scanner Note: •Kit only available for 3Dimensions systems</p>
SDM-LIC-0005	<p>Enables creation of C-View™ generated 2D images on Selenia® Dimensions® systems or 3Dimensions™ systems configured with Hologic standard resolution 3D™ imaging. The C-View software license adds the ability to create low dose tomosynthesis studies in Tomo HD (standard tomo + C-View) and Combo HD (standard tomo + FFDM + C-View) imaging modes. Includes: •C-View Generated 2D Imaging software license</p>

Product Name	Long Description
SVC-SDM-OPT-BTO	This configuration enables output of tomosynthesis slices in DICOM Breast Tomosynthesis Image Object form. Use of this configuration will first require an integrated planning team, including your IT department, Hologic and other vendors, to work together to ensure that your enterprise is ready for use of the tomosynthesis data in DICOM Breast Tomosynthesis Image Object form. The completion of critical feasibility questions included in Hologic's Enterprise Survey will guide the team through understanding any infrastructure requirements and changes necessary. Note: While a preliminary check by your Hologic representatives may have allowed the ability to quote this output configuration, completion of the Enterprise Survey is required before Dimensions Tomosynthesis system or option is enabled. Software and hardware upgrades may be required. Hologic makes no guarantees of software and hardware performance for products not associated to Hologic. By signing this quote, the customer agrees that the completion of purchase of the accompanying Hologic products shall not be contingent on the implementation of this no-charge configuration. Requires: - Completion of Hologic Enterprise Survey by site personnel in conjunction with Hologic representatives - PACS system including Deep Archive capable of storing / retrieving DICOM Breast Tomosynthesis Image Objects and with suitable storage capacity - Softcopy review workstation capable of displaying DICOM Breast Tomosynthesis Image Objects
ASY-01940	Dimensions 8x24 cm small breast screening paddle.
ASY-04662	Wall-mounted, felt-lined rack for storing system compression paddles. Each rack, sold separately, provides enough storage room for 3-4 compression paddles. Includes: •Paddle storage rack with felt lining •Wall-mounting bracket (installation not included) •Graphic paddle labels Dimensions: •W x H x D: 36 1/4" x 7" x 4" (from the wall) •Minimum Vertical Pitch: 12" to 14" when multiple racks are installed one above another Recommended: •Selenia® Dimension® Avia systems: min. 1 rack •Selenia Dimensions 2D systems: min. 2 racks •Selenia Dimensions 3D™ systems: min. 3 racks •3Dimensions™ systems: min. 3 racks Requirements: •Must be securely attached to the wall •Must be installed by a professional installer
DIM-TRAIN-APPS-INIT	Included in the purchase price of your 3Dimensions™ or Selenia® Dimensions® system(s); Initial applications added value of \$5,100. Technologists: Onsite applications training or other clinical support at one site, maximum of 5 technologists. •Online CEU courses required prior to onsite applications training •Video training available during and post applications training •Onsite portion of purchased applications training or other clinical support must be completed within 24 months of equipment installation. Required FDA training: •FFDM accreditation is required: Apply to the ACR or your State for FFDM certification. •Once FFDM accredited, contact the MQSA FFDM Certification Extension Program for Tomosynthesis at 301-796-5710. •Sites must obtain ACR or State FFDM accreditation before using the tomosynthesis modality Note: Cancellation must be made 6 business days prior to the confirmed and scheduled applications training start date. Fee for cancellation within 6 business days of confirmed training is \$2,000.
DIM-TRAIN-PHY-INIT	Included in the purchase price of your 3Dimensions™ or Selenia® Dimensions® system(s); Initial applications added value of \$1,500. Medical Physicists: 5 hours of live tomosynthesis training with a Hologic Field Service Engineer during the installation of the system and access to Hologic's 3-hour online tomosynthesis training course for medical physicists to fulfill the 8 hour FDA requirement. See course description for more details and requirements. Visit www.hologic.com/training for a complete list of Hologic educational opportunities. Note: Cancellation must be made 6 business days prior to the confirmed and scheduled applications training start date. Fee for cancellation within 6 business days of confirmed training is \$2,000.
DIM-TRAIN-RAD-INIT	Included in the purchase price of your 3Dimensions™ or Selenia® Dimensions® system(s); Initial applications added value of \$5,250. Radiologists: Access to Hologic's virtual tomosynthesis training course for up to 14 radiologists. This program will fulfill the 8-hour FDA training requirement. Upon activation, each radiologist will have 90 days to complete the course. See course description for more details and requirements. Visit www.hologic.com/training for a complete list of Hologic educational opportunities.
SDM-LIC-0002	Software License enables bi-directional communications between the technologist at the Selenia Dimensions operator's console and the radiologist at the SecurView workstation. This software license also supports seamless Notices operation in clusters organized around the Advanced Workflow Manager, sold separately. Includes: • Notices Software License
R2UP-2002	Provides license transfer from one configuration to another. Allows an existing ImageChecker® CAD port or Quantra™ port to be migrated from one digital manufacturer FFDM model to another manufacturer's FFDM model. Also allows an existing ImageChecker CAD port, DigitalNow® HD or Quantra port to be migrated from one Cenova™ server to another, preserving the investment in Image Analytics software products. Includes: •Support for transferring one ImageChecker CAD port or Quantra port between manufacturers (e.g. GE to Hologic), between models (e.g. Hologic Selenia to Hologic Selenia Dimensions) or from one Cenova server to another •Cenova serial number must be provided.

Product Name	Long Description
R2UP-2114-SC	<p>Upgrade earlier versions of Cenova™ to the latest available versions of Cenova hardware and software in order to operate the newest ImageChecker® CAD, Quantra™ Breast Density Assessment and/or BACS™ algorithms, depending on licensed ports. This product is discounted due to the existing service contract that is expected to be renewed; therefore it is sold as is with NO warranty. Includes: • Hologic's latest Cenova Processing Unit Server • Windows 7 operating system • Dynamic resource management and case control • Output transmission re-try mechanism • Flexible output routing to multiple output destinations • Computer Server • Compact footprint • Choice of output formats • Hologic Connect™ remote system diagnostic software for post-installation service and applications support; conforms with Verisign security Requires: • Purchase of port upgrades for each Cenova ImageChecker CAD or Quantra port • Specify manufacturer, and model of FFDM system at time of order - Specify Cenova S/N * Restrictions: • ImageChecker CAD on Cenova supports Hologic, GE, and Siemens Novations systems THIS ITEM IS FOR USE WITH 2D IMAGES ONLY. The warranty information in this product description shall supersede any warranty language in the attached terms.</p>
R2UP-2141-SC	<p>Upgrades one ImageChecker CAD license to the latest ImageChecker CAD version. Includes: • ImageChecker® CAD software upgrade license with Citra® Core licenses Requires: • Cenova Server with version 2.4 (not included) • Specify manufacturer, and model of FFDM system at time of order Notes: • ImageChecker 10 CAD Software License, supports: o Hologic, GE and Siemens Novations 2D FFDM systems o Hologic C-View 2D images *Restrictions: • Advanced CAD features such as the Malc™ Mark, PeerView™ Digital, EmphaSize™ and LesionMetrics™ require workstations that conform to proper display of those features. They can be disabled for use with other non-conformant workstations. The customer needs to check with their workstation vendor. Requires: • A Cenova server (minimum Cenova 2.4) • Specify manufacturer, and model of FFDM system at time of order • For CAD on C-View, Dimensions system must be minimum at v1.8.2 • For CAD on C-View, it is recommended that SecurView version is minimum at v8.3 • Verify with the Technical team that the number of licenses on a server can be adequately supported. THIS SOFTWARE IS FOR USE WITH 2D IMAGES ONLY.</p>