Outpatient Mental Health Bldg. Furniture Sacramento, CA Salient Characteristics

<u>Line</u>	QTY	<u>Description</u>	Preferred Manufacturers
1	38	Clock 13-7/8" Clock with Flush Acrylic Cover Wall Clock Aluminum Metallic Bezel Face No.37 Battery Operated Quartz Movement for precise time keeping Crisp black graphics and minute on a white background Thin edge aluminum finish bezel Finishes Bezel Finish: Aluminum Metallic Clock Face Design: Face No. 37	Peter Pepper (820) OR EQUAL 11 12 1 10 2 9 3 8 4 7 6 5 11 12 1 10 2 9 3 8 4. 7 6 5
2	40	 Keyboard Trays Keyboard Platform with integrated sliding mouse platform Suitable for right or left-hand users Black Pinnacle 2 keyboard arm with low profile 22" ball bearing track Mouse forward design for improved comfort Arm has tilt range of -15 to +10° Ergonomic knob for easy tilt control adjustment Dual counterbalance lift-assist springs Height range-Flush to 6" below surface 360° swivel for positioning and storage Independent height and angle controls No knob, no lever Lift and Lock Non-skid keyboard pads Built in document holder Integrated cable management Removable memory foam palm support 	Workrite (Banana Board) OR EQUAL

3	5	Dual Monitor Arms w/Grommet	Steelcase (FYI Series)
		Supports the use of two flat panel monitors within a single	
		workstation	OR EQUAL
		Easy positioning of each flat panel monitors across a broad	
		range of adjustments	
		Allows effortless adjustment of height range and viewing	
		angle	
		Allows monitor to be positioned at the correct viewing	
		distance and promote stress free movement	
		Frees valuable worksurfaces space that was previously	
		unusable	
		 Quick connect capability for easy connection or disconnection of a monitor 	
		 Additional screw included to provide monitor security Tilt mechanism operates through a range of 20° backward tilt 	
		and 30° forward tilt	
		Rotation allows for landscape or portrait viewing on monitor	
		Integrated wire management	
		Built-in counter-balance tool for easy balance	
		Dual flat screen monitor mount	
		VESA compliant mounting bracket	
		Arms adjust separately	
		Up/down, base swivel, bracket swivel	
		Supports monitors weighing 5-20lbs	
		Mount: Grommet	
		<u>Finishes</u>	
		Finish: Platinum	

4	35	Dual Monitor Arms w/Clamp or Bolt-Through	Steelcase (EYI Series)
4	35	 Dual Monitor Arms w/Clamp or Bolt-Through Supports the use of two flat panel monitors within a single workstation Easy positioning of each flat panel monitors across a broad range of adjustments Allows effortless adjustment of height range and viewing angle Allows monitor to be positioned at the correct viewing distance and promote stress free movement Frees valuable worksurfaces space that was previously unusable Quick connect capability for easy connection or disconnection of a monitor Additional screw included to provide monitor security Tilt mechanism operates through a range of 20° backward tilt and 30° forward tilt Rotation allows for landscape or portrait viewing on monitor Integrated wire management Built-in counter-balance tool for easy balance Dual flat screen monitor mount VESA compliant mounting bracket Arms adjust separately Up/down, base swivel, bracket swivel Supports monitors weighing 5-20lbs Mount: Clamp or Bolt-Through Finishes Finish: Platinum 	OR EQUAL
5	40	 CPU Holder Adjusts to fit CPUs 3" to 12" W and 10" to 22" tall Designed to easily support CPU weighing up to 70 pounds Slides easily and smoothly on nylon glides Rotates a full 360° for complete access to cables and ports Easy grasp handle facilitates access Must have sleek non-bulky design Can support both vertical (towers) and horizontal CPUs Attaches to underside of Work surface Locking lever device Adjusts without tools Adjustable mounting plate ensures CPU is centered and balanced Can be sling type of CPU Holder if that is determined to be the best fit for workstations 	TBD

		Finishes • Finish: Black with Brushed Aluminum Note • CPU size is dependent on what VA IT Department can provide at the time of the Activation of the Building. This will need to be verified prior to the order being placed to ensure that it is a proper fit for the CPU's and if found not to be appropriate fit a change can be made	
6	2	 Mail Sorter Overall Dimensions: 9 ¾" W x 12 ½" D x 2 ½"H Literature sorter and organizer Steel shell with support shelves and solid fiberboard back for stability and durability Storage compartments made of heavy-duty corrugated fiberboard Over-sized compartments hold up to 550 sheets of letter size paper Shelf fronts have built in label holders (labels included) 36 Compartments Metal shelving connector & kit patent no. 5944439 	Safco OR EQUAL Contents not included.
7	2	 Rotating Literature Stand w/Dividers Overall Dimensions: 18.0" W x 62"H x 17.5" D Pocket Width x Height x Depth: 9.8" x 9.5" x 0.75" Base Diameter: 18.0" Floor standing Fully rotating Three-sided design Weighted base for stability Pocket dividers for Brochures Constructed of durable steel and wire to securely store and showcase brochures and other materials Black Powder Coat finish 30 pockets that can be split into two sections 	Displays2Go (10 Tier Literature Rack for Floor) OR EQUAL

8	3	5-High 42" W Lateral Files	Steelcase (Universal
		• Overall Dimensions: 42" W x 65 ½" H x 18" D	Storage)
		Proud front with Bar Pulls	
		Finished back	OR EQUAL
		Must be lockable	
		Must have 5 Lateral files	
		 Leveling glides adjust up to ¾" 	
		Top 1"H steel	
		Steel door fronts	
		Drawers open their full depth for total access to the	
		contents are standard 12"H	
		 Drawer interiors include one hanging folder bar per 	
		drawer	
		Hanging folder bar accommodates side-to-side filing of	
		letter and legal size hanging folders	
		Rails accommodate front-to-back filing of letter and legal	₩
		size hanging folders	
		Label holders included with each drawer	
		<u>Finishes</u>	
		Filing & Storage Finish: Champagne Metallic or Equal	
		Pull Style/Finish-Bar Pull in Champagne Metallic or Equal	
9	2	5-High 36" W Lateral Files	Steelcase (Universal
		 Overall Dimensions: 36" W x 52"H x 18" D 	Storage)
		 Proud front with Bar Pulls 	
		 Finished back 	OR EQUAL
		Must be lockable	_
		 Must have 5 Lateral files 	
		 Leveling glides adjust up to ¾" 	
		Top 1"H steel	
		Steel door fronts	
		 Drawers open their full depth for total access to the 	
		contents are standard 12"H	
		 Drawer interiors include one hanging folder bar per 	
		drawer	
		 Hanging folder bar accommodates side-to-side filing of 	
		letter and legal size hanging folders	
		Rails accommodate front-to-back filing of letter and legal	
		size hanging folders	
		et at to	
		Finishes	
		Filing & Storage Finish: Champagne Metallic or Equal Pull Style (Finish Box Bull in Champagne Matallia on Fund.)	
		Pull Style/Finish-Bar Pull in Champagne Metallic or Equal	

10	1 2	AA-I-Y-MA-I-CI-I' AII'I	D.1 D
10	2	Mobile Work Station-2 Hinged	Peter Pepper
		Overall Dimensions: 30" W x 42"H x 20" D	(Wheelies Model 7942-
		• Top Dimensions: 33 ¾" W x 23 3/8"	42)
		 2 hinged, locking 30"h doors open 270° 	
		2 adjustable shelves	OR EQUAL
		 Keyboard Tray Dimensions:20" W x 8 ½" D 	
		 Keyboard Tray Grey finish with 15" length adjustable ball 	200
		bearing slides	Annany III
		3" Locking Casters	
		 Oval grommets 6" W x 2 ½"H Located at the top and 	
		bottom back panel. 2" grommets through shelves	
		<u>Finishes</u>	
		Top Surface Finish: Black	
		Door Surface Finish: Black	
		Panel Surface Finish: Cool Grey	
11	34	Task Chairs w/ Hard Dual Wheel Casters	Steelcase Think Chair
		 Overall Dimensions: 28.5" W; 22" to 24.25" D; 37.25" to 42"H 	Steerease Tilling Crian
		Seat Cushions allows the seat to conform to shape as you	OR EQUAL
		change postures	ONEQUAL
		Weight Activated Mechanism provides a recline resistance that is proportional to hady weight.	
		that is proportional to body weight	
		Flexible back frame, linked flexors and dual-energy lumbar	
		Adjustable lumbar support	
		Flexible seat edge to relieve pressure on the back of legs	
		Comfort Dial allows to adjust comfort setting	
		Hard Dual wheel casters for use on Carpet	
		Coat Hanger	
		Black Plastic frame/base	
		 Fully adjustable arms with soft arm caps 	
		 Independent height, width, pivot and depth adjustable arms 	
		 Ability to slide entire armrest in and then pivot arms 	
		Cradle to Cradle certified	
		Supports U.S. Green Building Council's LEED certification	
		<u>Finishes</u>	
		Frame Finish: (Plastic) 6205 Black	
		Mesh Back: 3-D Knit 5064 Licorice	
		Seat Fabric: Knoll Textiles Vibe II #K215416 in Poise or Equal	
		Note Note	
		Please have chairs with Hard Casters separated from chairs	
		with Soft Casters so that it can prevent chairs getting mixed	
		up during installation.	
	<u> </u>	1	1

12	6	Task Chairs w/ Soft Dual Wheels Casters	Steelcase Think Chair
- -		Overall Dimensions: 27" W; 21.75" to 24.75" D; 38.5" to	Secondase Timin Citan
		43.5"H	OR EQUAL
		Upper back force	
		5" pneumatic seat-height adjustment	
		Variable back stop	7
		Lower back firmness	
		3" seat depth adjustment	•
		Passive seat edge angle	
		Soft Dual wheel casters for use on hard floors	
		Adjustable lumbar support	
		Black Plastic frame/base	
		Fully adjustable arms with soft arm caps	
		 Independent height, width, pivot and depth adjustable arms 	
		 Ability to slide entire armrest in and then pivot arms 	
		94% Recyclable material	
		 Supports U.S. Green Building Council's LEED certification 	
		<u>Finishes</u>	
		Frame Finish: (Plastic) 6205 Black	
		Mesh Back: 3-D Knit 5064 Licorice	
		Seat Fabric: Knoll Textiles Vibe II #K215416 in Poise or Equal	
		Note	
		Please have chairs with Soft Casters separated from chairs	
		with Hard Casters so that it can prevent chairs getting mixed	
		up during installation.	
42	60		High March Transcribe
13	60	Conference Stacking Chairs w/Glides:	High Mark Team Up
		Unique shape nylon arms	Mesh Back
		Must be stackable	OD FOLIAL
		Legs must be on glides	OR EQUAL
		Back must be mesh	
		Wall saver legs	
		 Seat upholstered in easy to clean polyurethane PVC free fabric 	
		Chairs stack up to five high on floor, 6 high on dolly	
		Can hold individuals weighing up to 300 pounds	
		Warranty-10-year comprehensive parts and labor	
		Additional seat foam	
		Moisture Barrier needed	
		Finishes	
		Frame Finish: Silver	
		Mesh Back: Dark Grey (MDG)	
		Seat Fabric: TBD (Grade 6 and above)	
		Seat rabile. Teb (Grade 6 and above)	

14	12	Breakroom Stacking Chairs w/Glides:	High Mark Team Up
14	12	Unique shape nylon arms	Mesh Back
		Must be stackable	WICSH Back
		Legs must be on glides	OR EQUAL
		Back must be mesh	ONEQUAL
		Wall saver legs	
		Seat upholstered in easy to clean polyurethane PVC free	
		fabric	
		Chairs stack up to five high on floor, 6 high on dolly	1
		Can hold individuals weighing up to 300 pounds	
		Warranty-10-year comprehensive parts and labor	
		Additional sear foam	
		Moisture Barrier needed	
		Finishes	
		Frame Finish: Silver	
		Mesh Back: Dark Grey (MDG)	
		Seat Fabric: TBD (Grade 6 and above)	
		(0.000.00	
15	1	Adjustable Physician Stool w/Back	Midmark Ritter 270
		Seat Height 18"-24.5"	Adjustable Stool
		Seat Diameter 16.25"	
		Seat Cushion Thickness 3.25"	OR EQUAL
		Seat Cusinon Thickness 3.23	ON EQUAL
		Locking castors	OKEQUAL
		Locking castors	
		Locking castorsBlack plastic composite five leg base and hood	F
		 Locking castors Black plastic composite five leg base and hood Manually adjustable 	
		 Locking castors Black plastic composite five leg base and hood Manually adjustable 300-pound weight capacity 	ON EQUAL
		 Locking castors Black plastic composite five leg base and hood Manually adjustable 300-pound weight capacity Must have back 	SIN EQUAL
		 Locking castors Black plastic composite five leg base and hood Manually adjustable 300-pound weight capacity Must have back Soft Casters for use on hard floors Foot Ring 	SIN EQUAL
		 Locking castors Black plastic composite five leg base and hood Manually adjustable 300-pound weight capacity Must have back Soft Casters for use on hard floors Foot Ring Finishes	ON EQUAL
		 Locking castors Black plastic composite five leg base and hood Manually adjustable 300-pound weight capacity Must have back Soft Casters for use on hard floors Foot Ring Finishes Frame Finish: (Plastic) Black 	ON EQUAL
		 Locking castors Black plastic composite five leg base and hood Manually adjustable 300-pound weight capacity Must have back Soft Casters for use on hard floors Foot Ring Finishes	SIN EQUAL
		 Locking castors Black plastic composite five leg base and hood Manually adjustable 300-pound weight capacity Must have back Soft Casters for use on hard floors Foot Ring Finishes Frame Finish: (Plastic) Black 	ON EQUAL
		 Locking castors Black plastic composite five leg base and hood Manually adjustable 300-pound weight capacity Must have back Soft Casters for use on hard floors Foot Ring Finishes Frame Finish: (Plastic) Black 	ON EQUAL
		 Locking castors Black plastic composite five leg base and hood Manually adjustable 300-pound weight capacity Must have back Soft Casters for use on hard floors Foot Ring Finishes Frame Finish: (Plastic) Black 	SIN EQUAL
		 Locking castors Black plastic composite five leg base and hood Manually adjustable 300-pound weight capacity Must have back Soft Casters for use on hard floors Foot Ring Finishes Frame Finish: (Plastic) Black 	SIN EQUAL
		 Locking castors Black plastic composite five leg base and hood Manually adjustable 300-pound weight capacity Must have back Soft Casters for use on hard floors Foot Ring Finishes Frame Finish: (Plastic) Black 	
		 Locking castors Black plastic composite five leg base and hood Manually adjustable 300-pound weight capacity Must have back Soft Casters for use on hard floors Foot Ring Finishes Frame Finish: (Plastic) Black 	
		 Locking castors Black plastic composite five leg base and hood Manually adjustable 300-pound weight capacity Must have back Soft Casters for use on hard floors Foot Ring Finishes Frame Finish: (Plastic) Black 	

16	1	 Bariatric Lounge Chair Overall Dimensions: 34.5" W; 31" SW; 19"SD; 18.5"SH;34.25"H Inner steel seat frame anchored to wood end frames with metal to metal fasteners Wall saver rear leg Clean-out spacing Seat and back upholstered in easy to clean polyurethane PVC free fabric Optional wood, polyurethane or solid surface arm caps Limited Lifetime Warranty 14-gauge integral steel seat frame for enhanced structural integrity All fasteners are tamper resistant Steel seat pan conceals upholstery staples Nylon glides are non-removable and protect floors from damage Round back shape Moisture barrier needed Finishes Arm Caps: Black Polyurethane Fabric: TBD (Grade 6 and above) 	Stance Healthcare Onward Lounge Bariatric OR EQUAL
17	30	Guest Chair Overall Dimensions: 25" W; 26" D; 33"H Clean-Thru Design Upholstered seat and back Seat and back upholstered in easy to clean polyurethane PVC free fabric Field Replaceable Components Grey Powder Coat on all Exposed Metal Wall Saver Design Non- Marring Adjustable Glides Contrasting Fabrics on Seat and Back Poly Arm Caps SCS Indoor Advantage Gold Certified Limited Lifetime Warranty Moisture barrier needed Finishes Frame Finish: Warm Grey (with Silver Ion Antimicrobial) Arm Caps: Black Polyurethane Seat Fabric: TBD (Grade 6 and above)	Carolina Serony Guest Chair OR EQUAL

18	30	Guest Bariatric Chair	Carolina Serony
		Overall Dimensions: 34" W; 26" D; 33"H	Bariatric Guest Chair
		Clean-Thru Design	
		Upholstered seat and back	OR EQUAL
		Seat and back upholstered in easy to clean polyurethane PVC	
		free fabric	
		Field Replaceable Components	
		Grey Powder Coat on all Exposed Metal	
		Wall Saver Design	
		Non- Marring Adjustable Glides	
		Contrasting Fabrics on Seat and Back	
		Poly Arm Caps	
		SCS Indoor Advantage Gold Certified	
		Limited Lifetime Warranty	
		Moisture barrier needed	
		<u>Finishes</u>	
		Frame Finish: Warm Grey (with Silver Ion Antimicrobial)	
		Arm Caps: Black Polyurethane Sept Entries TRD (Grade Cond. black)	
		Seat Fabric: TBD (Grade 6 and above)	
19	1	Reception Desk	OFS Brands Element
		Reception desk for multiple visitors	
		 Combination of standing and seated guest height options on 	OR EQUAL
		exterior	
		 Interior to be workstation for reception staff 	
		Minimum 12-year warranty against defects of materials and	
		workmanship under normal use and service for the life of the	
		product	
		 Must meet ANSI/BIFMA Level 2 Must meet SCS Indoor Advantage Gold requirements 	PEL BATT
		Flame Retardant Free	
		Accommodate 5 Workstations	
		Remain free of corridor interference	
		Mitered case construction for ultimate stability	0 0 0 0
		Structural joints are secured by 16-guage steel angle brackets	
		and wood glue blocks	
		Adjustable levelers feature inserts nuts to prevent glide tear	
		out	
		ADA guest width mixed with stand-up height transaction	
		counter	
		Standing height privacy between counters	
		Laminate panels for durability	
		Solid surface worksurfaces and transaction counter	
		Aesthetic shall be casework in design and appearance	

- Product shall ship partially assembled to minimize installation time
- Overall Dimension: 224.625" W x 116.3125" D x 44"H
- Left and Right Cockpit Corner Units 76" W x 61" D x 44"H
- Inside front facing end panels (30" D x 42"H) include a frosted acrylic panel inserted in top edge 8"H finishes at 50"H
- 39.5"H Corner panels include a 13.5" x 13.5" x 1.5"
 Transaction Shelf on 3" standoffs finish at 44" H with 4.3125" approach overhangs
- Hallway facing end panels (30" D x 48"H) include a frosted acrylic panel inserted in top edge 8"H finishes at 56"H
- Bridge/Center station at 72.625" W x 30" D x 30"H
- Left and right returns facing hallways at 55.3125" W x 30" D x 43.5" H. 13.5" of front panel 42"H to allow a 13.5" W x 13.5" D x 1.5" T Transaction Shelf sitting on front panel and end panel no approach overhang
- Gallery panels recess 6"

Worksurface

- Workstations with grommets
- 1.5" T flat eased edge solid surface
- Solid surface top to be fabricated in manufacturers own facility to ensure smooth edges and proper fit

Chassis

- Laminate with Horizontal grain and matching PVC edges
- Front panel to be recessed 6" for ADA access
- Privacy Panel between each section

Undersurface Storage

- (6) Box/Box/File Peds w/ Overall Dimensions: 15.63" W x 21.8125" D
- Locking
- Multiple configurations including open
- Adjustable levelers
- Multiple pull options

Transaction Shelf

- Transaction shelf
- Metallic Standoffs
- 1.5" T flat eased edge solid surface
- Solid surface top to be fabricated in manufacturers own facility to ensure smooth edges and proper fit

Note

 Space where the desks will be going must be field measured prior to the Manufacturing of the desks to ensure that it is a

		proper fit for the space and if found not to be appropriate fit design changes can be made Finishes Base/Chassis Finish: Wilsonart Kensington Maple Matte 10776-60 or Equal Work Surface: Corian Solid Surface in Glacier White Matte or Equal Transaction Shelf: Corian Solid Surface in Serene Sage or Equal Pull Style/Finish- Finish-Era Satin Nickel (VK)	
20	5	Adjustable Table w/ Mobile Ped Typical (Qty 1) Adjustable Table Overall Dimensions: 58" W x 29" LD x 29" RD Laminate top Rectangular Worksurface with Rounded Edges Electric height adjustable sit-to-stand base Push button up/down controller Below Worksurface Modesty Panel Wire Manager Height range: 24 ½"-52" Load capacity up to 295 lbs. Adjustment speed: 1.7" per second	Steelcase (Series 7/Universal Storage) OR EQUAL
		 (Qty 1) Mobile B/F Pedestal w/Cushion Mobile Pedestal Box/File Drawer Proud Front Bar Pulls Pencil Tray Insert Mobile Ped cushion top with retractable pull handle Must be locking Finishes Desking Work Surface Finish: Wilsonart Kensington Maple Matte 10776-60 or Equal Filing & Storage Finish: Champagne Metallic Leg Finish: Champagne Metallic Mobile Ped Cushion Fabric: TBD Pull Style/Finish-Bar Pull in Champagne Metallic 	
		 Note Space where the desks will be going must be field measured prior to the Manufacturing of the desks to ensure that it is a proper fit for the space and if found not to be appropriate fit design changes can be made 	

24	20	Consult Office I Channel Tomical	Charles /Carias
21	30	Consult Office L-Shaped Typical	Steelcase (Series
		(Qty 1) 90° Equal Adjustable Table	7/Universal Storage)
		 Overall Dimensions: 70" LW;23" D;70"RW 	
		Laminate top	OR EQUAL
		Rounded Edges	
		Electric height adjustable sit-to-stand base	
		Push button up/down controller	
		Below Worksurface Modesty Panel	LW RW
			LD
		• Height range: 24 1/4"-52"	
		Load capacity up to 295 lbs.	
		 Adjustment speed: 1.7" per second 	
		(Qty 1) Mobile B/F Pedestal w/Cushion	
		Mobile Pedestal	
		Box/File Drawer	
		Proud Front	
		Bar Pulls	
		Pencil Tray Insert	
		· · · · · · · · · · · · · · · · · · ·	
		Must be locking	
		Philips	
		<u>Finishes</u>	
		 Desking Work Surface Finish: Wilsonart Kensington Maple Matte 10776-60 or Equal 	
		Filing & Storage Finish: Champagne Metallic	
		Leg Finish: Champagne Metallic	
		Mobile Ped Cushion Fabric: TBD	
		Pull Style/Finish-Bar Pull in Champagne Metallic	
		<u>Note</u>	
		Space where the desks will be going must be field measured	
		prior to the Manufacturing of the desks to ensure that it is a	
		proper fit for the space and if found not to be appropriate fit	
		design changes can be made.	

22	32	Combo Bookcase & Lateral File Overall Dimensions: 36" W;18" D; 65 ½"H Two Drawer Lateral File/Two Open Shelf Configuration Proud front with Bar Pulls Front back & side filling rails Counterweight package Must be locking Finishes Filing & Storage Finish: Champagne Metallic Pull Style/Finish-Bar Pull in Champagne Metallic	Steelcase (Universal Storage) OR EQUAL
23	30	Overhead Overall Dimensions: 15 ¾" D x 42" W x 16 ¼"H Sliding door Recess beneath unit to accommodate shelf light Shelf backstop On-module attachment brackets with safety catch Lock, keyed random LED task light included Steel Must be wall mounted Finishes Filing & Storage Finish: Champagne Metallic	Steelcase (Universal Storage) OR EQUAL
24	1	Salient Characteristics: To include minimum of the following specifications:	Humanscale (V6/Desk) OR EQUAL

Outpatient Mental Health Bldg. Furniture Sacramento, CA Salient Characteristics

		 Fold-down worksurface/keyboard tray Worksurface Dimensions: 22.75" Wx10.6" D Keyboard Tray Dimensions: 18.6" Wx9" D Integrated mouse and scanner holder Dynamic monitor arm supports single or dual monitors up to 40 pounds total 180° stop mechanism on arms prevents wall damage Monitor extends up to 26.25" from wall Keyboard (including platform) extends up to 36.75" from wall Portrait to Landscape rotation and 30° tilt Multiple CPU mount options available Optional accessory mounts available for shelves, sharps containers, glove boxes V/Desk keyboard platform Finishes Frame: Silver/White 	
25	1	Waiting Area Multiple Seating w/Bariatric Chair (Base Guest Chair): (Qty 1) Base Guest Chair Overall Dimensions: 25" W x 26" D x 33"H Rated to 400 lbs. Clean-Thru Design Upholstered seat and back Seat and back upholstered in easy to clean polyurethane PVC free fabric Warm Grey (with Silver Ion Antimicrobial) Powder Coat on all Exposed Metal is Standard Wall Saver Design Non- Marring Adjustable Glides Contrasting fabrics Moisture barrier needed (Qty 1) Add On Guest Chair Overall Dimensions: 23" W x 26" D x 33"H Clean-Thru Design Upholstered seat and back Seat and back upholstered in easy to clean polyurethane PVC free fabric Warm Grey (with Silver Ion Antimicrobial) Powder Coat on all Exposed Metal is Standard Wall Saver Design Non- Marring Adjustable Glides	Carolina (Silvr Ion Metal Multiple) OR EQUAL

		1 0 1 1 1	Ī
		Contrasting fabrics	
		Moisture barrier needed	
		(Qty 1) Add On Bariatric Chair	
		Overall Dimensions: 32" W x 26" D x 33"H	
		Clean-Thru Design	
		Upholstered seat and back	
		 Seat and back upholstered in easy to clean polyurethane PVC 	
		free fabric	
		Warm Grey (with Silver Ion Antimicrobial) Powder Coat on all	
		Exposed Metal is Standard	
		Wall Saver Design	
		Non- Marring Adjustable Glides	
		 Contrasting fabrics 	
		Moisture barrier needed	
		<u>Finishes</u>	
		Frame Finish: Warm Grey (with Silver Ion Antimicrobial)	
		Arm Caps: Black Polyurethane	
		Seat Fabric: TBD (Grade 6 and above)	
26	1	Waiting Area Multiple Seating w/Bariatric Chair (Base Bariatric	Carolina (Silvr Ion
		Chair):	Metal Multiple)
		(Qty 1) Base Bariatric Chair	
		 Overall Dimensions: 34.5" W x 26" D x 33"H 	OR EQUAL
		Rated to 500 lbs.	
		Clean-Thru Design	
		Upholstered seat and back	
		 Seat and back upholstered in easy to clean polyurethane PVC 	
		free fabric	
		Warm Grey (with Silver Ion Antimicrobial) Powder Coat on all	
		Exposed Metal is Standard	
		Wall Saver Design	
		Non- Marring Adjustable Glides	
		Contrasting fabrics	
		Moisture barrier needed	
		(Qty 2) Add On Guest Chair	
		Overall Dimensions: 23" W x 26" D x 33"H	
		Clean-Thru Design	
		Upholstered seat and back	
		 Seat and back upholstered in easy to clean polyurethane PVC 	
		free fabric	
		Warm Grey (with Silver Ion Antimicrobial) Powder Coat on all	
		Exposed Metal is Standard	
		Wall Saver Design	
		Non- Marring Adjustable Glides	
		Contrasting fabrics	
		Moisture barrier needed	
	l	- Moisture barrier needed	

		 <u>Finishes</u> Frame Finish: Warm Grey (with Silver Ion Antimicrobial) Arm Caps: Black Polyurethane Seat Fabric: TBD (Grade 6 and above) 	
27	1	Waiting Area Multiple Seating w/Guest Chairs: (Qty 1) Base Guest Chair Overall Dimensions: 25" W x 26" D x 33"H Rated to 400 lbs. Clean-Thru Design Upholstered seat and back Seat and back upholstered in easy to clean polyurethane PVC free fabric Warm Grey (with Silver Ion Antimicrobial) Powder Coat on all Exposed Metal is Standard Wall Saver Design Non- Marring Adjustable Glides Contrasting fabrics Moisture barrier needed (Qty 2) Add On Guest Chair Overall Dimensions: 23" W x 26" D x 33"H Clean-Thru Design Upholstered seat and back Seat and back upholstered in easy to clean polyurethane PVC free fabric Warm Grey (with Silver Ion Antimicrobial) Powder Coat on all Exposed Metal is Standard Wall Saver Design Non- Marring Adjustable Glides Contrasting fabrics Moisture barrier needed Finishes Frame Finish: Warm Grey (with Silver Ion Antimicrobial) Arm Caps: Black Polyurethane Seat Fabric: TBD (Grade 6 and above)	Carolina (Silvr Ion Metal Multiple) OR EQUAL
28	4	 Lounge Chair Overall Dimensions: 29" W;28" D;31"H Clean-Thru Design Upholstered Seat and Back Seat and back upholstered in easy to clean polyurethane PVC free fabric 	Carolina (Silvr Ion Lounge Chair) OR EQUAL

		 Tight Cushion Warm Grey (with Silver Ion Antimicrobial) Powder Coat on all Exposed Metal is Standard Non- Marring Adjustable Glides Moisture barrier needed Finishes Frame Finish: Warm Grey (with Silver Ion Antimicrobial) Arm Caps: Black Polyurethane Seat Fabric: TBD (Grade 6 and above) 	
29	3	 70" Bench Overall Dimensions: 70.75" W;21.75" D;25"H Tight Cushion Seat upholstered in easy to clean polyurethane PVC free fabric Warm Grey (with Silver Ion Antimicrobial) Powder Coat on all Exposed Metal is Standard Non- Marring Adjustable Glides Even Divided Seat Must have arms Moisture barrier needed Finishes Frame Finish: Warm Grey (with Silver Ion Antimicrobial) Arm Caps: Black Polyurethane Seat Fabric: TBD (Grade 6 and above) 	Carolina (Silvr Ion Metal Bench) OR EQUAL
30	2	 Round End Table Overall Dimensions: 23" W;23" D;21.25"H Tight Cushion Warm Grey Powder Coat on Base to match the base of the Carolina Silvr Ion Chairs Non- Marring Adjustable Glides Solid surface top Eased Knife Edge Detail on tops Finishes Frame Finish: Warm Grey Top Finish: Corian Glacier White Matte or Equal 	Carolina (Basket) OR EQUAL

31	2	 54" Round Table 54" Diameter Round Table Laminate top 3mm edge Round Table Base Finishes Frame Finish: Champagne Metallic Top Finish: Corian Serene Sage Matte or Equal 	Steelcase (Groupwork) OR EQUAL
32	8	 Multi-Purpose Table Overall Dimensions: 72" Lx24" Wx28 ½"H Top:1 Particle Board with High Pressure Laminate Edge: Flat vinyl edge banding with Rounded corners Top Support Bar: Aluminum with black plastic cover L-Base: Upper leg extruded aluminum in black anodized finish Column: Extruded aluminum with powder coat Flip Mechanism: Black Plastic and steel release handle Casters: Dual-wheel, non-marring black plastic, two locking (user side) and two non-locking (flip handle side) <u>Finishes</u> Frame Finish: Champagne Metallic Top Finish: Wilsonart Kensington Maple Matte 10776-60 or Equal 	Steelcase (Akira) OR EQUAL
33		 Note Site visit is needed prior to the Manufacturing of the furniture to ensure that furniture is a proper fit for the space and if found not to be appropriate fit design changes can be made. If possible, provide a rendering of seating and main furniture pieces with the selected finishes/ fabrics prior to furniture being manufactured. 	