



P:\248663\DRAWINGS\248663 PRIOR SUBMISSIONS\2010-03-23 (FINAL)\248663-C20.DWG 4/19/2010 2:29 PM HO, JENNY H




ASPHALTIC PAVEMENT RESTORATION DETAIL
NOT TO SCALE
C11, C12, C13, C14, C15, C16, C17, C18, C19, C20




CONCRETE CURB DETAIL
NOT TO SCALE
C11, C12, C13, C14, C15, C16, C17, C18, C19

- NOTES:**
1. CONCRETE CURB SHALL BE CONSTRUCTED WHERE EXISTING CONCRETE CURB HAS BEEN DAMAGED, DESTROYED OR REMOVED DURING CONSTRUCTION.
 2. CONCRETE FOR CURBS SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH OF 3,000 PSI AT 28 DAYS. MAXIMUM SIZE OF AGGREGATE SHALL BE 1 1/2 INCHES.
 3. PROVIDE 1/2 INCH THICK PREFORMED EXPANSION JOINT FILLER STRIPS CONFORMING TO ASTM D 1751 AT INTERVALS NOT EXCEEDING 10 FEET.
 4. WIDTH OF JOINT FILLER STRIP SHALL BE EQUAL TO THE THICKNESS OF THE PAVEMENT LESS 1/2 INCH.




GRANITE BLOCK CURB DETAIL
NOT TO SCALE
C11, C12, C13, C14, C15, C16, C17, C18, C19


- NOTES:**
1. GRANITE BLOCK CURB SHALL BE CONSTRUCTED WHERE EXISTING GRANITE BLOCK CURB HAS BEEN DAMAGED, DESTROYED OR REMOVED DURING CONSTRUCTION.
 2. CONCRETE FOR CURBS SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH OF 3,000 PSI AT 28 DAYS. MAXIMUM SIZE OF AGGREGATE SHALL BE 1 1/2 INCHES.
 3. PROVIDE 1/2 INCH THICK PREFORMED EXPANSION JOINT FILLER STRIPS CONFORMING TO ASTM D 1751 AT INTERVALS NOT EXCEEDING 10 FEET.
 4. WIDTH OF JOINT FILLER STRIP SHALL BE EQUAL TO THE THICKNESS OF THE PAVEMENT LESS 1/2 INCH.



DEPRESSED CURB DETAIL
NOT TO SCALE
C11, C12, C13, C14, C15, C16, C17, C18, C19



CONCRETE SIDEWALK DETAIL
NOT TO SCALE
C11, C12, C13, C14, C15, C16, C17, C18, C19



ASPHALTIC SIDEWALK DETAIL
NOT TO SCALE
C11, C12, C13, C14, C15, C16, C17, C18, C19

Revision	Date

STAUNTON CHOW
A DIVISION OF
HATCH MOTT MACDONALD
545 Washington Blvd., Jersey City, NJ 07310

Key Plan

Issued Title	MISCELLANEOUS DETAILS
Approved: Division Chief	
Approved: Service Director	

Project Title	REPLACE SITE LIGHTING AT VA LYONS CAMPUS
Building Number	
Location	VA Lyons Campus, NJHCS, Lyons, NJ

Date	23 MARCH 2010
Product No.	58044-08-003
Sheet No.	C20
Sheet Count	21 of 29

