

## GENERAL SHEET NOTES

Once construction is complete on the southern section, there will be a Punch List developed for that portion; once the Punch List is addressed, the Owner will take possession of the southern portion of the maintenance area. The maintenance function will then move into the completed, southern portion and vacate the northern portion. The Owner will not have use of a lift while occupying the southern portion of the building.

## BUILDING ALTERNATES

DEFINITION OF BASE BID: THE BASE BID SHALL CONSIST OF ALL THE WORK SHOWN ON THE DRAWINGS AND SPECIFICATIONS WITH THE EXCEPTION OF THE WORK DEFINED AS ADDITIVE ALTERNATE #1, IF ADDITIVE ALTERNATE #1 IS NOT ACCEPTED, THE AREA AT GRADE WITHIN THE EDGES OF THE BACK HOE STORAGE BAYS IS TO BE GRADED AND FILLED WITH CRUSHER FINES.

DEFINITION OF ADDITIVE ALTERNATE #1: ADDITIVE ALTERNATE #1 SHALL CONSIST OF THE COMPLETE CONSTRUCTION OF THE BACK HOE STORAGE BAYS AND THE WASH BAY.

**SCALE: 1/4" = 1'-0"**

KEYED NOTES

## KEYED NOTES

1. MONOCHOLS WERE CLOTH 1" CENTER TO CENTER, 8 GA WIRE SET IN 1" U-CHANNEL, WELD TO FRAME.
2. 4" X 4", 3/16" I.D. STEEL FRAME.
3. PAIR OF 3"-8" X 6"-7" DOORS BUILT OF 2" X 2" X 3/16" TUBING. TRIANGLES OF CENTER TO BE INFILLED WITH MONOCHOLS WERE CLOTH 1" CENTER TO CENTER, 8 GA WIRE SET IN 1" U-CHANNEL. PROVIDE FOUR 6" WELD HINGES EACH JAMB.
4. 2" X 2" X 3/16" TUBE, WELD TO 4" X 4" TUBE STEEL FRAME.
5. 1" U-CHANNEL, WELDED TO TUBE STEEL.
6. COORDINATE THE LOCATION OF THE 10" X 4" X 4" TUBE WITH THE LOCATION OF THE 10" X 4" X 4" TUBE. BOTTOM OF THE JOISTS. MAINTAIN A MINIMUM OF 1" CLEARANCE BETWEEN THE BOTTOM OF THE EXISTING

12 TREADS @  $11'-1\frac{1}{8}" = 11'-1\frac{1}{2}"$

— 1 —

15

## SCALE: 1" = 1'-0"

# 100% CONSTRUCTION DRAWINGS

Project Title	ADMINISTRATION / PIC AND MAINTENANCE BUILDING REMODEL AND ADDITIONS		
Location	SANTA FE NATIONAL CEMETERY, NEW MEXICO		
Date	FEBRUARY 15, 2012	Checked	Drawn
Project Number	904CM4328		
Building Number	1301		
Drawing Number	A-305		
	Dwg. 27 of 62		