


1. CONTRACTOR SHALL REMOVE OR MOVE ALL HOOKS, CABINETS, SHELVING, FIRE NOTIFICATION EQUIPMENT (SMOKE DETECTORS) AND SIGNAGE DURING THE ABATEMENT PROCESS.
2. ALL VCT TILE AND MASTIC SHALL BE REMOVED DURING THE ABATEMENT PROCESS BY CONTRACTOR.
3. CONTRACTOR IS RESPONSIBLE FOR DEVELOPING AN ABATEMENT PLAN FOR LEAD PAINT AND ASBESTOS TO BE SUBMITTED TO CO FOR APPROVAL BEFORE PROCEEDING WITH THE ABATEMENT PORTION OF THIS PROJECT.
4. CONTRACTOR SHALL ADHERE TO ALL OSHA AND VA SAFETY REGULATIONS AND REQUIREMENTS AND FOR AIR MONITORING DURING THE ABATEMENT PROCESS.
5. CONTRACTOR SHALL BE RESPONSIBLE TO LEVEL ANY FLOOR SURFACE HOLES, CRACKS OR PENETRATIONS THAT ARE RESULT THE CONSTRUCTION PROCESS.
6. CONTRACTOR SHALL DEMO EXISTING SPRINKLER HEADS IN EVERY ROOM AND REPLACE WITH NEW.
CONTRACTOR SHALL RELOCATE/RECONFIGURE SPRINKLER HEADS ADJUSTING FOR NEW ACOUSTICAL DROP CEILING ELEVATIONS IN EACH ROOM, STAIRWELL AND CORRIDOR IN PROJECT.
7. CONTRACTOR SHALL REMOVE ALL SINKS LOCATED WITHIN EXISTING SLEEPING ROOMS THROUGHOUT PROJECT AREA. CONTRACTOR SHALL TERMINATE EXISTING PIPING BEHIND EXISTING OR NEW WALL SURFACES OR BACK TO EXISTING PIPE CHASES. CONTRACTOR SHALL REPAIR/PREPARE WALL WHERE SINKS WERE REMOVED TO LEVEL 4 FINISH AND FOR PAINTING.
8. CONTRACTOR SHALL HAVE THE OPTION OF UTILIZING SOME OF THE EXISTING CLOSETS AS CHASES FOR HVAC COMPONENTS, ELECTRICAL, OR PLUMBING BETWEEN FLOORS (WITHOUT IMPACT TO STRUCTURAL COMPONENTS). CONTRACTOR MAY USE EXISTING CLOSETS FOR STAGING OF TERMINAL UNITS, SUPPLY LINES, OR DUCTWORK WHICH SHALL GENERALLY BE LOCATED OVERHEAD. CONTRACTOR SHALL DEMOLISH ALL CLOSETS MARKED FOR DEMOLITION AND NOT USED FOR CHASES.

BASEMENT	
PLASTER CEILINGS IN MECHANICAL SPACE (RM 2)	
CONTRACTOR SHALL ATTACH ALL SUSPENDED MECHANICAL, ELECTRICAL, AND PLUMBING	CONDUIT AND
PIPING TO THE CONCRETE DECK ABOVE THE EXISTING PLASTER CEILING	
ELECTRICAL	
REMOVE AND DISPOSE OF OIL FILLED TRANSFORMER AND APPURTENANCES	
REMOVE EXCESS UNUSED CONDUIT AND WIRING	
PLUMBING	
EXISTING WATER HEATERS (COULD REUSE ONE OR PROVIDE SMALLER ONE)	
REMOVE ALL UNUSED PIPING AND DEMOLISH ALL EXISTING PIPING FOR	
REPLACEMENT	

ALL PLASTER CEILINGS
SUSPENDED ACOUSTICAL CEILINGS
DELAMINATED PLASTER IN STAIRWELL AND CORRIDORS
WALL REMOVAL FOR CONFERENCE ROOM (BETWEEN ROOMS 111 AND 112)
PARTIAL WALL REMOVAL FOR CONFERENCE ROOM DOOR INTO KITCHEN
INTERIOR WALL FOR REAR ENTRANCE BATHROOM (ROOM 116)
CHASE WALLS NOT NEEDED FOR RENOVATED SPACE
WINDOWS (ALL FULL SIZED)
ALL DOORS AND HARDWARE (INTERIOR)
DRYWALL CLOSETS (REMOVE ALL)
KITCHENS
 CABINETS
 SINK
 STOVE
 FLOORING (IF NOT INCLUDED IN ASBESTOS ABATEMENT)
 WALL FINISHES (IF NOT INCLUDED IN LEAD ABATEMENT)
BATHROOMS
 FIXTURES
 FLOOR TILE
 WALL TILE
 BATHROOM PARTITIONS
 ANY FINISHES NOT INCLUDED IN LEAD ABATEMENT
HVAC
 THROUGH-THE-WALL UNITS (10)
 RADIATORS
 WINDOW EXHAUST FANS
 ASSOCIATED PIPING
ELECTRICAL
 REMOVE ALL ELECTRICAL COMPONENTS NOT NEEDED FOR RENOVATED SPACE
PLUMBING
 REMOVE ALL UNUSED PIPING AND DEMOLISH ALL EXISTING PIPING FOR
 REPLACEMENT
 ALL FIXTURES



111
125

ROOM NUMBER.

EXISTING.

TO BE DEMOED.

[illegible]