



three inches = one foot
 one and one-half inches = one foot
 one inch = one foot
 three-quarters inch = one foot
 one-half inch = one foot
 three-eighths inch = one foot
 one-quarter inch = one foot
 one-eighth inch = one foot



BLDG. 17, BSMT., PLAN VIEW
 SCALE: 1/8"=1'-0"



BLDG. 17, 2ND FLR., PLAN VIEW
 SCALE: 1/8"=1'-0"

ABATEMENT GENERAL NOTES

1. CONTRACTOR SHALL ALSO INCLUDE UP TO OF 800 LF OF CONCEALED ASBESTOS PIPE INSULATION IN CONSTRUCTION ESTIMATE.
2. CONTRACTOR SHALL ABATE LEAD BENEATH FIRE/SMOKE NOTIFICATION EQUIPMENT IN EACH ROOM, CORRIDOR AND ALL OTHER SPACES WHERE THESE DEVICES ARE LOCATED.
3. CONTRACTOR SHALL REMOVE ALL CABINETS AND WALL MOUNTED SHELVES, HOOKS, EQUIPMENT WALL PLATES AND ALL SIGNAGE BEFORE ABATING.
4. CONTRACTOR SHALL ADHERE TO ALL OSHA AND VA SAFETY REGULATIONS AND PROCEDURES FOR LEAD PAINT AND ASBESTOS ABATEMENT.
5. CONTRACTOR SHALL DISPOSE OF ABATED MATERIAL IN A SUITABLE MANNER IN FACILITIES DESIGNED AND DESIGNATED FOR HAZARDOUS WASTE DISPOSAL.
7. CONTRACTOR IS RESPONSIBLE FOR DEVELOPING AN ABATEMENT PLAN FOR LEAD PAINT AND ASBESTOS TO BE SUBMITTED TO CO FOR REVIEW BEFORE PROCEEDING WITH THE ABATEMENT PORTION OF THIS PROJECT.
8. CONTRACTOR SHALL BE RESPONSIBLE TO REPAIR ANY FLOOR SURFACE HOLES, CRACKS PENETRATIONS THAT ARE THE RESULT OF THE CONSTRUCTION PROCESS.
8. CONTRACTOR IS RESPONSIBLE TO REPAIR OR REPLACE ANY DAMAGE INCURRED AS A RESULT OF THE ABATEMENT OR CONSTRUCTION PROCESS.
9. CONTRACTOR SHALL ABATE AND REMOVE BLDG. 17 BSMT. ROOM 2 MECHANICAL ROOM SUSPENDED PLASTER ON METAL LATHE CEILING. CONTRACTOR SHALL REMOVE ANY UNUSED/ABANDONED CONDUIT OR PIPING ATTACHED TO CEILING IN BLDG. 17 BSMT. ROOM 2 MECHANICAL ROOM.

INTERIOR WORK:

ASBESTOS ABATEMENT

FLOOR TILE (ALL) AND MASTIC

- BASEMENT
- 1ST FLOOR
- 2ND FLOOR

WINDOW AND DOOR CAULK

- ALL WINDOWS
- ALL DOORS

CEILING TILE AND MASTIC

- REAR ENTRANCE STAIRWELL

PIPE INSULATION

- BUILDING WIDE

KITCHEN COUNTERTOPS

LEAD ABATEMENT

WALLS


- BASEMENT
- 1ST FLOOR
- 2ND FLOOR
- STAIRWAY RAILING AT ENTRANCEWAY

CEILING

- 1ST FLOOR MAIN ENTRANCE CEILING INCLUDING CORNICE AND TRIM

LEGEND

- 111 ROOM NUMBER.
- 125 EXISTING.
- NEW CONSTRUCTION.
- AREAS TO BE ABATED.



BLDG. 17, 1ST FLR., PLAN VIEW
 SCALE: 1/8"=1'-0"

Revisions	Date	Approved: Energy Engineer	Approved: Safety Manager	Approved: Service Chief	Drawing Title	Project Title	Date	Veterans Affairs		
		Approved: Infection Control Officer	Approved: Chief of Staff	Approved: Chief of Facility Management Svc.	ASBESTOS AND LEAD PAINT ABATEMENT	RENOVATE VACANT SPACE FOR RURAL HEALTH PROGRAM	03-16-12			
		Approved: GEMS Coordinator	Approved: Associate Director	Approved: Medical Center Director	BLDG. 17 FLRS BSMT, 1 & 2	Building Number	Checked		Drawn	Project No.
					17	WGJ	WBJ		658-12-105	
					Location		DRAWING NO.	Sheet 3 of 10		
					V.A.M.C. SALEM 24153		AB-1			