



DOOR SCHEDULE - ALL DOORS											
DOOR NO.	DOOR	DOOR	HARDWARE	DOOR		FRAME		LABEL		REMARKS	
	WIDTH	HEIGHT	SET	TYPE	MATERIAL	FINISH	TYPE	MATERIAL	FINISH	HOUR	
101	PAIR 3' - 0"	7' - 0"	08	FULL GLASS	ALUMINUM	ANODIZED	--	ALUMINUM	ANODIZED	--	
102	3' - 0"	7' - 0"	01	FLUSH	HOLLOW METAL	PAINT	1	HOLLOW METAL	PAINT	--	
103	3' - 0"	7' - 0"	03	FLUSH	HOLLOW METAL	PAINT	2	HOLLOW METAL	PAINT	1 HOUR	
104	PAIR 3' - 0"	7' - 0"	06	FLUSH	HOLLOW METAL	PAINT	2	HOLLOW METAL	PAINT	--	3
105	3' - 6"	7' - 0"	05	FLUSH	HOLLOW METAL	PAINT	2	HOLLOW METAL	PAINT	--	2, 3
106	3' - 6"	7' - 0"	04	FLUSH	HOLLOW METAL	PAINT	2	HOLLOW METAL	PAINT	--	3
107	3' - 0"	7' - 0"	02	FLUSH	HOLLOW METAL	PAINT	2	HOLLOW METAL	PAINT	--	
108	3' - 0"	7' - 0"	02	FLUSH	HOLLOW METAL	PAINT	2	HOLLOW METAL	PAINT	--	
109	3' - 6"	7' - 0"	09	FULL GLASS	ALUMINUM	ANODIZED	--	ALUMINUM	ANODIZED	--	
110A	3' - 0"	7' - 0"	04	FLUSH	HOLLOW METAL	PAINT	2	HOLLOW METAL	PAINT	--	
110B	10' - 0"	9' - 0"	--	OVER HEAD DOOR	STEEL	PAINT	3	--	--	--	
201	3' - 6"	7' - 0"	09	FULL GLASS	ALUMINUM	ANODIZED	--	ALUMINUM	ANODIZED	--	1
301	3' - 6"	7' - 0"	09	FULL GLASS	ALUMINUM	ANODIZED	--	ALUMINUM	ANODIZED	--	1
401	3' - 6"	7' - 0"	09	FULL GLASS	ALUMINUM	ANODIZED	--	ALUMINUM	ANODIZED	--	1
402	3' - 0"	6' - 8"	07	FULL GLASS	ALUMINUM	ANODIZED	--	ALUMINUM	ANODIZED	--	

REMARKS
1. MODIFY DOOR OPERATOR BOLLARD HEIGHT TO FIT UNDER HANDRAIL SEE HAND RAIL DETAILS. TOP OF BOLLARD AT 2'-8"
2. PREP DOOR FRAME WITH A POWER TRANSFER BOX ON THE HINGE SIDE. PROVIDE A CONDUIT TO THE TOP OF THE FRAME FOR THE WIRING TO THE ELECTRIFIED LOCK AND WITH A BOX IN THE TOP OF THE FRAME FOR A CONCEALED DOOR POSITION SWITCH.
3. INSULATED DOOR AND FRAME

- KEYNOTE LEGEND
- 01 WALK OFF MAT- RECESS CONCRETE SLAB OR TOPPING 3/4"
 - 02 8" CONCRETE MASONRY UNIT WALL. EXTEND TO STRUCTURE ABOVE. TOOTH AROUND PRECAST CONCRETE STEMS. SEE 16, 17, 18 FOR ADDITIONAL INFORMATION
 - 03 FALL PROTECTION AT PLUMBING PIPING THROUGH LIGHT WALL SHAFT. SEE DETAIL 13
 - 04 PLUMBING PIPING PROTECTION, SEE DETAIL 16 AND 17
 - 05 RUBBERIZED WATERPROOF TRAFFIC COATING, HATCHED. 1'-6" BEYOND WALLS ON GRADE LEVEL.
 - 06 TOP OF WALL JOINT FILLER SEE DETAIL 12
 - 07 CURB, SEE STRUCTURAL 1
 - 08 DASHED LINE INDICATES EXTENT OF STEEL ANGLE WALL HEAD REINFORCEMENT
 - 09 SEE DETAIL 14 FOR SIMILAR PERFORATED ANODIZED J-CHANNELS TO MATCH FORMED METAL WALL PANELS
 - 10 EXPANSION JOINT COVER

ARCHITECTURAL PLAN LEGEND/ABBREVIATIONS
FD- FLOOR DRAIN. LOCATE DRAINS AT LOW POINT IN STRUCTURE. AT GRID 3 AND 8 CENTER DRAINS ON WALL OPENINGS, SEE DETAIL SS-503
RD- ROOF DRAIN
FEC- SURFACE MOUNTED FIRE EXTINGUISHER CABINET

- BLR-1- BOLLARD 1, SEE 8
- BLR-2- BOLLARD 2, SEE 9
- BN- BENCH- 6'-0" VICTOR STANLEY BENCH MODEL RB-28, OR EQUAL
- DO-1- DOOR OPERATOR BOLLARD. SEE HARDWARE SCHEDULE
- DO-2- DOOR OPERATOR, WALL MOUNTED. SEE HARDWARE SCHEDULE
- XX- NUMBER UNDERLINED IS PARKING COUNT
- PA- PAINTED ACCESSIBLE SYMBOL
- VB- CONTINUOUS VEHICLE BARRIER, SEE 2 AND 5
- WS- PRECAST CONCRETE WHEEL STOP CURB

- FLOOR PLAN GENERAL NOTES
- SLOPE SLAB ON GRADE TO FLOOR DRAIN TYPICAL, SEE DRAWING 3
 - SEE SHEET AS-602 FOR DOOR AND FRAME TYPES
 - SEE SHEET AS-502 FOR WINDOW TYPES
 - SEE SHEET AS-501 FOR FINISH PLANS
 - PROVIDE SEALANT S10 AT ALL JOINTS BETWEEN PRECAST CONCRETE DOUBLE TEES. FOR LOCATION OF JOINTS SEE DRAWINGS

PARKING COUNT		
EXISTING PARKING LOT		
Surface	Accessible	Regular
109		118
Total	227	
PROPOSED PARKING RAMP		
Floor	Accessible	Regular
1st	10+15+11+15+19+6=76	0
2nd	12	18+18+18+18+22+24+17=135
3rd	12	18+18+18+18+22+24+17=135
4th	0	15+18+18+18+18+22+24+17=150
Sub-total	100 (4 Bus, 11 Van)	420
Total	520	

Revisions:

Date

CONSULTANTS:

SIGNAGE
SIGNIA DESIGN
2395 UNIVERSITY AVENUE W., SUITE 316
SAINT PAUL, MN 55114
PHONE: 651-209-6254
LANDSCAPE
ANDERSON ENGINEERING
13605 1ST AVENUE NORTH, SUITE 100
PLYMOUTH, MN 55441
PHONE: 763-412-4000

ARCHITECTS/ENGINEERS:

LEO A DALY
730 Second Avenue South, Suite 1100
Minneapolis, MN 55402-2455 USA
Tel 612-338-8741 Fax 612-338-8840
Project #023-10131-000

Drawing Title: FLOOR PLAN - LEVEL 1

I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision and that I am duly licensed Architect under the laws of the State of Minnesota
Signature: *Michael Krusell Moeller*
Printed Name: Michael Krusell Moeller
Date: 02-24-2012
License: 48439

Project Title
CONSTRUCT PARKING RAMP DESIGN

Location
1 VETERANS DRIVE
MINNEAPOLIS, MN 55417

Date
02-24-2012

Checked
MTR

Modeled
MKM

Drawing
051 of 116

Project Number
618-820

Building Number
78

Drawing Number
AS-101

Office of Construction and Facilities Management
Department of Veterans Affairs