



ASBESTOS PLAN - GENERAL NOTES

- SEE SECTION 028211-A FOR ADDITIONAL INFORMATION. VERIFY ALL MATERIALS AND QUANTITIES OF ACM REQUIRING REMOVAL.
- TILED FLOORS MAY HAVE UP TO TWO INCHES OF LEVELING COMPOUND IN KITCHEN.

ASBESTOS REMOVAL NOTES

- REMOVE CAULK
- REMOVE CERAMIC TILE, MORTAR AND GROUT
- REMOVE FLOOR TILE AND MASTIC
- REMOVE BUILT-UP ROOF
- REMOVE TAR AND FLASHING
- REMOVE TOILET GASKET
- REMOVE VINYL FLOORING AND MASTIC
- REMOVE THERMAL SYSTEM FITTINGS ON FIBERGLASS INSULATION
- REMOVE ELECTRICAL PANEL
- REMOVE WINDOW PANE GLAZE
- REMOVE DUCT INSULATION
- REMOVE PIPE WRAP
- REMOVE DUCT WRAP (CONTAINS AMOSITE)
- POTENTIAL LOCATION OF DIELECTRIC UNIONS(S)

De-Scoped (Not In Contract)

Completed (Not In Contract)

PARTIAL FIRST FLOOR DEMOLITION PLAN

GRAPHIC SCALE  
0 4' 8' 16'  
1/8"=1'-0"

GENERAL NOTE:  
"SEE BID SCHEDULE FOR  
ALTERNATE BID INFORMATION"

GENERAL NOTE:  
"REFER TO FOOD SERVICE DRAWINGS AND SPECS FOR  
SCOPE OF WORK, RELATED WORK AND DETAILS"

 Dept. of Veterans Affairs Medical Center 5000 W. National Avenue Milwaukee, WI	KEY PLAN: 	ARCHITECT:  11000 West Park Place • Milwaukee WI 53224 • Tel 414 359-3060 • Fax 414 359-3070 www.p.r.a.r.c.h.c.o.m PRA Job No. 10019	Drawing Title <b>PARTIAL FIRST FLOOR ASBESTOS REMOVAL PLAN</b> Approved: Project Director	Project Title Expand Primary Care / Specialty Clinic and Consolidate Kitchen Location VA Medical Center, Milwaukee, WI Date 21 October 2011	Project Number 695-315 Building Number Building 111 Drawing Number AS101	Office of Construction and Facilities Management 
CONSTRUCTION SET Revisions: 10-21-2011 Date				Checked PRA Drawn RLS		