

NOVA Total BOM

Quantity	Product Number	Description
403	RC3	3 Relay Switching Room Controller 120/277VAC
403	RC-3TLB-OS1-W	White 3 Large Button Office Station Pre-Engraved (Half Lights, Full Lights, All Off)
403	OCC-RJ45	RJ45 to standard Greengate Occupancy Sensor also BMS and Egress output Device
52	CKT LB	ControlKeeper TouchScreen logic board
4	CKT16-120/277-SS2-SL0-ST0-SHVB0-SHVD0	ControlKeeper TouchScreen 16 circuit panel with 8 standard relays Requires CK T LB
8	CKT16-120/277-SS4-SL0-ST0-SHVB0-SHVD0	ControlKeeper TouchScreen 16 circuit panel with 16 standard relays Requires CK T LB
1	CKT32-120/277-SS3-SL0-ST0-SHVB0-SHVD0	ControlKeeper TouchScreen 32 circuit panel with 12 standard relays Requires CK T LB
30	CKT32-120/277-SS6-SL0-ST0-SHVB0-SHVD0	ControlKeeper TouchScreen 32 circuit panel with 24 standard relays Requires CK T LB
1	CKT32-120/277-SS8-SL0-ST0-SHVB0-SHVD0	ControlKeeper TouchScreen 32 circuit panel with 32 standard relays Requires CK T LB
1	CKT48-120/277-SS11-SL0-ST0-SHVB0-SHVD0	ControlKeeper TouchScreen 48 circuit panel with 44 standard relays Requires CK T LB
1	CKT48-120/277-SS12-SL0-ST0-SHVB0-SHVD0	ControlKeeper TouchScreen 48 circuit panel with 48 standard relays Requires CK T LB
5	CKT48-120/277-SS9-SL0-ST0-SHVB0-SHVD0	ControlKeeper TouchScreen 48 circuit panel with 36 standard relays Requires CK T LB
2326	GMDS-W	Momentary Decorator Switch - White
109	PPS-4	Contact Input Indoor Photosensor
891	OAC-DT-0501-R	MicroSet Dual Technology 500 sq ft ceiling sensor w/BAS Relay & Daylight Sensor
454	OAC-DT-1000-R	MicroSet Dual Technology 1000 sq ft ceiling sensor w/BAS Relay & Daylight Sensor
117	OAC-U-0501-R	MicroSet Ultrasonic Technology 500 sq ft ceiling sensor w/BAS Relay and Daylight Sensor
368	OAC-U-1000-R	MicroSet Ultrasonic Technology 1000 sq ft ceiling sensor w/BAS Relay and Daylight Sensor
97	OAC-U-2000-R	MicroSet Ultrasonic Technology 2000 sq ft ceiling sensor w/BAS Relay & Daylight Sensor
124	ONW-D-1001-DMV-N-W	White Dual Technology Dual Relay Wall Switch Sensor 120/227-Neutral Required
493	ONW-D-1001-MV-N-W	White Dual Technology Single Level Wall Switch Sensor 120/227-Neutral Required

1229	SP20-MV	Switchpack Heavy Duty, 120/277V
5	AIM B NW	AIM BACNET Network Version Requires AIM OEMPRTL Integration with the CKM lighting panels is not available until March 2012.
5	EIM	(EIM) Ethernet Interface Module Requires building LAN connection
5	AIM OEMPRTL	AIM - OEMPRTL
403	GGRJ45-10-G	RJ45 cables 10 feet - Green
403	GGRJ45-25-G	RJ45 cables 25 feet - Green
5	KEEPER NW KIT	Network Keeper Enterprise Includes Cable Kit
1	FACTORY STARTUP	Scheduled Factory Startup
1		Standard product warranty based on date of product shipment. See product documentation for standard warranty information.
164	TSW-MV	Digital Wall Switch Timer



Lighting & Electrical Associates, Inc.
604-887-1236

Project 11-10646-3
SLVHCS MED CTR - BLDG 8 -
RESEARCH/DIXIE
Submitted By
L & E ASSOCIATES

Type	Manufacturer	Catalog Number
	ABL-CONTROLS	GR2432 ENC SM NE1
	ABL-CONTROLS	GR2432 INT 17NCL REMOTE DV
	ABL-CONTROLS	GR2432 INT 21NCL REMOTE DV
	ABL-CONTROLS	GR2432 INT 15NCL DTCMOD DV
	ABL-CONTROLS	GR2400 PCC1 2WO
	ABL-CONTROLS	CH6 BWH PWH
	ABL-CONTROLS	UNITY
	ABL-CONTROLS	NCM 9
	ABL-CONTROLS	NPP16
	ABL-CONTROLS	PTS 720 XX
	ABL-CONTROLS	NBRG 8 KIT
	ABL-CONTROLS	NCM PC
	ABL-CONTROLS	NCM PDT 10
	ABL-CONTROLS	NCM PDT 10 LT
	ABL-CONTROLS	NCM PDT 9
	ABL-CONTROLS	NCM PDT 9 LT
	ABL-CONTROLS	NGWY2 KIT
	ABL-CONTROLS	NPODM 2P XX
	ABL-CONTROLS	NPODM 4P XX
	ABL-CONTROLS	NPODM WH LT
	ABL-CONTROLS	NPODM XX
	ABL-CONTROLS	NPP16 LT
	ABL-CONTROLS	NSP16
	ABL-CONTROLS	NWSX PDT XX
	ABL-CONTROLS	PTS 720 XX LT
	ABL-CONTROLS	NSP16 LT
	ABL-CONTROLS	NPP16 ER SHUNT