

Project Contents List

PORTLAND, ME OUTPATIENT CLINIC LEASE FINAL (FFE COPIED 30 APR 2018 01:41PM ET)

PORTLAND, ME OPC LEASE

PORTLAND, ME

Projected Year: 2016 Midpoint Year: 2017

VISN: 1 State: ME Station ID: 402

Station: Togus

Installation: VAM&ROC

Project Created: 06 Oct 2014 10:08PM ET by Jason Moseley

Space Plan Last Edited: 04 May 2018 01:53PM ET by Patrick Hillier

Report Generated: 04 May 2018 02:21PM ET

COMMUNITY BASED OUTPATIENT CLINICS Choice 2.0

Portland, ME

Updated PDF into Project Content List

Submittal 06/28/18

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	RCP01	10 - Reception	55	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, multiple line.
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	RCP01	10 - Reception	55	A6105	Counter, Reception Control, Built-in	CC - CONTRACTOR FURNISHED/INSTALLED	1	7736	7736	Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backsplash/curb. Pricing based on a 30" depth.
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	RCP01	10 - Reception	55	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	636	636	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	RCP01	10 - Reception	55	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	RCP01	10 - Reception	55	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	RCP01	10 - Reception	55		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	RCP01	10 - Reception	55	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	RECP4	2 - Kiosk, Patient Check-In	30	M1890	Kiosk, Educational, Stand-Up	VV - GOVT FURNISHED & INSTALLED	1	4470	4470	A free standing Kiosk providing educational information for patients. The kiosk will, as a minimum, include a computer, an LCD display of approximately 19" with a touch screen, keyboard with track ball, speakers, printer, card reader, bar code scanner and housed in a durable steel enclosure. The unit will contain all necessary software packages to satisfy a wide spectrum of information distribution. Final configuration of kiosk will be determined at time of purchase.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	WKTM1	7 - Workroom, Team Resident	200	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	2	517	1034	This JSN is to be used for determining and defining location of decorative artwork.
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	WKTM1	7 - Workroom, Team Resident	200	E0042	Workcenter, Computer, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	4	2615	10460	THIS TYPICAL INCLUDES: 1 Tool Rail 2 Paper Tray 1 Diagonal Tray 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	WKTM1	7 - Workroom, Team Resident	200	F0130	Bookstack, Single	VV - GOVT FURNISHED & INSTALLED	2	408	816	Freestanding closed base single open faced book stack, approximately 84" H X 36" W X 13" D with six (6) or seven (7) adjustable shelves and one base shelf. Single-faced units should be transverse-brace secured, or wall, or floor anchored for stability.
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	WKTM1	7 - Workroom, Team Resident	200	F0220	Chair, Conference	VV - GOVT FURNISHED & INSTALLED	4	546	2184	Conference chair designed to complement the executive furniture package selected. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters.
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	WKTM1	7 - Workroom, Team Resident	200	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	4	636	2544	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	WKTM1	7 - Workroom, Team Resident	200	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	620	620	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	WKTM1	7 - Workroom, Team Resident	200	F0750	Table, Office, (size as required)	VV - GOVT FURNISHED & INSTALLED	1	923	923	Office table, sized as required. May be used as either a four (4) to six (6) person conference table or as an extra work surface area.
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	WKTM1	7 - Workroom, Team Resident	200	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	2	51	102	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	WKTM1	7 - Workroom, Team Resident	200	F3050	Whiteboard, Dry Erase	VV - GOVT FURNISHED & INSTALLED	1	330	330	Whiteboard unit, approximately 36" H x 48" W consisting of a white porcelain enamel writing surface with an attached chalk tray. Magnetic surface available. Image can be easily removed with a standard chalkboard eraser. For use with water color pens. Unit is ready to hang.

Project Contents List (04 May 2018 02:21PM ET)

1 - RECEPTION / LOBBY	1 - RECEPTION AREA	WKTM1	7 - Workroom, Team Resident	200	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	WKTM1	7 - Workroom, Team Resident	200	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	4	1512	6048	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	WKTM1	7 - Workroom, Team Resident	200	M1825	Printer, Computer	VV - GOVT FURNISHED & INSTALLED	1	809	809	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	WKTM1	7 - Workroom, Team Resident	200	M1840	Printer/Copier/Fax Combination	VV - GOVT FURNISHED & INSTALLED	1	827	827	Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	WKTM1	7 - Workroom, Team Resident	200	F0465	Cabinet, Storage, 2 Door, 5 Shelf	VV - GOVT FURNISHED & INSTALLED	1	650	650	Storage cabinet, 78" high X 48" wide X 24" deep with two (2) doors and five (5) adjustable shelves.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	WRF01	Family Waiting	115	a5210	Bracket, Television, Wall Mounted, w/Adjust Arm	VV - GOVT FURNISHED & INSTALLED	1	222	222	Bracket, Television, Wall Mounted, w/Adjust Arm
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	WRF01	Family Waiting	115	A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	1	93	93	Bracket, Television, Wall Backing
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	WRF01	Family Waiting	115	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	517	517	Artwork, Decorative, With Frame
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	WRF01	Family Waiting	115	F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	1	742	742	Chair, Side, Bariatric, With Arms
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	WRF01	Family Waiting	115	F0206	Chair, Waiting Room, Single	VV - GOVT FURNISHED & INSTALLED	3	622	1866	Chair, Waiting Room, Single
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	WRF01	Family Waiting	115	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Basket, Wastepaper, Fire Resistant
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	WRF01	Family Waiting	115	F2045	Furniture, Playroom, Assorted	VV - GOVT FURNISHED & INSTALLED	1	3203	3203	Furniture, Playroom, Assorted
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	WRF01	Family Waiting	115	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, Battery, 12" Diameter
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	WRF01	Family Waiting	115	M0515	Television, HD, 40" Class	VV - GOVT FURNISHED & INSTALLED	1	516	516	Television, HD, 40" Class

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
1 - RECEPTION / LOBBY	1 - RECEPTION AREA	LOB02	Lobby, Vestibule	175	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	517	517	Artwork, Decorative, With Frame

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
1 - RECEPTION / LOBBY	2 - LOBBY	LAC01	6 - Lactation Room	75	A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	383	383	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
1 - RECEPTION / LOBBY	2 - LOBBY	LAC01	6 - Lactation Room	75	A4995	Table, Diaper Changing, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	332	332	Wall mounted diaper changing table for use in public restrooms. Unit is a fold down system that folds upward when not in use for minimal intrusion into the room. Changing surface is contoured and has safety belt to insure that an infant will not fall from the table. Table is designed to hold no less than 250 pounds static weight. Closed dimensions are approximately 21" H x 36" W x 5" D. Open dimensions vary according to style. One system's open dimensions are 15" high, 32" wide and 19" deep.
1 - RECEPTION / LOBBY	2 - LOBBY	LAC01	6 - Lactation Room	75	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - RECEPTION / LOBBY	2 - LOBBY	LAC01	6 - Lactation Room	75	A5077	Dispenser, Hand Sanitizer, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	45	45	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
1 - RECEPTION / LOBBY	2 - LOBBY	LAC01	6 - Lactation Room	75	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	207	207	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
1 - RECEPTION / LOBBY	2 - LOBBY	LAC01	6 - Lactation Room	75	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - RECEPTION / LOBBY	2 - LOBBY	LAC01	6 - Lactation Room	75	C0035	Rail, Apron, 4x24x1	CC - CONTRACTOR FURNISHED/INSTALLED	2	80	160	Apron rail. Also referred to as an apron front, apron panel, or knee space rail. Used to close in front knee space area and/or provide work surface support between two base cabinets or a base cabinet and wall. Apron rails should be ordered in pairs to provide both front and rear work surface support.

Project Contents List (04 May 2018 02:21PM ET)

1 - RECEPTION / LOBBY	2 - LOBBY	LAC01	6 - Lactation Room	75	C0200	Cabinet, U/C/B, 4 Drawer, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	1032	1032	Standing height under counter base cabinet with four full width drawers of equal height. Also referred to as a drawer cabinet. For general purpose use throughout the facility.
1 - RECEPTION / LOBBY	2 - LOBBY	LAC01	6 - Lactation Room	75	CS040	Sink, SS, Single Compartment, 7.5x14x14 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	919	919	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. Coordinate actual outside sink dimensions with the actual clear dimension of cabinet specified to ensure that they are compatible. For general purpose use throughout the facility.
1 - RECEPTION / LOBBY	2 - LOBBY	LAC01	6 - Lactation Room	75	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	6	179	1074	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
1 - RECEPTION / LOBBY	2 - LOBBY	LAC01	6 - Lactation Room	75	F0255	Chair, Easy	VV - GOVT FURNISHED & INSTALLED	1	1736	1736	Easy chair approximately 35" high X 28" wide X 32" deep with arms and floor glides. Arms, back and seat are foam padded and upholstered in woven textile fabric or vinyl.
1 - RECEPTION / LOBBY	2 - LOBBY	LAC01	6 - Lactation Room	75	F0740	Table, Occasional, Lamp	VV - GOVT FURNISHED & INSTALLED	1	343	343	Occasional lamp table (end table) approximately 20" high X 27" wide X 27" deep with choice of finishes (wood, oak veneer, or high pressure laminate).
1 - RECEPTION / LOBBY	2 - LOBBY	LAC01	6 - Lactation Room	75	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
1 - RECEPTION / LOBBY	2 - LOBBY	LAC01	6 - Lactation Room	75	M2605	Pump, Breast	VV - GOVT FURNISHED & INSTALLED	1	841	841	Electrically powered breast pump. The pump provides automatic or semi-automatic control of the pumping cycle and has a pressure limiting valve to prevent damage to breast tissues. Unit includes collection and overflow bottles as well as bacteria filters for the suction line between the pump and the overflow bottle. Options may include a trolley, carrying case and several sizes of collection bottles.
1 - RECEPTION / LOBBY	2 - LOBBY	LAC01	6 - Lactation Room	75	R6200	Refrigerator, U/C or F/S, 5 Cu Ft	VV - GOVT FURNISHED & INSTALLED	1	1958	1958	Utility refrigerator approximately 35" H x 24" W x 26" D. The unit has a two tray ice cube cooling system. The refrigerator fits standard architectural dimensions for undercounter installation. The unit is perfect for use in nurses' station, wards, and laboratories, pharmacies or wherever space is limited.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
1 - RECEPTION / LOBBY	2 - LOBBY	OFA09	8 - Office, Police Service Chief	180	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, multiple line.
1 - RECEPTION / LOBBY	2 - LOBBY	OFA09	8 - Office, Police Service Chief	180	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - RECEPTION / LOBBY	2 - LOBBY	OFA09	8 - Office, Police Service Chief	180	E0090	Workstation, L-Shaped, Free Standing, 72x72	VV - GOVT FURNISHED & INSTALLED	1	7928	7928	THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel-to-Panel Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 2 Lockable Flipper Units 2 Shelves, Storage/Display 3 Lights 3 Tackboards 2 Cantilevered Work Surfaces 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File 1 Pencil Drawer 2 Support Panels
1 - RECEPTION / LOBBY	2 - LOBBY	OFA09	8 - Office, Police Service Chief	180	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	552	552	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
1 - RECEPTION / LOBBY	2 - LOBBY	OFA09	8 - Office, Police Service Chief	180	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	636	636	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - RECEPTION / LOBBY	2 - LOBBY	OFA09	8 - Office, Police Service Chief	180	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	620	620	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
1 - RECEPTION / LOBBY	2 - LOBBY	OFA09	8 - Office, Police Service Chief	180	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - RECEPTION / LOBBY	2 - LOBBY	OFA09	8 - Office, Police Service Chief	180	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated. (batteries not included).
1 - RECEPTION / LOBBY	2 - LOBBY	OFA09	8 - Office, Police Service Chief	180	A1045	Locker, Security, Evidence	VV - GOVT FURNISHED & INSTALLED	2	5182	10364	A steel constructed evidence security locker with 10 compartments with keyless locks. Locker is used to store evidence and should be approximately 82" H x 36" W x 24" D. Many door configurations are available and must be determined at time of purchase.
1 - RECEPTION / LOBBY	2 - LOBBY	OFA09	8 - Office, Police Service Chief	180	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	1512	3024	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
1 - RECEPTION / LOBBY	2 - LOBBY	RECP3	2 - Information Desk	100	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, multiple line.
1 - RECEPTION / LOBBY	2 - LOBBY	RECP3	2 - Information Desk	100	A6105	Counter, Reception Control, Built-In	CC - CONTRACTOR FURNISHED/INSTALLED	1	7736	7736	Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backplash/curb. Pricing based on a 30" depth.
1 - RECEPTION / LOBBY	2 - LOBBY	RECP3	2 - Information Desk	100	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	636	636	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - RECEPTION / LOBBY	2 - LOBBY	RECP3	2 - Information Desk	100	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - RECEPTION / LOBBY	2 - LOBBY	RECP3	2 - Information Desk	100	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated. (batteries not included).
1 - RECEPTION / LOBBY	2 - LOBBY	RECP3	2 - Information Desk	100	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - RECEPTION / LOBBY	2 - LOBBY	RECP3	2 - Information Desk	100	M1825	Printer, Computer	VV - GOVT FURNISHED & INSTALLED	1	809	809	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
1 - RECEPTION / LOBBY	2 - LOBBY	SRLW1	1 - Storage, Wheelchair	100	M4705	Wheelchair, Patient Transport, Folding	VV - GOVT FURNISHED & INSTALLED	3	532	1596	Folding patient transport wheelchair. Constructed of chrome plated steel with detachable armrest and footrests. Unit has heavy duty front casters with sealed radial high-precision ball bearing assembly. Unit is used for patient transport.
1 - RECEPTION / LOBBY	2 - LOBBY	SRLW1	1 - Storage, Wheelchair	100	M4710	Wheelchair, Patient, Bariatric, Transport, Folding	VV - GOVT FURNISHED & INSTALLED	2	1703	3406	Folding bariatric patient transport wheelchair with a capacity of at least 500 lbs. Constructed with a heavy duty steel frame and double cross brace, with detachable armrest and swing away footrests. Unit has heavy duty front casters and rear wheels with precision wheel bearings in front and rear assembly. Unit is used for patient movement.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
1 - RECEPTION / LOBBY	2 - LOBBY	TLTF2	3 - Toilet, Public, Female	200	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	2	294	588	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTF2	3 - Toilet, Public, Female	200	A4995	Table, Diaper Changing, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	332	332	Wall mounted diaper changing table for use in public restrooms. Unit is a fold down system that folds upward when not in use for minimal intrusion into the room. Changing surface is contoured and has safety belt to insure that an infant will not fall from the table. Table is designed to hold no less than 250 pounds static weight. Closed dimensions are approximately 21" H x 36" W x 5" D. Open dimensions vary according to style. One system's open dimensions are 15" high, 32" wide and 19" deep.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTF2	3 - Toilet, Public, Female	200	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	2	17	34	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTF2	3 - Toilet, Public, Female	200	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	2	207	414	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTF2	3 - Toilet, Public, Female	200	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	3	51	153	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTF2	3 - Toilet, Public, Female	200	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	156	156	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.

1 - RECEPTION / LOBBY	2 - LOBBY	TLTF2	3 - Toilet, Public, Female	200	A5110	Grab Bar, 1-1/4" Dia., SS, 2 Wall, Shower Use	CC - CONTRACTOR FURNISHED/INSTALLED	1	107	107	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall shower, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical applications in shower stalls where ADA (American's With Disabilities Act) requirements must be met.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTF2	3 - Toilet, Public, Female	200	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	3	87	261	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTF2	3 - Toilet, Public, Female	200	C0041	Rail, Apron, 4x60x1	CC - CONTRACTOR FURNISHED/INSTALLED	2	82	164	Apron rail. Also referred to as an apron front, apron panel, or knee space rail. Used to close in front knee space area and/or provide work surface support between two base cabinets or a base cabinet and wall. Apron rails should be ordered in pairs to provide both front and rear work surface support.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTF2	3 - Toilet, Public, Female	200	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	5	179	895	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTF2	3 - Toilet, Public, Female	200	F2015	Basket, Wastepaper, Metal/Plastic, 2 Swinging Doors	VV - GOVT FURNISHED & INSTALLED	1	263	263	Metal receptacle for soiled / used towels or waste. Equipped with a removable tapered top with two independently operating self-closing, spring hinged doors. Used in public facilities for the collection and temporary storage of refuse.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTF2	3 - Toilet, Public, Female	200	P3070	Lavatory, Vitreous China, Under or Counter Top Mtd	CC - CONTRACTOR FURNISHED/INSTALLED	2	527	1054	An undercounter or countertop mounted vitreous china lavatory (approximate bowl size 6"x17"x14") with gooseneck spout, wrist blade handles, and grid drain. Counter top mounted lavatory to be self rimming with mounting kit provided. Undercounter lavatory to have unglazed rim with a mounting kit also provided. For general purpose use in vanity tops in public, patient and staff toilet rooms.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTF2	3 - Toilet, Public, Female	200	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	3	824	2472	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
1 - RECEPTION / LOBBY	2 - LOBBY	TLTF3	4 - Toilet, Family	70	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	294	294	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTF3	4 - Toilet, Family	70	A4995	Table, Diaper Changing, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	332	332	Wall mounted diaper changing table for use in public restrooms. Unit is a fold down system that folds upward when not in use for minimal intrusion into the room. Changing surface is contoured and has safety belt to insure that an infant will not fall from the table. Table is designed to hold no less than 250 pounds static weight. Closed dimensions are approximately 21" H x 36" W x 5" D. Open dimensions vary according to style. One system's open dimensions are 15" high, 32" wide and 19" deep.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTF3	4 - Toilet, Family	70	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTF3	4 - Toilet, Family	70	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	207	207	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTF3	4 - Toilet, Family	70	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	51	51	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTF3	4 - Toilet, Family	70	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	156	156	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTF3	4 - Toilet, Family	70	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTF3	4 - Toilet, Family	70	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	87	87	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTF3	4 - Toilet, Family	70	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTF3	4 - Toilet, Family	70	P3000	Lavatory, Vitreous China, Straight Back	CC - CONTRACTOR FURNISHED/INSTALLED	1	380	380	Wall mounted, vitreous china lavatory (approximate bowl size 7"x15"x10") with: straight-front apron, straight or contoured back, faucet holes on 4" centers, gooseneck spout, wrist blade handles, and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care areas.

1 - RECEPTION / LOBBY	2 - LOBBY	TLTF3	4 - Toilet, Family	70	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	824	824	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.
-----------------------	-----------	-------	--------------------	----	-------	-------------------------------	-------------------------------------	---	-----	-----	---

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
1 - RECEPTION / LOBBY	2 - LOBBY	TLTM2	5 - Toilet, Public, Male	200	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	2	294	588	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTM2	5 - Toilet, Public, Male	200	A4995	Table, Diaper Changing, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	332	332	Wall mounted diaper changing table for use in public restrooms. Unit is a fold down system that folds upward when not in use for minimal intrusion into the room. Changing surface is contoured and has safety belt to insure that an infant will not fall from the table. Table is designed to hold no less than 250 pounds static weight. Closed dimensions are approximately 21" H x 36" W x 5" D. Open dimensions vary according to style. One system's open dimensions are 15" high, 32" wide and 19" deep.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTM2	5 - Toilet, Public, Male	200	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	2	17	34	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTM2	5 - Toilet, Public, Male	200	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	2	207	414	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTM2	5 - Toilet, Public, Male	200	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	156	156	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTM2	5 - Toilet, Public, Male	200	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	2	87	174	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTM2	5 - Toilet, Public, Male	200	C0041	Rail, Apron, 4x60x1	CC - CONTRACTOR FURNISHED/INSTALLED	2	82	164	Apron rail. Also referred to as an apron front, apron panel, or knee space rail. Used to close in front knee space area and/or provide work surface support between two base cabinets or a base cabinet and wall. Apron rails should be ordered in pairs to provide both front and rear work surface support.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTM2	5 - Toilet, Public, Male	200	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	5	179	895	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTM2	5 - Toilet, Public, Male	200	F2015	Basket, Wastepaper, Metal/Plastic, 2 Swinging Doors	VV - GOVT FURNISHED & INSTALLED	1	263	263	Metal receptacle for soiled / used towels or waste. Equipped with a removable tapered top with two independently operating self-closing, spring hinged doors. Used in public facilities for the collection and temporary storage of refuse.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTM2	5 - Toilet, Public, Male	200	P3070	Lavatory, Vitreous China, Under or Counter Top Mtd	CC - CONTRACTOR FURNISHED/INSTALLED	2	527	1054	An undercounter or countertop mounted vitreous china lavatory (approximate bowl size 6"x17"x14") with gooseneck spout, wrist blade handles, and grid drain. Counter top mounted lavatory to be self rimming with mounting kit provided. Undercounter lavatory to have unglazed rim with a mounting kit also provided. For general purpose use in vanity tops in public, patient and staff toilet rooms.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTM2	5 - Toilet, Public, Male	200	P8150	Urinal, Wall Hung	CC - CONTRACTOR FURNISHED/INSTALLED	2	446	892	A low consumption (1.0 gallon per flush) vitreous china, wall hung, washout flush action urinal with extended sides, flushing rim, 3/4" inlet spud, 2" I.P.S. female outlet connection and stainless steel strainer. For general purpose use in male toilet rooms.
1 - RECEPTION / LOBBY	2 - LOBBY	TLTM2	5 - Toilet, Public, Male	200	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	2	824	1648	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
1 - RECEPTION / LOBBY	2 - LOBBY	WTG32	7 - Waiting, General	600	A5077	Dispenser, Hand Sanitizer, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	45	45	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
1 - RECEPTION / LOBBY	2 - LOBBY	WTG32	7 - Waiting, General	600	A5210	Bracket, Television, Wall Mounted, w/Adjust Arm	VV - GOVT FURNISHED & INSTALLED	2	222	444	Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms.
1 - RECEPTION / LOBBY	2 - LOBBY	WTG32	7 - Waiting, General	600	A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	2	93	186	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
1 - RECEPTION / LOBBY	2 - LOBBY	WTG32	7 - Waiting, General	600	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	2	517	1034	This JSN is to be used for determining and defining location of decorative artwork.
1 - RECEPTION / LOBBY	2 - LOBBY	WTG32	7 - Waiting, General	600	F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	5	742	3710	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
1 - RECEPTION / LOBBY	2 - LOBBY	WTG32	7 - Waiting, General	600	F0305	Chair, Waiting Room, Single	VV - GOVT FURNISHED & INSTALLED	40	622	24880	Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included.

1 - RECEPTION / LOBBY	2 - LOBBY	WTG32	7 - Waiting, General	600	F0740	Table, Occasional, Lamp	VV - GOVT FURNISHED & INSTALLED	2	343	686	Occasional lamp table (end table) approximately 20" high X 27" wide X 27" deep with choice of finishes (wood, oak veneer, or high pressure laminate).
1 - RECEPTION / LOBBY	2 - LOBBY	WTG32	7 - Waiting, General	600	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - RECEPTION / LOBBY	2 - LOBBY	WTG32	7 - Waiting, General	600	F2300	Rack, Magazine, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	253	253	Wall mounted magazine rack with nine (9) magazine holding compartments.
1 - RECEPTION / LOBBY	2 - LOBBY	WTG32	7 - Waiting, General	600	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - RECEPTION / LOBBY	2 - LOBBY	WTG32	7 - Waiting, General	600	M0506	Television, Flat Screen	VV - GOVT FURNISHED & INSTALLED	2	537	1074	Flat screen television with approximately 32" to 40" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
1 - RECEPTION / LOBBY	3 - VOLUNTARY SERVICE	OFA01	2 - Volunteer	120	A1016	Telephone, Desk, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, with speaker.
1 - RECEPTION / LOBBY	3 - VOLUNTARY SERVICE	OFA01	2 - Volunteer	120	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	31	62	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - RECEPTION / LOBBY	3 - VOLUNTARY SERVICE	OFA01	2 - Volunteer	120	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	517	517	This JSN is to be used for determining and defining location of decorative artwork.
1 - RECEPTION / LOBBY	3 - VOLUNTARY SERVICE	OFA01	2 - Volunteer	120	F0110	Bookcase, 3 Shelf	VV - GOVT FURNISHED & INSTALLED	1	433	433	Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides.
1 - RECEPTION / LOBBY	3 - VOLUNTARY SERVICE	OFA01	2 - Volunteer	120	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	552	1104	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
1 - RECEPTION / LOBBY	3 - VOLUNTARY SERVICE	OFA01	2 - Volunteer	120	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	636	636	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) castor swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - RECEPTION / LOBBY	3 - VOLUNTARY SERVICE	OFA01	2 - Volunteer	120	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	620	620	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
1 - RECEPTION / LOBBY	3 - VOLUNTARY SERVICE	OFA01	2 - Volunteer	120	F0635	Desk, Double Pedestal	VV - GOVT FURNISHED & INSTALLED	1	898	898	Double pedestal flat top desk, 30" high X 60" wide X 30" deep with center pencil drawer, choices of combinations of file and box drawers, floor glides and modesty panel.
1 - RECEPTION / LOBBY	3 - VOLUNTARY SERVICE	OFA01	2 - Volunteer	120	F0710	Table, Computer, With Print Shelf	VV - GOVT FURNISHED & INSTALLED	1	344	344	Computer work table, approximately 31" high X 40" wide X 24" deep with retractable shelf(s) for keyboard and/or extra work space, adjustable shelves for printer and printer paper, and (optional) dual wheel casters (two locking).
1 - RECEPTION / LOBBY	3 - VOLUNTARY SERVICE	OFA01	2 - Volunteer	120	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - RECEPTION / LOBBY	3 - VOLUNTARY SERVICE	OFA01	2 - Volunteer	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - RECEPTION / LOBBY	3 - VOLUNTARY SERVICE	OFA01	2 - Volunteer	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
1 - RECEPTION / LOBBY	3 - VOLUNTARY SERVICE	SRS01	1 - Storage, Volunteer	120	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line, with speaker.
1 - RECEPTION / LOBBY	3 - VOLUNTARY SERVICE	SRS01	1 - Storage, Volunteer	120	M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	4	846	3384	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74" H x 18" D x 48" W with four shelves.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
1 - RECEPTION / LOBBY	4 - CANTEEN	BX001	1 - Vending Machine Area and Seating	200	A6030	Machine, Vending	L_RE - OTHER - LEASED OR RENTED EQUIP	2	0	0	This JSN is to be used for determining and defining the requirement for vending machines. Item is normally leased or supplied by Army & Air Force Exchange Service, (AAFES).
1 - RECEPTION / LOBBY	4 - CANTEEN	BX001	1 - Vending Machine Area and Seating	200	F2015	Basket, Wastepaper, Metal/Plastic, 2 Swinging Doors	VV - GOVT FURNISHED & INSTALLED	1	263	263	Metal receptacle for soiled / used towels or waste. Equipped with a removable tapered top with two independently operating self-closing, spring hinged doors. Used in public facilities for the collection and temporary storage of refuse.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	1 - PATIENT AREA	SRE01	12 - Shared Medical Appointment Room	400	E0945	Cart, Computer, Mobile	VV - GOVT FURNISHED & INSTALLED	2	1923	3846	A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder 1 Wastebasket 1 Chart Holder 2 Drawers, 3"H 2 Drawers, 6"H 3 Accessory Rail, Side Drawer Organizer Bins
2 - PRIMARY CARE	1 - PATIENT AREA	SRE01	12 - Shared Medical Appointment Room	400	F0295	Chair, Stacking	VV - GOVT FURNISHED & INSTALLED	16	75	1200	Stacking chair, approximately 34" H X 21" W X 24" D. May be stacked up to 20 high depending upon the model selected. These chairs are intended primarily as overflow capacity for conference rooms.
2 - PRIMARY CARE	1 - PATIENT AREA	SRE01	12 - Shared Medical Appointment Room	400	F0435	Cabinet, Storage, Multi Media	VV - GOVT FURNISHED & INSTALLED	1	1491	1491	Multi media storage cabinet, approximately 60" high X 36" wide X 14" deep. For the storage of various types of audio or video cassettes, DVDs, CDs, and other media material.
2 - PRIMARY CARE	1 - PATIENT AREA	SRE01	12 - Shared Medical Appointment Room	400	F0860	Table, Mobile	VV - GOVT FURNISHED & INSTALLED	4	938	3752	Mobile table. The unit provides mobile or isolated freestanding work surface. Characteristics and components include 3-1/2 inch casters and attached drawer bearers. Unit is used for general work applications, primarily in dry areas.
2 - PRIMARY CARE	1 - PATIENT AREA	SRE01	12 - Shared Medical Appointment Room	400	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
2 - PRIMARY CARE	1 - PATIENT AREA	SRE01	12 - Shared Medical Appointment Room	400	F2250	Camcorder, Hand Held, HD, Zoom, w/Microphone	VV - GOVT FURNISHED & INSTALLED	1	2860	2860	Hand held camcorder with full HD recording, LCD display and microphone. Camcorder will also have capability for still picture capture. Audio and video output will be fully transferable to a computer.
2 - PRIMARY CARE	1 - PATIENT AREA	SRE01	12 - Shared Medical Appointment Room	400	F3060	Whiteboard, Projection Screen Combination	VV - GOVT FURNISHED & INSTALLED	1	620	620	Whiteboard and projection screen combination approximately 48" H x 72" W. Magnetic surface with matte finish for projection. Hard board stabilizer with aluminum foil back. For use with water color pens.
2 - PRIMARY CARE	1 - PATIENT AREA	SRE01	12 - Shared Medical Appointment Room	400	M0506	Television, Flat Screen	VV - GOVT FURNISHED & INSTALLED	1	537	537	Flat screen television with approximately 32" to 40" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.
2 - PRIMARY CARE	1 - PATIENT AREA	SRE01	12 - Shared Medical Appointment Room	400	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	1512	3024	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line.
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125		Wall mounted folding chair	VV - GOVT FURNISHED & INSTALLED	1	0	0	Wall hanging folding chair - TBD.
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	A1066	Mirror, Float Glass, With SS Frame	CC - CONTRACTOR FURNISHED/INSTALLED	1	85	85	A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas.
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	28	28	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	211	211	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	156	156	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.

2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	31	62	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - CONTRACTOR FURNISHED/INSTALLED	24	7	168	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	1024	1024	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	986	986	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	CT030	Countertop, High Pressure Laminate	CC - CONTRACTOR FURNISHED/INSTALLED	3	65	195	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	1836	1836	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	1	742	742	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	F2310	Rack, Pamphlet, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	174	174	Wall mounted pamphlet rack up to 12 (twelve) pamphlet holding pockets. Unit is used to store and display educational pamphlets.
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	F3025	Board, Bulletin, Wood Framed	VV - GOVT FURNISHED & INSTALLED	1	59	59	Bulletin board approximately 36"W x 24"H. Wood framed 1/2" cork posting panel with moisture proof backing. Units are factory assembled and have keyhole hangers for easy installation.
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	M0506	Television, Flat Screen	VV - GOVT FURNISHED & INSTALLED	0	537	0	Flat screen television with approximately 32" to 40" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	M1802	Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	0	1050	0	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	E0945	Cart, Computer, Mobile	VV - GOVT FURNISHED & INSTALLED	1	1861	1861	A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase.
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	M1825	Printer, Computer	VV - GOVT FURNISHED & INSTALLED	0	809	0	This Typical may include:
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	M4040	Scale, Weighing, 300 Pound Capacity	VV - GOVT FURNISHED & INSTALLED	0	492	0	1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	189	189	1 Flip-Up Shelf
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	M4116	Monitor, Vital Signs	VV - GOVT FURNISHED & INSTALLED	1	2425	2425	1 Sharps Container Holder

2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1543	1543	1 Wastebasket
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	VV - GOVT FURNISHED & INSTALLED	1	1125	1125	1 Chart Holder
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	55		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	M8320	Table, Treatment, Hi/Lo	VV - GOVT FURNISHED & INSTALLED	1	1859	1859	Hi/lo metal treatment table. Unit consists of a hydraulic electromechanical power system operated with a hand or foot control. Includes a foam pad, upholstered top with back section adjustable to a full chair position. Adjustable height from 24" to 39". Provides easy access for patients in wheelchair or stretcher. Designed for general examinations as well as orthopedic and Ob-Gyn.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line, with speaker.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120	A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	383	383	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120	A1132	Rail, Accessory Mounting, Length As Required	VC - GOVT FURNISHED/CONTR INST	1	99	99	Horizontal equipment mounting rail with lock mounting devices capable of supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120	A5077	Dispenser, Hand Sanitizer, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	45	45	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120	A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	71	71	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120	A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - CONTRACTOR FURNISHED/INSTALLED	10	7	70	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	517	517	This JSN is to be used for determining and defining location of decorative artwork.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120	E0945	Cart, Computer, Mobile	VV - GOVT FURNISHED & INSTALLED	1	1923	1923	A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder 1 Wastebasket 1 Chart Holder 2 Drawers, 3"H 2 Drawers, 6"H 3 Accessory Rail, Side Drawer Organizer Bins
2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	1836	1836	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	552	552	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.

2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120	F2245	Camera, Video Surveillance, HD, IP Powered	VV - GOVT FURNISHED & INSTALLED	1	1759	1759	A high definition, full functional video surveillance camera. The camera is capable of full 1080p resolution at 30 frames per second while optimizing network usage with H.264, MPEG-4 and JPEG compression formats. Camera will have an open, standards-based design providing a platform for integration and operation as an independent device or as part of a surveillance network.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated. (batteries not included).
				125	M0506	Television, Flat Screen	VV - GOVT FURNISHED & INSTALLED	1	537	537	Flat screen television with approximately 32" to 40" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
2 - PRIMARY CARE	1 - PATIENT AREA	EXPA1	22 - Exam Room, Patient Aligned Care Team (PACT)	125	E0945	Cart, Computer, Mobile	VV - GOVT FURNISHED & INSTALLED	1	1861	1861	A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120	M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	189	189	Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120	M4116	Monitor, Vital Signs	VV - GOVT FURNISHED & INSTALLED	1	2425	2425	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120	M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1543	1543	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120	M9025	Table, Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	1	1859	1859	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTH1	59 - Exam, Telehealth	120	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	120	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line, with speaker.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	120	A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	383	383	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	120	A1132	Rail, Accessory Mounting, Length As Required	VC - GOVT FURNISHED/CONTR INST	1	99	99	Horizontal equipment mounting rail with lock mounting devices capable of supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	120	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	120	A5077	Dispenser, Hand Sanitizer, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	45	45	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	120	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	120	A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	71	71	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	120	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	120	A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - CONTRACTOR FURNISHED/INSTALLED	10	7	70	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	120	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	517	517	This JSN is to be used for determining and defining location of decorative artwork.

2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	120	E0945	Cart, Computer, Mobile	VV - GOVT FURNISHED & INSTALLED	1	1923	1923	A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder 1 Wastebasket 1 Chart Holder 2 Drawers, 3"H 2 Drawers, 6"H 3 Accessory Rail, Side Drawer Organizer Bins THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	120	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	1836	1836	1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	120	F2025	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	552	1104	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	120	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	125	E0945	Cart, Computer, Mobile	VV - GOVT FURNISHED & INSTALLED	1	1861	1861	A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	120	M4040	Scale, Weighing, 300 Pound Capacity	VV - GOVT FURNISHED & INSTALLED	0	492	0	Person weighing scale with 300 pound capacity. Unit consists of a rugged base frame of 3/32" thick steel with a non-slip surface and a speedometer dial with ultra sensitive registering mechanisms. Scale is designed for medical use.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	120	M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	189	189	Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	120	M4116	Monitor, Vital Signs	VV - GOVT FURNISHED & INSTALLED	1	2425	2425	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	120	M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1543	1543	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	120	M9025	Table, Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	0	1859	0	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	125	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	55		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	63 - Patient Room, Triage	120	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line, with speaker.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	383	383	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	A1132	Rail, Accessory Mounting, Length As Required	VC - GOVT FURNISHED/CONTR INST	1	99	99	Horizontal equipment mounting rail with lock mounting devices capable of supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	A5077	Dispenser, Hand Sanitizer, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	45	45	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.

2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	71	71	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - CONTRACTOR FURNISHED/INSTALLED	10	7	70	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	517	517	This ISN is to be used for determining and defining location of decorative artwork.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	E0945	Cart, Computer, Mobile	VV - GOVT FURNISHED & INSTALLED	1	1923	1923	A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder 1 Wastebasket 1 Chart Holder 2 Drawers, 3"H 2 Drawers, 6"H 3 Accessory Rail, Side Drawer Organizer Bins
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	1836	1836	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	552	552	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	E0945	Cart, Computer, Mobile	VV - GOVT FURNISHED & INSTALLED	1	1861	1861	A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	M4040	Scale, Weighing, 300 Pound Capacity	VV - GOVT FURNISHED & INSTALLED	1	492	492	Person weighing scale with 300 pound capacity. Unit consists of a rugged base frame of 3/32" thick steel with a non-slip surface and a speedometer dial with ultra sensitive registering mechanisms. Scale is designed for medical use.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	189	189	Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	M4116	Monitor, Vital Signs	VV - GOVT FURNISHED & INSTALLED	1	2425	2425	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1543	1543	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	M9025	Table, Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	0	1859	0	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	M4655	Stretcher, Mobile, CRS, 9 Position	VV - GOVT FURNISHED & INSTALLED	1	5634	5634	Mobile stretcher. All corrosion resistant stainless steel construction. It consists of a tubular frame with side rails, a 9-position hydraulic base with pneumatic fowler adjustment, and a 2" pad. Unit is mounted on 8" conductive casters. Designed for patient transport as well as for minor surgical procedures.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	55		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
2 - PRIMARY CARE	1 - PATIENT AREA	EXTR1	Large Triage	150	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line.
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	28	28	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	211	211	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	31	62	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - CONTRACTOR FURNISHED/INSTALLED	12	7	84	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	1024	1024	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	986	986	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	CT030	Countertop, High Pressure Laminate	CC - CONTRACTOR FURNISHED/INSTALLED	3	65	195	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth. THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	1836	1836	
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	552	552	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	F2010	Basket, Wastepaper, Step-on	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	F2310	Rack, Pamphlet, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	174	174	Wall mounted pamphlet rack up to 12 (twelve) pamphlet holding pockets. Unit is used to store and display educational pamphlets.
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	F3025	Board, Bulletin, Wood Framed	VV - GOVT FURNISHED & INSTALLED	1	59	59	Bulletin board approximately 36"W x 24"H. Wood framed 1/2" cork posting panel with moisture proof backing. Units are factory assembled and have keyhole hangers for easy installation.
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	E0945	Cart, Computer, Mobile	VV - GOVT FURNISHED & INSTALLED	1	1861	1861	A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase.
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1050	1050	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	M3072	Frame, Infectious Waste Bag w/Lid	VV - GOVT FURNISHED & INSTALLED	1	436	436	Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation.

2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	189	189	Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction.
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	M4116	Monitor, Vital Signs	VV - GOVT FURNISHED & INSTALLED	1	2425	2425	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1543	1543	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	VV - GOVT FURNISHED & INSTALLED	1	1125	1125	The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement.
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	55		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
2 - PRIMARY CARE	1 - PATIENT AREA	EXW01	15 - Exam Room, Women's Health	125	M9025	Table, Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	1	1859	1859	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	1 - PATIENT AREA	OFDC2	23 - Consultation Room	125	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, multiple line.
2 - PRIMARY CARE	1 - PATIENT AREA	OFDC2	23 - Consultation Room	125	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
2 - PRIMARY CARE	1 - PATIENT AREA	OFDC2	23 - Consultation Room	125	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
2 - PRIMARY CARE	1 - PATIENT AREA	OFDC2	23 - Consultation Room	125	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	1 - PATIENT AREA	OFDC2	23 - Consultation Room	125	CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	1024	1024	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
2 - PRIMARY CARE	1 - PATIENT AREA	OFDC2	23 - Consultation Room	125	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	986	986	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
2 - PRIMARY CARE	1 - PATIENT AREA	OFDC2	23 - Consultation Room	125	CT030	Countertop, High Pressure Laminate	CC - CONTRACTOR FURNISHED/INSTALLED	3	65	195	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.
2 - PRIMARY CARE	1 - PATIENT AREA	OFDC2	23 - Consultation Room	125	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	3	552	1656	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
2 - PRIMARY CARE	1 - PATIENT AREA	OFDC2	23 - Consultation Room	125	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
2 - PRIMARY CARE	1 - PATIENT AREA	OFDC2	23 - Consultation Room	125	F0740	Table, Occasional, Lamp	VV - GOVT FURNISHED & INSTALLED	1	343	343	Occasional lamp table (end table) approximately 20" high X 27" wide X 27" deep with choice of finishes (wood, oak veneer, or high pressure laminate).
2 - PRIMARY CARE	1 - PATIENT AREA	OFDC2	23 - Consultation Room	125	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
2 - PRIMARY CARE	1 - PATIENT AREA	OFDC2	23 - Consultation Room	125	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
2 - PRIMARY CARE	1 - PATIENT AREA	OFDC2	23 - Consultation Room	125	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
2 - PRIMARY CARE	1 - PATIENT AREA	OFDC2	23 - Consultation Room	125		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
2 - PRIMARY CARE	1 - PATIENT AREA	OFDC2	23 - Consultation Room	125	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	28	28	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.

2 - PRIMARY CARE	1 - PATIENT AREA	OFDC2	23 - Consultation Room	125	A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	211	211	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
2 - PRIMARY CARE	1 - PATIENT AREA	OFDC2	23 - Consultation Room	125	F2310	Rack, Pamphlet, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	174	174	Wall mounted pamphlet rack up to 12 (twelve) pamphlet holding pockets. Unit is used to store and display educational pamphlets.
2 - PRIMARY CARE	1 - PATIENT AREA	OFDC2	23 - Consultation Room	125	M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	189	189	Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction.
2 - PRIMARY CARE	1 - PATIENT AREA	OFDC2	23 - Consultation Room	125	M4116	Monitor, Vital Signs	VV - GOVT FURNISHED & INSTALLED	1	2425	2425	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.
2 - PRIMARY CARE	1 - PATIENT AREA	OFDC2	23 - Consultation Room	125	M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1543	1543	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
2 - PRIMARY CARE	1 - PATIENT AREA	OFDC2	23 - Consultation Room	125	M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1050	1050	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	1 - PATIENT AREA	PEHW1	1 - Height / Weight Station	40	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, 1 line. THIS TYPICAL INCLUDES:
2 - PRIMARY CARE	1 - PATIENT AREA	PEHW1	1 - Height / Weight Station	40	E0222	Worksurface, Computer, O/H Cab, Wall Mtd, 48" W	VV - GOVT FURNISHED & INSTALLED	0	2346	0	2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light 1 Tack board 1 Cantilevered Work Surface 1 Adjustable Keyboard Tray 1 CPU Holder
2 - PRIMARY CARE	1 - PATIENT AREA	PEHW1	1 - Height / Weight Station	40	F0210	Chair, Side, Without Arms	VV - GOVT FURNISHED & INSTALLED	0	364	0	Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms.
2 - PRIMARY CARE	1 - PATIENT AREA	PEHW1	1 - Height / Weight Station	40	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	0	636	0	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
2 - PRIMARY CARE	1 - PATIENT AREA	PEHW1	1 - Height / Weight Station	40	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	0	51	0	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
2 - PRIMARY CARE	1 - PATIENT AREA	PEHW1	1 - Height / Weight Station	40	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	0	50	0	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated. (batteries not included).
2 - PRIMARY CARE	1 - PATIENT AREA	PEHW1	1 - Height / Weight Station	40	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	0	1512	0	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
2 - PRIMARY CARE	1 - PATIENT AREA	PEHW1	1 - Height / Weight Station	40	M4040	Scale, Weighing, 300 Pound Capacity	VV - GOVT FURNISHED & INSTALLED	0	492	0	Person weighing scale with 300 pound capacity. Unit consists of a rugged base frame of 3/32" thick steel with a non-slip surface and a speedometer dial with ultra sensitive registering mechanisms. Scale is designed for medical use.
2 - PRIMARY CARE	1 - PATIENT AREA	PEHW1	1 - Height / Weight Station	40	M4045	Scale, Wheelchair, Portable, 1000 lb Capacity	VV - GOVT FURNISHED & INSTALLED	1	3082	3082	A battery operated, portable, digital wheelchair scale. This item is designed to accommodate extra-wide wheelchairs for weighing bariatric patients and also can be used for walk-ons. The scale can store the weight of the chair. The digital display unit can be scale mounted or mounted on a wall. An optional AC adapter is available. Designed for a gross 1000 lbs. capacity.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	1 - PATIENT AREA	TLTB1	57 - Toilet, General Procedure room	75	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	294	294	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
2 - PRIMARY CARE	1 - PATIENT AREA	TLTB1	57 - Toilet, General Procedure room	75	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
2 - PRIMARY CARE	1 - PATIENT AREA	TLTB1	57 - Toilet, General Procedure room	75	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	207	207	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
2 - PRIMARY CARE	1 - PATIENT AREA	TLTB1	57 - Toilet, General Procedure room	75	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	51	51	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.

2 - PRIMARY CARE	1 - PATIENT AREA	TLTB1	57 - Toilet, General Procedure room	75	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	156	156	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
2 - PRIMARY CARE	1 - PATIENT AREA	TLTB1	57 - Toilet, General Procedure room	75	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	1 - PATIENT AREA	TLTB1	57 - Toilet, General Procedure room	75	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	87	87	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
2 - PRIMARY CARE	1 - PATIENT AREA	TLTB1	57 - Toilet, General Procedure room	75	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
2 - PRIMARY CARE	1 - PATIENT AREA	TLTB1	57 - Toilet, General Procedure room	75	P3005	Lavatory, Vitreous China, Bariatric	CC - CONTRACTOR FURNISHED/INSTALLED	1	5018	5018	A floor mounted bariatric lavatory with a capability to withstand a static downward pressure of 1,000 lbs. at the front of the sink. Lavatory will have a gooseneck faucet with wrist blade handles. Lavatory will be ADA compliant.
2 - PRIMARY CARE	1 - PATIENT AREA	TLTB1	57 - Toilet, General Procedure room	75	P9056	Toilet, Floor Mounted, Bariatric	CC - CONTRACTOR FURNISHED/INSTALLED	1	457	457	A floor mounted, flush valve toilet with an elongated front and a load capacity of 1,000 pounds. The toilet with vitreous china with a 1.28 or 1.6 Gpf low water consumption rate with a rear outlet. See manufacturer's literature for recommended flush valves and toilet seats.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	1 - PATIENT AREA	TLTU1	14 - Toilet, Womens Health Exam Room	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	294	294	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
2 - PRIMARY CARE	1 - PATIENT AREA	TLTU1	14 - Toilet, Womens Health Exam Room	60	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
2 - PRIMARY CARE	1 - PATIENT AREA	TLTU1	14 - Toilet, Womens Health Exam Room	60	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
2 - PRIMARY CARE	1 - PATIENT AREA	TLTU1	14 - Toilet, Womens Health Exam Room	60	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	51	51	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
2 - PRIMARY CARE	1 - PATIENT AREA	TLTU1	14 - Toilet, Womens Health Exam Room	60	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	156	156	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
2 - PRIMARY CARE	1 - PATIENT AREA	TLTU1	14 - Toilet, Womens Health Exam Room	60	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	1 - PATIENT AREA	TLTU1	14 - Toilet, Womens Health Exam Room	60	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	87	87	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
2 - PRIMARY CARE	1 - PATIENT AREA	TLTU1	14 - Toilet, Womens Health Exam Room	60	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
2 - PRIMARY CARE	1 - PATIENT AREA	TLTU1	14 - Toilet, Womens Health Exam Room	60	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
2 - PRIMARY CARE	1 - PATIENT AREA	TLTU1	14 - Toilet, Womens Health Exam Room	60	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	824	824	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, 1 line.

2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	A1132	Rail, Accessory Mounting, Length As Required	VC - GOVT FURNISHED/CONTR INST	1	99	99	Horizontal equipment mounting rail with lock mounting devices capable of; supporting up to 75 pounds each, being repositioned, and mounting and dismantling of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismantling equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	A1203	Lift System, Overhead, Bariatric	CC - CONTRACTOR FURNISHED/INSTALLED	1	14499	14499	An overhead ceiling mounted rail system specifically designed for bariatric patient lifting and movement within a patient room. The system will consist of recessed or ceiling mounted primary and secondary rails, lift motor with carriage, patient harness or seat, and a hand controller or control box with charger (other charging options may be available). System will facilitate lifting and movement of patient to and from bed, to stretcher, chair, bathroom or other requirements. Lifting capacity is 1000 pounds. Custom design of track layout by manufacturer is essential to meet individual facility requirements.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	28	28	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	211	211	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - CONTRACTOR FURNISHED/INSTALLED	14	7	98	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	C0200	Cabinet, Sink, U/C/B, 1 Door, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	704	704	Standing height under counter base sink cabinet with a single right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	1024	1024	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	986	986	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	179	179	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	E0915	Locker, Supply, Medication, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	1	3840	3840	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Locked Drawer w/Locked Lid, 6"H 5 Drawers, 3"H 3 Drawers, 6"H 2 Tray/Shelves Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	1836	1836	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	552	552	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	F3010	Board, Bulletin, 48 x 48	VV - GOVT FURNISHED & INSTALLED	1	143	143	Open face bulletin board. Cork posting panel with moisture proof backing. Variety of frames to choose from. Used for posting notes and messages.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	M0750	Flowmeter, Air, Connect w/50 PSI Supply	VV - GOVT FURNISHED & INSTALLED	1	94	94	Air flowmeter. Unit has a stainless steel needle valve with clear flowtube for connection to 50 PSI air outlet from central pipeline system. Requires the appropriate adapter for connection to the wall outlet and fitting to connect to tubing. Database prices reflect fittings with an attached DISS power outlet. Other outlet and adapter configurations are available.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	M0755	Flowmeter, Oxygen, Low Flow	VV - GOVT FURNISHED & INSTALLED	1	79	79	Oxygen flowmeter. Consists of a clear crystal flowtube calibrated to 3.5 or 8 LPM depending on manufacturer. For oxygen regulation in hospital settings. Database pricing includes DISS fitting and DISS power outlet and wall adapter. Other fitting and adapter configurations are available.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	M0765	Regulator, Vacuum	VV - GOVT FURNISHED & INSTALLED	2	307	614	Vacuum pressure regulator for connection to central piped vacuum system. Standard display scale is graduated at least from 0 to 200 mm Hg of vacuum. Displays on specialized regulators may cover other vacuum ranges. Regulator type (continuous, intermittent, continuous/intermittent, surgical, pediatric, thoracic, etc.) as required. To be used in delivery, neonatal, pediatric or any area where suction is required. Database pricing reflects continuous regulators graduated to 200 mm Hg with a full line vacuum selection switch and DISS configured inlets and outlets.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1050	1050	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	M3070	Hamper, Linen, Mobile, w/Lid	VV - GOVT FURNISHED & INSTALLED	1	535	535	Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	M3072	Frame, Infectious Waste Bag w/Lid	VV - GOVT FURNISHED & INSTALLED	1	436	436	Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	189	189	Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	M4116	Monitor, Vital Signs	VV - GOVT FURNISHED & INSTALLED	1	2425	2425	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1543	1543	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	M4255	Stand, IV, Adjustable	VV - GOVT FURNISHED & INSTALLED	1	425	425	Adjustable IV stand with 4-hook arrangement. Stand has stainless steel construction with heavy weight base. It adjusts from 66 inches to 100 inches and is mounted on conductive rubber, ball bearing, swivel casters. Stand is used for administering intravenous solutions.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	M4655	Stretcher, Mobile, CRS, 9 Position	VV - GOVT FURNISHED & INSTALLED	1	5634	5634	Mobile stretcher. All corrosion resistant stainless steel construction. It consists of a tubular frame with side rails, a 9-position hydraulic base with pneumatic fowler adjustment, and a 2" pad. Unit is mounted on 8" conductive casters. Designed for patient transport as well as for minor surgical procedures.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	VV - GOVT FURNISHED & INSTALLED	1	1125	1125	The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	M7405	Light, Exam, Ceiling Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	2989	2989	Ceiling exam light. Consists of a lighthouse reflector supported by a ceiling mounted radial arm assembly that provides a wide range of positioning capabilities. Halogen bulbs and an intensity control provide cool, color corrected light. The minimum ceiling height in most cases is 8' 0"; refer to each manufacturer's specific installation requirements. Physical dimensions refer to the retracted light; one length of the dual swing arm around the center mount in width and depth and the combined height of the lamp head and folded arms. Unit may also have a center mount detachable and sterilizable control handle. For use in minor procedure or examination room applications.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	M7710	Electrocardiograph 12 Lead, Portable	VV - GOVT FURNISHED & INSTALLED	1	13903	13903	Used to detect the electrical signals associated with cardiac activity, diagnose cardiac abnormalities, determine a patient's response to drug therapy and reveal trends or changes in heart function. Capable of recording two or more leads simultaneously, recording an entire 12 lead ECG in about 10 seconds. Includes of a 3.5 inch, high density, floppy disk drive for test storage. Portable.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	M8810	Stand, Mayo	VV - GOVT FURNISHED & INSTALLED	1	739	739	Adjustable instrument table. Table is corrosion resistant stainless steel construction and is mounted on two casters with two skid rails. It has telescopic upright adjusts from 39 inches to 60 inches with automatic locking device, and removable 13"x19" instrument tray. Designed for use in operating and procedure rooms.

2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	55		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	M9025	Table, Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	0	1859	0	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms.
2 - PRIMARY CARE	1 - PATIENT AREA	TRPR1	17 - Procedure Room, General	180	M8321	Table, Treatment HI/Low, Bariatric	VV - GOVT FURNISHED & INSTALLED	1	7375	7375	A HI/Low, powered treatment table for Bariatric patients with a weight bearing capacity of approximately 800 pounds. The table will have an electro-mechanical power system for multiple position movement including full height adjustment and powered back. The table will provide easy access for patients in wheelchair or stretcher and be adjustable from a low of approximately 18" to a high of approximately 30". It will operate with hand or foot controls. It will include an upholstered contoured padded top for patient comfort.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line.
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	28	28	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	211	211	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	31	62	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - CONTRACTOR FURNISHED/INSTALLED	12	7	84	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	1024	1024	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	986	986	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	CT030	Countertop, High Pressure Laminate	CC - CONTRACTOR FURNISHED/INSTALLED	3	65	195	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth. THIS TYPICAL INCLUDES:
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	1836	1836	1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	552	552	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	F2010	Basket, Wastepaper, Step-on	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	F2310	Rack, Pamphlet, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	174	174	Wall mounted pamphlet rack up to 12 (twelve) pamphlet holding pockets. Unit is used to store and display educational pamphlets.
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	F3025	Board, Bulletin, Wood Framed	VV - GOVT FURNISHED & INSTALLED	1	59	59	Bulletin board approximately 36"W x 24"H. Wood framed 1/2" cork posting panel with moisture proof backing. Units are factory assembled and have keyhole hangers for easy installation.
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).

2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1050	1050	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	M3072	Frame, Infectious Waste Bag w/Lid	VV - GOVT FURNISHED & INSTALLED	1	436	436	Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation.
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	189	189	Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction.
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1543	1543	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	M6050	Retinal Imaging System, Fluorescein/Indocyanine	VV - GOVT FURNISHED & INSTALLED	1	41326	41326	Digital camera system for conducting fluorescing and indocyanine green studies of the choroid of the retina. The infrared sensitive camera has interchangeable barrier and exciter filters for the different dyes. The camera transmits images to a high resolution computer system and monitors for viewing, analysis, enhancement, manipulation, recording and color printing. Database reflects pricing and physical characteristics for the entire system with its required computer.
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	VV - GOVT FURNISHED & INSTALLED	1	1125	1125	The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement.
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	55		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
2 - PRIMARY CARE	1 - PATIENT AREA	WRTM3	62 - Tele-Retinal Room	135	M9025	Table, Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	1	1859	1859	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line, with speaker.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120	A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	383	383	Wall mounted posture mirror. Consists of a 3/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120	A1132	Rail, Accessory Mounting, Length As Required	VC - GOVT FURNISHED/CONTRACTOR INST	2	99	198	Horizontal equipment mounting rail with lock mounting devices capable of supporting up to 75 pounds each, being repositioned, and mounting and dismantling of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismantling equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120	A5077	Dispenser, Hand Sanitizer, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	45	45	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120	A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	71	71	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	31	62	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120	A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - CONTRACTOR FURNISHED/INSTALLED	10	7	70	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.

2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120	C0200	Cabinet, Sink, U/C/B, 1 Door, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	704	704	Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	986	986	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	179	179	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	1836	1836	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	552	552	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	2	51	102	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120	M1803	Workstation, Computer, Wall Mounted, Adjustable	VV - GOVT FURNISHED & INSTALLED	1	1906	1906	A wall mounted computer workstation with height adjustable monitor and keyboard arms. Keyboard and monitor can be stored within 8" to 10" of wall. Fingertip adjustability for keyboard and monitor enable frequent position changes. Unit contains an integrated cable management system to hide wires. A separate wall-mounted CPU holder is included.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120	M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	189	189	Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120	M4920	Chair, Exam/Treatment, Podiatry, w/Motor	VV - GOVT FURNISHED & INSTALLED	1	7481	7481	Podiatry exam/treatment chair. Unit is motor driven and has a foot control with gliding foot rest and debris tray. It may include a shoe tray. Unit is fully adjustable to the desired position. It is designed for podiatric examinations and procedures.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120		Podiatric Grinder	VV - GOVT FURNISHED & INSTALLED	1		0	
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120		Grinder Cart	VV - GOVT FURNISHED & INSTALLED	1		0	
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120	M7405	Exam/Procedure Light	VV - GOVT FURNISHED & INSTALLED	1	2893	2893	Ceiling exam light. Consists of a lighththeaded reflector supported by a ceiling mounted radial arm assembly that provides a wide range of positioning capabilities. Halogen bulbs and an intensity control provide cool, color corrected light. The minimum ceiling height in most cases is 8' 0"; refer to each manufacturer's specific installation requirements. Physical dimensions refer to the retracted light; one length of the dual swing arm around the center mount in width and depth and the combined height of the lamp head and folded arms. Unit may also have a center mount detachable and sterilizable control handle. For use in minor procedure or examination room applications.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	EXPO1	13 - Exam, Podiatry	120	M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1493	1493	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFA09	22 - Spec. Office, Flexible	100	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, multiple line.

2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFA09	22 - Spec. Office, Flexible	100	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFA09	22 - Spec. Office, Flexible	100	E0090	Workstation, L-Shaped, Free Standing, 72x72	VV - GOVT FURNISHED & INSTALLED	1	7928	7928	THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel-to-Panel Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 2 Lockable Flipper Units 2 Shelves, Storage/Display 3 Lights 3 Trackboards 2 Cantilevered Work Surfaces 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File 1 Pencil Drawer 2 Support Panels
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFA09	22 - Spec. Office, Flexible	100	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	552	552	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFA09	22 - Spec. Office, Flexible	100	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	636	636	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFA09	22 - Spec. Office, Flexible	100	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	620	620	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFA09	22 - Spec. Office, Flexible	100	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFA09	22 - Spec. Office, Flexible	100	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated. (batteries not included).
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFA09	22 - Spec. Office, Flexible	100	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFD04	4 - Medical Student Work Room	240	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	12	0	0	Telephone, desk, multiple line.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFD04	4 - Medical Student Work Room	240	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	12	31	372	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFD04	4 - Medical Student Work Room	240	E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72	VV - GOVT FURNISHED & INSTALLED	0	7504	0	This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFD04	4 - Medical Student Work Room	240	F0715	Carrel, Study Table	VV - GOVT FURNISHED & INSTALLED	12	762	9144	Study carrel with table. Equipped with shelf for one (1) 12" monitor and book shelf, wire access grommets, built-in cable chase for wire management and adjustable floor glides. A convenience outlet is required at point of use to service computer equipment if used. Work surface is 29" high.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFD04	4 - Medical Student Work Room	240	E0206	Worksurface, w/Overhead Cab, Wall Mtd, 30" W	VV - GOVT FURNISHED & INSTALLED	12	1218	14616	THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFD04	4 - Medical Student Work Room	240	F0115	Bookcase, Open, 5 Shelf	VV - GOVT FURNISHED & INSTALLED	2	985	1970	Freestanding open shelf bookcase, approximately 82" high X 37" wide X 18" deep with 5 (five) adjustable shelves. Unit can be separate or part of a system with available add-on shelving.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFD04	4 - Medical Student Work Room	240	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	0	552	0	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFD04	4 - Medical Student Work Room	240	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	12	636	7632	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFD04	4 - Medical Student Work Room	240	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	6	620	3720	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFD04	4 - Medical Student Work Room	240	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	4	51	204	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFD04	4 - Medical Student Work Room	240	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFD04	4 - Medical Student Work Room	240		Shredder Box	VV - GOVT FURNISHED & INSTALLED	4		0	PHI 13 gallon lockable shredding container.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFD04	4 - Medical Student Work Room	240	F3050	Whiteboard, Dry Erase	VV - GOVT FURNISHED & INSTALLED	1	330	330	Whiteboard unit, approximately 36" H x 48" W consisting of a white porcelain enamel writing surface with an attached chalk tray. Magnetic surface available. Image can be easily removed with a standard chalkboard eraser. For use with water color pens. Unit is ready to hang.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFD04	4 - Medical Student Work Room	400	M0506*	Television, Flat Screen	VV - GOVT FURNISHED & INSTALLED	1	537	537	Flat screen television with approximately 60" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFD04	4 - Medical Student Work Room	180	A5212	Bracket, Television, Wall-Mounted, Tilt/Angle	VV - GOVT FURNISHED & INSTALLED	1	113	113	A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFD04	4 - Medical Student Work Room	180	A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	1	93	93	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFD04	4 - Medical Student Work Room	180	F0755	Table, Conference, Wood	VV - GOVT FURNISHED & INSTALLED	1	2400	2400	Executive conference table. Dimensions are approximately 30" high, 48" wide with lengths varying from 74" to 96". These tables add traditional elegance to any conference room.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFD04	4 - Medical Student Work Room	180	F0220	Chair, Conference	VV - GOVT FURNISHED & INSTALLED	10	546	5460	Conference chair designed to complement the executive furniture package selected. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OFD04	4 - Medical Student Work Room	240	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	12	1512	18144	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line, with speaker.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	A1066	Mirror, Float Glass, With SS Frame	CC - CONTRACTOR FURNISHED/INSTALLED	1	85	85	A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	A1132	Rail, Accessory Mounting, Length As Required	VC - GOVT FURNISHED/CONTR INST	1	99	99	Horizontal equipment mounting rail with lock mounting devices capable of supporting up to 75 pounds each, being repositioned, and mounting and dismantling of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismantling equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	71	71	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - CONTRACTOR FURNISHED/INSTALLED	10	7	70	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	E0210	Worksurface, w/Overhead Cab, Wall Mtd, 48" W	VV - GOVT FURNISHED & INSTALLED	1	1538	1538	THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	E0930	Locker, Supply, 6 Drawers, Mobile, 29"W x 20"D	VV - GOVT FURNISHED & INSTALLED	1	2721	2721	THIS TYPICAL INCLUDES: 1 Mobile Supply Locker 2 Tray/Shell 4 Drawers, 3"H 2 Drawers, 6"H Drawer Organizer Bins

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	1836	1836	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	F0210	Chair, Side, Without Arms	VV - GOVT FURNISHED & INSTALLED	1	364	364	Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	490	490	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	F2017	Waste Receptacle, 24 GAL	VV - GOVT FURNISHED & INSTALLED	1	258	258	Rectangular steel waste receptacle with step-on lid and 24 gallon capacity. The receptacle is used to collect and temporarily store small quantities of paper refuse. Can be used in restrooms, patient areas, laboratories, pharmacies, etc.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	M0750	Flowmeter, Air, Connect w/50 PSI Supply	VV - GOVT FURNISHED & INSTALLED	1	94	94	Air flowmeter. Unit has a stainless steel needle valve with clear flowtube for connection to 50 PSI air outlet from central pipeline system. Requires the appropriate adapter for connection to the wall outlet and fitting to connect to tubing. Database prices reflect fittings with an attached DISS power outlet. Other outlet and adapter configurations are available.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	M0755	Flowmeter, Oxygen, Low Flow	VV - GOVT FURNISHED & INSTALLED	1	79	79	Oxygen flowmeter. Consists of a clear crystal flowtube calibrated to 3.5 or 8 LPM depending on manufacturer. For oxygen regulation in hospital settings. Database pricing includes DISS fitting and DISS power outlet and wall adapter. Other fitting and adapter configurations are available.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	*M0765	Regulator, Vacuum	VV - GOVT FURNISHED & INSTALLED	1	307	307	PORTABLE Vacuum pressure regulator for connection to central piped vacuum system. Standard display scale is graduated at least from 0 to 200 mm Hg of vacuum. Displays on specialized regulators may cover other vacuum ranges. Regulator type (continuous, intermittent, continuous/intermittent, surgical, pediatric, thoracic, etc.) as required. To be used in delivery, neonatal, pediatrics or any area where suction is required. Database pricing reflects continuous regulators graduated to 200 mm Hg with a full line vacuum selection switch and DISS configured inlets and outlets.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	M1825	Printer, Computer	VV - GOVT FURNISHED & INSTALLED	1	809	809	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	M3070	Hamper, Linen, Mobile, w/Lid	VV - GOVT FURNISHED & INSTALLED	1	535	535	Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	189	189	Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	M4116	Monitor, Vital Signs	VV - GOVT FURNISHED & INSTALLED	1	2425	2425	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	M7710	Electrocardiograph, 12 Lead, Portable	VV - GOVT FURNISHED & INSTALLED	1	13903	13903	Used to detect the electrical signals associated with cardiac activity, diagnose cardiac abnormalities, determine a patients response to drug therapy and reveal trends or changes in heart function. Capable of recording two or more leads simultaneously, recording an entire 12 lead ECG in about 10 seconds. Includes of a 3.5 inch, high density, floppy disk drive for test storage. Portable.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	M9025	Table, Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	0	1859	0	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	M9006	Table, Ultrasound, Mobile, Echocardiology	VV - GOVT FURNISHED & INSTALLED	1	8880	8880	Mobile exam table designed for ultrasound and echocardiology examinations. Table has an extra wide top with a 500 lb patient capacity, suitable for bariatric patients. Height range from 23" low to accommodate wheelchair transfers and those with ambulatory difficulties to a high of 39". Table includes motorized height adjustment, Fowler position, Trendelenburg and auto level adjustment.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, 1 line.

2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	A1066	Mirror, Float Glass, With SS Frame	CC - CONTRACTOR FURNISHED/INSTALLED	1	85	85	A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	A1132	Rail, Accessory Mounting, Length As Required	VC - GOVT FURNISHED/CONTRACTOR INST	1	99	99	Horizontal equipment mounting rail with lock mounting devices capable of supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	71	71	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - CONTRACTOR FURNISHED/INSTALLED	10	7	70	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	E0210	Worksurface, w/Overhead Cab, Wall Mtd, 48" W	VV - GOVT FURNISHED & INSTALLED	1	1538	1538	THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	E0912	Locker, Supply, Med Surg, Wall Mtd	VV - GOVT FURNISHED & INSTALLED	1	3389	3389	Medical/Surgical supply locker, Wall Mounted, approximately 23" W x 20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H 2 Drawers, 6"H 2 Tray/Shelf Dividers Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	E1500	Rail, MOD, W/MNTD, HX144XD	VV - GOVT FURNISHED & INSTALLED	1	726	726	Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	F0210	Chair, Side, Without Arms	VV - GOVT FURNISHED & INSTALLED	1	364	364	Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	490	490	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	2	51	102	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	*M0750	Flowmeter, Air, Connect w/50 PSI Supply	VV - GOVT FURNISHED & INSTALLED	1	94	94	Portable Air flowmeter. Unit has a stainless steel needle valve with clear flowtube for connection to portable tanks. Requires the appropriate adapter for connection to the tank outlet and fitting to connect to tubing. Database prices reflect fittings with an attached DISS power outlet. Other outlet and adapter configurations are available.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	*M0755	Flowmeter, Oxygen, Low Flow	VV - GOVT FURNISHED & INSTALLED	1	79	79	PORTABLE Oxygen flowmeter. Consists of a clear crystal flowtube calibrated to 3.5 or 8 LPM depending on manufacturer. For oxygen regulation in hospital settings. Database pricing includes DISS fitting and DISS power outlet and wall adapter. Other fitting and adapter configurations are available.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	*M0765	Regulator, Vacuum	VV - GOVT FURNISHED & INSTALLED	1	307	307	PORTABLE Vacuum pressure regulator. Standard display scale is graduated at least from 0 to 200 mm Hg of vacuum. Displays on specialized regulators may cover other vacuum ranges. Regulator type (continuous, intermittent, continuous/intermittent, surgical, pediatric, thoracic, etc.) as required. To be used in delivery, neonatal, pediatrics or any area where suction is required. Database pricing reflects continuous regulators graduated to 200 mm Hg with a full line vacuum selection switch and DISS configured inlets and outlets.

Project Contents List (04 May 2018 02:21PM ET)

2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	M1620	Holder, Chart, Patient, Wall or Door Mounted	VV - GOVT FURNISHED & INSTALLED	1	36	36	Wall or door mounted patient chart holder. Constructed of durable plastic or metal. Used for holding patient records. Size as required.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	125	M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1050	1050	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	M3070	Hamper, Linen, Mobile, w/Lid	VV - GOVT FURNISHED & INSTALLED	1	535	535	Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	M3072	Frame, Infectious Waste Bag w/Lid	VV - GOVT FURNISHED & INSTALLED	1	436	436	Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	M4655	Stretcher, Mobile, CRS, 9 Position	VV - GOVT FURNISHED & INSTALLED	0	5634	0	Mobile stretcher. All corrosion resistant stainless steel construction. It consists of a tubular frame with side rails, a 9-position hydraulic base with pneumatic fowler adjustment, and a 2" pad. Unit is mounted on 8" conductive casters. Designed for patient transport as well as for minor surgical procedures.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPE1	2 - Reading room, Echo	120	M9006	Table, Ultrasound, Mobile, Echocardiography	VV - GOVT FURNISHED & INSTALLED	1	8880	8880	Mobile exam table designed for ultrasound and echocardiography examinations. Table has an extra wide top with a 500 lb patient capacity, suitable for bariatric patients. Height range from 23" low to accommodate wheelchair transfers and those with ambulatory difficulties to a high of 39". Table includes motorized height adjustment, Fowler position, Trendelenburg and auto level adjustment.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	55		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPE1	3 - Echocardiography Exam Room	150	X2105	Scanner, Ultrasound, Cardiac (Echo)	VV - GOVT FURNISHED & INSTALLED	1	202177	202177	High definition, diagnostic ultrasound system for Radiology, Cardiology, Vascular, ob-gyn, Perinatology, and Surgical imaging applications. The unit employs curved, phased and linear array imaging technology. The system supports colorflow, pulse, continuous wave imaging modalities. On board software measurement packages available for all imaging applications. The system is DICOM 3.0 compatible, for easy linkage to filmless image management systems and review stations. In addition, a full line of probes and conventional recording devices are available.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPF1	1 - Ventilatory Test Room, Spirometry	120	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPF1	1 - Ventilatory Test Room, Spirometry	120	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPF1	1 - Ventilatory Test Room, Spirometry	120	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPF1	1 - Ventilatory Test Room, Spirometry	120	E0222	Worksurface, Computer, O/H Cab, Wall Mtd, 48" W	VV - GOVT FURNISHED & INSTALLED	1	2346	2346	THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light 1 Tack board 1 Cantilevered Work Surface 1 Adjustable Keyboard Tray 1 CPU Holder
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPF1	1 - Ventilatory Test Room, Spirometry	120	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	552	552	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPF1	1 - Ventilatory Test Room, Spirometry	120	F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	490	490	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPF1	1 - Ventilatory Test Room, Spirometry	120	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPF1	1 - Ventilatory Test Room, Spirometry	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).

2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPF1	1 - Ventilatory Test Room, Spirometry	120	M0720	Analyzer, Pulmonary Function, w/Computer	VV - GOVT FURNISHED & INSTALLED	1	63874	63874	Pulmonary function analyzer system. Unit includes whole body plethysmography, spirometer, computer, and gas analyzers. Computer based system for use in cardio-pulmonary areas. The system measures the ventilation, diffusion and distribution of gases in the lungs. It has automatic calibration and valves are pneumatically operated and controlled by the computer. Used to measure the performance of a patient's respiratory system; for out-patient or pre-surgical screening. Systems have specific high pressure air and oxygen and low pressure helium requirements. Refer to manufacturer's literature.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPF1	1 - Ventilatory Test Room, Spirometry	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPF1	1 - Ventilatory Test Room, Spirometry	120	M4040	Scale, Weighing, 300 Pound Capacity	VV - GOVT FURNISHED & INSTALLED	0	492	0	Person weighing scale with 300 pound capacity. Unit consists of a rugged base frame of 3/32" thick steel with a non-slip surface and a speedometer dial with ultra sensitive registering mechanisms. Scale is designed for medical use.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPF1	1 - Ventilatory Test Room, Spirometry	120		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPF1	1 - Ventilatory Test Room, Spirometry	120	C0200	Cabinet, Sink, U/C/B, 1 Door, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	704	704	Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPF1	1 - Ventilatory Test Room, Spirometry	120	C8020	Cabinet, W/H, 2 Shelf, 1 DO, Sloping Top, 38x24x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	723	723	Wall hung cabinet with two adjustable shelves, solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings), and sloping top. Also referred to as a solid hinged single door case. For general purpose use throughout the facility.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPF1	1 - Ventilatory Test Room, Spirometry	120	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	179	179	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPPF1	1 - Ventilatory Test Room, Spirometry	120	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, 1 line.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	A1066	Mirror, Float Glass, With SS Frame	CC - CONTRACTOR FURNISHED/INSTALLED	1	85	85	A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	71	71	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - CONTRACTOR FURNISHED/INSTALLED	8	7	56	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	E0210	Worksurface, w/Overhead Cab, Wall Mtd, 48" W	VV - GOVT FURNISHED & INSTALLED	1	1538	1538	THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	E0912	Locker, Supply, Med Surg, Wall Mtd	VV - GOVT FURNISHED & INSTALLED	2	3389	6778	Medical/surgical supply locker, wall mounted, approximately 23" w x 20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H 2 Drawers, 6"H 2 Tray/Shelf Dividers Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.

										THIS ITEM INCLUDES:	
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	E0954	Cart, Emergency, Mobile, 66"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	2726	2726	1 Cart body, style-A narrow, w/raised edge top 1 Accessory rail, side 1 Accessory rail, back 1 Defibrillator tray 1 IV pole 1 Breakaway bar 1 Flip-up shelf 1 Wastebasket 1 Oxygen tank holder 1 Electrical box-4 outlet 1 Cord wrap 4 Drawer, 3"H 3 Drawer, 6"H Drawer organizer bins.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	E1500	Rail, MOD, W/MNTD, HX144XD	VV - GOVT FURNISHED & INSTALLED	1	726	726	Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	F0210	Chair, Side, Without Arms	VV - GOVT FURNISHED & INSTALLED	1	364	364	Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	490	490	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	M0750	Flowmeter, Air, Connect w/50 PSI Supply	VV - GOVT FURNISHED & INSTALLED	1	94	94	Air flowmeter. Unit has a stainless steel needle valve with clear flowtube for connection to 50 PSI air outlet from central pipeline system. Requires the appropriate adapter for connection to the wall outlet and fitting to connect to tubing. Database prices reflect fittings with an attached DISS power outlet. Other outlet and adapter configurations are available.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	M0755	Flowmeter, Oxygen, Low Flow	VV - GOVT FURNISHED & INSTALLED	1	79	79	Oxygen flowmeter. Consists of a clear crystal flowtube calibrated to 3.5 or 8 LPM depending on manufacturer. For oxygen regulation in hospital settings. Database pricing includes DISS fitting and DISS power outlet and wall adapter. Other fitting and adapter configurations are available.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	M0765	Regulator, Vacuum	VV - GOVT FURNISHED & INSTALLED	2	307	614	PORTABLE Vacuum pressure regulator for connection to portable vacuum system. Standard display scale is graduated at least from 0 to 200 mm Hg of vacuum. Displays on specialized regulators may cover other vacuum ranges. Regulator type (continuous, intermittent, continuous/intermittent, surgical, pediatric, thoracic, etc.) as required. To be used in delivery, neonatal, pediatrics or any area where suction is required. Database pricing reflects continuous regulators graduated to 200 mm Hg with a full line vacuum selection switch and DISS configured inlets and outlets.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	M1825	Printer, Computer	VV - GOVT FURNISHED & INSTALLED	1	809	809	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	M3070	Hamper, Linen, Mobile, w/Lid	VV - GOVT FURNISHED & INSTALLED	1	535	535	Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	M3072	Frame, Infectious Waste Bag w/Lid	VV - GOVT FURNISHED & INSTALLED	1	436	436	Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	M4116	Monitor, Vital Signs	VV - GOVT FURNISHED & INSTALLED	1	2425	2425	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	M4255	Stand, IV, Adjustable	VV - GOVT FURNISHED & INSTALLED	1	425	425	Adjustable IV stand with 4-hook arrangement. Stand has stainless steel construction with heavy weight base. It adjusts from 66 inches to 100 inches and is mounted on conductive rubber, ball bearing, swivel casters. Stand is used for administering intravenous solutions.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	M4655	Stretcher, Mobile, CRS, 9 Position	VV - GOVT FURNISHED & INSTALLED	0	5634	0	Mobile stretcher. All corrosion resistant stainless steel construction. It consists of a tubular frame with side rails, a 9-position hydraulic base with pneumatic fowler adjustment, and a 2" pad. Unit is mounted on 8" conductive casters. Designed for patient transport as well as for minor surgical procedures.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPECL	2 - Reading room, Echo	120	M9006	Table, Ultrasound, Mobile, Echocardiology	VV - GOVT FURNISHED & INSTALLED	1	8880	8880	Mobile exam table designed for ultrasound and echocardiology examinations. Table has an extra wide top with a 500 lb patient capacity, suitable for bariatric patients. Height range from 23" low to accommodate wheelchair transfers and those with ambulatory difficulties to a high of 39". Table includes motorized height adjustment, Fowler position, Trendelenburg and auto level adjustment.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	M7660	Defibrillator/Monitor/Recorder, Portable	VV - GOVT FURNISHED & INSTALLED	1	2434	2434	Portable defibrillator-monitor-recorder. Integral unit system operable from self-contained rechargeable batteries. ECG may be viewed through paddles or patient cable. Options include external pacing and 12-Lead.

2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	M7710	Electrocardiograph, 12 Lead, Portable	VV - GOVT FURNISHED & INSTALLED	1	13903	13903	Used to detect the electrical signals associated with cardiac activity, diagnose cardiac abnormalities, determine a patients response to drug therapy and reveal trends or changes in heart function. Capable of recording two or more leads simultaneously, recording an entire 12 lead ECG in about 10 seconds. Includes of a 3.5 inch, high density, floppy disk drive for test storage. Portable.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	M8133	Ergometer, Upper Body	VV - GOVT FURNISHED & INSTALLED	1	4094	4094	Ergometer for measuring upper body exertion during an exercise regimen. The unit consists of a seat and a hand crank mechanism at shoulder height. The unit is used for physical rehabilitation protocols and stress testing. The unit quantifiably measures the effort exerted by the patient.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	M8185	System, Stress Exercise, w/Treadmill	VV - GOVT FURNISHED & INSTALLED	1	42937	42937	Stress exercise system with treadmill and respiratory/metabolic assessment. The system includes an ECG amplifier, chart recorder, display, console, treadmill and modules for respiratory/metabolic assessment. Used to determine patient's functional capacity, predict and diagnose cardiopulmonary and vascular diseases and for rehabilitation of patients recovering from leg injuries or other type of illness. Some vendors require a NEMA 5-20R non-locking receptacle for their treadmills.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	55		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	OPTM1	5 - Stress Testing, Treadmill	300	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TPG01	21 - Toilet, Patient, Procedure	75	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	294	294	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TPG01	21 - Toilet, Patient, Procedure	75	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TPG01	21 - Toilet, Patient, Procedure	75	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	207	207	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are place in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TPG01	21 - Toilet, Patient, Procedure	75	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	51	51	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TPG01	21 - Toilet, Patient, Procedure	75	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	156	156	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TPG01	21 - Toilet, Patient, Procedure	75	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TPG01	21 - Toilet, Patient, Procedure	75	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	87	87	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TPG01	21 - Toilet, Patient, Procedure	75	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TPG01	21 - Toilet, Patient, Procedure	75	P3000	Lavatory, Vitreous China, Straight Back	CC - CONTRACTOR FURNISHED/INSTALLED	1	380	380	Wall mounted, vitreous china lavatory (approximate bowl size 7"x15"x10") with: straight-front apron, straight or contoured back; faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care areas.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TPG01	21 - Toilet, Patient, Procedure	75	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	824	824	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, 1 line.

2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	A1132	Rail, Accessory Mounting, Length As Required	VC - GOVT FURNISHED/CONTR INST	1	99	99	Horizontal equipment mounting rail with lock mounting devices capable of; supporting up to 75 pounds each, being repositioned, and mounting and dismantling of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismantling equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	A1203	Lift System, Overhead, Bariatric	CC - CONTRACTOR FURNISHED/INSTALLED	1	14499	14499	An overhead ceiling mounted rail system specifically designed for bariatric patient lifting and movement within a patient room. The system will consist of recessed or ceiling mounted primary and secondary rails, lift motor with carriage, patient harness or seat, and a hand controller or control box with charger (other charging options may be available). System will facilitate lifting and movement of patient to and from bed, to stretcher, chair, bathroom or other requirements. Lifting capacity is 1000 pounds. Custom design of track layout by manufacturer is essential to meet individual facility requirements.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumblers lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	28	28	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	211	211	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - CONTRACTOR FURNISHED/INSTALLED	14	7	98	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	C0200	Cabinet, Sink, U/C/B, 1 Door, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	704	704	Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	1024	1024	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	986	986	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	179	179	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt back splash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	E0915	Locker, Supply, Medication, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	1	3840	3840	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Locked Drawer w/Locked Lid, 6"H 5 Drawers, 3"H 3 Drawers, 6"H 2 Tray/Shelves Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	2	1836	3672	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	552	552	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	F3010	Board, Bulletin, 48 x 48	VV - GOVT FURNISHED & INSTALLED	1	143	143	Open face bulletin board. Cork posting panel with moisture proof backing. Variety of frames to choose from. Used for posting notes and messages.

2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	M0750	Flowmeter, Air, Connect w/50 PSI Supply	VV - GOVT FURNISHED & INSTALLED	1	94	94	Air flowmeter. Unit has a stainless steel needle valve with clear flowtube for connection to 50 PSI air outlet from central pipeline system. Requires the appropriate adapter for connection to the wall outlet and fitting to connect to tubing. Database prices reflect fittings with an attached DISS power outlet. Other outlet and adapter configurations are available.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	M0755	Flowmeter, Oxygen, Low Flow	VV - GOVT FURNISHED & INSTALLED	1	79	79	Oxygen flowmeter. Consists of a clear crystal flowtube calibrated to 3.5 or 8 LPM depending on manufacturer. For oxygen regulation in hospital settings. Database pricing includes DISS fitting and DISS power outlet and wall adapter. Other fitting and adapter configurations are available.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	M0765	Regulator, Vacuum	VV - GOVT FURNISHED & INSTALLED	2	307	614	Vacuum pressure regulator for connection to central piped vacuum system. Standard display scale is graduated at least from 0 to 200 mm Hg of vacuum. Displays on specialized regulators may cover other vacuum ranges. Regulator type (continuous, intermittent, continuous/intermittent, surgical, pediatric, thoracic, etc.) as required. To be used in delivery, neonatal, pediatrics or any area where suction is required. Database pricing reflects continuous regulators graduated to 200 mm Hg with a full line vacuum selection switch and DISS configured inlets and outlets.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1050	1050	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	M3070	Hamper, Linen, Mobile, w/Lid	VV - GOVT FURNISHED & INSTALLED	1	535	535	Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	M3072	Frame, Infectious Waste Bag w/Lid	VV - GOVT FURNISHED & INSTALLED	1	436	436	Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	189	189	Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	M4116	Monitor, Vital Signs	VV - GOVT FURNISHED & INSTALLED	1	2425	2425	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1543	1543	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	M4255	Stand, IV, Adjustable	VV - GOVT FURNISHED & INSTALLED	1	425	425	Adjustable IV stand with 4-hook arrangement. Stand has stainless steel construction with heavy weight base. It adjusts from 66 inches to 100 inches and is mounted on conductive rubber, ball bearing, swivel casters. Stand is used for administering intravenous solutions.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	M4655	Stretcher, Mobile, CRS, 9 Position	VV - GOVT FURNISHED & INSTALLED	0	5634	0	Mobile stretcher. All corrosion resistant stainless steel construction. It consists of a tubular frame with side rails, a 9-position hydraulic base with pneumatic fowler adjustment, and a 2" pad. Unit is mounted on 8" conductive casters. Designed for patient transport as well as for minor surgical procedures.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	Existing	Adjustable power procedure table, converts from chair to procedure table	VV - GOVT FURNISHED & INSTALLED	1		0	Existing unit relocated by VA
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	VV - GOVT FURNISHED & INSTALLED	1	1125	1125	The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	M7405	Light, Exam, Ceiling Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	2989	2989	Ceiling exam light. Consists of a lighthouse reflector supported by a ceiling mounted radial arm assembly that provides a wide range of positioning capabilities. Halogen bulbs and an intensity control provide cool, color corrected light. The minimum ceiling height in most cases is 8' 0"; refer to each manufacturer's specific installation requirements. Physical dimensions refer to the retracted light; one length of the dual swing arm around the center mount in width and depth and the combined height of the lamp head and folded arms. Unit may also have a center mount detachable and sterilizable control handle. For use in minor procedure or examination room applications.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	M7710	Electrocardiograph, 12 Lead, Portable	VV - GOVT FURNISHED & INSTALLED	1	13903	13903	Used to detect the electrical signals associated with cardiac activity, diagnose cardiac abnormalities, determine a patient's response to drug therapy and reveal trends or changes in heart function. Capable of recording two or more leads simultaneously, recording an entire 12 lead ECG in about 10 seconds. Includes of a 3.5 inch, high density, floppy disk drive for test storage. Portable.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	M8810	Stand, Mayo	VV - GOVT FURNISHED & INSTALLED	1	739	739	Adjustable instrument table. Table is corrosion resistant stainless steel construction and is mounted on two casters with two skid rails. It has telescopic upright adjusts from 39 inches to 60 inches with automatic locking device, and removable 13"x19" instrument tray. Designed for use in operating and procedure rooms.

2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	M9025	Table, Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	1	1859	1859	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms. You will want to evaluate whether or not you need an exam table and a stretcher or an exam procedure chair.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180		Wall mounted Hyfrecator	VV - GOVT FURNISHED & INSTALLED			0	
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	M1300	Dewar, Liquid Nitrogen	VV - GOVT FURNISHED & INSTALLED	1	2412	2412	Liquid nitrogen Dewar. Unit consists of a 50 liter capacity insulated storage cylinder with stainless steel inside, dispensing spout and mobility cart. Used for bulk liquid nitrogen storage.
				150	X2105	Scanner, Ultrasound, Cardiac (Echo)	VV - GOVT FURNISHED & INSTALLED	1	202177	202177	High definition, diagnostic ultrasound system for Radiology, Cardiology, Vascular, ob-gyn, Perinatology, and Surgical imaging applications. The unit employs curved, phased and linear array imaging technology. The system supports colorflow, pulse, continuous wave imaging modalities. On board software measurement packages available for all imaging applications. The system is DICOM 3.0 compatible, for easy linkage to filmless image management systems and review stations. In addition, a full line of probes and conventional recording devices are available.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	M8100	Bath, Warming, Splint	VV - GOVT FURNISHED & INSTALLED	1	1753	1753	A warming bath for softening splinting sheets of thermoplastic material. Unit will be stainless steel and accommodate 18' x 24' sheets. The unit will include factory-set thermostat of approximately 175 degrees F (high) and 160 degrees F (low), a hinged insulated cover and a rear drain. Thermostat may also be adjusted internally to change range.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	TRPR1	18 - Spec. Procedure Room	180	X2126	Scanner, Ultrasound, Portable, Urinary Retention	VV - GOVT FURNISHED & INSTALLED	1	10822	10822	A portable 3D ultrasound scanner for measuring the urinary bladder volume and post-void residual (PVR) volume in adults and children. Measures bladder volume noninvasively on a wide range of patients. Unit is battery operated and comes with a charging unit.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WKTM1	24 - Spec. Physician's Work Room	225	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	2	0	0	Telephone, desk, 1 line.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WKTM1	24 - Spec. Physician's Work Room	225	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	2	517	1034	This JSN is to be used for determining and defining location of decorative artwork. THIS TYPICAL INCLUDES: 1 Tool Rail 2 Paper Tray 1 Diagonal Tray 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WKTM1	24 - Spec. Physician's Work Room	225	E0042	Workcenter, Computer, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	2	2615	5230	
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WKTM1	24 - Spec. Physician's Work Room	225	F0130	Bookstack, Single	VV - GOVT FURNISHED & INSTALLED	2	408	816	Freestanding closed base single open faced book stack, approximately 84" H X 36" W X 13" D with six (6) or seven (7) adjustable shelves and one base shelf. Single-faced units should be transverse-brace secured, or wall, or floor anchored for stability.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WKTM1	24 - Spec. Physician's Work Room	225	F0220	Chair, Conference	VV - GOVT FURNISHED & INSTALLED	4	546	2184	Conference chair designed to complement the executive furniture package selected. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WKTM1	24 - Spec. Physician's Work Room	225	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	2	636	1272	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WKTM1	24 - Spec. Physician's Work Room	225	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	620	620	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WKTM1	24 - Spec. Physician's Work Room	225	F0750	Table, Office, (size as required)	VV - GOVT FURNISHED & INSTALLED	1	923	923	Office table, sized as required. May be used as either a four (4) to six (6) person conference table or as an extra work surface area.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WKTM1	24 - Spec. Physician's Work Room	225	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	2	51	102	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WKTM1	24 - Spec. Physician's Work Room	225	F3050	Whiteboard, Dry Erase	VV - GOVT FURNISHED & INSTALLED	1	330	330	Whiteboard unit, approximately 36" H x 48" W consisting of a white porcelain enamel writing surface with an attached chalk tray. Magnetic surface available. Image can be easily removed with a standard chalkboard eraser. For use with water color pens. Unit is ready to hang.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WKTM1	24 - Spec. Physician's Work Room	225	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WKTM1	24 - Spec. Physician's Work Room	225	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	1512	3024	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WKTM1	24 - Spec. Physician's Work Room	225	M1825	Printer, Computer	VV - GOVT FURNISHED & INSTALLED	1	809	809	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WTG19	25 - Waiting, General	400	A5077	Dispenser, Hand Sanitizer, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	45	45	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WTG19	25 - Waiting, General	400	A5210	Bracket, Television, Wall Mounted, w/Adjust Arm	VV - GOVT FURNISHED & INSTALLED	1	222	222	Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WTG19	25 - Waiting, General	400	A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	1	93	93	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WTG19	25 - Waiting, General	400	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	517	517	This JSN is to be used for determining and defining location of decorative artwork.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WTG19	25 - Waiting, General	400	F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	2	742	1484	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WTG19	25 - Waiting, General	400	F0305	Chair, Waiting Room, Single	VV - GOVT FURNISHED & INSTALLED	15	622	9330	Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WTG19	25 - Waiting, General	400	F0740	Table, Occasional, Lamp	VV - GOVT FURNISHED & INSTALLED	2	343	686	Occasional lamp table (end table) approximately 20" high X 27" wide X 27" deep with choice of finishes (wood, oak veneer, or high pressure laminate).
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WTG19	25 - Waiting, General	400	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WTG19	25 - Waiting, General	400	F2300	Rack, Magazine, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	253	253	Wall mounted magazine rack with nine (9) magazine holding compartments.
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WTG19	25 - Waiting, General	400	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated. (batteries not included).
2 - PRIMARY CARE	2 - SPECIALTY CARE PATIENT AREA	WTG19	25 - Waiting, General	400	M0506	Television, Flat Screen	VV - GOVT FURNISHED & INSTALLED	1	537	537	Flat screen television with approximately 32" to 40" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	3 - SUPPORT AREA	RCA01	4 - Resuscitation Cart Alcove	20	M7660	Defibrillator/Monitor/Recorder, Portable	VV - GOVT FURNISHED & INSTALLED	1	2434	2434	Portable defibrillator-monitor-recorder. Integral unit system operable from self-contained rechargeable batteries. ECG may be viewed through paddles or patient cable. Options include external pacing and 12-Lead.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	3 - SUPPORT AREA	RCA02	1 - Alcove, Medication	20	M8085	Lift, Patient, Electric, 600 Lb Cap, Bariatric	VC - GOVT FURNISHED/CONTR INST	0	4696	0	A battery powered patient lift with an adjustable U shaped base and a minimum of 600 pound capacity for bariatric use. Unit comes with a battery charger. The unit is mounted on locking ball bearing casters for safety and stability and may require specialized slings. The database height refers to fully extended lifting arms. Designed for patient lifting and movement.
2 - PRIMARY CARE	3 - SUPPORT AREA	RCA02	1 - Alcove, Medication	20	M3150	Distribution System, Medication, Automatic	VV - GOVT FURNISHED & INSTALLED	1	44843	44843	An automated dispensing system that provides controlled dispensing, inventory and security. Size and cost will vary dependent on number of modules selected.
2 - PRIMARY CARE	3 - SUPPORT AREA	RCA02	1 - Alcove, Medication	20	R6400	Refrigerator, 5 CUFT	VV - GOVT FURNISHED & INSTALLED	1	2297	2297	Refrigerator approximately 35x24x24 in size. This unit has a positive mechanical latch with keyed cylinder lock. It has an automatic defrost system with built-in condensate evaporator. The unit is generally used in laboratories for cold storage.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	3 - SUPPORT AREA	SRE01	2 - Storage, Medical Equipment	120	M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	4	846	3384	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	3 - SUPPORT AREA	UCLL1	7 - Utility Room, Clean	120	E0903	Locker, Supply, w/Shelves, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	2422	4844	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Supply Locker 1 Drawer, 9"H 4 Tray/Shelves Drawer Organizers Consider the need for an E0921 to transport the locker from place to place.

2 - PRIMARY CARE	3 - SUPPORT AREA	UCCL1	7 - Utility Room, Clean	120	E0906	Locker, Supply, General, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	3041	6082	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H 3 Drawers, 6"H 2 Drawers, 9"H 1 Tray/Shelf Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
2 - PRIMARY CARE	3 - SUPPORT AREA	UCCL1	7 - Utility Room, Clean	120	E0912	Locker, Supply, Med Surg, Wall Mtd	VV - GOVT FURNISHED & INSTALLED	2	3389	6778	Medical/Surgical supply locker, wall mounted, approximately 23" w x 20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H 2 Drawers, 6"H 2 Tray/Shelf Dividers Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
2 - PRIMARY CARE	3 - SUPPORT AREA	UCCL1	7 - Utility Room, Clean	120	E1500	Rail, MOD, W/MNTD, HX144XD	VV - GOVT FURNISHED & INSTALLED	1	726	726	Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall.
2 - PRIMARY CARE	3 - SUPPORT AREA	UCCL1	7 - Utility Room, Clean	120	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
2 - PRIMARY CARE	3 - SUPPORT AREA	UCCL1	7 - Utility Room, Clean	120	P8710	Utility Center, Plumbing Connection	CC - CONTRACTOR FURNISHED/INSTALLED	1	95	95	Plumbing connection utility center, sometimes referred to as a 'GUY GRAY BOX'. This recessed utility center provides for hot and cold water connections and a drain connection at sink and other equipment locations. The utility center includes cutoff valves for the water connections, a plug seal for the drain and an outside cover to provide an aesthetic appearance when connections are no longer required. This center may be installed in locations where no plumbing fixtures are included in a design as a future flexibility device, saving many dollars for later facility modifications to incorporate sinks as functions change.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	CRA01	3 - Conference Room	180	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, 1 line.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	CRA01	3 - Conference Room	180	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	31	62	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	CRA01	3 - Conference Room	180	A5212	Bracket, Television, Wall-Mounted, Tilt/Angle	VV - GOVT FURNISHED & INSTALLED	1	113	113	A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	CRA01	3 - Conference Room	180	A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	1	93	93	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	CRA01	3 - Conference Room	180	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	517	517	This JSN is to be used for determining and defining location of decorative artwork.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	CRA01	3 - Conference Room	180	F0220	Chair, Conference	VV - GOVT FURNISHED & INSTALLED	8	546	4368	Conference chair designed to complement the executive furniture package selected. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	CRA01	3 - Conference Room	180	E0117	Workstation, Straight, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	1	4004	4004	THIS JSN provides a typical workstation capacity plan work areas in clinical or administrative spaces. THIS TYPICAL INCLUDES: 2 standard solid panels; 1 panel connector, 2-way corner; 2 finished end hardware kits; 1 cantilevered work surface; 1 lockable flipper unit; 1 light; 1 tack board; 1 tool rail; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file; 1 support panel.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	CRA01	3 - Conference Room	180	F0755	Table, Conference, Wood	VV - GOVT FURNISHED & INSTALLED	1	2400	2400	Executive conference table. Dimensions are approximately 30" high, 48" wide with lengths varying from 74" to 96". These tables add traditional elegance to any conference room.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	CRA01	3 - Conference Room	180	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	CRA01	3 - Conference Room	180	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	CRA01	3 - Conference Room	180	M0507	Video Teleconferencing System	VV - GOVT FURNISHED & INSTALLED	1	12692	12692	Shall be a video conferencing unit consisting of a camera, microphone, video/audio compression components, a component cart and a 32 inch monitor. It shall provide live audio-visual conferencing capabilities to dispersed geographic sites.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	CRA01	3 - Conference Room	180	M0512	Television, HDTV, Large Screen, 60"	VV - GOVT FURNISHED & INSTALLED	1	3885	3885	A high definition (HDTV) multimedia, slim design, 60"W to 65"W color television. The TV will have a 16.9 wide screen aspect ratio with full HD 1080p resolution and HDMI connections. TV may be LED, Plasma or LCD. TV will include a stand.

2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	CRA01	3 - Conference Room	180	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower,dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
------------------	-----------------------------------	-------	---------------------	-----	--------	---	---------------------------------	---	------	------	--

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	LR004	4 - Locker Area, Clinical Staff Personal Property	60	A1040	Locker, 2 Person, Side by Side, 72x15x18	VV - GOVT FURNISHED & INSTALLED	15	467	7005	Two person side by side locker. Steel unit. It consists of side by side compartments for hanging clothes and over/under compartments for hats, etc. Used for personal belongings storage.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	LR004	4 - Locker Area, Clinical Staff Personal Property	60	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	OFA03	2 - Extended Team Area	60	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, multiple line.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	OFA03	2 - Extended Team Area	60	E0075	Workstation, L-Shaped, Freestanding, 72x48	VV - GOVT FURNISHED & INSTALLED	1	9010	9010	THIS ITEM INCLUDES: 4 Standard Solid Panels 2 Panel-To-Panel Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 2 Lockable Flipper Units 2 Shelves, Storage/Display 3 Lights 2 Tackboards 2 Tool Rails 2 Paper Trays 1 Diagonal Tray 2 Cantilevered Work Surfaces 1 Adjustable Keyboard Tray 1 Hanging Pedestal, Box/File 1 Pencil Drawer 2 Support Panels
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	OFA03	2 - Extended Team Area	60	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	636	636	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) castor swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	OFA03	2 - Extended Team Area	60	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	620	620	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	OFA03	2 - Extended Team Area	60	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	OFA03	2 - Extended Team Area	55		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1	0	0	PHI 13 gallon lockable shredding container.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	OFA03	2 - Extended Team Area	60	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower,dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	0	383	0	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	2	17	34	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	88	176	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	0	31	0	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	A5212	Bracket, Television, Wall-Mounted, Tilt/Angle	VV - GOVT FURNISHED & INSTALLED	2	113	226	A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	2	93	186	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.

2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	C02C0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	2	859	1718	Standing height under counter base cabinet with an adjustable shelf and a full width drawer above a solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings). Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	C02D0	Cabinet, U/C/B, 4 Drawer, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	2	1032	2064	Standing height under counter base cabinet with four full width drawers of equal height. Also referred to as a drawer cabinet. For general purpose use throughout the facility.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	C02Q0	Cabinet, Sink, U/C/B, 1 Door, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	2	704	1408	Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	C8020	Cabinet, W/H, 2 Shelf, 1 DO, Sloping Top, 38x24x13	CC - CONTRACTOR FURNISHED/INSTALLED	8	723	5784	Wall hung cabinet with two adjustable shelves, solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings), and sloping top. Also referred to as a solid hinged single door case. For general purpose use throughout the facility.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	C5010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	4	986	3944	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	2	179	358	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	F0225	Chair, Dining Room	VV - GOVT FURNISHED & INSTALLED	40	255	10200	Dining room chair with glides. Chair has straight legs with cushioned cloth or vinyl seat.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	F0795	Table, Dining	VV - GOVT FURNISHED & INSTALLED	10	684	6840	Dining table. Round 42" diameter or square 42" X 42". Used in dining facilities and can comfortably seat up to four (4) persons.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	F2015	Basket, Wastepaper, Metal/Plastic, 2 Swinging Doors	VV - GOVT FURNISHED & INSTALLED	2	263	526	Metal receptacle for soiled / used towels or waste. Equipped with a removable tapered top with two independently operating self-closing, spring hinged doors. Used in public facilities for the collection and temporary storage of refuse.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	F3065	Whiteboard/Bulletin Board, Combination	VV - GOVT FURNISHED & INSTALLED	2	349	698	A combination whiteboard and bulletin board, half LCS and half cork. Available with either aluminum or wood frame. It can be used in patient rooms or in any appropriate space in the facility.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	K1552	Brewer, Coffee, Auto, Elect, 3 Burner, Front/Back	VV - GOVT FURNISHED & INSTALLED	2	1241	2482	Space saving front to back automatic coffee maker. This unit includes a heating tank, connection for a cold water supply, decanter service with three burners, funnel and a water flow controller. The unit is used for semi-automatic coffee brewing in cafeterias and commercial institutions. The unit automatically shuts off the water flow when enough has passed through to fill the pot. The unit is normally provided plumbed with a hot water faucet to the side for making other hot drinks (tea, cider, cocoa, etc.). The database height dimension does not include the clearance for coffee decanters warming on the upper burners.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	K4665	Oven, Microwave, Consumer	VV - GOVT FURNISHED & INSTALLED	4	285	1140	Counter mounted microwave oven for average duty use. The exterior cabinet can be metal or heavy duty impact resistant plastic. The oven delivers instant energy for rapid heating, defrosting or prime cooking. The oven has touch pad controls, digital timer, power level selector and preprogrammed selectors for commonly cooked items. This oven is commonly found in staff lounges.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	M0506	Television, Flat Screen	VV - GOVT FURNISHED & INSTALLED	0	537	0	Flat screen television with approximately 32" to 40" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	M0512	Television, HDTV, Large Screen, 60"	VV - GOVT FURNISHED & INSTALLED	2	3760	7520	A high definition (HDTV) multimedia, slim design, 60"W to 65"W color television. The TV will have a 16.9 wide screen aspect ratio with full HD 1080p resolution and HDMI connections. TV may be LED, Plasma or LCD. TV will include a stand.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	K2516	Dishwasher, Undercounter, Commercial	CC - CONTRACTOR FURNISHED/INSTALLED	1	4808	4808	Commercial under counter dishwasher with multiple load cycles. Must be able to achieve a minimum water temperature of 180 degrees F from an incoming water temperature of 110 degrees F to ensure sanitation. Dishwasher is frontloading with digital display and made of stainless steel.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	SSLG4	33 - Lounge, Clinical Staff	575	R7250	Refrigerator/Freezer, 20 Cubic Feet	VV - GOVT FURNISHED & INSTALLED	4	1336	5344	Refrigerator/freezer unit. This type unit includes a food saver system that helps keep food fresher. It also includes roll out wheels and is equipped for an optional automatic icemaker. This unit is of commercial or residential design and use.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	TLTU1	16 - Toilet, Clinical Staff	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	294	294	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	TLTU1	16 - Toilet, Clinical Staff	60	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.

2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	TLTU1	16 - Toilet, Clinical Staff	60	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	TLTU1	16 - Toilet, Clinical Staff	60	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	51	51	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	TLTU1	16 - Toilet, Clinical Staff	60	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	156	156	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	TLTU1	16 - Toilet, Clinical Staff	60	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	TLTU1	16 - Toilet, Clinical Staff	60	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	87	87	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	TLTU1	16 - Toilet, Clinical Staff	60	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	TLTU1	16 - Toilet, Clinical Staff	60	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	TLTU1	16 - Toilet, Clinical Staff	60	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	824	824	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	WRTM1	1 - PACT Team Area	240	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	2	0	0	Telephone, desk, multiple line.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	WRTM1	1 - PACT Team Area	240	E0123	Workstation, Straight, Free Standing, 72" W	VV - GOVT FURNISHED & INSTALLED	4	7609	30436	This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	WRTM1	1 - PACT Team Area	240	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	4	636	2544	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	WRTM1	1 - PACT Team Area	240	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	2	620	1240	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	WRTM1	1 - PACT Team Area	240	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	4	51	204	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	WRTM1	1 - PACT Team Area	240	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	WRTM1	1 - PACT Team Area	240		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1	0	0	PHI 13 gallon lockable shredding container.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	WRTM1	1 - PACT Team Area	240	M1840	Printer/Copier/Fax Combination	VV - GOVT FURNISHED & INSTALLED	1	827	827	Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.
2 - PRIMARY CARE	4 - STAFF AND ADMINISTRATIVE AREA	WRTM1	1 - PACT Team Area	240	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	4	1512	6048	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	1 - Office, Nurse Manager	100	A1016	Telephone, Desk, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, with speaker.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	1 - Office, Nurse Manager	100	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	31	62	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	1 - Office, Nurse Manager	100	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	517	517	This JSN is to be used for determining and defining location of decorative artwork.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	1 - Office, Nurse Manager	100	F0110	Bookcase, 3 Shelf	VV - GOVT FURNISHED & INSTALLED	1	433	433	Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	1 - Office, Nurse Manager	100	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	552	1104	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	1 - Office, Nurse Manager	100	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	636	636	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	1 - Office, Nurse Manager	100	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	620	620	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	1 - Office, Nurse Manager	100	F0635	Desk, Double Pedestal	VV - GOVT FURNISHED & INSTALLED	1	898	898	Double pedestal flat top desk, 30" high X 60" wide X 30" deep with center pencil drawer, choices of combinations of file and box drawers, floor glides and modesty panel.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	1 - Office, Nurse Manager	100	F0710	Table, Computer, With Print Shelf	VV - GOVT FURNISHED & INSTALLED	1	344	344	Computer work table, approximately 31" high X 40" wide X 24" deep with retractable shelf(s) for keyboard and/or extra work space, adjustable shelves for printer and printer paper, and (optional) dual wheel casters (two locking).
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	1 - Office, Nurse Manager	100	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	1 - Office, Nurse Manager	100	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	1 - Office, Nurse Manager	100	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	2 - Office, Administrative Officer	100	A1016	Telephone, Desk, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, with speaker.

2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	2 - Office, Administrative Officer	100	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	31	62	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	2 - Office, Administrative Officer	100	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	517	517	This JSN is to be used for determining and defining location of decorative artwork.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	2 - Office, Administrative Officer	100	F0110	Bookcase, 3 Shelf	VV - GOVT FURNISHED & INSTALLED	1	433	433	Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	2 - Office, Administrative Officer	100	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	552	1104	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	2 - Office, Administrative Officer	100	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	636	636	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	2 - Office, Administrative Officer	100	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	620	620	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	2 - Office, Administrative Officer	100	F0635	Desk, Double Pedestal	VV - GOVT FURNISHED & INSTALLED	1	898	898	Double pedestal flat top desk, 30" high X 60" wide X 30" deep with center pencil drawer, choices of combinations of file and box drawers, floor glides and modesty panel.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	2 - Office, Administrative Officer	100	F0710	Table, Computer, With Print Shelf	VV - GOVT FURNISHED & INSTALLED	1	344	344	Computer work table, approximately 31" high X 40" wide X 24" deep with retractable shelf(s) for keyboard and/or extra work space, adjustable shelves for printer and printer paper, and (optional) dual wheel casters (two locking).
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	2 - Office, Administrative Officer	100	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	2 - Office, Administrative Officer	100	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	2 - Office, Administrative Officer	100	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	PIV	120	A1016	Telephone, Desk, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, with speaker.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	PIV	120	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	31	62	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.

2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	PIV	120	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	517	517	This JSN is to be used for determining and defining location of decorative artwork.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	PIV	120	F0110	Bookcase, 3 Shelf	VV - GOVT FURNISHED & INSTALLED	1	433	433	Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	PIV	120	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	552	1104	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	PIV	120	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	636	636	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	PIV	120	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	620	620	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	PIV	120	F0635	Desk, Double Pedestal	VV - GOVT FURNISHED & INSTALLED	1	898	898	Double pedestal flat top desk, 30" high X 60" wide X 30" deep with center pencil drawer, choices of combinations of file and box drawers, floor glides and modesty panel.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	PIV	120	F0710	Table, Computer, With Print Shelf	VV - GOVT FURNISHED & INSTALLED	1	344	344	Computer work table, approximately 31" high X 40" wide X 24" deep with retractable shelf(s) for keyboard and/or extra work space, adjustable shelves for printer and printer paper, and (optional) dual wheel casters (two locking).
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	PIV	120	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	PIV	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA01	PIV	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	1512	3024	LAPTOP top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA02	6 - MSA Supervisor	100	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, multiple line.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA02	6 - MSA Supervisor	100	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA02	6 - MSA Supervisor	100	E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72	VV - GOVT FURNISHED & INSTALLED	1	7504	7504	This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware;

2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA02	6 - MSA Supervisor	100	F0110	Bookcase, 3 Shelf	VV - GOVT FURNISHED & INSTALLED	1	433	433	Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA02	6 - MSA Supervisor	100	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	552	1104	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA02	6 - MSA Supervisor	100	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	2	636	1272	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA02	6 - MSA Supervisor	100	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	620	620	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA02	6 - MSA Supervisor	100	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA02	6 - MSA Supervisor	100	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	OFA02	6 - MSA Supervisor	100	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	RPR01	3 - Copier/Fax/Office Supplies	100	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	RPR01	3 - Copier/Fax/Office Supplies	100	F0465	Cabinet, Storage, 2 Door, 5 Shelf	VV - GOVT FURNISHED & INSTALLED	1	650	650	Storage cabinet, 78" high X 48" wide X 24" deep with two (2) doors and five (5) adjustable shelves.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	RPR01	3 - Copier/Fax/Office Supplies	100	F0775	Table, Work, 2 Drawer	VV - GOVT FURNISHED & INSTALLED	1	941	941	Work table approximately 32" high X 72" wide X 30" deep with two drawers and a hard wood top.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	RPR01	3 - Copier/Fax/Office Supplies	100	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	RPR01	3 - Copier/Fax/Office Supplies	100	F2550	Shredder, Paper Heavy Duty	VV - GOVT FURNISHED & INSTALLED	0	3977	0	Shredder shall be able to process a minimum of 25 sheets of paper per pass at a minimum rate of 20 feet per minute. The unit shall have a 16 inch throat to accept paper. Paper shall be shredded into 1/4 inch strips.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	RPR01	3 - Copier/Fax/Office Supplies	100	M1810	Copier, Floor Standing, Digital	VV - GOVT FURNISHED & INSTALLED	0	11228	0	Floor standing copier. Unit features automatic paper size selection, automatic document feeder and sorter. The system also has zoom capabilities and automatic two-sided copying. For use where medium volume reproduction is required in the range of 30 to 40 copies per minute.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	RPR01	3 - Copier/Fax/Office Supplies	100	M1840	Printer/Copier/Fax Combination	VV - GOVT FURNISHED & INSTALLED	1	827	827	Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.

2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	RPR01	3 - Copier/Fax/Office Supplies	100	M1835	Printer, Color Laser, Large	VV - GOVT FURNISHED & INSTALLED	1	3908	3908	Color laser printer designed for high volume use and network capable. The printer shall be capable of printing a minimum of 25 pages per minute (ppm) of black print and 20 ppm color print. Resolution shall be no less than 600 X 600 dpi. It shall be capable of printing on multiple media types (plain, inkjet, photo paper and transparencies) and be capable of accepting media sizes of 3 X 5 to 8.5 X 14 inches. The printer is used in multi-user network offices.
------------------	-----------------------------	-------	--------------------------------	-----	-------	-----------------------------	---------------------------------	---	------	------	--

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	TLTU1	4 - Toilet, Unisex	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	294	294	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	TLTU1	4 - Toilet, Unisex	60	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	TLTU1	4 - Toilet, Unisex	60	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	TLTU1	4 - Toilet, Unisex	60	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	51	51	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	TLTU1	4 - Toilet, Unisex	60	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	156	156	A 1-1/4" diameter, satin finish stainless steel, perforated gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	TLTU1	4 - Toilet, Unisex	60	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	TLTU1	4 - Toilet, Unisex	60	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	87	87	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	TLTU1	4 - Toilet, Unisex	60	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	TLTU1	4 - Toilet, Unisex	60	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
2 - PRIMARY CARE	5 - PRIMARY CARE MANAGEMENT	TLTU1	4 - Toilet, Unisex	60	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	824	824	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
2 - PRIMARY CARE	7 - HBPC	CRA01	1 - group room	300	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	14	0	0	Telephone, desk, multiple line.
2 - PRIMARY CARE	7 - HBPC	CRA01	1 - group room	300	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	14	31	434	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.

2 - PRIMARY CARE	7 - HBPC	CRA01	1 - group room	300	E0078	Workstation, L- Shaped w/Peninsula, Free Std. 78x72	VV - GOVT FURNISHED & INSTALLED	14	7504	105056	This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file.
2 - PRIMARY CARE	7 - HBPC	CRA01	1 - group room	300	F0115	Bookcase, Open, 5 Shelf	VV - GOVT FURNISHED & INSTALLED	2	985	1970	Freestanding open shelf bookcase, approximately 82" high X 37" wide X 18" deep with 5 (five) adjustable shelves. Unit can be separate or part of a system with available add-on shelving.
2 - PRIMARY CARE	7 - HBPC	CRA01	1 - group room	300	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	0	552	0	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
2 - PRIMARY CARE	7 - HBPC	CRA01	1 - group room	300	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	14	636	8904	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
2 - PRIMARY CARE	7 - HBPC	CRA01	1 - group room	300	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	6	620	3720	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
2 - PRIMARY CARE	7 - HBPC	CRA01	1 - group room	300	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	4	51	204	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
2 - PRIMARY CARE	7 - HBPC	CRA01	1 - group room	300	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
2 - PRIMARY CARE	7 - HBPC	CRA01	1 - group room	300		Shredder Box	VV - GOVT FURNISHED & INSTALLED	4		0	PHI 13 gallon lockable shredding container.
2 - PRIMARY CARE	7 - HBPC	CRA01	1 - group room	300	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	14	1512	21168	LAPTOP microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
2 - PRIMARY CARE	7 - HBPC	CRA01	1 - group room	300	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	0	1512	0	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
2 - PRIMARY CARE	7 - HBPC	CRA01	1 - group room	300	F3050	Whiteboard, Dry Erase	VV - GOVT FURNISHED & INSTALLED	1	319	319	Whiteboard unit, approximately 36" H x 48" W consisting of a white porcelain enamel writing surface with an attached chalk tray. Magnetic surface available. Image can be easily removed with a standard chalkboard eraser. For use with water color pens. Unit is ready to hang.
2 - PRIMARY CARE	7 - HBPC	CRA01	1 - group room	300	M0506*	Television, Flat Screen	VV - GOVT FURNISHED & INSTALLED	0	537	0	Flat screen television with approximately 60" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.
2 - PRIMARY CARE	7 - HBPC	CRA01	1 - group room	300	A5210	Bracket, Television, Wall Mounted, w/Adjust Arm	VV - GOVT FURNISHED & INSTALLED	1	222	222	Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms.
2 - PRIMARY CARE	7 - HBPC	CRA01	1 - group room	300	A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	1	93	93	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
2 - PRIMARY CARE	7 - HBPC	CRA01	1 - group room	300	A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	1	923	923	Office table, sized as required. May be used as either a four (4) to six (6) person conference table or as an extra work surface area.
2 - PRIMARY CARE	7 - HBPC	CRA01	1 - group room	300	M1840	Printer/Copier/Fax Combination	VV - GOVT FURNISHED & INSTALLED	1	827	827	Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	CLCCR	10 - MHC: Consult Room	100	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, multiple line.

3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	CLCCR	10 - MHC: Consult Room	100	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	552	552	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	CLCCR	10 - MHC: Consult Room	100	F0376	Sofa, Loveseat, Upholstered	VV - GOVT FURNISHED & INSTALLED	1	759	759	Loveseat with metal or solid wood frame. Arms, back and cushions are foam padded and upholstered in woven textile fabric. Typically used in residential living room or family room setting. Seats 2 comfortably.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	CLCCR	10 - MHC: Consult Room	100	F0740	Table, Occasional, Lamp	VV - GOVT FURNISHED & INSTALLED	1	343	343	Occasional lamp table (end table) approximately 20" high X 27" wide X 27" deep with choice of finishes (wood, oak veneer, or high pressure laminate).
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	CLCCR	10 - MHC: Consult Room	100	F0750	Table, Office, (size as required)	VV - GOVT FURNISHED & INSTALLED	0	923	0	Office table, sized as required. May be used as either a four (4) to six (6) person conference table or as an extra work surface area.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	CLCCR	10 - MHC: Consult Room	100	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	CLCCR	10 - MHC: Consult Room	100	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	CLCCR	10 - MHC: Consult Room	100		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	CLCCR	10 - MHC: Consult Room	100	F0640	Desk, Single Pedestal	VV - GOVT FURNISHED & INSTALLED	1	737	737	Single pedestal flat top desk, 30" high X 66" wide X 30" deep with right or left hand pedestal, one (1) box drawer, one (1) file drawer, modesty panel and floor glides.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	CLCCR	10 - MHC: Consult Room	100	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	636	636	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	CLCCR	10 - MHC: Consult Room	100	M1802*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, (2) flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFA02	6 - HUD VASH	120	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, multiple line.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFA02	6 - HUD VASH	120	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFA02	6 - HUD VASH	120	E0078	Workstation, L-Shaped w/Peninsula, Free Std. 78x72	VV - GOVT FURNISHED & INSTALLED	1	7504	7504	This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file.

3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFA02	6 - HUD VASH	120	F0110	Bookcase, 3 Shelf	VV - GOVT FURNISHED & INSTALLED	1	433	433	Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFA02	6 - HUD VASH	120	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	552	1104	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFA02	6 - HUD VASH	120	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	2	636	1272	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFA02	6 - HUD VASH	120	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	620	620	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFA02	6 - HUD VASH	120	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFA02	6 - HUD VASH	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFA02	6 - HUD VASH	55		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFA02	6 - HUD VASH	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFD03	4 - Registered Nurse Group Room	240	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, 1 line.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFD03	4 - Registered Nurse Group Room	240	A1066	Mirror, Float Glass, With SS Frame	CC - CONTRACTOR FURNISHED/INSTALLED	0	85	0	A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFD03	4 - Registered Nurse Group Room	240	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFD03	4 - Registered Nurse Group Room	240	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFD03	4 - Registered Nurse Group Room	240	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	31	62	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFD03	4 - Registered Nurse Group Room	240	A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - CONTRACTOR FURNISHED/INSTALLED	0	7	0	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant turf. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.

3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFD03	4 - Registered Nurse Group Room	240	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	0	517	0	This JSN is to be used for determining and defining location of decorative artwork.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFD03	4 - Registered Nurse Group Room	240	E0063	Workstation, L-Shaped w/Peninsula, Wall Mtd, 72x72	VV - GOVT FURNISHED & INSTALLED	0	5914	0	THIS TYPICAL INCLUDES: 3 Vertical Hanging Strips 2 Lockable Flipper Units 2 Shelves, Storage/Display 2 Lights 1 Tackboard 2 Tool Rails 2 Paper Trays 1 Diagonal Tray 1 Cantilevered Work Surface 1 Peninsula Work Surface
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFD03	4 - Registered Nurse Group Room	240	E0120	Workstation, Straight, Free Standing, 60" W	VV - GOVT FURNISHED & INSTALLED	1	5998	5998	This JSN will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 3 Standard Solid Panels 1 Panel - to Panel Connector 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File 1 Support Panel
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	CLCCR	10 - MHC: Consult Room	240	E0117	Workstation, Straight, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	3	4004	12012	This JSN provides a typical work station to quickly plan work areas in clinical or administrative spaces. THIS TYPICAL INCLUDES: 2 standard solid panels; 1 panel connector, 2-way corner; 2 finished end hardware kits; 1 cantilevered work surface; 1 lockable flipper unit;
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFD03	4 - Registered Nurse Group Room	240	F0115	Bookcase, Open, 5 Shelf	VV - GOVT FURNISHED & INSTALLED	1	985	985	Freestanding open shelf bookcase, approximately 82" high X 37" wide X 18" deep with 5 (five) adjustable shelves. Unit can be separate or part of a system with available add-on shelving.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFD03	4 - Registered Nurse Group Room	240	F0210	Chair, Side, Without Arms	VV - GOVT FURNISHED & INSTALLED	0	364	0	Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFD03	4 - Registered Nurse Group Room	240	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	3	636	1908	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFD03	4 - Registered Nurse Group Room	240	F0415	Cabinet, Filing, Lateral, Full Height, 5 Drawer	VV - GOVT FURNISHED & INSTALLED	1	1272	1272	Full height five (5) drawer lateral filing cabinet, 65" high X 42" wide X 18" deep with floor levelers (front), locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFD03	4 - Registered Nurse Group Room	240	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFD03	4 - Registered Nurse Group Room	240	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated. (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFD03	4 - Registered Nurse Group Room	240	M1620	Holder, Chart, Patient, Wall or Door Mounted	VV - GOVT FURNISHED & INSTALLED	1	36	36	Wall or door mounted patient chart holder. Constructed of durable plastic or metal. Used for holding patient records. Size as required.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFD03	4 - Registered Nurse Group Room	240	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	3	1512	4536	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFD03	4 - Registered Nurse Group Room	240	M1825	Printer, Computer	VV - GOVT FURNISHED & INSTALLED	0	809	0	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFD03	4 - Registered Nurse Group Room	240	M1840	Printer/Copier/Fax Combination	VV - GOVT FURNISHED & INSTALLED	1	827	827	Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFD03	4 - Registered Nurse Group Room	240		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OFD03	4 - Registered Nurse Group Room	240	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OPMH1	3 - Group Therapy Room	300	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OPMH1	3 - Group Therapy Room	300	A5212	Bracket, Television, Wall-Mounted, Tilt/Angle	VV - GOVT FURNISHED & INSTALLED	1	113	113	A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OPMH1	3 - Group Therapy Room	300	A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	1	93	93	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OPMH1	3 - Group Therapy Room	300	E0945	Cart, Computer, Mobile	VV - GOVT FURNISHED & INSTALLED	1	1923	1923	A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder 1 Wastebasket 1 Chart Holder 2 Drawers, 3"H 2 Drawers, 6"H 3 Accessory Rail, Side Drawer Organizer Bins
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OPMH1	3 - Group Therapy Room	300	F0295	Chair, Stacking	VV - GOVT FURNISHED & INSTALLED	16	75	1200	Stacking chair, approximately 34" H X 21" W X 24" D. May be stacked up to 20 high depending upon the model selected. These chairs are intended primarily as overflow capacity for conference rooms.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OPMH1	3 - Group Therapy Room	300	F0435	Cabinet, Storage, Multi Media	VV - GOVT FURNISHED & INSTALLED	1	1491	1491	Multi media storage cabinet, approximately 60" high X 36" wide X 14" deep. For the storage of various types of audio or video cassettes, DVDs, CDs, and other media material.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OPMH1	3 - Group Therapy Room	300	F0860	Table, Mobile	VV - GOVT FURNISHED & INSTALLED	4	938	3752	Mobile table. The unit provides mobile or isolated freestanding work surface. Characteristics and components include 3-1/2 inch casters and attached drawer bearers. Unit is used for general work applications, primarily in dry areas.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OPMH1	3 - Group Therapy Room	300	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OPMH1	3 - Group Therapy Room	300	F3060	Whiteboard, Projection Screen Combination	VV - GOVT FURNISHED & INSTALLED	1	620	620	Whiteboard and projection screen combination approximately 48" H x 72" W. Magnetic surface with matte finish for projection. Hard board stabilizer with aluminum foil back. For use with water color pens.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OPMH1	3 - Group Therapy Room	300	M0506*	Television, Flat Screen	VV - GOVT FURNISHED & INSTALLED	0	537	0	Flat screen television with approximately 60" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.

3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OPMH1	3 - Group Therapy Room	300	M0512	Television, HDTV, Large Screen, 60"	VV - GOVT FURNISHED & INSTALLED	1	3885	3885	A high definition (HDTV) multimedia, slim design, 60"W to 65"W color television. The TV will have a 16.9 wide screen aspect ratio with full HD 1080p resolution and HDMI connections. TV may be LED, Plasma or LCD. TV will include a stand.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OPMH1	3 - Group Therapy Room	300	F2310	Rack, Pamphlet, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	168	168	Wall mounted pamphlet rack up to 12 (twelve) pamphlet holding pockets. Unit is used to store and display educational pamphlets.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	OPMH1	3 - Group Therapy Room	300	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	0	1512	0	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	PHOD1	25 - Pharmacy, Storage/Dispensing Low Volume	30	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	PHOD1	25 - Pharmacy, Storage/Dispensing Low Volume	30	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	PHOD1	25 - Pharmacy, Storage/Dispensing Low Volume	30	A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	71	71	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	PHOD1	25 - Pharmacy, Storage/Dispensing Low Volume	30	E0978	Cart, Wire, Mobile, 72"H x 48"W x 24"D	VV - GOVT FURNISHED & INSTALLED	1	1636	1636	THIS TYPICAL INCLUDES: 1 Wire Cart, w/Casters 5 Wire Shelves w/Fences and Dividers 4 Vertical Back/Side Panels 1 Cart Cover Label Clips
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	PHOD1	25 - Pharmacy, Storage/Dispensing Low Volume	30	F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	3	490	1470	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	PHOD1	25 - Pharmacy, Storage/Dispensing Low Volume	30	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	7	1512	10584	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	PHOD1	25 - Pharmacy, Storage/Dispensing Low Volume	30	M1825	Printer, Computer	VV - GOVT FURNISHED & INSTALLED	4	809	3236	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	PHOD1	25 - Pharmacy, Storage/Dispensing Low Volume	30	M1830	Printer, Label, Pharmacy	VV - GOVT FURNISHED & INSTALLED	4	1613	6452	Label printer for use in pharmacy applications. The printer shall be bench top standing. It shall be flexible enough to accommodate label sizes up to 4 inches, with a minimum print speed of 6 inches per second and a minimum resolution of 203 dpi.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	PHOD1	25 - Pharmacy, Storage/Dispensing Low Volume	30	M1855	Facsimile Machine	VV - GOVT FURNISHED & INSTALLED	1	360	360	Plain paper facsimile unit used to transmit printed matter or images over standard telephone lines. The unit operates at a modem speed of 33.6 Kbps and automatically recognizes and communicates with a variety of standard facsimile machines. Commonly referred to as "fax" unit.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	PHOD1	25 - Pharmacy, Storage/Dispensing Low Volume	30	P1960	Eyewash, Counter Top	CC - CONTRACTOR FURNISHED/INSTALLED	1	599	599	Counter top mounted emergency eye wash station. Unit is hand operated to provide streams of water to clear or dilute foreign particles or liquids from the eyes in emergency situations. It is equipped with a stainless steel bowl, face spray ring and dual automatic pressure compensation devices. The valve remains open until manually closed. Used in laboratories and areas of the hospital where employees are subject to exposure to foreign bodies or caustic liquid matter to the eyes.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	PHOD1	25 - Pharmacy, Storage/Dispensing Low Volume	30	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	TLTU1	2 - Toilet, Patient Unisex	50	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	294	294	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	TLTU1	2 - Toilet, Patient Unisex	50	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	TLTU1	2 - Toilet, Patient Unisex	50	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	TLTU1	2 - Toilet, Patient Unisex	50	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	51	51	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	TLTU1	2 - Toilet, Patient Unisex	50	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	156	156	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	TLTU1	2 - Toilet, Patient Unisex	50	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	TLTU1	2 - Toilet, Patient Unisex	50	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	87	87	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	TLTU1	2 - Toilet, Patient Unisex	50	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	TLTU1	2 - Toilet, Patient Unisex	50	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	TLTU1	2 - Toilet, Patient Unisex	50	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	824	824	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	WRC01	1 - Waiting Area	400	A5077	Dispenser, Hand Sanitizer, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	45	45	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	WRC01	1 - Waiting Area	400	A5210	Bracket, Television, Wall Mounted, w/Adjust Arm	VV - GOVT FURNISHED & INSTALLED	1	222	222	Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	WRC01	1 - Waiting Area	400	A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	1	93	93	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	WRC01	1 - Waiting Area	400	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	517	517	This JSN is to be used for determining and defining location of decorative artwork.

3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	WRC01	1 - Waiting Area	400	F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	1	742	742	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	WRC01	1 - Waiting Area	400	F0305	Chair, Waiting Room, Single	VV - GOVT FURNISHED & INSTALLED	4	622	2488	Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	WRC01	1 - Waiting Area	400	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	WRC01	1 - Waiting Area	400	F2300	Rack, Magazine, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	253	253	Wall mounted magazine rack with nine (9) magazine holding compartments.
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	WRC01	1 - Waiting Area	400	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	1 - MENTAL HEALTH	WRC01	1 - Waiting Area	400	M0506	Television, Flat Screen	VV - GOVT FURNISHED & INSTALLED	1	537	537	Flat screen television with approximately 32" to 40' diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line, with speaker.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	383	383	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	A1132	Rail, Accessory Mounting, Length As Required	VC - GOVT FURNISHED/CONTR INST	1	99	99	Horizontal equipment mounting rail with lock mounting devices capable of supporting up to 75 pounds each, being repositioned, and mounting and dismantling of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismantling equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	E0948*	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	1836	1836	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins - provide flat top with no lip.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	A5077	Dispenser, Hand Sanitizer, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	45	45	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.

3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	71	71	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - CONTRACTOR FURNISHED/INSTALLED	8	7	56	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	490	490	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	M0035	Analyzer, Auditory, Evoked Potential	VV - GOVT FURNISHED & INSTALLED	1	30605	30605	Evoked potential auditory analyzer. The unit features a large color monitor, a minimum of 4 channel analysis, a computer, built-in electrode impedance testing, a physiological signal amplifier, a digital auditory stimulator and a register recorder. The analyzer is used for analyzing the response of the central nervous system to a variety of external stimuli.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	U1000	Otoacoustic emissions (OAE) equipment	VV - GOVT FURNISHED & INSTALLED	1		0	U1000 *Need Otoacoustic emissions (OAE) equipment in addition to (ABR) auditory evoked potential- can do combo unit for combo OAE/ABR testing
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	AUDIOLOGY Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. Include HIPRO 2 hearing aid coupler
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	0	1050	0	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	E0117	Workstation, Straight, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	3	4004	12012	This JSN provides a typical work station to quickly plan work areas in clinical or administrative spaces. THIS TYPICAL INCLUDES: 2 standard solid panels; 1 panel connector, 2-way corner; 2 finished end hardware kits;
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	0	189	0	Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	M4200*	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1543	1543	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms. *magnified otoscope heads required for wall-mounted otoscope
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	M4915	Chair, Exam/Treatment, ENT, w/Adjustable Light	VV - GOVT FURNISHED & INSTALLED	1	9793	9793	ENT exam/treatment chair with adjustable light. Chair can be rotated 330 degrees locking at desired position. Unit is electrically powered for precise positioning and has an adjustable headrest and armrest. It may include an adjustable gooseneck light. Unit is designed for use during examinations, treatments, and minor procedures.

3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	VV - GOVT FURNISHED & INSTALLED	1	1125	1125	The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	M8540	Microscope, Operating, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	11457	11457	Wall mounted operating microscope. Unit consists of a binocular microscope body mounted to a wall support. A magnification changer to determine the magnification ratio is enclosed in the body tube of the microscope. The lens system consists of a range of objectives from 3 to 15 in 5 steps. Includes a fiberoptic halogen light source with beam-splitter, manual or pedal focusing controls and zoom capabilities. Used in clinics, hospitals and doctor's offices during surgery to clarify the surgeon's view of microscopic structures.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	M8540	Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXAU1	13 - Audiology Exam / Consult	120	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line, with speaker.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	383	383	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	A1132	Rail, Accessory Mounting, Length As Required	VC - GOVT FURNISHED/CONTR INST	1	99	99	Horizontal equipment mounting rail with lock mounting devices capable of supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	A5077	Dispenser, Hand Sanitizer, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	45	45	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	0	71	0	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - CONTRACTOR FURNISHED/INSTALLED	10	7	70	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.

3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	E0222	Worksurface, Computer, O/H Cab, Wall Mtd, 48" W	VV - GOVT FURNISHED & INSTALLED	1	2346	2346	THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light 1 Tack board 1 Cantilevered Work Surface 1 Adjustable Keyboard Tray
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	490	490	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	M0035	Analyzer, Auditory, Evoked Potential	VV - GOVT FURNISHED & INSTALLED	0	30605	0	Evoked potential auditory analyzer. The unit features a large color monitor, a minimum of 4 channel analysis, a computer, built-in electrode impedance testing, a physiological signal amplifier, a digital auditory stimulator and a register recorder. The analyzer is used for analyzing the response of the central nervous system to a variety of external stimuli.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	M0512	Television, HDTV, Large Screen, 60"	VV - GOVT FURNISHED & INSTALLED	1	3885	3885	A high definition (HDTV) multimedia, slim design, 60"W to 65"W color television. The TV will have a 16.9 wide screen aspect ratio with full HD 1080p resolution and HDMI connections. TV may be LED, Plasma or LCD. TV will include a stand.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	M0507	Video Teleconferencing System	VV - GOVT FURNISHED & INSTALLED	1	12692	12692	Shall be a video conferencing unit consisting of a camera, microphone, video/audio compression components, a component cart and a 32 inch monitor. It shall provide live audio-visual conferencing capabilities to dispersed geographic sites.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	0	189	0	Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1543	1543	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	M4840	ENT Unit, w/Air, Electric Power, Suction, Pressure	VV - GOVT FURNISHED & INSTALLED	0	5265	0	Mobile ENT unit. Unit has air and electrical panels and integral suction and pressure system. Unit houses a control panel with functions selector, pressure regulator, pressure gauge and electrical outlets. It is equipped with foot-controlled vacuum and pressure plus a storage area.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	M4915	Chair, Exam/Treatment, ENT, w/Adjustable Light	VV - GOVT FURNISHED & INSTALLED	0	9793	0	ENT exam/treatment chair with adjustable light. Chair can be rotated 330 degrees locking at desired position. Unit is electrically powered for precise positioning and has an adjustable headrest and armrest. It may include an adjustable gooseneck light. Unit is designed for use during examinations, treatments, and minor procedures.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	F0755	Table, Conference, Wood	VV - GOVT FURNISHED & INSTALLED	1	2400	2400	Executive conference table. Dimensions are approximately 30" high, 48" wide with lengths varying from 74" to 96". These tables add traditional elegance to any conference room.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	8	636	5088	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	VV - GOVT FURNISHED & INSTALLED	1	1125	1125	The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.

3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	Group Treatment	190	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
------------------------------------	------------------------------------	-------	-----------------	-----	-------	-------------------------------------	-------------------------------------	---	-----	-----	---

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line, with speaker.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150				1		0	**Computerized Dynamic Posturography (CDP) equipment needed (NeuroCom Smart EquiTest CDP platform w/ InVision and Long Force Plate)
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	M4840	ENT Unit, w/Air, Electric Power, Suction, Pressure	VV - GOVT FURNISHED & INSTALLED	1	5265	5265	Mobile ENT unit. Unit has air and electrical panels and integral suction and pressure system. Unit houses a control panel with functions selector, pressure regulator, pressure gauge and electrical outlets. It is equipped with foot-controlled vacuum and pressure plus a storage area.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	383	383	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	A1132	Rail, Accessory Mounting, Length As Required	VC - GOVT FURNISHED/CONTR INST	1	99	99	Horizontal equipment mounting rail with lock mounting devices capable of; supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	A5077	Dispenser, Hand Sanitizer, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	45	45	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	71	71	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - CONTRACTOR FURNISHED/INSTALLED	10	7	70	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	E0222	Worksurface, Computer, O/H Cab, Wall Mtd, 48" W	VV - GOVT FURNISHED & INSTALLED	1	2346	2346	THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light 1 Tack board 1 Cantilevered Work Surface 1 Adjustable Keyboard Tray

3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	490	490	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	M0035	Analyzer, Auditory, Evoked Potential	VV - GOVT FURNISHED & INSTALLED	1	30605	30605	Evoked potential auditory analyzer. The unit features a large color monitor, a minimum of 4 channel analysis, a computer, built-in electrode impedance testing, a physiological signal amplifier, a digital auditory stimulator and a register recorder. The analyzer is used for analyzing the response of the central nervous system to a variety of external stimuli.
	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150		ABR/OAE combo unit	VV - GOVT FURNISHED & INSTALLED			0	ABR/OAE combo unit
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	189	189	Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1543	1543	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	M4840	ENT Unit, w/Air, Electric Power, Suction, Pressure	VV - GOVT FURNISHED & INSTALLED	1	5265	5265	Mobile ENT unit. Unit has air and electrical panels and integral suction and pressure system. Unit houses a control panel with functions selector, pressure regulator, pressure gauge and electrical outlets. It is equipped with foot-controlled vacuum and pressure plus a storage area.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	M4915	Chair, Exam/Treatment, ENT, w/Adjustable Light	VV - GOVT FURNISHED & INSTALLED	1	9793	9793	ENT exam/treatment chair with adjustable light. Chair can be rotated 330 degrees locking at desired position. Unit is electrically powered for precise positioning and has an adjustable headrest and armrest. It may include an adjustable gooseneck light. Unit is designed for use during examinations, treatments, and minor procedures.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	VV - GOVT FURNISHED & INSTALLED	1	1125	1125	The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	M8540	Microscope, Operating, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	11088	11088	Wall mounted operating microscope. Unit consists of a binocular microscope body mounted to a wall support. A magnification changer to determine the magnification ratio is enclosed in the body tube of the microscope. The lens system consists of a range of objectives from 3 to 15 in 5 steps. Includes a fiberoptic halogen light source with beam-splitter, manual or pedal focusing controls and zoom capabilities. Used in clinics, hospitals and doctor's offices during surgery to clarify the surgeon's view of microscopic structures.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	M3073	Container, Biohazard Waste, Step-on, Fire Safe	VV - GOVT FURNISHED & INSTALLED	1	113	113	A biohazard waste container with a step-on lid. The container will have a capacity of approximately 12 gallons and be made of a fire safe material.

3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXEN1	7 - AUD: Posturography Room	150	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150		VGN	VV - GOVT FURNISHED & INSTALLED	1		0	*Need Vestibulomastography (VNG) equipment w/ lightbar, goggles *Irrigator, caloric
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	A1066	Mirror, Float Glass, With SS Frame	CC - CONTRACTOR FURNISHED/INSTALLED	1	85	85	A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	A1132	Rail, Accessory Mounting, Length As Required	VC - GOVT FURNISHED/CONTR INST	2	99	198	Horizontal equipment mounting rail with lock mounting devices capable of supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	0	71	0	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	A5107	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	3	27	81	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.

3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	31	62	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - CONTRACTOR FURNISHED/INSTALLED	10	7	70	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	517	517	This JSN is to be used for determining and defining location of decorative artwork.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	1836	1836	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	F0210	Chair, Side, Without Arms	VV - GOVT FURNISHED & INSTALLED	1	364	364	Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	2	51	102	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	M1620	Holder, Chart, Patient, Wall or Door Mounted	VV - GOVT FURNISHED & INSTALLED	1	36	36	Wall or door mounted patient chart holder. Constructed of durable plastic or metal. Used for holding patient records. Size as required.

3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1050	1050	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	M3072	Frame, Infectious Waste Bag w/Lid	VV - GOVT FURNISHED & INSTALLED	1	436	436	Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	189	189	Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1543	1543	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	VV - GOVT FURNISHED & INSTALLED	1	1125	1125	The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	M9025	Table, Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	0	1859	0	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	M8320	Table, Treatment, Hi/Lo	VV - GOVT FURNISHED & INSTALLED	1	1859	1859	Hi/Lo metal treatment table. Unit consists of a hydraulic electromechanical power system operated with a hand or foot control. Includes a foam pad, upholstered top with back section adjustable to a full chair position. Adjustable height from 24" to 39". Provides easy access for patients in wheelchair or stretcher. Designed for general examinations as well as orthopedic and Ob-Gyn.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	EXRG3	10 - Vestibulography	150	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	HAFR1	1 - AUD: Hearing Aid Fabrication / Modification Room	120	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line, with speaker.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	HAFR1	1 - AUD: Hearing Aid Fabrication / Modification Room	120	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	294	294	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	HAFR1	1 - AUD: Hearing Aid Fabrication / Modification Room	120	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	HAFR1	1 - AUD: Hearing Aid Fabrication / Modification Room	120	A5077	Dispenser, Hand Sanitizer, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	45	45	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	HAFR1	1 - AUD: Hearing Aid Fabrication / Modification Room	120	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	207	207	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	HAFR1	1 - AUD: Hearing Aid Fabrication / Modification Room	120	CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	1024	1024	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	HAFR1	1 - AUD: Hearing Aid Fabrication / Modification Room	120	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	986	986	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	HAFR1	1 - AUD: Hearing Aid Fabrication / Modification Room	120	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	179	179	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	HAFR1	1 - AUD: Hearing Aid Fabrication / Modification Room	120	E0906	Locker, Supply, General, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	3041	6082	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H 3 Drawers, 6"H 2 Drawers, 9"H 1 Tray/Shelf Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.

3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	HAFR1	1 - AUD: Hearing Aid Fabrication / Modification Room	120	E1500	Rail, MOD, W/MNTD, HX144XD	VV - GOVT FURNISHED & INSTALLED	1	726	726	Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	HAFR1	1 - AUD: Hearing Aid Fabrication / Modification Room	120	F0210	Chair, Side, Without Arms	VV - GOVT FURNISHED & INSTALLED	1	364	364	Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	HAFR1	1 - AUD: Hearing Aid Fabrication / Modification Room	120	F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	490	490	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	HAFR1	1 - AUD: Hearing Aid Fabrication / Modification Room	120	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	HAFR1	1 - AUD: Hearing Aid Fabrication / Modification Room	120	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	HAFR1	1 - AUD: Hearing Aid Fabrication / Modification Room	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	HAFR1	1 - AUD: Hearing Aid Fabrication / Modification Room	120	M0020	Hearing Aid Analyzer	VV - GOVT FURNISHED & INSTALLED	1	13104	13104	Hearing aid analyzer. It includes a complete acoustic test system, comprised of a control unit, color monitor, and hearing aid test box. For use in automatically testing, calculating and printing all electrical and acoustical performance data of any hearing aid in accordance with ANSI S3.22.
	2 - AUDIOLOGY AND SPEECH PATHOLOGY	HAFR1	1 - AUD: Hearing Aid Fabrication / Modification Room	120		Hearing Aid Analyzer	VV - GOVT FURNISHED & INSTALLED	1		0	*STARKEY MODIFICATION BENCH w/ VACUUM for in-house repairs and modification/earmolds and hearing aids
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	HAFR1	1 - AUD: Hearing Aid Fabrication / Modification Room	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	HAFR1	1 - AUD: Hearing Aid Fabrication / Modification Room	120	M4915	Chair, Exam/Treatment, ENT, w/Adjustable Light	VV - GOVT FURNISHED & INSTALLED	0	9793	0	ENT exam/treatment chair with adjustable light. Chair can be rotated 330 degrees locking at desired position. Unit is electrically powered for precise positioning and has an adjustable headrest and armrest. It may include an adjustable gooseneck light. Unit is designed for use during examinations, treatments, and minor procedures.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	OFD03	9 - Audiology Health Technician	120	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, 1 line.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	OFD03	9 - Audiology Health Technician	120	6515	Hearing Aid Analyzer	VV - GOVT FURNISHED & INSTALLED	1	12682	12682	Hearing aid analyzer. It includes a complete acoustic test system, comprised of a control unit, color monitor, and hearing aid test box. For use in automatically testing, calculating and printing all electrical and acoustical performance data of any hearing aid in accordance with ANSI S3.22.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	OFD03	9 - Audiology Health Technician	120	E0945	Cart, Computer, Mobile	VV - GOVT FURNISHED & INSTALLED	2	1923	3846	A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder 1 Wastebasket 1 Chart Holder 2 Drawers, 3"H 2 Drawers, 6"H 3 Accessory Rail, Side Drawer Organizer Bins
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	OFD03	9 - Audiology Health Technician	120	A1066	Mirror, Float Glass, With SS Frame	CC - CONTRACTOR FURNISHED/INSTALLED	1	85	85	A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	OFD03	9 - Audiology Health Technician	120	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	OFD03	9 - Audiology Health Technician	120	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	OFD03	9 - Audiology Health Technician	120	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	31	62	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	OFD03	9 - Audiology Health Technician	120	A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - CONTRACTOR FURNISHED/INSTALLED	10	7	70	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	OFD03	9 - Audiology Health Technician	120	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	517	517	This JSN is to be used for determining and defining location of decorative artwork.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	OFD03	9 - Audiology Health Technician	120	E0063	Workstation, L-Shaped w/Peninsula, Wall Mtd, 72x72	VV - GOVT FURNISHED & INSTALLED	1	5914	5914	THIS TYPICAL INCLUDES: 3 Vertical Hanging Strips 2 Lockable Flipper Units 2 Shelves, Storage/Display 2 Lights 1 Tackboard 2 Tool Rails 2 Paper Trays 1 Diagonal Tray 1 Cantilevered Work Surface 1 Peninsula Work Surface 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File 1 Pencil Drawer 1 Cpu Holder

3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	OFD03	9 - Audiology Health Technician	120	F0115	Bookcase, Open, 5 Shelf	VV - GOVT FURNISHED & INSTALLED	1	985	985	Freestanding open shelf bookcase, approximately 82" high X 37" wide X 18" deep with 5 (five) adjustable shelves. Unit can be separate or part of a system with available add-on shelving.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	OFD03	9 - Audiology Health Technician	120	E0824	Module, Storage, Files/Shelves, Wall Mtd, 48"x16"	VV - GOVT FURNISHED & INSTALLED	1	2143	2143	THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 3 Shelves 2 Hanging File Drawers Shelf Dividers
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	OFD03	9 - Audiology Health Technician	120	F0210	Chair, Side, Without Arms	VV - GOVT FURNISHED & INSTALLED	2	364	728	Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	OFD03	9 - Audiology Health Technician	120	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	636	636	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	OFD03	9 - Audiology Health Technician	120	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	620	620	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	OFD03	9 - Audiology Health Technician	120	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	OFD03	9 - Audiology Health Technician	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	OFD03	9 - Audiology Health Technician	120	M1620	Holder, Chart, Patient, Wall or Door Mounted	VV - GOVT FURNISHED & INSTALLED	1	36	36	Wall or door mounted patient chart holder. Constructed of durable plastic or metal. Used for holding patient records. Size as required.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	OFD03	9 - Audiology Health Technician	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	AUDIOLOGY Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. with HIPro 2 hearing aid coupler
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	OFD03	9 - Audiology Health Technician	120	M1825	Printer, Computer	VV - GOVT FURNISHED & INSTALLED	1	809	809	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	OFD03	9 - Audiology Health Technician	120		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	OFD03	9 - Audiology Health Technician	120	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
------------	-----------------	-----------	-----------	-----------	-----	--------------	----------	-----	-----------	------------	-------------

3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	PEHS4	4 - AUD: Suite, Audiometric Exam	260	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, 1 line.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	PEHS4	4 - AUD: Suite, Audiometric Exam	260	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	PEHS4	4 - AUD: Suite, Audiometric Exam	260	E0042	Workcenter, Computer, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	1	2615	2615	THIS TYPICAL INCLUDES: 1 Tool Rail 2 Paper Tray 1 Diagonal Tray 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	PEHS4	4 - AUD: Suite, Audiometric Exam	260	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	1836	1836	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side 1 Drawer Organizer Bins *NO RAISED EDGE ON TOP
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	PEHS4	4 - AUD: Suite, Audiometric Exam	260	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	552	1104	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	PEHS4	4 - AUD: Suite, Audiometric Exam	260	F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	2	490	980	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	PEHS4	4 - AUD: Suite, Audiometric Exam	260	F0860	Table, Mobile	VV - GOVT FURNISHED & INSTALLED	1	938	938	Mobile table. The unit provides mobile or isolated freestanding work surface. Characteristics and components include 3-1/2 inch casters and attached drawer bearers. Unit is used for general work applications, primarily in dry areas.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	PEHS4	4 - AUD: Suite, Audiometric Exam	260	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	PEHS4	4 - AUD: Suite, Audiometric Exam	260	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).

3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	PEHS4	4 - AUD: Suite, Audiometric Exam	260	M0025	Audiometer, Diagnostic, Middle Ear, Impedance	VV - GOVT FURNISHED & INSTALLED	1	7008	7008	Diagnostic impedance audiometer. Unit includes a clinical ear analyzer and can link to a complete data base computer system that stores patient results. Used for diagnostic audiological testing for middle ear impedance / compliance.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	PEHS4	4 - AUD: Suite, Audiometric Exam	260	M0041	Booth, Audio, Double Wall, Suite	CC - CONTRACTOR FURNISHED/INSTALLED	1	63110	63110	Double wall audiometric testing suite with double walled examination and control rooms. Unit includes recessed incandescent lights, carpet, keyed locks on both outer doors, a twelve outlet surface mounted plug mold strip in both rooms. A 24"x30" viewing window and self contained ventilation system permit extended examinations. Unit also includes jack panel between the exam and control rooms. Height may require raising room ceiling.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	PEHS4	4 - AUD: Suite, Audiometric Exam	260	M0025	Audiometer, Diagnostic, Middle Ear, Impedance	VV - GOVT FURNISHED & INSTALLED	1	6782	6782	Diagnostic impedance audiometer. Unit includes a clinical ear analyzer and can link to a complete data base computer system that stores patient results. Used for diagnostic audiological testing for middle ear impedance / compliance.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	PEHS4	4 - AUD: Suite, Audiometric Exam	260		soundfield speakers, OSCAR wall-mounted headphone calibrator, external DVD/CD player	VV - GOVT FURNISHED & INSTALLED	1		0	soundfield speakers, OSCAR wall-mounted headphone calibrator, external DVD/CD player
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	PEHS4	4 - AUD: Suite, Audiometric Exam	260	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	AUDIOLOGY Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. with HIPro 2 hearing aid coupler
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	PEHS4	4 - AUD: Suite, Audiometric Exam	260	M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1493	1493	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	PEHS4	4 - AUD: Suite, Audiometric Exam	260	F0740	Table, Occasional, Lamp	VV - GOVT FURNISHED & INSTALLED	1	332	332	Occasional lamp table (end table) approximately 20" high X 27" wide X 27" deep with choice of finishes (wood, oak veneer, or high pressure laminate).
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	PEHS4	4 - AUD: Suite, Audiometric Exam	260		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	PEHS4	4 - AUD: Suite, Audiometric Exam	260	m1803	Workstation, Computer, Wall Mounted, Adjustable	VV - GOVT FURNISHED & INSTALLED	1	1845	1845	A wall mounted computer workstation with height adjustable monitor and keyboard arms. Keyboard and monitor can be stored within 8" to 10" of wall. Fingertip adjustability for keyboard and monitor enable frequent position changes. Unit contains an integrated cable management system to hide wires. A separate wall-mounted CPU holder is included.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	PEHS4	4 - AUD: Suite, Audiometric Exam	260	M1825	Printer, Computer	VV - GOVT FURNISHED & INSTALLED	1	809	809	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	RCP01	16 - Reception	55	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, multiple line.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	RCP01	16 - Reception	55	A6105	Counter, Reception Control, Built-In	CC - CONTRACTOR FURNISHED/INSTALLED	1	7736	7736	Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backplash/curb. Pricing based on a 30" depth.

3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	RCP01	16 - Reception	55	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	636	636	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	RCP01	16 - Reception	55	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	RCP01	16 - Reception	55	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	RCP01	16 - Reception	55	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	SRCH1	2 - AUD: Instrument Calibration and Storage Room	160	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	SRCH1	2 - AUD: Instrument Calibration and Storage Room	160	M2070	Shelving, Storage, 77hx36wx18d	VV - GOVT FURNISHED & INSTALLED	6	218	1308	Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	SRSE1	6 - Equipment Area	100	M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	2	846	1692	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.

				100	M2070	Shelving, Storage, 77hx36wx18d	VV - GOVT FURNISHED & INSTALLED	2	218	436	Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room.
--	--	--	--	-----	-------	--------------------------------	---------------------------------	---	-----	-----	--

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	TLTU1	3 - AUD: Patient Toilet	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	294	294	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	TLTU1	3 - AUD: Patient Toilet	60	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	TLTU1	3 - AUD: Patient Toilet	60	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	TLTU1	3 - AUD: Patient Toilet	60	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	51	51	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	TLTU1	3 - AUD: Patient Toilet	60	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	156	156	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	TLTU1	3 - AUD: Patient Toilet	60	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	TLTU1	3 - AUD: Patient Toilet	60	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	87	87	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.

3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	TLTU1	3 - AUD: Patient Toilet	60	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	TLTU1	3 - AUD: Patient Toilet	60	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	TLTU1	3 - AUD: Patient Toilet	60	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	824	824	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	WTG11	12 - Waiting, General	250	A5077	Dispenser, Hand Sanitizer, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	45	45	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	WTG11	12 - Waiting, General	250	A5210	Bracket, Television, Wall Mounted, w/Adjust Arm	VV - GOVT FURNISHED & INSTALLED	1	222	222	Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	WTG11	12 - Waiting, General	250	A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	1	93	93	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	WTG11	12 - Waiting, General	250	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	517	517	This JSN is to be used for determining and defining location of decorative artwork.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	WTG11	12 - Waiting, General	250	F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	1	742	742	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.

3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	WTG11	12 - Waiting, General	250	F0305	Chair, Waiting Room, Single	VV - GOVT FURNISHED & INSTALLED	9	622	5598	Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	WTG11	12 - Waiting, General	250	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	WTG11	12 - Waiting, General	250	F2300	Rack, Magazine, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	253	253	Wall mounted magazine rack with nine (9) magazine holding compartments.
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	WTG11	12 - Waiting, General	250	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	2 - AUDIOLOGY AND SPEECH PATHOLOGY	WTG11	12 - Waiting, General	250	M0506	Television, Flat Screen	VV - GOVT FURNISHED & INSTALLED	1	537	537	Flat screen television with approximately 32" to 40' diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	2	17	34	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	88	176	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.

3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	C02C0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	859	859	Standing height under counter base cabinet with an adjustable shelf and a full width drawer above a solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings). Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	C03P0	Cabinet, Sink, U/C/B, 2 Door, 30" W	CC - CONTRACTOR FURNISHED/INSTALLED	2	789	1578	Standing height under counter base sink cabinet. 36" H x 30" W x 22" D with two solid hinged doors. Also referred to as a double-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	C04F0	Cabinet, U/C/B, 1 Shelf, 2 Half DR, 2 DO, 36x36x22	CC - CONTRACTOR FURNISHED/INSTALLED	5	1156	5780	Standing height under counter base cabinet with an adjustable shelf and two half width drawers above solid hinged doors. Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	CS200	Sink, SS, Single Compartment, 12x28x16 ID	CC - CONTRACTOR FURNISHED/INSTALLED	2	1588	3176	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. Coordinate actual outside sink dimensions with the actual clear dimension of cabinet specified to ensure that they are compatible. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	179	179	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	D0755	Tank Assembly, Boilout/Curing, Double	CC - CONTRACTOR FURNISHED/INSTALLED	1	4404	4404	Two basin washout and boil-out tank assembly with stainless steel tanks and gas heating elements. The unit includes a recirculating pump, wax trap and drain valve. The assembly requires an appropriate cabinet for support.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	D0904	Workstation, Dental Lab, Tech, Single Station	VV - GOVT FURNISHED & INSTALLED	4	8793	35172	Modular technician's workstation for the dental laboratory. The workstation features integrated gas, air, and electrical lines which all connect to building supplies from a single utility panel. The unit contains an overhead task lighting (approx. 3000 Lux) array. The workstation also includes a dust extraction system with filtration, a minimum of 4 drawers for storage, an air gun, a gas valve for a Bunsen burner and electrical outlets for accessory equipment. The desktop is made from a fiber/cement mixture or similar material to resist heat, abrasion, and chemical attack. This unit has a standard length work surface that varies among manufacturers but is nominally 43". Depending on the manufacturer, workstation package configurations may include seating and other minor accessories. The workstation may require more than one electrical connection to the facility power grid to run the equipment used on the bench.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	D0942	Workstation, Dental Lab, Microblasting	VV - GOVT FURNISHED & INSTALLED	1	7392	7392	Complete micro-blaster and dust extraction device integrated into a 34" high x 24" wide x 24" deep (nominal) cabinet. The micro-blaster can use 25 to 250 micron aluminum oxide, sand, glass bead or walnut shell abrasives. The unit includes micro-blasting pencils, canisters for clean blasting, one recirculating nozzle for gross blasting, an air chisel, an air nozzle and a protective safety shield. The micro-blaster connects to a dust extraction system suitably sized for the micro-blaster.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	D2580	Casting Machine, Induction, Bench Mounted	VV - GOVT FURNISHED & INSTALLED	1	15801	15801	Bench mounted, microprocessor controlled induction casting machine. The unit is designed for safe clean casting of precious and non-precious dental alloys. The machine features automatic temperature control through a range of 900 to 1800 degrees C (1652 to 3272 degrees F), built-in optical pyrometer, a self-contained water cooling system and variable casting arm acceleration rate. The unit is designed for mounting on a low bench to bring it up to counter height for easy use.

3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	D3295	Chair, Rotary, Laboratory, Dental	VV - GOVT FURNISHED & INSTALLED	4	658	2632	Rotary dental laboratory chair. The chair is used by technicians while working at a bench. Chairs also have casters and an adjustable backrest.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	D4100	Cleaner, Steam, Dental	VV - GOVT FURNISHED & INSTALLED	1	2014	2014	Dental steam cleaner. The cleaner has a variable temperature control and is capable of generating up to 80 PSI of pressure. The unit is used for flushing out dirt, debris, wax and polishing compounds from models, dentures, impression trays and instruments.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	D4260	Handpiece, Laboratory, Dental, Electric	VV - GOVT FURNISHED & INSTALLED	4	1246	4984	Portable dental laboratory handpiece. The unit has a straight handle and is electrically powered. The handpiece includes a controller and power cables. Unit is used to grind, polish or finish precious and non-precious metal alloys.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	D4351	Sintering Oven	VV - GOVT FURNISHED & INSTALLED	1	14346	14346	Compact, light weight high temperature oven for use with all sintering materials in dental laboratories. Features include temperature accuracy to within +/- 2 degrees centigrade, automatic temperature calibration, automatic temperature adjustments with multiple programing options.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	D4360	Pump, Vacuum, Dental Oven	VV - GOVT FURNISHED & INSTALLED	1	559	559	Vacuum pump. The pump is used in dental laboratories to provide a vacuum source for the vacuum oven listed at JSN D4350.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	D4500	Furnace, Laboratory, Dental, Burnout	VV - GOVT FURNISHED & INSTALLED	1	2413	2413	Dental burnout furnace. The unit is used in dental laboratories for burnout of dental alloy rings and flasks. The furnace is capable of automatic or manual operation and has a automatic self-calibration system as well as a digital readout. The unit can hold a minimum of fifteen 1-3/4" inlay rings. Some model lines are available with several sizes of heating elements and/or for other power configurations.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	D6250	Lathe, Dental, Bench Mounted	VV - GOVT FURNISHED & INSTALLED	4	535	2140	Dental lathe which can perform grinding or polishing work depending on the attachments to the spindles. The unit is bench mounted and has two speeds, generally 1725 and 3450 rpm, or is variable across its entire operating range up to 3600 rpm.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	D6600	Mixer / Investor, With Vacuum	VV - GOVT FURNISHED & INSTALLED	1	1815	1815	Dental vacuum mixer-investor. Unit is used in dental laboratories to mix alginates and other materials as well as investing materials for inlays and crowns. Some units are equipped with a vibrating arm to assist in moving investments from the mixing chamber into the casting rings. Some models are microprocessor controlled. Units are mounted to a wall or bench for stability. Specify mounting when ordering.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	D6650	Former, Vacuum, With Motor, Vacuum Pump, Heater	VV - GOVT FURNISHED & INSTALLED	1	546	546	Vacuum former. Used in dental laboratories for adaptation of thermoplastic resins. Unit has a self contained motor, vacuum pump and heater.

3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	D8510	Oven, Drying, Dental	VV - GOVT FURNISHED & INSTALLED	1	840	840	Dental model drying oven. The oven is used to dehydrate refractory models prior to bee's wax dipping. The unit provides efficient circulation of air to eliminate moisture as it evaporates. The unit has an adjustable damper, two shelves, a built-in thermostat, a secondary temperature controller and a glass thermometer.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	D9050	Driver, Model Indexing Pins	VV - GOVT FURNISHED & INSTALLED	1	1123	1123	Model indexing pin driver used to accurately place indexing pins in multiple piece dental models and multiple piece die sets. The bench top instrument provides a means to accurately align, drill and insert indexing pins.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	D9050	Trimmer, Model, Dental, 1/4 HP	VV - GOVT FURNISHED & INSTALLED	1	751	751	Dental model trimmer with a 1/4 or 1/3 HP motor and a 10" abrasive wheel. The trimmer is used in dental laboratories for trimming plaster and stone dental impression models. This is a light duty unit and its commonly used accessories include floor switches, water valves, water spray heads and splash shields. The database pricing is for the basic unit only.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	L2337	Canopy, Hood, Fume, 6 foot	CC - CONTRACTOR FURNISHED/INSTALLED	1	5455	5455	4' Canopy fumehood. The unit includes a switched fan unit with pilot light; corrosion resistant steel, aluminum, or chemical resistant and fire retardant seamless fiberglass construction; dimensions as indicated on design drawings; fire suppression systems and any other special requirements to be defined during the facility design. It also includes a 3/4 horsepower motor blower. The static pressure loss shall not exceed 0.91 at 1290 cfm and 1.65 at 1935 cfm. It is equipped with baffles to maximize slot velocities and control fumes. Used in laboratories for low to moderate risk biological agents. Other sizes may be available. Blower motor mounted separate from the canopy and may not be included in the size specification.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	M2015	Cabinet, Storage, Flammable, Freestanding	VV - GOVT FURNISHED & INSTALLED	1	1179	1179	Freestanding flammable safety storage cabinet. Size as required. Unit is of all welded steel wall construction with vented grounding attachments, raised leak proof door sill and adjustable shelving. Equipped with swinging doors and built-in key lock. Designed for storage of flammable fluids. Complies with OSHA standards, is FM approved and designed IAW NFPA 30.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	P1965	Eyewash, Eye/Face, Sink Mounted, Hands-free	CC - CONTRACTOR FURNISHED/INSTALLED	1	560	560	A sink mounted eyewash station. The unit is designed for emergency eye and face rinsing from soft flow dual spray-heads. The flow must be activated by the single momentary action and remain on until terminated.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	P2451	Valve, Mixing, Thermostatic, Eyewash	CC - CONTRACTOR FURNISHED/INSTALLED	1	767	767	Emergency tempering valve thermostatically mixes hot and cold water to provide a safe fluid supply for a single emergency eye/face wash with a flow rate of 10 gpm (38.8L)
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	P2451	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	3	1024	3072	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.

3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNPL1	6 - Dental Prosthetic Laboratory	250	P7650	Trap, Plaster, Small	CC - CONTRACTOR FURNISHED/INSTALLED	1	789	789	Plastic or metal bodied plaster trap. The unit has a one piece body which is approximately 12 inches deep. The top has 1.5 inch inlet and drain connections. The trap is used in laboratories to capture solids and preclude the clogging of drain lines. The installation must allow sufficient clearance above or below the unit (depending on the manufacturer) to remove the basket for cleaning.
------------------------------------	------------	-------	----------------------------------	-----	-------	----------------------	-------------------------------------	---	-----	-----	---

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	294	294	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	2	17	34	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	A5077	Dispenser, Hand Sanitizer, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	2	45	90	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	88	176	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	0	71	0	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	A5106	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	28	28	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
				120	X3150	Rack, Apron/Gloves, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	361	361	Apron and gloves rack. This is a wall unit which holds aprons and gloves. The body is heavy gauge steel finish in gray or green baked enamel, glove and apron holding arms are aluminum. The unit's convenient on wall storage will prolong the useful life of your protection aprons by helping prevent damage to internal components.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	D0670	Console, Treatment Unit, Dental Operator	VC - GOVT FURNISHED/CONTRACTOR INSTALLED	1	8462	8462	A dental treatment console or work station (also called a "12 o'clock unit") approximately 45" W x 72" H x 30" D. Consists of a base unit with storage and equipment drawers, a bifold door cabinet with slide out shelves and CPU storage. A midsection with chase and power bar for ancillary equipment and shelf for a monitor and keyboard. Upper storage unit may be pass-through or non-pass-through with glass shelves and see-through cabinet doors. Unit may also be configured with a pivoting work surface to hold all doctor and assistant instrumentation or with a wash station w/SS sink and knee or foot activated faucet and solid surface or laminate countertop. Unit is also available in other widths and heights. Final makeup of this unit is dependant on individual facility requirements determined at time of purchase.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	D0680	Console, Accessory/Side, Dental Operator	VC - GOVT FURNISHED/CONTRACTOR INSTALLED	2	5899	11798	An accessory or side console/cabinet approximately 60" W x 24" D x 32" H for use in a single chair dental operator. The console may be a left or a right unit used for the dentist or the assistant depending configuration of the operator. The unit may contain a sink component with waste drop, a round SS sink with faucet and soap dispenser, a solid surface counter top, a drawer storage module with writing surface and equipment drawers, a double door component with swing out shelves and a glove dispenser. Various combinations are available as well as different widths.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	D0685	Cabinet, Storage, Dental Operator, Wall MNTD	VC - GOVT FURNISHED/CONTRACTOR INSTALLED	2	931	1862	An upper wall mounted storage cabinet with two adjustable shelves providing additional space for dental supplies and equipment in a dental operative. Cabinet is approximately 34" W x 12" D x 24" H with other widths available. Cabinet is frequently mounted above JSN D0680, Console, Accessory/Side, Dental Operator.

3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	D3320	Chair, Operating, Dental	VC - GOVT FURNISHED/CONTRACTOR INSTALLED	1	11880	11880	Dental operating chair designed for the treatment and comfort of dental patients. The chair shall be capable of multiple positions, shall swivel, contain an adjustable headrest and arm rests that pivot up and down. The chair shall operate by means of electrohydraulics. The upholstery shall be seamless with no crevices to catch debris and be easy to clean.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	D3380	Stool, Operating, Dental, Doctor	VV - GOVT FURNISHED & INSTALLED	1	707	707	Dental operating stool. Used by the dentist in the care and treatment of patients. This chair has a gas cylinder to adjust the height of the chair. It also has backrest as an integral part of the unit. The unit is to be equipped with casters. Various color combinations of vinyl or fabric are available.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	D3390	Stool, Operating, Dental, Assistant	VV - GOVT FURNISHED & INSTALLED	1	1045	1045	Dental assistant's operating stool used in dental operatories during procedures. This chair has a body support arm or abdominal support that can be left or right hand adaptable. It is also gas cylinder operated for height adjustments. The chair is available in multiple vinyl or fabric color combinations.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	D3565	Resin Curing Unit, Visible Light	VV - GOVT FURNISHED & INSTALLED	1	1942	1942	Visible light resin curing unit which provides a high intensity, cold light source of visible blue light for the polymerization of all visible light cured materials. The unit provides for time selections between 10 and 60 seconds or continuous operation and beeps at ten or twenty second intervals during use.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	D6050	Light, Dental, Operating, Ceiling, Track	VC - GOVT FURNISHED/CONTRACTOR INSTALLED	2	3971	7942	Dental operating light used to illuminate the field of work. This is a single light unit on a cantilever arm mounted from a column which is suspended from a moving trolley in a ceiling track. The light can be used in installations where the ceiling height is between 8 and 10.5 feet; some units can mount to ceilings as high as 13 feet. Database physical dimensions refer to the light's maximum travel dimensions centered on the ceiling mounting track. The database weight includes the light, arm and trolley. Mounting this light may require reinforcing the ceiling or monitor ceiling track mount with combination exam light. The monitor and light are attached to separate counterbalanced flex arms with independent trolleys. Typically used in dental operatories. Check individual vendors for monitor sizes. LED that has filters to reduce the 470nm blue light that cures composite. Provide Intraoral camera for each room that can be integrated with overhead monitor.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	D6151	Mount, Monitor Ceiling Track	VC - GOVT FURNISHED/CONTRACTOR INSTALLED	1	5311	5311	Monitor ceiling track mount with combination exam light. The monitor and light are attached to separate counterbalanced flex arms with independent trolleys. Typically used in dental operatories. Check individual vendors for monitor sizes. LED that has filters to reduce the 470nm blue light that cures composite. Provide Intraoral camera for each room that can be integrated with overhead monitor.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	D7090	Utility Center, Dental, Wall or Floor Mounted	VC - GOVT FURNISHED/CONTRACTOR INSTALLED	1	1011	1011	Utility center. The unit contains electrical and quick connect air, waste and water utility connections. The center accommodates one umbilical and includes shut-off valves and regulators for both the air and water supplies.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	D8250	Delivery System, Dental Operating	VC - GOVT FURNISHED/CONTRACTOR INSTALLED	1	7725	7725	Dental operating unit. The dentist and/or dental hygienist uses the unit for treatment of dental patients. The unit contains the operating connections for handpieces, the water spray and the vacuum system. Chair mounted.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	D8550	Amalgamator, Dental	VV - GOVT FURNISHED & INSTALLED	1	775	775	Dental amalgamator. The amalgamator is used in dental operatories to triturate alloys for restoration of teeth after removal of caries.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	M8556	Electrosurgical Unit, Endoscopy	VV - GOVT FURNISHED & INSTALLED	1	11653	11653	Electrosurgical unit for endoscopy procedures. Unit is designed for tissue cutting, coagulation, polyp removal and general surgical procedures. Unit produces varying radio frequency electric current waveforms (cut, blended, coagulation), for different treatment procedures. Unit can support monopolar and bipolar electrosurgical instruments and includes a safety system which shuts off current if leads or cables are improperly connected. This unit is also a component of the M8605-M8607 and M8610-M8611 endoscopy carts.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	D9060	Prophylaxis Unit, Ultrasonic	VV - GOVT FURNISHED & INSTALLED	1	3637	3637	Dental ultrasonic prophylaxis unit. Used in dental clinics for the removal of calculus. Unit requires water and air supplies.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	2	240	480	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated. (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	M1803	Workstation, Computer, Wall Mounted, Adjustable	VV - GOVT FURNISHED & INSTALLED	1	1906	1906	A wall mounted computer workstation with height adjustable monitor and keyboard arms. Keyboard and monitor can be stored within 8" to 10" of wall. Fingertip adjustability for keyboard and monitor enable frequent position changes. Unit contains an integrated cable management system to hide wires. A separate wall-mounted CPU holder is included.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	X6600	Radiographic Unit, Dental, Wall Mounted, 7 mA	VC - GOVT FURNISHED/CONTRACTOR INSTALLED	1	5094	5094	Dental radiographic unit. Wall mounted, 7 mA, 70 kVp, 120 VAC, electronic remote exposure control unit. The unit shall have electronic timing with automatic reset timing capability and main power correction unit to adjust for line voltage fluctuations. Tube head shall be of the oil immersed, shield type with total inherent filtration of 1.5 mm AL, with a focal spot of 0.6.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	X6610	Sensor, Dental Imaging System	VV - GOVT FURNISHED & INSTALLED	1	12263	12263	A filmless digital imaging system using a sensor to acquire and digitize dental x-ray images for viewing, storing or printing. The sensor is used in conjunction with a film based x-ray system. Images are digitized and transmitted to a computer via a standard USB port and is compatible with laptop or desktop systems.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	294	294	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	2	17	34	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	A5077	Dispenser, Hand Sanitizer, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	2	45	90	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	88	176	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	140	A5106	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	28	28	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	120	X3150	Rack, Apron/Gloves, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	361	361	Apron and gloves rack. This is a wall unit which holds aprons and gloves. The body is heavy gauge steel finish in gray or green baked enamel, glove and apron holding arms are aluminum. The unit's convenient on wall storage will prolong the useful life of your protection aprons by helping prevent damage to internal components.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	M8556	Electrosurgical Unit, Endoscopy	VV - GOVT FURNISHED & INSTALLED	1	11653	11653	Electrosurgical unit for endoscopy procedures. Unit is designed for tissue cutting, coagulation, polyp removal and general surgical procedures. Unit produces varying radio frequency electric current waveforms (cut, blended, coagulation), for different treatment procedures. Unit can support monopolar and bipolar electrosurgical instruments and includes a safety system which shuts off current if leads or cables are improperly connected. This unit is also a component of the M8605-M8607 and M8610-M8611 endoscopy carts.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	71	71	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.

3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	D0670	Console, Treatment Unit, Dental Operator	CC - CONTRACTOR FURNISHED/INSTALLED	1	8462	8462	A dental treatment console or work station (also called a "12 o'clock unit") approximately 45" W x 72" H x 30" D. Consists of a base unit with storage and equipment drawers, a bifold door cabinet with slide out shelves and CPU storage. A midsection with chase and power bar for ancillary equipment and shelf for a monitor and keyboard. Upper storage unit may be pass-through or non-pass-through with glass shelves and see-through cabinet doors. Unit may also be configured with a pivoting work surface to hold all doctor and assistant instrumentation or with a wash station for accessory or side console/cabinet approximately 50" W x 24" D x 32" H for use in a single chair dental operator. The console may be a left or a right unit used for the dentist or the assistant depending configuration of the operator. The unit may contain a sink component with waste drop, a round SS sink with faucet and soap dispenser, a solid surface counter top, a drawer storage module with writing surface and equipment drawers, a double door component with swing out shelves and a glove dispenser. Various combinations are available as well as different widths.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	D0680	Console, Accessory/Side, Dental Operator	CC - CONTRACTOR FURNISHED/INSTALLED	2	5899	11798	An upper wall mounted storage cabinet with two adjustable shelves providing additional space for dental supplies and equipment in a dental operative. Cabinet is approximately 34"W x 12"D x 24"H with other widths available. Cabinet is frequently mounted above JSN D0680, Console, Accessory/Side, Dental Operator.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	D0685	Cabinet, Storage, Dental Operator, Wall MNTD	CC - CONTRACTOR FURNISHED/INSTALLED	2	931	1862	Dental operating chair designed for the treatment and comfort of dental patients. The chair shall be capable of multiple positions, shall swivel, contain an adjustable headrest and arm rests that pivot up and down. The chair shall operate by means of electrohydraulics. The upholstery shall be seamless with no crevices to catch debris and be easy to clean.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	D3320	Chair, Operating, Dental	VV - GOVT FURNISHED & INSTALLED	1	11880	11880	Dental operating stool. Used by the dentist in the care and treatment of patients. This chair has a gas cylinder to adjust the height of the chair. It also has backrest as an integral part of the unit. The unit is to be equipped with casters. Various color combinations of vinyl or fabric are available.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	D3380	Stool, Operating, Dental, Doctor	VV - GOVT FURNISHED & INSTALLED	1	707	707	Dental assistant's operating stool used in dental operatories during procedures. This chair has a body support arm or abdominal support that can be left or right hand adaptable. It is also gas cylinder operated for height adjustments. The chair is available in multiple vinyl or fabric color combinations.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	D3390	Stool, Operating, Dental, Assistant	VV - GOVT FURNISHED & INSTALLED	1	1045	1045	Visible light resin curing unit which provides a high intensity, cold light source of visible blue light for the polymerization of all visible light cured materials. The unit provides for time selections between 10 and 60 seconds or continuous operation and beeps at ten or twenty second intervals during use.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	D3565	Resin Curing Unit, Visible Light	VV - GOVT FURNISHED & INSTALLED	1	1942	1942	Dental operating light used to illuminate the field of work. This is a single light unit on a cantilever arm mounted from a column which is suspended from a moving trolley in a ceiling track. The light can be used in installations where the ceiling height is between 8 and 10.5 feet; some units can mount to ceilings as high as 13 feet. Database physical dimensions refer to the light's maximum travel dimensions centered on the ceiling mounting track. The database weight includes the light, arm and trolley. Mounting this light may require reinforcing the ceiling or
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	D6050	Light, Dental, Operating, Ceiling, Track	CC - CONTRACTOR FURNISHED/INSTALLED	2	3971	7942	Monitor ceiling track mount with combination exam light. The monitor and light are attached to separate counterbalanced flex arms with independent trolleys. Typically used in dental operatories. Check individual vendors for monitor sizes.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	D6151	Mount, Monitor Ceiling Track	CC - CONTRACTOR FURNISHED/INSTALLED	1	5311	5311	Utility center. The unit contains electrical and quick connect air, waste and water utility connections. The center accommodates one umbilical and includes shut-off valves and regulators for both the air and water supplies.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	D7090	Utility Center, Dental, Wall or Floor Mounted	VV - GOVT FURNISHED & INSTALLED	1	1011	1011	Dental operating unit. The dentist and/or dental hygienist uses the unit for treatment of dental patients. The unit contains the operating connections for handpieces, the water spray and the vacuum system. Chair mounted.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	D8250	Delivery System, Dental Operating	VV - GOVT FURNISHED & INSTALLED	1	7725	7725	Dental amalgamator. The amalgamator is used in dental operatories to triturate alloys for restoration of teeth after removal of caries.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	D8850	Amalgamator, Dental	VV - GOVT FURNISHED & INSTALLED	1	775	775	Dental ultrasonic prophylaxis unit. Used in dental clinics for the removal of calculus. Unit requires water and air supplies.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	D9060	Prophylaxis Unit, Ultrasonic	VV - GOVT FURNISHED & INSTALLED	0	3637	0	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	2	240	480	

3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	M1803	Workstation, Computer, Wall Mounted, Adjustable	VV - GOVT FURNISHED & INSTALLED	1	1906	1906	A wall mounted computer workstation with height adjustable monitor and keyboard arms. Keyboard and monitor can be stored within 8" to 10" of wall. Fingertip adjustability for keyboard and monitor enable frequent position changes. Unit contains an integrated cable management system to hide wires. A separate wall-mounted CPU holder is included.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	X6600	Radiographic Unit, Dental, Wall Mounted, 7 mA	VV - GOVT FURNISHED & INSTALLED	1	5094	5094	Dental radiographic unit. Wall mounted, 7 mA, 70 kVp, 120 VAC, electronic remote exposure control unit. The unit shall have electronic timing with automatic reset timing capability and main power correction unit to adjust for line voltage fluctuations. Tube head shall be of the oil immersed, shield type with total inherent filtration of 1.5 mm AL, with a focal spot of 0.6.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	11 - Dental Treatment Room	120	X6610	Sensor, Dental Imaging System	VV - GOVT FURNISHED & INSTALLED	1	12263	12263	A filmless digital imaging system using a sensor to acquire and digitize dental x-ray images for viewing, storing or printing. The sensor is used in conjunction with a film based x-ray system. Images are digitized and transmitted to a computer via a standard USB port and is compatible with laptop or desktop systems.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	294	294	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	2	17	34	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	A5077	Dispenser, Hand Sanitizer, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	2	45	90	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	88	176	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	120	X3150	Rack, Apron/Gloves, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	361	361	Apron and gloves rack. This is a wall unit which holds aprons and gloves. The body is heavy gauge steel finish in gray or green baked enamel, glove and apron holding arms are aluminum. The unit's convenient on wall storage will prolong the useful life of your protection aprons by helping prevent damage to internal components.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	71	71	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.

3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	D0670	Console, Treatment Unit, Dental Operator	CC - CONTRACTOR FURNISHED/INSTALLED	1	8462	8462	A dental treatment console or work station (also called a "12 o'clock unit") approximately 45" W x 72" H x 30" D. Consists of a base unit with storage and equipment drawers, a bifold door cabinet with slide out shelves and CPU storage. A midsection with chase and power bar for ancillary equipment and shelf for a monitor and keyboard. Upper storage unit may be pass-through or non-pass-through with glass shelves and see-through cabinet doors. Unit may also be configured with a pivoting work surface to hold all doctor and assistant instrumentation or with a wash station.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	D0680	Console, Accessory/Side, Dental Operator	CC - CONTRACTOR FURNISHED/INSTALLED	2	5899	11798	An accessory or side console cabinet approximately 60" W x 24" D x 32" H for use in a single chair dental operator. The console may be a left or a right unit used for the dentist or the assistant depending on configuration of the operator. The unit may contain a sink component with waste drop, a round SS sink with faucet and soap dispenser, a solid surface counter top, a drawer storage module with writing surface and equipment drawers, a double door component with swing out shelves and a glove dispenser. Various combinations are available as well as different widths.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	D0685	Cabinet, Storage, Dental Operator, Wall MNTD	CC - CONTRACTOR FURNISHED/INSTALLED	2	931	1862	An upper wall mounted storage cabinet with two adjustable shelves providing additional space for dental supplies and equipment in a dental operative. Cabinet is approximately 34"W x 12"D x 24"H with other widths available. Cabinet is frequently mounted above J5N D0680, Console, Accessory/Side, Dental Operator.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	D3320	Chair, Operating, Dental	VV - GOVT FURNISHED & INSTALLED	1	11880	11880	Dental operating chair designed for the treatment and comfort of dental patients. The chair shall be capable of multiple positions, shall swivel, contain an adjustable headrest and arm rests that pivot up and down. The chair shall operate by means of electrohydraulics. The upholstery shall be seamless with no crevices to catch debris and be easy to clean.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	D3380	Stool, Operating, Dental, Doctor	VV - GOVT FURNISHED & INSTALLED	1	707	707	Dental operating stool. Used by the dentist in the care and treatment of patients. This chair has a gas cylinder to adjust the height of the chair. It also has backrest as an integral part of the unit. The unit is to be equipped with casters. Various color combinations of vinyl or fabric are available.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	D3390	Stool, Operating, Dental, Assistant	VV - GOVT FURNISHED & INSTALLED	1	1045	1045	Dental assistant's operating stool used in dental operatories during procedures. This chair has a body support arm or abdominal support that can be left or right hand adaptable. It is also gas cylinder operated for height adjustments. The chair is available in multiple vinyl or fabric color combinations.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	D3565	Resin Curing Unit, Visible Light	VV - GOVT FURNISHED & INSTALLED	1	1942	1942	Visible light resin curing unit which provides a high intensity, cold light source of visible blue light for the polymerization of all visible light cured materials. The unit provides for time selections between 10 and 60 seconds or continuous operation and beeps at ten or twenty second intervals during use.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	D6050	Light, Dental, Operating, Ceiling, Track	CC - CONTRACTOR FURNISHED/INSTALLED	2	3971	7942	Dental operating light used to illuminate the field of work. This is a single light unit on a cantilever arm mounted from a column which is suspended from a moving trolley in a ceiling track. The light can be used in installations where the ceiling height is between 8 and 10.5 feet; some units can mount to ceilings as high as 13 feet. Database physical dimensions refer to the light's maximum travel dimensions centered on the ceiling mounting track. The database weight includes the light, arm and trolley. Mounting this light may require reinforcing the ceiling or hanging the mount from the underside of the slab above a suspended ceiling. Light to be LED.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	D6151	Mount, Monitor Ceiling Track	CC - CONTRACTOR FURNISHED/INSTALLED	1	5311	5311	Monitor ceiling track mount with combination exam light. The monitor and light are attached to separate counterbalanced flex arms with independent trolleys. Typically used in dental operatories. Check individual vendors for monitor sizes. With Intraoral camera interface.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	D7090	Utility Center, Dental, Wall or Floor Mounted	VV - GOVT FURNISHED & INSTALLED	1	1011	1011	Utility center. The unit contains electrical and quick connect air, waste and water utility connections. The center accommodates one umbilical and includes shut-off valves and regulators for both the air and water supplies.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	D8250	Delivery System, Dental Operating	VV - GOVT FURNISHED & INSTALLED	1	7725	7725	Dental operating unit. The dentist and/or dental hygienist uses the unit for treatment of dental patients. The unit contains the operating connections for handpieces, the water spray and the vacuum system. The unit can be chair mounted.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	D8850	Amalgamator, Dental	VV - GOVT FURNISHED & INSTALLED	0	775	0	Dental amalgamator. The amalgamator is used in dental operatories to triturate alloys for restoration of teeth after removal of caries.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	D9060	Prophylaxis Unit, Ultrasonic	VV - GOVT FURNISHED & INSTALLED	1	3637	3637	Dental ultrasonic prophylaxis unit. Used in dental clinics for the removal of calculus. Unit requires water and air supplies.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	2	240	480	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.

3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	M1803	Workstation, Computer, Wall Mounted, Adjustable	VV - GOVT FURNISHED & INSTALLED	1	1906	1906	A wall mounted computer workstation with height adjustable monitor and keyboard arms. Keyboard and monitor can be stored within 8" to 10" of wall. Fingertip adjustability for keyboard and monitor enable frequent position changes. Unit contains an integrated cable management system to hide wires. A separate wall-mounted CPU holder is included.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	X6600	Radiographic Unit, Dental, Wall Mounted, 7 mA	VV - GOVT FURNISHED & INSTALLED	1	5094	5094	Dental radiographic unit. Wall mounted, 7 mA, 70 kVp, 120 VAC, electronic remote exposure control unit. The unit shall have electronic timing with automatic reset timing capability and main power correction unit to adjust for line voltage fluctuations. Tube head shall be of the oil immersed, shield type with total inherent filtration of 1.5 mm AL, with a focal spot of 0.6.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	15 - Dental Treatment Room, Oral Hygiene	140	X6610	Sensor, Dental Imaging System	VV - GOVT FURNISHED & INSTALLED	1	12263	12263	A filmless digital imaging system using a sensor to acquire and digitize dental x-ray images for viewing, storing or printing. The sensor is used in conjunction with a film based x-ray system. Images are digitized and transmitted to a computer via a standard USB port and is compatible with laptop or desktop systems.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNXD1	2 - X-Ray Area	120	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNXD1	2 - X-Ray Area	120	A1066	Mirror, Float Glass, With SS Frame	CC - CONTRACTOR FURNISHED/INSTALLED	1	85	85	A high quality 1/4" polished float glass mirror 36x18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNXD1	2 - X-Ray Area	120	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNXD1	2 - X-Ray Area	120	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNXD1	2 - X-Ray Area	120	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	28	28	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNXD1	2 - X-Ray Area	120	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	120	X3150	Rack, Apron/Gloves, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	361	361	Apron and gloves rack. This is a wall unit which holds aprons and gloves. The body is heavy gauge steel finish in gray or green baked enamel, glove and apron holding arms are aluminum. The unit's convenient on wall storage will prolong the useful life of your protection aprons by helping prevent damage to internal components.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNXD1	2 - X-Ray Area	120	D3300	Chair, Radiographic, Dental	VV - GOVT FURNISHED & INSTALLED	1	2042	2042	Dental x-ray chair. This chair is used in intraoral dental radiography and can be used as any dental chair, and is equipped with adjustable height capability. Standard dental operator chairs can be used for this purpose and may enhance clinical uniformity. Specify color at time of ordering.

3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNXD1	2 - X-Ray Area	120	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNXD1	2 - X-Ray Area	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNXD1	2 - X-Ray Area	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNXD1	2 - X-Ray Area	120	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNXD1	2 - X-Ray Area	120	X3150	Rack, Apron/Gloves, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	361	361	Apron and gloves rack. This is a wall unit which holds aprons and gloves. The body is heavy gauge steel finish in gray or green baked enamel, glove and apron holding arms are aluminum. The unit's convenient on wall storage will prolong the useful life of your protection aprons by helping prevent damage to internal components.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNXD1	2 - X-Ray Area	120	X6505	Radiographic Unit, Dental, Panorgraphic & Cephalo.	VV - GOVT FURNISHED & INSTALLED	1	77906	77906	Dental panoramic and Cephalometric radiographic unit. This is a radiographic system for routine intra-oral examination. This unit shall provide radiographs of the maxillary sinus and the entire jawbone including temporomandibular joints. The unit shall be complete with control panel and mounting hardware.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNXD1	2 - X-Ray Area	120	X6600	Radiographic Unit, Dental, Wall Mounted, 7 mA	VV - GOVT FURNISHED & INSTALLED	1	5094	5094	Dental radiographic unit. Wall mounted, 7 mA, 70 kVp, 120 VAC, electronic remote exposure control unit. The unit shall have electronic timing with automatic reset timing capability and main power correction unit to adjust for line voltage fluctuations. Tube head shall be of the oil immersed, shield type with total inherent filtration of 1.5 mm AL, with a focal spot of 0.6.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNXD1	2 - X-Ray Area	120	X6510	Radiographic Unit, Dental, Cone Beam, 3-D Imaging	VV - GOVT FURNISHED & INSTALLED	1	172331	172331	A dental radiographic unit providing three-dimensional images. The unit uses a cone-shaped beam to acquire an image in a single pass. The unit provides a superior high resolution 3D image with low radiation dosage. Allows comprehensive examination and precise information on the anatomy of a patients mouth, face and jaw areas by producing 3D images of all oral and maxillofacial structures.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNXD1	2 - X-Ray Area	120	X6610	Sensor, Dental Imaging System	VV - GOVT FURNISHED & INSTALLED	2	12263	24526	A filmless digital imaging system using a sensor to acquire and digitize dental x-ray images for viewing, storing or printing. The sensor is used in conjunction with a film based x-ray system. Images are digitized and transmitted to a computer via a standard USB port and is compatible with laptop or desktop systems.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	LCCL1	Sterile	40	F0515	Cart, Supply, Linen	VV - GOVT FURNISHED & INSTALLED	1	2250	2250	Closed linen supply cart. Equipped with four (4) non-marking rubber tire roller bearing casters and heavy duty cover. May be used for the delivery and user storage of clean linen as well as the return of soiled linen.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	LLC3	Soiled Utility Room	20	F0515	Cart, Supply, Linen	VV - GOVT FURNISHED & INSTALLED	1	2250	2250	Closed linen supply cart. Equipped with four (4) non-marking rubber tire roller bearing casters and heavy duty cover. May be used for the delivery and user storage of clean linen as well as the return of soiled linen.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	LCSL1	8 - Soiled SPD Cart Holding	60	F0510	Cart, Linen, Soiled	VV - GOVT FURNISHED & INSTALLED	4	1858	7432	Soiled linen collection cart, approximately 70" H x 68" W x 28" D with four (4) casters. Used to transport clean or soiled laundry.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	MECH3	4 - Mechanical Room	80	A1000	Extinguisher, Fire	VV - GOVT FURNISHED & INSTALLED	0	104	0	10 pound dry chemical fire extinguisher with charging gauge. Other types and sizes are available.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	MECH3	4 - Mechanical Room	80	D4001	Compressor, Dental Air, System	CC - CONTRACTOR FURNISHED/INSTALLED	2	56080	112160	Dental air compressor system. Two or more equally sized compressors, with provisions for automatic, alternating and simultaneous operation shall be provided for dental air (DA). Each compressor is to be sized to operate at 65% duty cycle for maintenance of standard demand. Dental compressed air (DCA), 90 PSIG, is used for utility control in dental units, power for lifts, locks, rotary and other pneumatic dental instruments and equipment. DCA shall be oil-free air with the following air standards as maximums: Water - dry to a pressure dew point of 33 degrees F at not less than 90 PSIG; Condensed hydrocarbons - 0.1ppm by weight or 0.1 mg/L; Permanent particulates - 1.0 gpm by weight or 1.0 mg/L. Dental lab air (DLA), 30 PSIG, which is normally used for laboratory restorative and fabrication techniques may be combined with DCA. The system consists of, but not limited to, the following: compressor intake filters, compressors, after-coolers (air cooled), air receiver, pre-filter, dryer (refrigerated), after-filter. Pricing, electrical data and dimensions based upon 16-17 DTRs, each pump sized at approximately 17.5 cfm @ 100 PSIG. Other sizes and configurations are available to meet specified demands. Include a unit that provide vacuum to dental exam rooms.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	MECH3	4 - Mechanical Room	80		Amalgam Separator	CC - CONTRACTOR FURNISHED/INSTALLED	1	0	0	Amalgam Separator TBD

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD01	14 - Supervisor Office	120	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, multiple line.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD01	14 - Supervisor Office	120	A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	0	383	0	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD01	14 - Supervisor Office	120	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	0	17	0	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD01	14 - Supervisor Office	120	A5077	Dispenser, Hand Sanitizer, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	0	45	0	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD01	14 - Supervisor Office	120	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	0	88	0	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD01	14 - Supervisor Office	120	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	31	62	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD01	14 - Supervisor Office	120	A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - CONTRACTOR FURNISHED/INSTALLED	0	7	0	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD01	14 - Supervisor Office	120	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	517	517	This JSN is to be used for determining and defining location of decorative artwork.

3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD01	14 - Supervisor Office	120	E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72	VV - GOVT FURNISHED & INSTALLED	1	7504	7504	This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware;
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD01	14 - Supervisor Office	120	F0115	Bookcase, Open, 5 Shelf	VV - GOVT FURNISHED & INSTALLED	1	985	985	Freestanding open shelf bookcase, approximately 82" high X 37" wide X 18" deep with 5 (five) adjustable shelves. Unit can be separate or part of a system with available add-on shelving.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD01	14 - Supervisor Office	120	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	552	1104	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD01	14 - Supervisor Office	120	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	636	636	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD01	14 - Supervisor Office	120	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	620	620	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD01	14 - Supervisor Office	120	F0405	Cabinet, Filing, Full Height, 4-5 Drawer	VV - GOVT FURNISHED & INSTALLED	1	392	392	Four (4) or five (5) drawer letter size, vertical filing cabinet, 53" high X 15" wide X 29" deep with locking device. Each drawer has label holder, handle and roller cradle.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD01	14 - Supervisor Office	120	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD01	14 - Supervisor Office	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD01	14 - Supervisor Office	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	1512	3024	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD01	14 - Supervisor Office	120	M1825	Printer, Computer	VV - GOVT FURNISHED & INSTALLED	1	809	809	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD01	14 - Supervisor Office	120	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	0	546	0	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD03	5 - Office, Dentist	240	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, 1 line.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD03	5 - Office, Dentist	240	A1066	Mirror, Float Glass, With SS Frame	CC - CONTRACTOR FURNISHED/INSTALLED	0	85	0	A high quality 1/4" polished float glass mirror 36x18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas.

3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD03	5 - Office, Dentist	240	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	0	17	0	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD03	5 - Office, Dentist	240	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	0	88	0	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD03	5 - Office, Dentist	240	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	31	62	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD03	5 - Office, Dentist	240	A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - CONTRACTOR FURNISHED/INSTALLED	0	7	0	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD03	5 - Office, Dentist	240	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	517	517	This JSN is to be used for determining and defining location of decorative artwork.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD03	5 - Office, Dentist	240	E0063	Workstation, L-Shaped w/Peninsula, Wall Mtd, 72x72	VV - GOVT FURNISHED & INSTALLED	3	5914	17742	THIS TYPICAL INCLUDES: 3 Vertical Hanging Strips 2 Lockable Flipper Units 2 Shelves, Storage/Display 2 Lights 1 Tackboard 2 Tool Rails 2 Paper Trays
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD03	5 - Office, Dentist	240	F0115	Bookcase, Open, 5 Shelf	VV - GOVT FURNISHED & INSTALLED	1	985	985	Freestanding open shelf bookcase, approximately 82" high X 37" wide X 18" deep with 5 (five) adjustable shelves. Unit can be separate or part of a system with available add-on shelving.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD03	5 - Office, Dentist	240	F0210	Chair, Side, Without Arms	VV - GOVT FURNISHED & INSTALLED	2	364	728	Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD03	5 - Office, Dentist	240	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	636	636	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD03	5 - Office, Dentist	240	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	620	620	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD01	14 - Supervisor Office	120	F0405	Cabinet, Filing, Full Height, 4-5 Drawer	VV - GOVT FURNISHED & INSTALLED	1	392	392	Four (4) or five (5) drawer letter size, vertical filing cabinet, 53" high X 15" wide X 29" deep with locking device. Each drawer has label holder, handle and roller cradle.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD03	5 - Office, Dentist	240	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD03	5 - Office, Dentist	240	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD03	5 - Office, Dentist	240	M1620	Holder, Chart, Patient, Wall or Door Mounted	VV - GOVT FURNISHED & INSTALLED	0	36	0	Wall or door mounted patient chart holder. Constructed of durable plastic or metal. Used for holding patient records. Size as required.

3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD03	5 - Office, Dentist	240	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD03	5 - Office, Dentist	240	M1825	Printer, Computer	VV - GOVT FURNISHED & INSTALLED	1	809	809	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	OFD03	5 - Office, Dentist	240	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	0	546	0	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	SRE01	3 - Storage Room	100	M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	4	846	3384	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	D9060	Prophylaxis Unit, Ultrasonic	VV - GOVT FURNISHED & INSTALLED	1	3637	3637	Dental ultrasonic prophylaxis unit. Used in dental clinics for the removal of calculus. Unit requires water and air supplies.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140	M8541	Microscope, Operating Endodontic	VV - GOVT FURNISHED & INSTALLED	1	17995	17995	An operating microscope for use during endodontic procedures. Microscope has six steps of magnification with a range of 2.1x to 19.2. Unit is easily maneuverable and ergonomically and modularly designed for operator comfort and upgrade accommodation. Unit comes with various mounting options available.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140		Electrosurgery unit	VV - GOVT FURNISHED & INSTALLED	1		0	Electrosurgery unit
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140		Implant Headpiece	VV - GOVT FURNISHED & INSTALLED	1		0	Implant Headpiece
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140		Versatilt	VV - GOVT FURNISHED & INSTALLED	1		0	Versatilt
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	DNTG1	10 - Dental Treatment Room Large	140		Freestanding surgical handpiece	VV - GOVT FURNISHED & INSTALLED	1		0	Freestanding surgical handpiece

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	TLTU1	1 - Patient Toilet	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	294	294	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	TLTU1	1 - Patient Toilet	60	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.

3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	TLTU1	1 - Patient Toilet	60	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	TLTU1	1 - Patient Toilet	60	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	51	51	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	TLTU1	1 - Patient Toilet	60	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	156	156	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	TLTU1	1 - Patient Toilet	60	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	TLTU1	1 - Patient Toilet	60	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	87	87	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	TLTU1	1 - Patient Toilet	60	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	TLTU1	1 - Patient Toilet	60	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	TLTU1	1 - Patient Toilet	60	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	824	824	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	WTF01	16 - Waiting, General	120	A5077	Dispenser, Hand Sanitizer, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	45	45	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	WTF01	16 - Waiting, General	120	F0250	Chair, Arm, Lounge Type	VV - GOVT FURNISHED & INSTALLED	1	862	862	Lounge chair approximately 33" high X 28" wide X 29" deep, with arms and floor glides. Chair completely padded and upholstered in either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	WTF01	16 - Waiting, General	120	F0375	Sofa, Upholstered	VV - GOVT FURNISHED & INSTALLED	1	2974	2974	Executive sofa with woven fabric textile or vinyl upholstery, foam padded arms, steel spring and foam rubber backs and seats, and floor glides.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	WTF01	16 - Waiting, General	120	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	3 - DENTAL	WTF01	16 - Waiting, General	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
------------	-----------------	-----------	-----------	-----------	-----	--------------	----------	-----	-----------	------------	-------------

3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYFD1	4 - Fitting and Dispensing Room	140	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line, with speaker.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYFD1	4 - Fitting and Dispensing Room	140	A1066	Mirror, Float Glass, With SS Frame	CC - CONTRACTOR FURNISHED/INSTALLED	1	85	85	A high quality 17" polished float glass mirror, set in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYFD1	4 - Fitting and Dispensing Room	140	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYFD1	4 - Fitting and Dispensing Room	140	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYFD1	4 - Fitting and Dispensing Room	140	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	31	62	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYFD1	4 - Fitting and Dispensing Room	140	E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72	VV - GOVT FURNISHED & INSTALLED	1	7504	7504	This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H 3 Drawers, 6"H 2 Drawers, 9"H 1 Tray/Shelf Divider
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYFD1	4 - Fitting and Dispensing Room	140	E0906	Locker, Supply, General, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	3041	6082	Medical/Surgical supply locker, Wall mounted, approximately 23" W x 20" D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H 2 Drawers, 6"H 2 Tray/Shelf Dividers
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYFD1	4 - Fitting and Dispensing Room	140	E0912	Locker, Supply, Med Surg, Wall Mtd	VV - GOVT FURNISHED & INSTALLED	2	3389	6778	Medical/Surgical supply locker, Wall mounted, approximately 23" W x 20" D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H 2 Drawers, 6"H 2 Tray/Shelf Dividers
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYFD1	4 - Fitting and Dispensing Room	140	E1500	Rail, MOD, W/MNTD, HX144XD	VV - GOVT FURNISHED & INSTALLED	2	726	1452	Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYFD1	4 - Fitting and Dispensing Room	140	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	636	636	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYFD1	4 - Fitting and Dispensing Room	140	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYFD1	4 - Fitting and Dispensing Room	140	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYFD1	4 - Fitting and Dispensing Room	140	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYFD1	4 - Fitting and Dispensing Room	140	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYFD1	4 - Fitting and Dispensing Room	140	M520	Lensometer	VV - GOVT FURNISHED & INSTALLED	1	2082	2082	Lensometer. Unit includes lamps, prism measuring lens marking device, cylinder axis wheel calibrated in two 180 degree segments and a green filter for tinted glass. The instrument may be inclined between 25 to 90 degrees. Used for measuring lens.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYFD1	4 - Fitting and Dispensing Room	140	M5705	Gauge, Distance, Pupillary	VV - GOVT FURNISHED & INSTALLED	1	654	654	Pupillary distance gauge. Unit is electronic and features corneal reflection, LCD display, 0.5mm measurement increments, and measure fixation PD distance to 30 cm from infinity. Unit runs on battery power and is designed to measure the distance between pupils as well as corneal and pupil diameter.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYFD1	4 - Fitting and Dispensing Room	140	M5735	Warmer, Spectacle, Plastic	VV - GOVT FURNISHED & INSTALLED	1	259	259	Plastic spectacle warmer. Bath type. Thermostatically controlled. For use with glass beads or salt.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYFD1	4 - Fitting and Dispensing Room	140		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYFD1	4 - Fitting and Dispensing Room	140	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	10 - Visual Fields Room	120	A1016	Telephone, Desk, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, with speaker.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	10 - Visual Fields Room	120	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	10 - Visual Fields Room	120	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	10 - Visual Fields Room	120	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	28	28	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	10 - Visual Fields Room	120	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	10 - Visual Fields Room	120	C0200	Cabinet, Sink, U/C/B, 1 Door, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	704	704	Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	10 - Visual Fields Room	120	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	986	986	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	10 - Visual Fields Room	120	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	179	179	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.

3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	10 - Visual Fields Room	120	E0210	Worksurface, w/Overhead Cab, Wall Mtd, 48" W	VV - GOVT FURNISHED & INSTALLED	1	1538	1538	THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	10 - Visual Fields Room	120	F0300	Chair, Task, Swivel, With Arms	VV - GOVT FURNISHED & INSTALLED	1	382	382	Task chair, approximately 34" H X 26" W X 22" D with adjustable arms and a five caster adjustable swivel base. Seat and back are foam padded and upholstered in woven fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	10 - Visual Fields Room	120	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	10 - Visual Fields Room	120	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	10 - Visual Fields Room	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	10 - Visual Fields Room	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	1512	3024	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	10 - Visual Fields Room	120	M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1050	1050	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	10 - Visual Fields Room	120	M5500	Autorefractor, Ophthalmic	VV - GOVT FURNISHED & INSTALLED	1	13150	13150	Ophthalmic autorefractor. Unit is a tabletop model consisting of a instant display TV monitor, forehead rest, measuring head, height adjustment ring, and joystick lever. It features an automatic fogging and a high speed printer. Designed for visual acuity screening.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	10 - Visual Fields Room	120	M5510	Camera, Fundus, Digital	VV - GOVT FURNISHED & INSTALLED	0	50854	0	The digital fundus camera system is designed for use in diagnosing and recording ocular disorders. It shall consist of a digital imager, computer, monitor, chin rest, joy stick and software to record, store, edit and print digital images. The system may also include a system table and an adjustable patient table.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	10 - Visual Fields Room	120	M5520	Lensometer	VV - GOVT FURNISHED & INSTALLED	1	2082	2082	Lensometer. Unit includes lamps, prism measuring lens marking device, cylinder axis wheel calibrated in two 180 degree segments and a green filter for tinted glass. The instrument may be inclined between 25 to 90 degrees. Used for measuring lens.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	10 - Visual Fields Room	120	M5555	Perimeter, Automated	VV - GOVT FURNISHED & INSTALLED	1	23488	23488	Automated ophthalmic perimeter. Unit has on screen display for rapid and accurate alignment of patients automatic pupil size measurement, seven different fixation aids, ergonomic chin rest, several threshold strategies, and high target intensity.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	10 - Visual Fields Room	120		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	10 - Visual Fields Room	120	M6040	Pachymeter, Ultrasound, Corneal	VV - GOVT FURNISHED & INSTALLED	1	3337	3337	Ultrasonic Pachymeter for measuring corneal thickness.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
------------	-----------------	-----------	-----------	-----------	-----	--------------	----------	-----	-----------	------------	-------------

3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	8 - Eye, Visual Field / Perimetry	120	A1016	Telephone, Desk, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, with speaker.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	8 - Eye, Visual Field / Perimetry	120	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	8 - Eye, Visual Field / Perimetry	120	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	8 - Eye, Visual Field / Perimetry	120	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	28	28	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	8 - Eye, Visual Field / Perimetry	120	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	8 - Eye, Visual Field / Perimetry	120	C0200	Cabinet, Sink, U/C/B, 1 Door, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	704	704	Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	8 - Eye, Visual Field / Perimetry	120	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	986	986	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	8 - Eye, Visual Field / Perimetry	120	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	179	179	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt splashback/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	8 - Eye, Visual Field / Perimetry	120	E0210	Worksurface, w/Overhead Cab, Wall Mtd, 48" W	VV - GOVT FURNISHED & INSTALLED	1	1538	1538	THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	8 - Eye, Visual Field / Perimetry	120	F0300	Chair, Task, Swivel, With Arms	VV - GOVT FURNISHED & INSTALLED	1	382	382	Task chair, approximately 34" H X 26" W X 22" D with adjustable arms and a five caster adjustable swivel base. Seat and back are foam padded and upholstered in woven fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	8 - Eye, Visual Field / Perimetry	120	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	8 - Eye, Visual Field / Perimetry	120	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	8 - Eye, Visual Field / Perimetry	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	8 - Eye, Visual Field / Perimetry	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	1512	3024	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	8 - Eye, Visual Field / Perimetry	120	M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1050	1050	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	8 - Eye, Visual Field / Perimetry	120	M5500	Autorefractor, Ophthalmic	VV - GOVT FURNISHED & INSTALLED	1	13150	13150	Ophthalmic autorefractor. Unit is a tabletop model consisting of a instant display TV monitor, forehead rest, measuring head, height adjustment ring, and joystick lever. It features an automatic fogging and a high speed printer. Designed for visual acuity screening.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	8 - Eye, Visual Field / Perimetry	120	M5510	Camera, Fundus, Digital	VV - GOVT FURNISHED & INSTALLED	0	50854	0	The digital fundus camera system is designed for use in diagnosing and recording ocular disorders. It shall consist of a digital imager, computer, monitor, chin rest, joy stick and software to record, store, edit and print digital images. The system may also include a system table and an adjustable patient table.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	8 - Eye, Visual Field / Perimetry	120	M5520	Lensometer	VV - GOVT FURNISHED & INSTALLED	1	2082	2082	Lensometer. Unit includes lamps, prism measuring lens marking device, cylinder axis wheel calibrated in two 180 degree segments and a green filter for tinted glass. The instrument may be inclined between 25 to 90 degrees. Used for measuring lens.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	8 - Eye, Visual Field / Perimetry	120	M5555	Perimeter, Automated	VV - GOVT FURNISHED & INSTALLED	1	23488	23488	Automated ophthalmic perimeter. Unit has on screen display for rapid and accurate alignment of patients automatic pupil size measurement, seven different fixation aids, ergonomic chin rest, several threshold strategies, and high target intensity.
	4 - EYE CLINIC	EYVF1	8 - Eye, Visual Field / Perimetry	120	M5530	Lamp, Slit, w/Applanation Tonometer	VV - GOVT FURNISHED & INSTALLED	1	13493	13493	Slit lamp with applanation tonometer. Unit consists of a base mounted ophthalmological slit lamp with head and chin rest and manual height and focusing adjustments. The instrument features a microscope head with parallel optics that will accept an applanation tonometer. Designed for use in ophthalmology during diagnostic examinations.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	8 - Eye, Visual Field / Perimetry	120		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	8 - Eye, Visual Field / Perimetry	120	M6040	Pachymeter, Ultrasound, Corneal	VV - GOVT FURNISHED & INSTALLED	1	3337	3337	Ultrasonic Pachymeter for measuring corneal thickness.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line, with speaker.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	A1066	Mirror, Float Glass, With SS Frame	CC - CONTRACTOR FURNISHED/INSTALLED	1	85	85	piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	M5520	Lensometer	VV - GOVT FURNISHED & INSTALLED	1	2015	2015	Lensometer. Unit includes lamps, prism measuring lens marking device, cylinder axis wheel calibrated in two 180 degree segments and a green filter for tinted glass. The instrument may be inclined between 25 to 90 degrees. Used for measuring lens.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	M5530	Lamp, Slit, w/Applanation Tonometer	VV - GOVT FURNISHED & INSTALLED	1	13493	13493	Slit lamp with applanation tonometer. Unit consists of a base mounted ophthalmological slit lamp with head and chin rest and manual height and focusing adjustments. The instrument features a microscope head with parallel optics that will accept an applanation tonometer. Designed for use in ophthalmology during diagnostic examinations.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	M5535	Ophthalmoscope, Binocular, Indirect	VV - GOVT FURNISHED & INSTALLED	1	2307	2307	Binocular indirect ophthalmoscope. Unit consists of headband and crown, halogen quartz lamp, multi-coated aspherical lenses, scleral depressor and mirror. It also includes a control switch that regulates the illumination from 2 to 6 volts. Used to examine presence of blood vessels in patient's pupils.

3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	M5600	Unit, Exam, Eye, w/Motor Chair, Phoropter	VV - GOVT FURNISHED & INSTALLED	1	24038	24038	Eye exam phoropter unit with motor operated chair. Unit consists of an adjustable chair, and phoropter unit for eye examination, mounted on a stand. Stand includes an additive tray with keratometer arm and tray and an integral instrument tray. Unit is designed for use during ophthalmic examinations.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	M5700	Frame Set, Lens, Trial	VV - GOVT FURNISHED & INSTALLED	1	1528	1528	Trial lens frame set. Set consists of light weight and color-coded marked lenses, holding tray, and a complete assortment of other accessories. It is used to determine visual acuity. Set features horizontal and vertical bridge adjustments with individual adjustments for temple length and angle.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	C02Q0	Cabinet, Sink, U/C/B, 1 Door, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	681	681	hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	954	954	connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	173	173	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	M5562	Tester, Visual Acuity, Video/Microprocessor Based	VV - GOVT FURNISHED & INSTALLED	1	3217	3217	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	M6040	Pachymeter, Ultrasound, Corneal	VV - GOVT FURNISHED & INSTALLED	1	3230	3230	Ultrasonic Pachymeter for measuring corneal thickness.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	517	517	This JSN is to be used for determining and defining location of decorative artwork.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	E0945	Cart, Computer, Mobile	VV - GOVT FURNISHED & INSTALLED	1	1923	1923	A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	552	552	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	2	373	746	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated. (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	M5025	Table, Instrument, Ophthalmic, Adjustable	VV - GOVT FURNISHED & INSTALLED	1	1014	1014	Ophthalmic adjustable instrument table. Four toed pedestal type base with foot pedal brake or hand operated clamp for securing table adjustment. Designed for use with slit lamp, ophthalmometer, perimeter and screening instruments.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	M5027	Table, Multiple Instrument, Ophthalmic	VV - GOVT FURNISHED & INSTALLED	1	2238	2238	A multiple instrument ophthalmic table. This table is designed to hold up to three ophthalmologic instruments allowing the patient to turn only slightly between them for testing. The table top is adjustable from approximately 26" to 38" and facilitates complete wheelchair accessibility to all instruments.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	M5500	Autorefractor, Ophthalmic	VV - GOVT FURNISHED & INSTALLED	1	13150	13150	Ophthalmic autorefractor. Unit is a tabletop model consisting of a instant display TV monitor, forehead rest, measuring head, height adjustment ring, and joystick lever. It features an automatic fogging and a high speed printer. Designed for visual acuity screening.

3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	M5570	Armed Forces Vision Tester	VV - GOVT FURNISHED & INSTALLED	1	4086	4086	Armed Forces Vision Tester. Unit is spring balanced for easy height adjustment and has a tension lock. It contains rotating drums for slide alignment and 5 point tests. It is designed to provide accurate vision screening for near point and far point vision. This unit is a special order item normally procured through DSCP. This item is designed for the government and is not available on the open market.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	M5575	Tonometer, Noncontact	VV - GOVT FURNISHED & INSTALLED	1	10871	10871	Non-contact tonometer. Unit includes a built-in RX selector with four diopter corrections, air pulse button, head rest, and a digital display. Used for patient's eye observation, glaucoma screening, and other routine screening through a puff of air.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	M6045	Corneal Topography Unit	VV - GOVT FURNISHED & INSTALLED	1	30565	30565	Computerized corneal mapping system for pre- and post- surgical diagnosis of astigmatism, refractive error, irregularly shaped corneas and other eye conditions. The unit performs analysis of 5,000 - 6,000 different points on a ring pattern reflected from the patient's cornea to quantify the curvature and contours of the corneal surface.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
					M5016	Desk, Refraction w/console, w/o Sink	VC - GOVT FURNISHED/CONTRACTOR INSTALLED	1	4861	4861	The ophthalmic refraction desk is specifically designed to conduct eye examinations in ophthalmic clinics and hospital. It shall have a control console consisting of three rechargeable instrument wells, two 110v auxiliary switches to control accessories, two low voltage switches to control fixation lights, a separate on/off dimmer control for room lights and an indirect ophthalmoscope control with hanger that provides power to the instrument when lifted. This item may include an optional equipment stand/pole with one to three arms and the ability to accept a
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line, with speaker.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	A1066	Mirror, Float Glass, With SS Frame	CC - CONTRACTOR FURNISHED/INSTALLED	1	85	85	A high quality 4 1/4" polished float glass mirror 20x15, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	M5530	Lamp, Slit, w/Aplplanation Tonometer	VV - GOVT FURNISHED & INSTALLED	1	13493	13493	ophthalmological slit lamp with head and chin rest and manual height and focusing adjustments. The instrument features a microscope head with parallel optics that will accept an aplplanation tonometer. Designed for use in ophthalmology during diagnostic examinations.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	M5535	Ophthalmoscope, Binocular, Indirect	VV - GOVT FURNISHED & INSTALLED	1	2307	2307	halogen quartz lamp, multi-coated aspherical lenses, scleral depressor and mirror. It also includes a control switch that regulates the illumination from 2 to 6 volts. Used to examine presence of blood vessels in patient's pupils.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	M5600	Unit, Exam, Eye, w/Motor Chair, Phorofter	VV - GOVT FURNISHED & INSTALLED	1	24038	24038	adjustable chair, and phorofter unit for eye examination, mounted on a stand. Stand includes an additive tray with keratometer arm and tray and a integral instrument tray. Unit is designed for use during ophthalmic examinations.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	M5700	Frame Set, Lens, Trial	VV - GOVT FURNISHED & INSTALLED	1	1528	1528	lenses, holding tray, and a complete assortment of other accessories. It is used to determine visual acuity. Set features horizontal and vertical bridge adjustments with individual adjustments for temple length and angle.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	C02Q0	Cabinet, Sink, LJ/C/B, 1 Door, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	681	681	hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual

3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	954	954	connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	173	173	to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	M5562	Tester, Visual Acuity, Video/Microprocessor Based	VV - GOVT FURNISHED & INSTALLED	1	3217	3217	to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	M6040	Pachymeter, Ultrasound, Corneal	VV - GOVT FURNISHED & INSTALLED	1	3230	3230	Ultrasonic Pachymeter for measuring corneal thickness.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	3 - Photography Room	150	E0945	Cart, Computer, Mobile	VV - GOVT FURNISHED & INSTALLED	1	1923	1923	A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	552	552	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	2	373	746	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated. (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	M5025	Table, Instrument, Ophthalmic, Adjustable	VV - GOVT FURNISHED & INSTALLED	1	1014	1014	Ophthalmic adjustable instrument table. Four toed pedestal type base with foot pedal brake or hand operated clamp for securing table adjustment. Designed for use with slit lamp, ophthalmometer, perimeter and screening instruments.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	M5027	Table, Multiple Instrument, Ophthalmic	VV - GOVT FURNISHED & INSTALLED	1	2238	2238	A multiple instrument ophthalmic table. This table is designed to hold up to three ophthalmologic instruments allowing the patient to turn only slightly between them for testing. The table top is adjustable from approximately 26" to 38" and facilitates complete wheelchair accessibility to all instruments.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	M5500	Autorefractor, Ophthalmic	VV - GOVT FURNISHED & INSTALLED	1	13150	13150	Ophthalmic autorefractor. Unit is a tabletop model consisting of a instant display TV monitor, forehead rest, measuring head, height adjustment ring, and joystick lever. It features an automatic fogging and a high speed printer. Designed for visual acuity screening.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	M5570	Armed Forces Vision Tester	VV - GOVT FURNISHED & INSTALLED	1	4086	4086	Armed Forces Vision Tester. Unit is spring balanced for easy height adjustment and has a tension lock. It contains rotating drums for slide alignment and 5 point tests. It is designed to provide accurate vision screening for near point and far point vision. This unit is a special order item normally procured through DSCP. This item is designed for the government and is not available on the open market.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	M5575	Tonometer, Noncontact	VV - GOVT FURNISHED & INSTALLED	1	10871	10871	Non-contact tonometer. Unit includes a built-in RX selector with four diopter corrections, air pulse button, head rest, and a digital display. Used for patient's eye observation, glaucoma screening, and other routine screening through a puff of air.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	M6045	Corneal Topography Unit	VV - GOVT FURNISHED & INSTALLED	0	30565	0	Computerized corneal mapping system for pre- and post- surgical diagnosis of astigmatism, refractive error, irregularly shaped corneas and other eye conditions. The unit performs analysis of 5,000 - 6,000 different points on a ring pattern reflected from the patient's cornea to quantify the curvature and contours of the corneal surface.

3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	M5016	Desk, Refraction w/console, w/o Sink	vc - GOVT FURNISHED/CONTRACTOR INSTALLED	1	4861	4861	The ophthalmic refraction desk shall be specifically designed to conduct eye examinations in ophthalmic clinics and hospital. It shall have a control console consisting of three rechargeable instrument wells, two 110v auxiliary switches to control accessories, two low voltage switches to control fixation lights, a separate on/off dimmer control for room lights and an indirect ophthalmoscope control with hanger that provides power to the instrument when lifted. This item may include an optional equipment stand/pole with one to three arms and the ability to accept a phoropter arm. There shall be a swivel Lamp and a trial lens drawer.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	M5520	Lensometer	VV - GOVT FURNISHED & INSTALLED	1	2015	2015	Lensometer. Unit includes lamps, prism measuring lens marking device, cylinder axis wheel calibrated in two 180 degree segments and a green filter for tinted glass. The instrument may be inclined between 25 to 90 degrees. Used for measuring lens.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	M5530	Lamp, Slit, w/Appplanation Tonometer	VV - GOVT FURNISHED & INSTALLED	1	13493	13493	ophthalmological slit lamp with head and chin rest and manual height and focusing adjustments. The instrument features a microscope head with parallel optics that will accept an appplanation tonometer. Designed for use in ophthalmology during diagnostic examinations.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	M5535	Ophthalmoscope, Binocular, Indirect	VV - GOVT FURNISHED & INSTALLED	1	2307	2307	halogen quartz lamp, multi-coated aspherical lenses, scleral depressor and mirror. It also includes a control switch that regulates the illumination from 2 to 6 volts. Used to examine presence of blood vessels in patient's pupils.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	M5600	Unit, Exam, Eye, w/Motor Chair, Phoropter	VV - GOVT FURNISHED & INSTALLED	1	24038	24038	adjustable chair, and phoropter unit for eye examination, mounted on a stand. Stand includes an additive tray with keratometer arm and tray and a integral instrument tray. Unit is designed for use during ophthalmic examinations.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	M5700	Frame Set, Lens, Trial	VV - GOVT FURNISHED & INSTALLED	1	1528	1528	lenses, holding tray, and a complete assortment of other accessories. It is used to determine visual acuity. Set features horizontal and vertical bridge adjustments with individual adjustments for temple length and angle.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	C02Q0	Cabinet, Sink, U/C/B, 1 Door, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	681	681	hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	954	954	connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	173	173	to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	M5562	Tester, Visual Acuity, Video/Microprocessor Based	VV - GOVT FURNISHED & INSTALLED	1	3217	3217	to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	M6040	Pachymeter, Ultrasound, Corneal	VV - GOVT FURNISHED & INSTALLED	1	3230	3230	Ultrasonic Pachymeter for measuring corneal thickness.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVS1	9 - Eye, Vision Screening	120	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	MEDP1	13 - Medication	80	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line, with speaker.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	MEDP1	13 - Medication	80	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	MEDP1	13 - Medication	80	A5077	Dispenser, Hand Sanitizer, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	45	45	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	MEDP1	13 - Medication	80	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	207	207	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are place in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	MEDP1	13 - Medication	80	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	28	28	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.

3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	MEDP1	13 - Medication	80	A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	211	211	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	MEDP1	13 - Medication	80	C04P0	Cabinet, Sink, U/C/B, 2 Door, 36x36x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	737	737	Standing height under counter base sink cabinet with solid hinged doors. Also referred to as a double-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	MEDP1	13 - Medication	80	CS250	Sink, SS, Single Compartment, 6x12x9 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	797	797	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	MEDP1	13 - Medication	80	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	8	179	1432	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	MEDP1	13 - Medication	80	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	MEDP1	13 - Medication	80	F3050	Whiteboard, Dry Erase	VV - GOVT FURNISHED & INSTALLED	1	330	330	Whiteboard unit, approximately 36" H x 48" W consisting of a white porcelain enamel writing surface with an attached chalk tray. Magnetic surface available. Image can be easily removed with a standard chalkboard eraser. For use with water color pens. Unit is ready to hang.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	MEDP1	13 - Medication	80	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	MEDP1	13 - Medication	80	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	MEDP1	13 - Medication	80	M3150	Distribution System, Medication, Automatic	VV - GOVT FURNISHED & INSTALLED	0	46335	0	An automated dispensing system that provides controlled dispensing, inventory and security. Size and cost will vary dependent on number of modules selected.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	MEDP1	13 - Medication	80	M3080	Cabinet, Instrument, CRS, 2 Glass Door, 6 Shelf	VV - GOVT FURNISHED & INSTALLED	3	5648	16944	Non-magnetic stainless steel instrument cabinet with two glass doors and six shelves (five adjustable). Cabinet body has a single storage compartment and seamless welded face. Shelf heights are adjustable on full length perforated strips mounted to the back and inside front cabinet corners. Cabinet is mounted on glides or casters. Cabinet may be covered by a sloping top.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	MEDP1	13 - Medication	80	F0795	Table, Dining	VV - GOVT FURNISHED & INSTALLED	1	662	662	Dining table. Round 42" diameter. Used in dining facilities and can comfortably seat up to four (4) persons.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	MEDP1	13 - Medication	80	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	4	636	2544	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	MEDP1	13 - Medication	80	R6200	Refrigerator, U/C or F/S, 5 Cu Ft	VV - GOVT FURNISHED & INSTALLED	1	1958	1958	Utility refrigerator approximately 35" H x 24" W x 26" D. The unit has a two tray ice cube cooling system. The refrigerator fits standard architectural dimensions for undercounter installation. The unit is perfect for use in nurses' station, wards, and laboratories, pharmacies or wherever space is limited.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	OFA07	16 - Workstation, Provider/Resident	56	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	2	0	0	Telephone, desk, multiple line.

3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	OFA07	16 - Workstation, Provider/Resident	56	E0123	Workstation, Straight, Free Standing, 72" W	VV - GOVT FURNISHED & INSTALLED	2	7609	15218	This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	OFA07	16 - Workstation, Provider/Resident	56	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	2	636	1272	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	OFA07	16 - Workstation, Provider/Resident	56	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	2	620	1240	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	OFA07	16 - Workstation, Provider/Resident	56	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	OFA07	16 - Workstation, Provider/Resident		M1840	Printer/Copier/Fax Combination	VV - GOVT FURNISHED & INSTALLED	1	800	800	Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	OFA07	16 - Workstation, Provider/Resident	56	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	1512	3024	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	OFA07	20 - Workstation, Admin/Tech	56	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	2	0	0	Telephone, desk, multiple line.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	OFA07	20 - Workstation, Admin/Tech	56	E0123	Workstation, Straight, Free Standing, 72" W	VV - GOVT FURNISHED & INSTALLED	2	7609	15218	This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	OFA07	20 - Workstation, Admin/Tech	56	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	2	636	1272	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	OFA07	20 - Workstation, Admin/Tech	56	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	2	620	1240	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	OFA07	20 - Workstation, Admin/Tech	56	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	2	51	102	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	OFA07	20 - Workstation, Admin/Tech	56	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	1512	3024	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	RECP1	1 - Reception Area	55	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	0	0	0	Telephone, desk, multiple line.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	RECP1	1 - Reception Area	55	A6105	Counter, Reception Control, Built-In	CC - CONTRACTOR FURNISHED/INSTALLED	1	7736	7736	Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backsplash/curb. Pricing based on a 30" depth.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	RECP1	1 - Reception Area	55	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	4	636	2544	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	RECP1	1 - Reception Area	55	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	3	620	1860	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	RECP1	1 - Reception Area	55	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	4	51	204	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	RECP1	1 - Reception Area	55	F2540	Shredder, Paper, Security	VV - GOVT FURNISHED & INSTALLED	1	372	372	Paper shredder, approximately 21" high X 15" wide X 12" deep with shredding unit and waste receptacle. Security features will include cross-cut shredding.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	RECP1	1 - Reception Area	55	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	RECP1	1 - Reception Area	55	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	4	1512	6048	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	RECP1	1 - Reception Area	55	M1840	Printer/Copier/Fax Combination	VV - GOVT FURNISHED & INSTALLED	1	827	827	Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	SRE01	14 - Storage, Equipment	120	M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	4	846	3384	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	SRS01	15 - Storage Eyeglass Frame	80	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line, with speaker.

3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	OFA07	20 - Workstation, Admin/Tech	56	E0123	Workstation, Straight, Free Standing, 72" W	VV - GOVT FURNISHED & INSTALLED	1	7609	7609	areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	OFA07	20 - Workstation, Admin/Tech	56	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	636	636	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	MEDP1	13 - Medication	80	C04P0	Cabinet, Sink, U/C/B, 2 Door, 36x36x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	737	737	Standing height under counter base sink cabinet with solid hinged doors. Also referred to as a double-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	MEDP1	13 - Medication	80	CS250	Sink, SS, Single Compartment, 6x12x9 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	797	797	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	MEDP1	13 - Medication	80	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	8	179	1432	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	SRS01	15 - Storage Eyeglass Frame	80	M5520	Lensometer	VV - GOVT FURNISHED & INSTALLED	1	2015	2015	Lensometer. Unit includes lamps, prism measuring lens marking device, cylinder axis wheel calibrated in two 180 degree segments and a green filter for tinted glass. The instrument may be inclined between 25 to 90 degrees. Used for measuring lens.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	SRS01	15 - Storage Eyeglass Frame	80	M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	4	846	3384	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	11-701	23 - Toilet, Patient, Single User, Universal	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	294	294	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	11-702	23 - Toilet, Patient, Single User, Universal	60	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	11-701	23 - Toilet, Patient, Single User, Universal	60	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	207	207	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	11-701	23 - Toilet, Patient, Single User, Universal	60	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	51	51	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	11-702	23 - Toilet, Patient, Single User, Universal	60	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	156	156	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	11-701	23 - Toilet, Patient, Single User, Universal	60	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	11-701	23 - Toilet, Patient, Single User, Universal	60	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	87	87	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.

3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TL101	23 - Toilet, Patient, Single User, Universal	60	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TL101	23 - Toilet, Patient, Single User, Universal	60	P3000	Lavatory, Vitreous China, Straight Back	CC - CONTRACTOR FURNISHED/INSTALLED	1	380	380	Wall mounted, vitreous china lavatory (approximate bowl size 7"x15"x10") with: straight-front apron, straight or contoured back; faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care areas.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TL101	23 - Toilet, Patient, Single User, Universal	60	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	824	824	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	A1016	Telephone, Desk, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, with speaker.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	C0200	Cabinet, Sink, U/C/B, 1 Door, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	704	704	Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	986	986	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	179	179	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	M5520	Lensometer	VV - GOVT FURNISHED & INSTALLED	1	2015	2015	Lensometer. Unit includes lamps, prism measuring lens marking device, cylinder axis wheel calibrated in two 180 degree segments and a green filter for tinted glass. The instrument may be inclined between 25 to 90 degrees. Used for measuring lens.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	M5025	Table, Instrument, Ophthalmic, Adjustable	VV - GOVT FURNISHED & INSTALLED	1	981	981	Ophthalmic adjustable instrument table. Four toed pedestal type base with foot pedal brake or hand operated clamp for securing table adjustment. Designed for use with slit lamp, ophthalmometer, perimeter and screening instruments.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	M5500	Autorefractor, Ophthalmic	VV - GOVT FURNISHED & INSTALLED	1	12727	12727	Ophthalmic autorefractor. Unit is a tabletop model consisting of a instant display TV monitor, forehead rest, measuring head, height adjustment ring, and joystick lever. It features an automatic fogging and a high speed printer. Designed for visual acuity screening.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	M5575	Tonometer, Noncontact	VV - GOVT FURNISHED & INSTALLED	1	10521	10521	Non-contact tonometer. Unit includes a built-in RX selector with four diopter corrections, air pulse button, head rest, and a digital display. Used for patient's eye observation, glaucoma screening, and other routine screening through a puff of air.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	M5562	Tester, Visual Acuity, Video/Microprocessor Based	VV - GOVT FURNISHED & INSTALLED	1	3217	3217	technology. This equipment replaces the projector chart and projector in an eye examination lane. Wall bracing is required for mounting the unit directly to the wall without support from below. An optional floor stand can also be used. The unit requires an electrical outlet on the far end wall
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	M5531	Lamp, Slit, Photographic w/Tonometer	VV - GOVT FURNISHED & INSTALLED	1	3217	3217	ophthalmological slit lamp, with head and chin rest and manual height and focusing adjustments. The instrument also features a microscope head with parallel optics that will accept an applanation tonometer. For use in ophthalmology during diagnostic examinations. Unit to be supplied with

3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	M6040	Pachymeter, Ultrasound, Corneal	VV - GOVT FURNISHED & INSTALLED	1	3217	3217	Ultrasonic Pachymeter for measuring corneal thickness.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	1	742	742	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated. (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1050	1050	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	M5016	Desk, Refraction w/console, w/o Sink	VC - GOVT FURNISHED/CONTR INST	1	5023	5023	The ophthalmic refraction desk shall be specifically designed to conduct eye examinations in ophthalmic clinics and hospital. It shall have a control console consisting of three rechargeable instrument wells, two 110v auxiliary switches to control accessories, two low voltage switches to control fixation lights, a separate on/off dimmer control for room lights and an indirect ophthalmoscope control with hanger that provides power to the instrument when lifted. This item may include an optional equipment stand/pole with one to three arms and the ability to accept a
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	M5520	Lensometer	VV - GOVT FURNISHED & INSTALLED	1	2082	2082	Lensometer. Unit includes lamps, prism measuring lens marking device, cylinder axis wheel calibrated in two 180 degree segments and a green filter for tinted glass. The instrument may be inclined between 25 to 90 degrees. Used for measuring lens.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	M5530	Lamp, Slit, w/Applanation Tonometer	VV - GOVT FURNISHED & INSTALLED	1	13942	13942	Slit lamp with applanation tonometer. Unit consists of a base mounted ophthalmological slit lamp with head and chin rest and manual height and focusing adjustments. The instrument features a microscope head with parallel optics that will accept an applanation tonometer. Designed for use in ophthalmology during diagnostic examinations.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	M5535	Ophthalmoscope, Binocular, Indirect	VV - GOVT FURNISHED & INSTALLED	1	2384	2384	Binocular indirect ophthalmoscope. Unit consists of headband and crown, halogen quartz lamp, multi-coated aspherical lenses, scleral depressor and mirror. It also includes a control switch that regulates the illumination from 2 to 6 volts. Used to examine presence of blood vessels in patient's pupils.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	M5545	Ophthalmometer/ Keratometer	VV - GOVT FURNISHED & INSTALLED	0	2134	0	Keratometer/ophthalmometer. Unit features a focusing system, engraved focusing scale, positive fixation for rapid measurements, center and peripheral corneal measurements scale with a range from 30D to 60D. Unit is used for measuring corneal astigmatism.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	M5600	Unit, Exam, Eye, w/Motor Chair, Phoropter	VV - GOVT FURNISHED & INSTALLED	1	24838	24838	Eye exam phoropter unit with motor operated chair. Unit consists of an adjustable chair, and phoropter unit for eye examination, mounted on a stand. Stand includes an additive tray with keratometer arm and tray and an integral instrument tray. Unit is designed for use during ophthalmic examinations.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	TREY1	2 - Exam / Treatment Room	130	M5700	Frame Set, Lens, Trial	VV - GOVT FURNISHED & INSTALLED	1	1579	1579	Trial lens frame set. Set consists of light weight and color-coded marked lenses, holding tray, and a complete assortment of other accessories. It is used to determine visual acuity. Set features horizontal and vertical bridge adjustments with individual adjustments for temple length and angle.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	UCCL1	Clean Supply	80	E0903	Locker, Supply, w/Shelves, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	2422	4844	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Supply Locker 1 Drawer, 9"H 4 Tray/Shelves Drawer Organizers Consider the need for an E0921 to transport the locker from place to place.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	UCCL1	Clean Supply	80	E0906	Locker, Supply, General, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	3041	6082	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H 3 Drawers, 6"H 2 Drawers, 9"H 1 Tray/Shelf Divider
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	UCCL1	Clean Supply	80	E0912	Locker, Supply, Med Surg, Wall Mtd	VV - GOVT FURNISHED & INSTALLED	2	3389	6778	Medical/surgical supply locker, wall mounted, approximately 23" W x 20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H 2 Drawers, 6"H 2 Tray/Shelf Dividers
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	UCCL1	Clean Supply	80	E1500	Rail, MOD, W/MNTD, HX144XD	VV - GOVT FURNISHED & INSTALLED	1	726	726	Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	UCCL1	Clean Supply	80	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	UCCL1	Clean Supply	80	P8710	Utility Center, Plumbing Connection	CC - CONTRACTOR FURNISHED/INSTALLED	0	95	0	Plumbing connection utility center, sometimes referred to as a 'GUY GRAY BOX'. This recessed utility center provides for hot and cold water connections and a drain connection at sink and other equipment locations. The utility center includes cutoff valves for the water connections, a plug seal for the drain and an outside cover to provide an aesthetic appearance when connections are no longer required. This center may be installed in locations where no plumbing fixtures are included in a design as a future flexibility device, saving many dollars for

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	WTG03	7 - Waiting, Dalation	80	A5077	Dispenser, Hand Sanitizer, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	45	45	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	WTG03	7 - Waiting, Dalation	80	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	517	517	This JSN is to be used for determining and defining location of decorative artwork.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	WTG03	7 - Waiting, Dalation	80	F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	1	742	742	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	WTG03	7 - Waiting, Dalation	80	F0305	Chair, Waiting Room, Single	VV - GOVT FURNISHED & INSTALLED	4	622	2488	Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	WTG03	7 - Waiting, Dalation	80	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	WTG03	7 - Waiting, Dalation	80	F2300	Rack, Magazine, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	253	253	Wall mounted magazine rack with nine (9) magazine holding compartments.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	WTG03	7 - Waiting, Dalation	80	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	WTG06	22 - Waiting, General	130	A5077	Dispenser, Hand Sanitizer, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	45	45	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	WTG06	22 - Waiting, General	130	A5210	Bracket, Television, Wall Mounted, w/Adjust Arm	VV - GOVT FURNISHED & INSTALLED	1	222	222	Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	WTG06	22 - Waiting, General	130	A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	1	93	93	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	WTG06	22 - Waiting, General	130	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	517	517	This JSN is to be used for determining and defining location of decorative artwork.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	WTG06	22 - Waiting, General	130	F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	1	742	742	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	WTG06	22 - Waiting, General	130	F0305	Chair, Waiting Room, Single	VV - GOVT FURNISHED & INSTALLED	4	622	2488	Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	WTG06	22 - Waiting, General	130	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	WTG06	22 - Waiting, General	130	F2300	Rack, Magazine, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	253	253	Wall mounted magazine rack with nine (9) magazine holding compartments.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	WTG06	22 - Waiting, General	130	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	WTG06	22 - Waiting, General	130	M0506	Television, Flat Screen	VV - GOVT FURNISHED & INSTALLED	1	537	537	Flat screen television with approximately 32" to 40" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYV1	Humphrey Visual Fields	120	M5016	Desk, Refraction w/console, w/o Sink	VC - GOVT FURNISHED/CONTR INST	1	5023	5023	The ophthalmic refraction desk shall be specifically designed to conduct eye examinations in ophthalmic clinics and hospital. It shall have a control console consisting of three rechargeable instrument wells, two 110v auxiliary switches to control accessories, two low voltage switches to control fixation lights, a separate on/off dimmer control for room lights and an indirect ophthalmoscope control with hanger that provides power to the instrument when lifted. This item may include an optional equipment stand/pole with one to three arms and the ability to accept a
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYV1	Humphrey Visual Fields	120	M5520	Desk, Refraction w/console, w/o Sink	VC - GOVT FURNISHED/CONTR INST	1	5023	5023	The ophthalmic refraction desk shall be specifically designed to conduct eye examinations in ophthalmic clinics and hospital. It shall have a control console consisting of three rechargeable instrument wells, two 110v auxiliary switches to control accessories, two low voltage switches to control fixation lights, a separate on/off dimmer control for room lights and an indirect ophthalmoscope control with hanger that provides power to the instrument when lifted. This item may include an optional equipment stand/pole with one to three arms and the ability to accept a
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYV1	Humphrey Visual Fields	120	M5530	Lamp, Slit, w/Aplplanation Tonometer	VV - GOVT FURNISHED & INSTALLED	1	13942	13942	Slit lamp with applanation tonometer. Unit consists of a base mounted ophthalmological slit lamp with head and chin rest and manual height and focusing adjustments. The instrument features a microscope head with parallel optics that will accept an applanation tonometer. Designed for use in ophthalmology during diagnostic examinations.

3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	Humphrey Visual Fields	120	M5535	Ophthalmoscope, Binocular, Indirect	VV - GOVT FURNISHED & INSTALLED	1	2384	2384	Binocular indirect ophthalmoscope. Unit consists of headband and crown, halogen quartz lamp, multi-coated aspherical lenses, scleral depressor and mirror. It also includes a control switch that regulates the illumination from 2 to 6 volts. Used to examine presence of blood vessels in patient's pupils.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	Humphrey Visual Fields	120	M5600	Unit, Exam, Eye, w/Motor Chair, Phoropter	VV - GOVT FURNISHED & INSTALLED	1	24838	24838	Eye exam phoropter unit with motor operated chair. Unit consists of an adjustable chair, and phoropter unit for eye examination, mounted on a stand. Stand includes an additive tray with keratometer arm and tray and a integral instrument tray. Unit is designed for use during ophthalmic examinations.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	Humphrey Visual Fields	120	M5700	Ophthalmoscope, Binocular, Indirect	VV - GOVT FURNISHED & INSTALLED	1	2384	2384	Binocular indirect ophthalmoscope. Unit consists of headband and crown, halogen quartz lamp, multi-coated aspherical lenses, scleral depressor and mirror. It also includes a control switch that regulates the illumination from 2 to 6 volts. Used to examine presence of blood vessels in patient's pupils.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	Humphrey Visual Fields	120	C02Q0	Cabinet, Sink, U/C/B, 1 Door, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	704	704	Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	Humphrey Visual Fields	120	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	986	986	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	Humphrey Visual Fields	120	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	179	179	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	Humphrey Visual Fields	120	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, 1 line.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	Humphrey Visual Fields	120	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	Humphrey Visual Fields	120	A5080	Dispenser, Paper Towel, SS, Surface Mounted	VV - GOVT FURNISHED & INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	Humphrey Visual Fields	120	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	28	28	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	Humphrey Visual Fields	120	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	Humphrey Visual Fields	120	A5180	Track, Cubicle, Surface Mounted, With Curtain	VV - GOVT FURNISHED & INSTALLED	14	7	98	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	Humphrey Visual Fields	120	C0036	Rail, Apron, 4x30x1	CC - CONTRACTOR FURNISHED/INSTALLED	2	97	194	Apron rail. Also referred to as an apron front, apron panel, or knee space rail. Used to close in front knee space area and/or provide work surface support between two steel base cabinets or a steel base cabinet and wall. Apron rails should be ordered in pairs to provide both front and rear work surface support. Constructed of steel.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	Humphrey Visual Fields	120	C03F0	Cabinet, U/C/B, 1 Shelf, 2 Half DR, 2 DO, 36x30x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	1118	1118	Standing height under counter base cabinet with an adjustable shelf and two half width drawers above solid hinged doors. Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.

3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	Humphrey Visual Fields	120	CE030	Cabinet, W/H, 2 SH, 2 GDO, Sloping Top, 38x30x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	825	825	Wall hung cabinet with two adjustable shelves, framed-glass hinged doors, and sloping top. Also referred to as a framed-glass hinged double door wall case. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	Humphrey Visual Fields	120	E0930	Locker, Supply, 6 Drawers, Mobile, 29"W x 20"D	VV - GOVT FURNISHED & INSTALLED	1	2721	2721	THIS TYPICAL INCLUDES: 1 Mobile Supply Locker 2 Tray/Shelf 4 Drawers, 3"H 2 Drawers, 6"H Drawer Organizer Bins
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	Humphrey Visual Fields	120	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	552	552	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	Humphrey Visual Fields	120	F0355	Footstool, Straight	VV - GOVT FURNISHED & INSTALLED	1	252	252	Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	Humphrey Visual Fields	120	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	Humphrey Visual Fields	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	Humphrey Visual Fields	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	4	1512	6048	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	Humphrey Visual Fields	120	M8940	Stool, Anesthesia, With Back	VV - GOVT FURNISHED & INSTALLED	1	504	504	Anesthesia stool with back. All stainless steel with well-curved back panel and wide conductive seat. Designed for the anesthesiologist during surgical procedures.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	M5520	Lensometer	VV - GOVT FURNISHED & INSTALLED	1	2082	2082	Lensometer. Unit includes lamps, prism measuring lens marking device, cylinder axis wheel calibrated in two 180 degree segments and a green filter for tinted glass. The instrument may be inclined between 25 to 90 degrees. Used for measuring lens.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	M5025	Table, Instrument, Ophthalmic, Adjustable	VV - GOVT FURNISHED & INSTALLED	1	1014	1014	Ophthalmic adjustable instrument table. Four toed pedestal type base with foot pedal brake or hand operated clamp for securing table adjustment. Designed for use with slit lamp, ophthalmometer, perimeter and screening instruments.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	M5500	Autorefractor, Ophthalmic	VV - GOVT FURNISHED & INSTALLED	1	13150	13150	Ophthalmic autorefractor. Unit is a tabletop model consisting of a instant display TV monitor, forehead rest, measuring head, height adjustment ring, and joystick lever. It features an automatic fogging and a high speed printer. Designed for visual acuity screening.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	M5575	Tonometer, Noncontact	VV - GOVT FURNISHED & INSTALLED	1	10871	10871	Non-contact tonometer. Unit includes a built-in RX selector with four diopter corrections, air pulse button, head rest, and a digital display. Used for patient's eye observation, glaucoma screening, and other routine screening through a puff of air.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	CS010	Sink, SS, Single Compartment, 7,5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	986	986	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.

3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	179	179	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line, with speaker.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	28	28	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	A5180	Track, Cubicle, Surface Mounted, With Curtain	VV - GOVT FURNISHED & INSTALLED	14	7	98	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	C0036	Rail, Apron, 4x30x1	CC - CONTRACTOR FURNISHED/INSTALLED	1	97	97	Apron rail. Also referred to as an apron front, apron panel, or knee space rail. Used to close in front knee space area and/or provide work surface support between two steel base cabinets or a steel base cabinet and wall. Apron rails should be ordered in pairs to provide both front and rear work surface support. Constructed of steel.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	C03FO	Cabinet, U/C/B, 1 Shelf, 2 Half DR, 2 DO, 36x30x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	1118	1118	Standing height under counter base cabinet with an adjustable shelf and two half width drawers above solid hinged doors. Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	CE030	Cabinet, W/H, 2 SH, 2 GDO, Sloping Top, 38x30x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	825	825	Wall hung cabinet with two adjustable shelves, framed-glass hinged doors, and sloping top. Also referred to as a framed-glass hinged double door wall case. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	E0930	Locker, Supply, 6 Drawers, Mobile, 29"W x 20"D	VV - GOVT FURNISHED & INSTALLED	1	2721	2721	THIS TYPICAL INCLUDES: 1 Mobile Supply Locker 2 Tray/Shelf 4 Drawers, 3"H 2 Drawers, 6"H Drawer Organizer Bins
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	5	179	895	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	E0930	Locker, Supply, 6 Drawers, Mobile, 29"W x 20"D	VV - GOVT FURNISHED & INSTALLED	1	2721	2721	THIS TYPICAL INCLUDES: 1 Mobile Supply Locker 2 Tray/Shelf 4 Drawers, 3"H 2 Drawers, 6"H Drawer Organizer Bins
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	552	552	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.

3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	F0355	Footstool, Straight	VV - GOVT FURNISHED & INSTALLED	1	252	252	Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	M8940	Stool, Anesthesia, With Back	VV - GOVT FURNISHED & INSTALLED	1	504	504	Anesthesia stool with back. All stainless steel with well-curved back panel and wide conductive seat. Designed for the anesthesiologist during surgical procedures.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	FTD Visual Fields	120	E0123	Workstation, Straight, Free Standing, 72" W	VV - GOVT FURNISHED & INSTALLED	1	7609	7609	This ASN will provide a whole workstation typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDUS1	11 - Ultrasound / Optical Coherence Tomography Room	180	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line, with speaker.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDUS1	11 - Ultrasound / Optical Coherence Tomography Room	180	M5510	Camera, Fundus, Digital	VV - GOVT FURNISHED & INSTALLED	1	50854	50854	The digital fundus camera system is designed for use in diagnosing and recording ocular disorders. It shall consist of a digital imager, computer, monitor, chin rest, joy stick and software to record, store, edit and print digital images. The system may also include a system table and an adjustable patient table.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDUS1	11 - Ultrasound / Optical Coherence Tomography Room	180	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	294	294	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDUS1	11 - Ultrasound / Optical Coherence Tomography Room	180	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDUS1	11 - Ultrasound / Optical Coherence Tomography Room	180	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDUS1	11 - Ultrasound / Optical Coherence Tomography Room	180	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	28	28	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDUS1	11 - Ultrasound / Optical Coherence Tomography Room	180	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDUS1	11 - Ultrasound / Optical Coherence Tomography Room	180	A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - CONTRACTOR FURNISHED/INSTALLED	12	7	84	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.

3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDU51	11 - Ultrasound / Optical Coherence Tomography Room	180	C0036	Rail, Apron, 4x30x1	CC - CONTRACTOR FURNISHED/INSTALLED	2	97	194	Apron rail. Also referred to as an apron front, apron panel, or knee space rail. Used to close in front knee space area and/or provide work surface support between two steel base cabinets or a steel base cabinet and wall. Apron rails should be ordered in pairs to provide both front and rear work surface support. Constructed of steel.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDU51	11 - Ultrasound / Optical Coherence Tomography Room	180	C03F0	Cabinet, U/C/B, 1 Shelf, 2 Half DR, 2 DO, 36x30x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	1118	1118	Standing height under counter base cabinet with an adjustable shelf and two half width drawers above solid hinged doors. Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDU51	11 - Ultrasound / Optical Coherence Tomography Room	180	CE030	Cabinet, W/H, 2 SH, 2 GDO, Sloping Top, 38x30x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	852	852	Wall hung cabinet with two adjustable shelves, framed-glass hinged doors, and sloping top. Also referred to as a framed-glass hinged double door wall case. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDU51	11 - Ultrasound / Optical Coherence Tomography Room	180	CS150	Sink, SS, Single Compartment, 10x19x16 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	1081	1081	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. Coordinate actual outside sink dimensions with the actual clear dimension of cabinet specified to ensure that they are
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDU51	11 - Ultrasound / Optical Coherence Tomography Room	180	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	5	179	895	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDU51	11 - Ultrasound / Optical Coherence Tomography Room	180	E0930	Locker, Supply, 6 Drawers, Mobile, 29"W x 20"D	VV - GOVT FURNISHED & INSTALLED	1	2721	2721	THIS TYPICAL INCLUDES: 1 Mobile Supply Locker 2 Tray/Shelf 4 Drawers, 3"H 2 Drawers, 6"H Drawer Organizer Bins
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDU51	11 - Ultrasound / Optical Coherence Tomography Room	180	M5551	Tomography System, Optical Coherence (OCT)	VV - GOVT FURNISHED & INSTALLED	1	36361	36361	Optical Coherence Tomography (OCT) is an instrument used to take high resolution images of the retina that can help diagnose different diseases related to macular degeneration and diabetic retinopathy.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDU51	11 - Ultrasound / Optical Coherence Tomography Room	180	6540	Camera, Fundus, Digital	VV - GOVT FURNISHED & INSTALLED	1	49217	49217	The digital fundus camera system is designed for use in diagnosing and recording ocular disorders. It shall consist of a digital imager, computer, monitor, chin rest, joy stick and software to record, store, edit and print digital images. The system may also include a system table and an adjustable patient table.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDU51	11 - Ultrasound / Optical Coherence Tomography Room	180	E0945	Cart, Computer, Mobile	VV - GOVT FURNISHED & INSTALLED	1	1923	1923	A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDU51	11 - Ultrasound / Optical Coherence Tomography Room	180	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	552	552	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDU51	11 - Ultrasound / Optical Coherence Tomography Room	180	F0355	Footstool, Straight	VV - GOVT FURNISHED & INSTALLED	1	252	252	Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDU51	11 - Ultrasound / Optical Coherence Tomography Room	180	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDU51	11 - Ultrasound / Optical Coherence Tomography Room	180	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDU51	11 - Ultrasound / Optical Coherence Tomography Room	180	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower,dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDU51	11 - Ultrasound / Optical Coherence Tomography Room	180	M3072	Frame, Infectious Waste Bag w/Lid	VV - GOVT FURNISHED & INSTALLED	1	436	436	Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDU51	11 - Ultrasound / Optical Coherence Tomography Room	180	M4255	Stand, IV, Adjustable	VV - GOVT FURNISHED & INSTALLED	1	425	425	Adjustable IV stand with 4-hook arrangement. Stand has stainless steel construction with heavy weight base. It adjusts from 66 inches to 100 inches and is mounted on conductive rubber, ball bearing, swivel casters. Stand is used for administering intravenous solutions.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDU51	11 - Ultrasound / Optical Coherence Tomography Room	180	M4266	Pump, Volumetric, Infusion, Multiple Line	VV - GOVT FURNISHED & INSTALLED	0	7164	0	Volumetric infusion pump. Pump is self-regulating with automatic sensor and adjustable rate. Equipped with visual and audible alarms and up to 10 hour capacity battery. For the administration of a wide variety of therapeutic agents where precise control is required. Unit provides individual control to IV lines simultaneously.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDU51	11 - Ultrasound / Optical Coherence Tomography Room	180	M4655	Stretcher, Mobile, CRS, 9 Position	VV - GOVT FURNISHED & INSTALLED	0	5634	0	Mobile stretcher. All corrosion resistant stainless steel construction. It consists of a tubular frame with side rails, a 9-position hydraulic base with pneumatic fowler adjustment, and a 2" pad. Unit is mounted on 8" conductive casters. Designed for patient transport as well as for minor surgical procedures.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDU51	11 - Ultrasound / Optical Coherence Tomography Room	180	M8810	Stand, Mayo	VV - GOVT FURNISHED & INSTALLED	1	739	739	Adjustable instrument table. Table is corrosion resistant stainless steel construction and is mounted on two casters with two skid rails. It has telescopic upright adjusts from 39 inches to 60 inches with automatic locking device, and removable 13"x19" instrument tray. Designed for use in operating and procedure rooms.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDU51	11 - Ultrasound / Optical Coherence Tomography Room	180	M8940	Stool, Anesthesia, With Back	VV - GOVT FURNISHED & INSTALLED	1	504	504	Anesthesia stool with back. All stainless steel with well-curved back panel and wide conductive seat. Designed for the anesthesiologist during surgical procedures.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDU51	11 - Ultrasound / Optical Coherence Tomography Room	180	X2112	Scanner, Ultrasound, Ophthalmic	VV - GOVT FURNISHED & INSTALLED	1	27450	27450	A high-resolution ultrasound system capable of utilizing a range of transducer frequencies for imaging of various ophthalmic structures. Configurable as a B-scan, UMB, or combination system with optional A-scan. Features include four preset scan modes, integrated computer hardware, two RAID-configured SATA 1 TB or higher drives, 21" HD monitor, wireless keyboard and mouse interface. Able to interface with image management and EMR systems.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDU51	11 - Ultrasound / Optical Coherence Tomography Room	180		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
3 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	XDU51	11 - Ultrasound / Optical Coherence Tomography Room	180	X2100	Scanner, Ultrasound, General Purpose	VV - GOVT FURNISHED & INSTALLED	1	178067	178067	High definition, diagnostic ultrasound system for Radiology, Cardiology, Vascular, ob-gyn, Perinatology, and Surgical imaging applications. The unit employs curved, phased and linear array imaging technology. The system supports colorflow, pulse and continuous wave imaging modalities. On board software measurement packages available for all imaging applications. The system is DICOM 3.0 compatible, for easy linkage to filmless image management systems and review stations. In addition, a full line of probes and conventional recording devices are available.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, multiple line.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72	VV - GOVT FURNISHED & INSTALLED	1	7504	7504	This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware;
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	F0110	Bookcase, 3 Shelf	VV - GOVT FURNISHED & INSTALLED	1	433	433	Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides.

3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	552	1104	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	2	636	1272	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	620	620	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, multiple line.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72	VV - GOVT FURNISHED & INSTALLED	1	7504	7504	This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware;
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	F0110	Bookcase, 3 Shelf	VV - GOVT FURNISHED & INSTALLED	1	433	433	Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	552	1104	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	2	636	1272	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	620	620	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower,dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, multiple line.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72	VV - GOVT FURNISHED & INSTALLED	1	7504	7504	This section will provide a write work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware;
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	F0110	Bookcase, 3 Shelf	VV - GOVT FURNISHED & INSTALLED	1	433	433	Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	552	1104	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	2	636	1272	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	620	620	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	1 - ES: PT: Treatment Room	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower,dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
------------	-----------------	-----------	-----------	-----------	-----	--------------	----------	-----	-----------	------------	-------------

3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	RECP1	1 - Waiting Area	60	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	2	0	0	Telephone, desk, multiple line.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	RECP1	1 - Waiting Area	60	A6105	Counter, Reception Control, Built-In	CC - CONTRACTOR FURNISHED/INSTALLED	1	7736	7736	Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backslash/curb. Pricing based on a 30" depth.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	RECP1	1 - Waiting Area	60	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	4	636	2544	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	RECP1	1 - Waiting Area	60	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	3	620	1860	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	RECP1	1 - Waiting Area	60	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	4	51	204	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	RECP1	1 - Waiting Area	60	F2540	Shredder, Paper, Security	VV - GOVT FURNISHED & INSTALLED	1	372	372	Paper shredder, approximately 21" high X 15" wide X 12" deep with shredding unit and waste receptacle. Security features will include cross-cut shredding.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	RECP1	1 - Waiting Area	60	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	RECP1	1 - Waiting Area	60	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	4	1512	6048	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	RECP1	1 - Waiting Area	60	M1840	Printer/Copier/Fax Combination	VV - GOVT FURNISHED & INSTALLED	1	827	827	Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	STCS7	5 - Prosthetic Appliance Storage	400	E0975	Cart, Wire, Mobile	VV - GOVT FURNISHED & INSTALLED	10	1220	12200	Wire Cart with Wire Shelves approximately 60"H x 42"W x 24"D. THIS TYPICAL INCLUDES: 1 Wire Cart, w/Casters 3 Wire Shelves 1 Stainless Steel Shelf 1 Wire Side/Back Panels
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	STCS7	5 - Prosthetic Appliance Storage	400	T0120	Bench, Work, Wood Top, 1 Drawer, 1 Shelf, 34x72x30	VV - GOVT FURNISHED & INSTALLED	1	584	584	Workbench with wood top approximately 72" W x 30" D x 34" H. Characteristics/components include laminated wood top, 1- 5/8 inches thick; legs constructed of welded heavy gauge steel with floor feet for maximum stability; and one drawer and shelf. Workbench is used in occupational therapy.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	STCS7	5 - Prosthetic Appliance Storage	400	F2016	Waste Receptacle, 40 GAL	VV - GOVT FURNISHED & INSTALLED	1	265	265	Rectangular steel waste receptacle with step-on lid and a 40 gallon capacity. The receptacle is used to collect and temporarily store small quantities of paper refuse. Can be used in restrooms, patient areas, laboratories, pharmacies, etc.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	STCS7	5 - Prosthetic Appliance Storage	400	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).

3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	STCS7	5 - Prosthetic Appliance Storage	400	A1016	Telephone, Desk, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, with speaker.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	STCS7	5 - Prosthetic Appliance Storage	400	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	1836	1836	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	Prosthetics Clerk	100	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, multiple line.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	Prosthetics Clerk	100	F0405	Cabinet, Filing, Full Height, 4-5 Drawer	VV - GOVT FURNISHED & INSTALLED	1	392	392	Four (4) or five (5) drawer letter size, vertical filing cabinet, 53" high X 15" wide X 29" deep with locking device. Each drawer has label holder, handle and roller cradle.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	Prosthetics Clerk	100	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	Prosthetics Clerk	100	E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72	VV - GOVT FURNISHED & INSTALLED	1	7504	7504	This section will provide a whole workstation typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware;
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	Prosthetics Clerk	100	F0110	Bookcase, 3 Shelf	VV - GOVT FURNISHED & INSTALLED	1	433	433	Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	Prosthetics Clerk	100	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	552	1104	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	Prosthetics Clerk	100	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	4	636	2544	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	Prosthetics Clerk	100	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	2	636	1272	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	Prosthetics Clerk	100	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	620	620	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	Prosthetics Clerk	100	F0795	Table, Dining	VV - GOVT FURNISHED & INSTALLED	1	662	662	Dining table. Round 42" diameter. Used in dining facilities and can comfortably seat up to four (4) persons.

3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	Prosthetics Clerk	100	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	Prosthetics Clerk	100	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	Prosthetics Clerk	100	F3050	Whiteboard, Dry Erase	VV - GOVT FURNISHED & INSTALLED	1	330	330	Whiteboard unit, approximately 36" H x 48" W consisting of a white porcelain enamel writing surface with an attached chalk tray. Magnetic surface available. Image can be easily removed with a standard chalkboard eraser. For use with water color pens. Unit is ready to hang.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	Prosthetics Clerk	100	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	Prosthetics Clerk	100	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	Prosthetics Clerk	100		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	ESH51	Prosthetics Office / Exam	120	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	2	0	0	Telephone, desk, multiple line.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	ESH51	Prosthetics Office / Exam	120	A6105	Counter, Reception Control, Built-In	CC - CONTRACTOR FURNISHED/INSTALLED	1	7736	7736	Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backsplash/curb. Pricing based on a 30" depth.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	ESH51	Prosthetics Office / Exam	120	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	4	636	2544	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	ESH51	Prosthetics Office / Exam	120	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	3	620	1860	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	ESH51	Prosthetics Office / Exam	120	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	4	51	204	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	ESH51	Prosthetics Office / Exam	120	F2540	Shredder, Paper, Security	VV - GOVT FURNISHED & INSTALLED	1	372	372	Paper shredder, approximately 21" high X 15" wide X 12" deep with shredding unit and waste receptacle. Security features will include cross-cut shredding.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	ESH51	Prosthetics Office / Exam	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	ESH51	Prosthetics Office / Exam	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	4	1512	6048	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	ESH51	Prosthetics Office / Exam	120	M1840	Printer/Copier/Fax Combination	VV - GOVT FURNISHED & INSTALLED	1	827	827	Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.
3 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION	OFA02	Prosthetics Clerk	120	F0795	Table, Dining	VV - GOVT FURNISHED & INSTALLED	1	662	662	Dining table. Round 42" diameter. Used in dining facilities and can comfortably seat up to four (4) persons.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	ESH51	Prosthetics Office / Exam	120	M3073	Biohazard Waste, Step-on, Fire Safe	FURNISHED & INSTALLED	1	113	113	A biohazard waste container with a step-on lid. The container will have a capacity of approximately 12 gallons and be made of a fire safe material.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	ESH51	Prosthetics Office / Exam	120	P3100	Lavatory, Vitreous China, Slab Type	FURNISHED/INSTALLED	1	546	546	7"x15"x10" with faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, and face rinsing from soft flow dual spray-heads. The flow must be activated by the single momentary action and remain on until terminated.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	ESH51	Prosthetics Office / Exam	120	P1965	Eye/Face, Sink Mounted, Hands-Module, Storage, File/Cabinet, Wall Mtd, 30"x16"	VV - GOVT FURNISHED & INSTALLED	1	2910	2910	This unit has 2 vertical hanging strips, 2 lockable flipper units and 3 hanging file drawers with shelf dividers.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	ESH51	Prosthetics Office / Exam	120	E0803	Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	1	1859	1859	three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	ESH51	Prosthetics Office / Exam	120	M9025	Parallel Bars, Physical Therapy	VC - GOVT FURNISHED/CONTRACTOR INSTALLED	1	9203	9203	WALL MOUNTED. Physical therapy parallel bars. Unit can have manual or electrically powered adjustments. Bar height is adjustable from 25" to 40" and the bar width is adjustable from 16" to 25". Hand rails are chrome plated 1-1/2" steel tubing. Walking aisle is a minimum of 24" wide and
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	ESH51	Prosthetics Office / Exam	120	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	552	1104	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	ESH51	Prosthetics Office / Exam	120	A1080	Mirror, Posture, Wall Mounted	FURNISHED/CONTRACTOR INSTALLED	4	371	1484	Wall mounted posture mirror. Consists of a 24" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	ESH51	Prosthetics Office / Exam	120	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	ESH51	Prosthetics Office / Exam	120	F0465	Cabinet, Storage, 2 Door, 5 Shelf	VV - GOVT FURNISHED & INSTALLED	1	650	650	Storage cabinet, 78" high X 48" wide X 24" deep with two (2) doors and five (5) adjustable shelves.
3 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS	ESH51	Prosthetics Office / Exam	120	A5077	Dispenser, Hand Sanitizer, Hands-Free	VV - GOVT FURNISHED & INSTALLED	1	45	45	Automatic wall mounted hand sanitizer dispenser. For use throughout healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBB02	8 - Laboratory, Blood/Phoresis Processing	80	F2000	Wastepaper, Fire Resistant	FURNISHED & INSTALLED	1	51	51	wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBB02	8 - Laboratory, Blood/Phoresis Processing	80	F2000	Wastepaper, Fire Resistant	FURNISHED & INSTALLED	1	51	51	wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBB02	8 - Laboratory, Blood/Phoresis Processing	80	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, multiple line.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBB02	8 - Laboratory, Blood/Phoresis Processing	80	E0123	Workstation, Straight, Free Standing, 72" W	VV - GOVT FURNISHED & INSTALLED	1	7609	7609	This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File

3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBBD2	8 - Laboratory, Blood/Phoresis Processing	80	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	636	636	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBBD2	8 - Laboratory, Blood/Phoresis Processing	80	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	620	620	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBBD2	8 - Laboratory, Blood/Phoresis Processing	80	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBBD2	8 - Laboratory, Blood/Phoresis Processing	80	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBBD2	8 - Laboratory, Blood/Phoresis Processing	120	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	28	28	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBBD2	8 - Laboratory, Blood/Phoresis Processing	80	M1830	Printer, Label, Pharmacy	VV - GOVT FURNISHED & INSTALLED	1	1613	1613	Label printer for use in pharmacy applications. The printer shall be bench top standing. It shall be flexible enough to accommodate label sizes up to 4 inches, with a minimum print speed of 6 inches per second and a minimum resolution of 203 dpi.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBBD2	8 - Laboratory, Blood/Phoresis Processing	120	A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	211	211	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBBD2	8 - Laboratory, Blood/Phoresis Processing	120	C0025	Cabinet, Wardrobe, 1 Door, 84x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	1370	1370	Wardrobe cabinet with a fixed shelf, clothing rod, and a solid or louvered right or left-hinged door (appropriate door hinge configuration to be indicated on the equipment elevation drawings), an optional locking door is available. Also referred to as a wardrobe case, unit or storage unit. Used for storage of clothing and personal items.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBBD2	8 - Laboratory, Blood/Phoresis Processing	120	C0046	Frame, Apron, 2 Drawer, 4x48x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	504	504	Apron frame with two standard drawers. Also referred to as a drawer frame or table frame. Used for a knee space as a combination frame and drawers to support a top between base cabinets or a base cabinet and a wall.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBBD2	8 - Laboratory, Blood/Phoresis Processing	120	C02C0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	859	859	Standing height under counter base cabinet with an adjustable shelf and a full width drawer above a solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings). Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBBD2	8 - Laboratory, Blood/Phoresis Processing	120	C02D0	Cabinet, U/C/B, 4 Drawer, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	1032	1032	Standing height under counter base cabinet with four full width drawers of equal height. Also referred to as a drawer cabinet. For general purpose use throughout the facility.

3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBD2	8 - Laboratory, Blood/Phoresis Processing	120	C02Q0	Cabinet, Sink, U/C/B, 1 Door, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	704	704	Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBD2	8 - Laboratory, Blood/Phoresis Processing	120	C04E0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 2 DO, 36x36x22	CC - CONTRACTOR FURNISHED/INSTALLED	0	938	0	Standing height under counter base cabinet with an adjustable shelf and a full width drawer above solid hinged doors. Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBD2	8 - Laboratory, Blood/Phoresis Processing	120	C04P0	Cabinet, Sink, U/C/B, 2 Door, 36x36x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	737	737	Standing height under counter base sink cabinet with solid hinged doors. Also referred to as a double-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBD2	8 - Laboratory, Blood/Phoresis Processing	120	CE090	Cabinet, W/H, 2 SH, 2 GDO, Sloping Top, 41x36x16	CC - CONTRACTOR FURNISHED/INSTALLED	1	997	997	Wall hung cabinet with two adjustable shelves, framed-glass hinged doors, and sloping top. Also referred to as a framed-glass hinged double door wall case. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBD2	8 - Laboratory, Blood/Phoresis Processing	120	CG040	Cabinet, W/H, 2 SH, 2 SGDO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	1084	1084	Wall hung cabinet with two adjustable shelves, framed-glass sliding doors, and sloping top. Also referred to as a framed-glass sliding double door wall case. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBD2	8 - Laboratory, Blood/Phoresis Processing	120	CG090	Cabinet, W/H, 2 SH, 2 SGDO, Sloping Top, 41x36x16	CC - CONTRACTOR FURNISHED/INSTALLED	1	1003	1003	Wall hung cabinet with two adjustable shelves, framed-glass sliding doors, and sloping top. Also referred to as a framed-glass sliding double door wall case. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBD2	8 - Laboratory, Blood/Phoresis Processing	120	CS270	Sink, Epoxy Resin, 11x18x15 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	658	658	One-piece cast epoxy resin sink (composition of molded epoxy resins and inert materials) connected with a drain and provided with a mixing faucet. For use in U/C/B sink cabinets and mounted under the epoxy resin countertops/work surfaces found in lab areas requiring optimum physical chemical resisting properties. For general purpose use in a lab area.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBD2	8 - Laboratory, Blood/Phoresis Processing	120	CT060	Countertop, Modified Epoxy Resin	CC - CONTRACTOR FURNISHED/INSTALLED	1	127	127	Modified epoxy resin countertop (composition of molded epoxy resins and inert materials) having a low sheen surface finish, standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab areas requiring optimum physical and chemical resisting properties.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBD2	8 - Laboratory, Blood/Phoresis Processing	120	D3295	Chair, Rotary, Laboratory, Dental	VV - GOVT FURNISHED & INSTALLED	3	658	1974	Rotary dental laboratory chair. The chair is used by technicians while working at a bench. Chairs also have casters and an adjustable backrest.

3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBBD2	8 - Laboratory, Blood/Phoresis Processing	120	F3010	Board, Bulletin, 48 x 48	VV - GOVT FURNISHED & INSTALLED	1	143	143	Open face bulletin board. Cork posting panel with moisture proof backing. Variety of frames to choose from. Used for posting notes and messages.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBBD2	8 - Laboratory, Blood/Phoresis Processing	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBBD2	8 - Laboratory, Blood/Phoresis Processing	120	L1502	Centrifuge, Tabletop	VV - GOVT FURNISHED & INSTALLED	1	6878	6878	Tabletop laboratory centrifuge. This unit has a variable speed range of 1500 to 13000 RPM in part dependent on rotor assembly used. It includes a no brake option allowing rotor to spin to a gradual stop as well as the capability to enter combinations of time and RPM into the memory, and a door lock safety system. Heads accommodate a wide variety of tubes and can accommodate up to at least 76 tubes. Used in laboratories to prepare samples for further analysis.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBBD2	8 - Laboratory, Blood/Phoresis Processing	120	L1670	Centrifuge, Refrigerated, Floor Model	VV - GOVT FURNISHED & INSTALLED	0	36938	0	Refrigerated centrifuge. This is a floor standing unit with a solid state speed control system that has speeds ranging from approximately 150 to 6000 RPM. Other characteristics include a temperature range of -9 to +39 degrees C, dual range digital timer, rotor imbalance detection, a programmable memory and a dynamic brake with three deceleration rates. The unit also has a refrigeration system that consists of a low maintenance compressor and a coil wrapped insulated guard bowl. Used in laboratories for processing heat sensitive samples.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBBD2	8 - Laboratory, Blood/Phoresis Processing	120	L2280	Hood, Laminar Flow, Horizontal, Free Standing, 6ft	CC - CONTRACTOR FURNISHED/INSTALLED	0	8222	0	Horizontal laminar flow hood. This is a freestanding unit that meets or exceeds Class 100 requirements set for Federal Standard 209B. The unit will have HEPA filters, a washable and reusable pre-filter, a work surface and side walls of type 304 stainless steel construction, duplex electrical receptacles, high velocity return air slots that provide an air curtain at the work area, work surface and side walls and blowers with an average velocity of 100 fpm. Used for work with non-hazardous materials where clean particle free air is required. 6 foot model, other sizes available.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBBD2	8 - Laboratory, Blood/Phoresis Processing	120	L2336	Cabinet, Bio Safety, Class II/B2, Bench Top, 4ft	CC - CONTRACTOR FURNISHED/INSTALLED	0	12990	0	Class II, Type B2, benchtop biological safety cabinet. The unit includes two HEPA filters, one supply and one exhaust, zero probed, high intake velocity that averages 105 fpm, an audible alarm to notify operator of unsafe window positions an audio-visual alarm to monitor exhaust pressure, interior of type 304 stainless steel with side walls slotted for high velocity air return, an exterior of 16 gauge or heavier steel, two ground key petcocks, a grounded duplex receptacle. Used for low to moderate risk biological agents treated with toxic chemicals and radionucleotides. This unit requires 100% exhaust to the atmosphere. 4 foot model presented, other sizes are available.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBBD2	8 - Laboratory, Blood/Phoresis Processing	120	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBBD2	8 - Laboratory, Blood/Phoresis Processing	120	M1825	Printer, Computer	VV - GOVT FURNISHED & INSTALLED	1	809	809	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBBD2	8 - Laboratory, Blood/Phoresis Processing	120	M1855	Facsimile Machine	VV - GOVT FURNISHED & INSTALLED	1	360	360	Plain paper facsimile unit used to transmit printed matter or images over standard telephone lines. The unit operates at a modem speed of 33.6 Kbps and automatically recognizes and communicates with a variety of standard facsimile machines. Commonly referred to as "fax" unit.

3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBD2	8 - Laboratory, Blood/Phoresis Processing	120	M2015	Cabinet, Storage, Flammable, Freestanding	VV - GOVT FURNISHED & INSTALLED	1	1179	1179	Freestanding flammable safety storage cabinet. Size as required. Unit is of all welded steel wall construction with vented grounding attachments, raised leak proof door sill and adjustable shelving. Equipped with swinging doors and built-in key lock. Designed for storage of flammable fluids. Complies with OSHA standards, is FM approved and designed IAW NFPA 30.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBD2	8 - Laboratory, Blood/Phoresis Processing	120	M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	1	846	846	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74" H x 18" D x 48" W with four shelves.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBD2	8 - Laboratory, Blood/Phoresis Processing	120	M3072	Frame, Infectious Waste Bag w/Lid	VV - GOVT FURNISHED & INSTALLED	1	436	436	Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBD2	8 - Laboratory, Blood/Phoresis Processing	120	P1965	Eyewash, Eye/Face, Sink Mounted, Hands-free	CC - CONTRACTOR FURNISHED/INSTALLED	1	560	560	A sink mounted eyewash station. The unit is designed for emergency eye and face rinsing from soft flow dual spray-heads. The flow must be activated by the single momentary action and remain on until terminated.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBD2	8 - Laboratory, Blood/Phoresis Processing	120	R4700	Ice Maker, Cubes, 250 Pound	CC - CONTRACTOR FURNISHED/INSTALLED	0	6513	0	Ice cube maker approximately 39" H x 29" D x 26" W. This unit is self-contained and provides 250 pounds of ice every 24 hours. The exterior is made of sturdy stainless steel. It is used in hospitals, hotels, and restaurants for dispensing ice.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBD2	8 - Laboratory, Blood/Phoresis Processing	120	R5100	Freezer, Biological, 85, 19-25 Cubic Feet, Upright	VV - GOVT FURNISHED & INSTALLED	1	13616	13616	Biological freezer, -85 degrees centigrade, 19-25 cubic feet with temperature recorder, remote alarm, and storage baskets. Optional auxiliary water cooling available. Upright type freezer.
					R6070	Refrigerator/Freezer, Biological, Upright, 18 Cu Ft	CC - CONTRACTOR FURNISHED/INSTALLED	1	9379	9379	Biological refrigerator with freezer. This unit includes a freezer compartment for general laboratory use. Its independent direct-set temperature controllers allow temperature selection for +2° to 14°C for the refrigerator, and from -20° to -30°C for the freezer.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBD2	8 - Laboratory, Blood/Phoresis Processing	120	R6280	Refrigerator, Lab, SS, 2 Door, 6 Shelves	VV - GOVT FURNISHED & INSTALLED	0	9013	0	Laboratory refrigerator approximately 83x56x33 in size. This unit will have double-doors, stainless steel interior, six stainless steel shelves that are fully adjustable to one-half centers; blower coil cooler with automatic off cycle defrost and a seven day precision temperature recording clock. This unit is used in hospitals and research laboratories for general cold storage.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBD2	8 - Laboratory, Blood/Phoresis Processing	120	R6200	Refrigerator, U/C or F/S, 5 Cu Ft	VV - GOVT FURNISHED & INSTALLED	1	1958	1958	Utility refrigerator approximately 35" H x 24" W x 26" D. The unit has a two tray ice cube cooling system. The refrigerator fits standard architectural dimensions for undercounter installation. The unit is perfect for use in nurses' station, wards, and laboratories, pharmacies or wherever space is limited.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBVP1	1 - LAB: Blood Specimen Collection Room	80	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line, with speaker.

3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBVP1	1 - LAB: Blood Specimen Collection Room	80	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBVP1	1 - LAB: Blood Specimen Collection Room	80	A5077	Dispenser, Hand Sanitizer, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	45	45	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBVP1	1 - LAB: Blood Specimen Collection Room	80	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBVP1	1 - LAB: Blood Specimen Collection Room	80	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	28	28	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBVP1	1 - LAB: Blood Specimen Collection Room	80	A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	211	211	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBVP1	1 - LAB: Blood Specimen Collection Room	80	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBVP1	1 - LAB: Blood Specimen Collection Room	80	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	1836	1836	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBVP1	1 - LAB: Blood Specimen Collection Room	80	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBVP1	1 - LAB: Blood Specimen Collection Room	80	F3025	Board, Bulletin, Wood Framed	VV - GOVT FURNISHED & INSTALLED	1	59	59	Bulletin board approximately 36"W x 24"H. Wood framed 1/2" cork posting panel with moisture proof backing. Units are factory assembled and have keyhole hangers for easy installation.

3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBVP1	1 - LAB: Blood Specimen Collection Room	80	M1410	Chair, Laboratory, Blood Drawing, w/Storage	VV - GOVT FURNISHED & INSTALLED	1	1837	1837	Laboratory blood drawing chair with storage. Chair has built-in storage cabinet(s) and locking arm assembly that may be positioned on either side of the fiberglass chair.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBVP1	1 - LAB: Blood Specimen Collection Room	80	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBVP1	1 - LAB: Blood Specimen Collection Room	80	M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	1050	1050	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBVP1	1 - LAB: Blood Specimen Collection Room	80	M1830	Printer, Label, Pharmacy	VV - GOVT FURNISHED & INSTALLED	1	1613	1613	Label printer for use in pharmacy applications. The printer shall be bench top standing. It shall be flexible enough to accommodate label sizes up to 4 inches, with a minimum print speed of 6 inches per second and a minimum resolution of 203 dpi.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBVP1	1 - LAB: Blood Specimen Collection Room	80	M3072	Frame, Infectious Waste Bag w/Lid	VV - GOVT FURNISHED & INSTALLED	1	436	436	Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBVP1	1 - LAB: Blood Specimen Collection Room	80		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBVP1	1 - LAB: Blood Specimen Collection Room		L1200	Cabinet, Specimen, Pass Thru, CRS	CC - CONTRACTOR FURNISHED/INSTALLED	2	462	924	Pass-through specimen cabinet. The unit has a sight-proof interlocking door that permits only one door to open at a time. It also includes a removable spill tray, corrosion resistant stainless steel welded construction with seamless corners and burr-free edges and is able to adjust to wall thickness between 3-6 inches. Used for passage of
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	LBVP1	1 - LAB: Blood Specimen Collection Room	80	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	SRR02	4 - LAB: Storage, Refrigerated	50	R6060	Refrigerator, Biological, SS, 2 Door, 40 Cu Ft	VV - GOVT FURNISHED & INSTALLED	0	7015	0	Biological refrigerator. This unit shall have a minimum volume of 40 cubic feet, double doors, stainless steel cooler storage with stainless steel drawers, three adjustable shelves and one stationary stainless steel shelf. This refrigerator is used in research laboratories and hospital pharmacies for storage and dispensing of drugs.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
------------	-----------------	-----------	-----------	-----------	-----	--------------	----------	-----	-----------	------------	-------------

3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	SRS01	3 - LAB: Storage, Bulk	100	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line, with speaker.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	SRS01	3 - LAB: Storage, Bulk	100	M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	4	846	3384	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74" H x 18"D x 48"W with four shelves.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	TLTU1	2 - LAB: Toilet, Urine Specimen Collection	50	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	294	294	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	TLTU1	2 - LAB: Toilet, Urine Specimen Collection	50	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	TLTU1	2 - LAB: Toilet, Urine Specimen Collection	50	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	TLTU1	2 - LAB: Toilet, Urine Specimen Collection	50	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	51	51	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	TLTU1	2 - LAB: Toilet, Urine Specimen Collection	50	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	156	156	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	TLTU1	2 - LAB: Toilet, Urine Specimen Collection	50	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	TLTU1	2 - LAB: Toilet, Urine Specimen Collection	50	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	87	87	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.

3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	TLTU1	2 - LAB: Toilet, Urine Specimen Collection	50	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	TLTU1	2 - LAB: Toilet, Urine Specimen Collection	50	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
3 - OUTPATIENT / PACT CLINIC (265)	7 - PATHOLOGY AND LABORATORY MEDICINE	TLTU1	2 - LAB: Toilet, Urine Specimen Collection	50	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	824	824	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	DR001	5 - ES: Dressing Room	35	A1030	Locker, 2 Person, Over/Under	VV - GOVT FURNISHED & INSTALLED	1	285	285	Two person locker, double tier, 72Hx12Wx18D. This unit includes hooks for coats and hats. Door equipped with safety guard handles. Designed for storage of coats, hats, and other personal belongings. Other width and depths are available.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	DR001	5 - ES: Dressing Room	35	A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	383	383	Wall mounted posture mirror. Consists of a 3/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	DR001	5 - ES: Dressing Room	35	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	OFA02	1 - ES: Office, Professional, Non Physician, Systems Furniture	56	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, multiple line.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	OFA02	1 - ES: Office, Professional, Non Physician, Systems Furniture	56	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.

3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	OFA02	1 - ES: Office, Professional, Non Physician, Systems Furniture	56	E0078	Workstation, L-Shaped w/Peninsula, Free Std. 78x72	VV - GOVT FURNISHED & INSTALLED	1	7504	7504	This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	OFA02	1 - ES: Office, Professional, Non Physician, Systems Furniture	56	F0110	Bookcase, 3 Shelf	VV - GOVT FURNISHED & INSTALLED	1	433	433	Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	OFA02	1 - ES: Office, Professional, Non Physician, Systems Furniture	56	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	552	1104	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	OFA02	1 - ES: Office, Professional, Non Physician, Systems Furniture	56	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	2	636	1272	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	OFA02	1 - ES: Office, Professional, Non Physician, Systems Furniture	56	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	620	620	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	OFA02	1 - ES: Office, Professional, Non Physician, Systems Furniture	56	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	OFA02	1 - ES: Office, Professional, Non Physician, Systems Furniture	56	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	OFA02	1 - ES: Office, Professional, Non Physician, Systems Furniture	56	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
------------	-----------------	-----------	-----------	-----------	-----	--------------	----------	-----	-----------	------------	-------------

3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	SRLW1	11 - Storage	100	M4705	Wheelchair, Patient Transport, Folding	VV - GOVT FURNISHED & INSTALLED	1	532	532	Folding patient transport wheelchair. Constructed of chrome plated steel with detachable armrest and footrests. Unit has heavy duty front casters with sealed radial high-precision ball bearing assembly. Unit is used for patient transport.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	SRLW1	11 - Storage	100	M4710	Wheelchair, Patient, Bariatric, Transport, Folding	VV - GOVT FURNISHED & INSTALLED	1	1703	1703	Folding bariatric patient transport wheelchair with a capacity of at least 500 lbs. Constructed with a heavy duty steel frame and double cross brace, with detachable armrest and swing away footrests. Unit has heavy duty front casters and rear wheels with precision wheel bearings in front and rear assembly. Unit is used for patient movement.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	TLTU1	10 - ES: Toilet, Patient	50	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	294	294	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	TLTU1	10 - ES: Toilet, Patient	50	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	TLTU1	10 - ES: Toilet, Patient	50	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	TLTU1	10 - ES: Toilet, Patient	50	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	51	51	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	TLTU1	10 - ES: Toilet, Patient	50	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	156	156	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	TLTU1	10 - ES: Toilet, Patient	50	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.

3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	TLTU1	10 - ES: Toilet, Patient	50	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	87	87	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	TLTU1	10 - ES: Toilet, Patient	50	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	TLTU1	10 - ES: Toilet, Patient	50	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	TLTU1	10 - ES: Toilet, Patient	50	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	824	824	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	UCCL1	4 - ES: Utility Room, Clean	120	E0903	Locker, Supply, w/Shelves, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	2422	4844	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Supply Locker 1 Drawer, 9"H 4 Tray/Shelves Drawer Organizers Consider the need for an E0921 to transport the locker from place to place.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	UCCL1	4 - ES: Utility Room, Clean	120	E0906	Locker, Supply, General, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	3041	6082	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H 3 Drawers, 6"H 2 Drawers, 9"H 1 Tray/Shelf Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	UCCL1	4 - ES: Utility Room, Clean	120	E0912	Locker, Supply, Med Surg, Wall Mtd	VV - GOVT FURNISHED & INSTALLED	2	3389	6778	Medical/Surgical Supply locker, Wall Mounted, approximately 23"W x 20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H 2 Drawers, 6"H 2 Tray/Shelf Dividers Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	UCCL1	4 - ES: Utility Room, Clean	120	E1500	Rail, MOD, W/MNTD, HX144XD	VV - GOVT FURNISHED & INSTALLED	1	726	726	Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall.

3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	UCCL1	4 - ES: Utility Room, Clean	120	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	UCCL1	4 - ES: Utility Room, Clean	120	P8710	Utility Center, Plumbing Connection	CC - CONTRACTOR FURNISHED/INSTALLED	1	95	95	Plumbing connection utility center, sometimes referred to as a 'GUY GRAY BOX'. This recessed utility center provides for hot and cold water connections and a drain connection at sink and other equipment locations. The utility center includes cutoff valves for the water connections, a plug seal for the drain and an outside cover to provide an aesthetic appearance when connections are no longer required. This center may be installed in locations where no plumbing fixtures are included in a design as a future flexibility device, saving many dollars for later facility modifications to incorporate sinks as functions change.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	WRC01	3 - ES: Waiting Area	120	A5077	Dispenser, Hand Sanitizer, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	45	45	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	WRC01	3 - ES: Waiting Area	120	A5210	Bracket, Television, Wall Mounted, w/Adjust Arm	VV - GOVT FURNISHED & INSTALLED	1	222	222	Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	WRC01	3 - ES: Waiting Area	120	A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	1	93	93	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	WRC01	3 - ES: Waiting Area	120	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	517	517	This JSN is to be used for determining and defining location of decorative artwork.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	WRC01	3 - ES: Waiting Area	120	F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	1	742	742	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	WRC01	3 - ES: Waiting Area	120	F0305	Chair, Waiting Room, Single	VV - GOVT FURNISHED & INSTALLED	4	622	2488	Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	WRC01	3 - ES: Waiting Area	120	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	WRC01	3 - ES: Waiting Area	120	F2300	Rack, Magazine, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	253	253	Wall mounted magazine rack with nine (9) magazine holding compartments.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	WRC01	3 - ES: Waiting Area	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	WRC01	3 - ES: Waiting Area	120	M0506	Television, Flat Screen	VV - GOVT FURNISHED & INSTALLED	1	537	537	Flat screen television with approximately 32" to 40' diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDR01	12 - ES: General Purpose Radiology Room	300	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDR01	12 - ES: General Purpose Radiology Room	300	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	0	294	0	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDR01	12 - ES: General Purpose Radiology Room	300	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDR01	12 - ES: General Purpose Radiology Room	300	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDR01	12 - ES: General Purpose Radiology Room	300	A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	71	71	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDR01	12 - ES: General Purpose Radiology Room	300	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.

3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDR01	12 - ES: General Purpose Radiology Room	300	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	1836	1836	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDR01	12 - ES: General Purpose Radiology Room	300	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	552	552	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDR01	12 - ES: General Purpose Radiology Room	300	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDR01	12 - ES: General Purpose Radiology Room	300	F0355	Footstool, Straight	VV - GOVT FURNISHED & INSTALLED	1	252	252	Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDR01	12 - ES: General Purpose Radiology Room	300	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDR01	12 - ES: General Purpose Radiology Room	300	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDR01	12 - ES: General Purpose Radiology Room	300	M3070	Hamper, Linen, Mobile, w/Lid	VV - GOVT FURNISHED & INSTALLED	2	535	1070	Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDR01	12 - ES: General Purpose Radiology Room	300	M4255	Stand, IV, Adjustable	VV - GOVT FURNISHED & INSTALLED	0	425	0	Adjustable IV stand with 4-hook arrangement. Stand has stainless steel construction with heavy weight base. It adjusts from 66 inches to 100 inches and is mounted on conductive rubber, ball bearing, swivel casters. Stand is used for administering intravenous solutions.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDR01	12 - ES: General Purpose Radiology Room	300	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDR01	12 - ES: General Purpose Radiology Room	300	X1405	Stand, Bucky, Vertical, Tilt, Automatic	VC - GOVT FURNISHED/CONTR INST	1	13009	13009	Vertical and tilting bucky stand. This unit is mounted to the floor and wall to provide a vibration-free mounting platform for the universal bucky. The grid line free radiographs are produced at exposure times as short as two milliseconds. Characteristics and components include aluminum interspaced grid with a 36 inch (914 mm) to 40 inch (1016 mm) focal range. The unit's cassette size sensing tray accommodates all cassette sizes between 5 and 17 inches. The unit tilts at angles of +90/-20 degrees from the vertical position. The unit is used in X-ray facilities for processing radiography images.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDR01	12 - ES: General Purpose Radiology Room	300	X3150	Rack, Apron/Gloves, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	361	361	Apron and gloves rack. This is a wall unit which holds aprons and gloves. The body is heavy gauge steel finish in gray or green baked enamel, glove and apron holding arms are aluminum. The unit's convenient on wall storage will prolong the useful life of your protection aprons by helping prevent damage to internal components.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDR01	12 - ES: General Purpose Radiology Room	300		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDR01	12 - ES: General Purpose Radiology Room	300	X5900	Radiographic Unit, 80 kW, Non-Tilt Table	VC - GOVT FURNISHED/CONTR INST	1	102567	102567	This system is specifically designed to perform radiographic examinations in the Radiology Department. This units characteristics and components include, 80kW micro-processor controlled X-ray generator, a non-tilting table with a floating table top and an adjustable bucky, a ceiling suspended 0.6/1.2 mm tube unit and vertical bucky stand.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDRF1	12 - ES: General Purpose Radiology Room	300	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDRF1	12 - ES: General Purpose Radiology Room	300	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	0	294	0	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDRF1	12 - ES: General Purpose Radiology Room	300	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDRF1	12 - ES: General Purpose Radiology Room	300	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	28	28	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDRF1	12 - ES: General Purpose Radiology Room	300	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.

3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDRF1	12 - ES: General Purpose Radiology Room	300	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	1836	1836	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDRF1	12 - ES: General Purpose Radiology Room	300	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	552	552	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDRF1	12 - ES: General Purpose Radiology Room	300	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	373	373	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDRF1	12 - ES: General Purpose Radiology Room	300	F0355	Footstool, Straight	VV - GOVT FURNISHED & INSTALLED	1	252	252	Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDRF1	12 - ES: General Purpose Radiology Room	300	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDRF1	12 - ES: General Purpose Radiology Room	300	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDRF1	12 - ES: General Purpose Radiology Room	300	M3070	Hamper, Linen, Mobile, w/Lid	VV - GOVT FURNISHED & INSTALLED	2	535	1070	Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDRF1	12 - ES: General Purpose Radiology Room	300	M4255	Stand, IV, Adjustable	VV - GOVT FURNISHED & INSTALLED	0	425	0	Adjustable IV stand with 4-hook arrangement. Stand has stainless steel construction with heavy weight base. It adjusts from 66 inches to 100 inches and is mounted on conductive rubber, ball bearing, swivel casters. Stand is used for administering intravenous solutions.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDRF1	12 - ES: General Purpose Radiology Room	300	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDRF1	12 - ES: General Purpose Radiology Room	300	X1405	Stand, Bucky, Vertical, Tilt, Automatic	VC - GOVT FURNISHED/CONTR INST	1	13009	13009	Vertical and tilting bucky stand. This unit is mounted to the floor and wall to provide a vibration-free mounting platform for the universal bucky. The grid line free radiographs are produced at exposure times as short as two milliseconds. Characteristics and components include aluminum interspaced grid with a 36 inch (914 mm) to 40 inch (1016 mm) focal range. The unit's cassette size sensing tray accommodates all cassette sizes between 5 and 17 inches. The unit tilts at angles of +90/-20 degrees from the vertical position. The unit is used in X-ray facilities for processing radiography images.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDRF1	12 - ES: General Purpose Radiology Room	300	X3155	Rack, Apron/Gloves, Mobile	VV - GOVT FURNISHED & INSTALLED	1	729	729	Apron and gloves rack. This is a mobile unit which holds aprons and gloves. The body is heavy gauge steel finish in gray or green baked enamel, glove and apron holding arms are aluminum.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDRF1	12 - ES: General Purpose Radiology Room	300		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDRF1	12 - ES: General Purpose Radiology Room	300	X6185	Rad/Fluoro Unit, Remote, 80 kW, 90/90 Table	VC - GOVT FURNISHED/CONTR INST	1	378333	378333	This system is specifically designed to perform radiographic/fluoroscopic examinations in the Radiology Department. On-line digital image processing will provide instant availability of images for review via infrared remote control. This units characteristics and components include, 80 kW micro-processor controlled X-ray generator, remote-controlled 90/90 table with 15" multi-field image intensifier and integrated tube support. The Digital Spot Imaging consists of a computer, keyboard with acquisition, viewing monitor and a slave monitor. The system shall be DICOM 3.0 compatible, for easy linkage to filmless image management systems and review stations. It is recommended that the TV monitors be ceiling suspended.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDU51	9 - ES: US: Ultrasound Room	180	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line, with speaker.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDU51	9 - ES: US: Ultrasound Room	180	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	294	294	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDU51	9 - ES: US: Ultrasound Room	180	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDU51	9 - ES: US: Ultrasound Room	180	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDU51	9 - ES: US: Ultrasound Room	180	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	28	28	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDU51	9 - ES: US: Ultrasound Room	180	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.

3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDUS1	9 - ES: US: Ultrasound Room	180	A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - CONTRACTOR FURNISHED/INSTALLED	12	7	84	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDUS1	9 - ES: US: Ultrasound Room	180	C0036	Rail, Apron, 4x30x1	CC - CONTRACTOR FURNISHED/INSTALLED	2	97	194	Apron rail. Also referred to as an apron front, apron panel, or knee space rail. Used to close in front knee space area and/or provide work surface support between two steel base cabinets or a steel base cabinet and wall. Apron rails should be ordered in pairs to provide both front and rear work surface support. Constructed of steel.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDUS1	9 - ES: US: Ultrasound Room	180	C03F0	Cabinet, U/C/B, 1 Shelf, 2 Half DR, 2 DO, 36x30x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	1118	1118	Standing height under counter base cabinet with an adjustable shelf and two half width drawers above solid hinged doors. Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDUS1	9 - ES: US: Ultrasound Room	180	CE030	Cabinet, W/H, 2 SH, 2 GDO, Sloping Top, 38x30x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	852	852	Wall hung cabinet with two adjustable shelves, framed-glass hinged doors, and sloping top. Also referred to as a framed-glass hinged double door wall case. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDUS1	9 - ES: US: Ultrasound Room	180	CS150	Sink, SS, Single Compartment, 10x19x16 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	1081	1081	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. Coordinate actual outside sink dimensions with the actual clear dimension of cabinet specified to ensure that they are compatible. For general purpose use throughout the facility.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDUS1	9 - ES: US: Ultrasound Room	180	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	5	179	895	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDUS1	9 - ES: US: Ultrasound Room	180	E0930	Locker, Supply, 6 Drawers, Mobile, 29"W x 20"D	VV - GOVT FURNISHED & INSTALLED	1	2721	2721	THIS TYPICAL INCLUDES: 1 Mobile Supply Locker 2 Tray/Shelf 4 Drawers, 3"H 2 Drawers, 6"H Drawer Organizer Bins
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDUS1	9 - ES: US: Ultrasound Room	180	E0945	Cart, Computer, Mobile	VV - GOVT FURNISHED & INSTALLED	1	1923	1923	A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder 1 Wastebasket 1 Chart Holder 2 Drawers, 3"H 2 Drawers, 6"H 3 Accessory Rail, Side Drawer Organizer Bins
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDUS1	9 - ES: US: Ultrasound Room	180	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	552	552	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.

3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDUS1	9 - ES: US: Ultrasound Room	180	F0355	Footstool, Straight	VV - GOVT FURNISHED & INSTALLED	1	252	252	Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDUS1	9 - ES: US: Ultrasound Room	180	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDUS1	9 - ES: US: Ultrasound Room	180	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDUS1	9 - ES: US: Ultrasound Room	180	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDUS1	9 - ES: US: Ultrasound Room	180	M3072	Frame, Infectious Waste Bag w/Lid	VV - GOVT FURNISHED & INSTALLED	1	436	436	Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDUS1	9 - ES: US: Ultrasound Room	180	M4255	Stand, IV, Adjustable	VV - GOVT FURNISHED & INSTALLED	1	425	425	Adjustable IV stand with 4-hook arrangement. Stand has stainless steel construction with heavy weight base. It adjusts from 66 inches to 100 inches and is mounted on conductive rubber, ball bearing, swivel casters. Stand is used for administering intravenous solutions.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDUS1	9 - ES: US: Ultrasound Room	180	M4266	Pump, Volumetric, Infusion, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	7164	7164	Volumetric infusion pump. Pump is self-regulating with automatic sensor and adjustable rate. Equipped with visual and audible alarms and up to 10 hour capacity battery. For the administration of a wide variety of therapeutic agents where precise control is required. Unit provides individual control to IV lines simultaneously.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDUS1	9 - ES: US: Ultrasound Room	180	M4655	Stretcher, Mobile, CRS, 9 Position	VV - GOVT FURNISHED & INSTALLED	1	5634	5634	Mobile stretcher. All corrosion resistant stainless steel construction. It consists of a tubular frame with side rails, a 9-position hydraulic base with pneumatic fowler adjustment, and a 2" pad. Unit is mounted on 8" conductive casters. Designed for patient transport as well as for minor surgical procedures.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDUS1	9 - ES: US: Ultrasound Room	180	M8810	Stand, Mayo	VV - GOVT FURNISHED & INSTALLED	1	739	739	Adjustable instrument table. Table is corrosion resistant stainless steel construction and is mounted on two casters with two skid rails. It has telescopic upright adjusts from 39 inches to 60 inches with automatic locking device, and removable 13"x19" instrument tray. Designed for use in operating and procedure rooms.

3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDUS1	9 - ES: US: Ultrasound Room	180	M8940	Stool, Anesthesia, With Back	VV - GOVT FURNISHED & INSTALLED	1	504	504	Anesthesia stool with back. All stainless steel with well-curved back panel and wide conductive seat. Designed for the anesthesiologist during surgical procedures.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDUS1	9 - ES: US: Ultrasound Room	180		Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XDUS1	9 - ES: US: Ultrasound Room	180	X2100	Scanner, Ultrasound, General Purpose	VV - GOVT FURNISHED & INSTALLED	1	178067	178067	High definition, diagnostic ultrasound system for Radiology, Cardiology, Vascular, ob-gyn, Perinatology, and Surgical imaging applications. The unit employs curved, phased and linear array imaging technology. The system supports colorflow, pulse and continuous wave imaging modalities. On board software measurement packages available for all imaging applications. The system is DICOM 3.0 compatible, for easy linkage to filmless image management systems and review stations. In addition, a full line of probes and conventional recording devices are available.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XVC01	2 - ES: Common Viewing Room	150	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, 1 line.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XVC01	2 - ES: Common Viewing Room	150	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	31	62	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XVC01	2 - ES: Common Viewing Room	150	E0048	Workcenter, Computer, Free Standing, 72" W	VV - GOVT FURNISHED & INSTALLED	1	3094	3094	THIS TYPICAL INCLUDES: 2 Paper Tray 1 Diagonal Tray 1 Tool Rail 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray This desk provides a typical work station to quickly plan work areas in clinical or administrative spaces.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XVC01	2 - ES: Common Viewing Room	150	E0117	Workstation, Straight, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	1	4137	4137	THIS TYPICAL INCLUDES: 2 standard solid panels; 1 panel connector, 2-way corner; 2 finished end hardware kits; 1 cantilevered work surface; 1 lockable flipper unit; 1 light; 1 tack board; 1 tool rail; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file; 1 support panel.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XVC01	2 - ES: Common Viewing Room	150	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	2	636	1272	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XVC01	2 - ES: Common Viewing Room	150	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XVC01	2 - ES: Common Viewing Room	150	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XVC01	2 - ES: Common Viewing Room	150	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	1512	3024	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
3 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY	XVC01	2 - ES: Common Viewing Room	150	X4124	Console, PACS, Remote View, w/Four 2MP Monitors	VV - GOVT FURNISHED & INSTALLED	1	53099	53099	Four monitor remote viewing station for picture and retrieval (DIN/PACS) system. This station is for use by providers inside or outside radiology to review images. Station includes local image storage, image manipulation and simultaneous display of multiple images on four 1260 X 1600 monitors. Images are stored on a resident memory and roll off to long term storage as more recent images are sent to the station. Provider may request images from the PACS by LAN for image and result receipt. Console must be DICOM compliant. Input may be by keyboard, mouse, trackball or voice activated commands.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
4 - STAFF AND SUPPORT AREA	1 - ADMIN AREA	CRA01	1 - Conference Room	240	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, 1 line.
4 - STAFF AND SUPPORT AREA	1 - ADMIN AREA	CRA01	1 - Conference Room	240	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	31	62	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
4 - STAFF AND SUPPORT AREA	1 - ADMIN AREA	CRA01	1 - Conference Room	240	A5212	Bracket, Television, Wall-Mounted, Tilt/Angle	VV - GOVT FURNISHED & INSTALLED	1	113	113	A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs.
4 - STAFF AND SUPPORT AREA	1 - ADMIN AREA	CRA01	1 - Conference Room	240	A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	1	93	93	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
4 - STAFF AND SUPPORT AREA	1 - ADMIN AREA	CRA01	1 - Conference Room	240	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	517	517	This JSN is to be used for determining and defining location of decorative artwork.
4 - STAFF AND SUPPORT AREA	1 - ADMIN AREA	CRA01	1 - Conference Room	240	F0220	Chair, Conference	VV - GOVT FURNISHED & INSTALLED	8	546	4368	Conference chair designed to complement the executive furniture package selected. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters.

4 - STAFF AND SUPPORT AREA	1 - ADMIN AREA	CRA01	1 - Conference Room	240	E0117	Workstation, Straight, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	1	4004	4004	This unit provides a typical work station to quickly plan work areas in clinical or administrative spaces. THIS TYPICAL INCLUDES: 2 standard solid panels; 1 panel connector, 2-way corner; 2 finished end hardware kits; 1 cantilevered work surface; 1 lockable flipper unit; 1 light; 1 tack board; 1 tool rail; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file; 1 support panel.
4 - STAFF AND SUPPORT AREA	1 - ADMIN AREA	CRA01	1 - Conference Room	240	F0755	Table, Conference, Wood	VV - GOVT FURNISHED & INSTALLED	1	2400	2400	Executive conference table. Dimensions are approximately 30" high, 48" wide with lengths varying from 74" to 96". These tables add traditional elegance to any conference room.
4 - STAFF AND SUPPORT AREA	1 - ADMIN AREA	CRA01	1 - Conference Room	240	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
4 - STAFF AND SUPPORT AREA	1 - ADMIN AREA	CRA01	1 - Conference Room	240	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
4 - STAFF AND SUPPORT AREA	1 - ADMIN AREA	CRA01	1 - Conference Room	240	M0507	Video Teleconferencing System	VV - GOVT FURNISHED & INSTALLED	1	12692	12692	Shall be a video conferencing unit consisting of a camera, microphone, video/audio compression components, a component cart and a 32 inch monitor. It shall provide live audio-visual conferencing capabilities to dispersed geographic sites.
4 - STAFF AND SUPPORT AREA	1 - ADMIN AREA	CRA01	1 - Conference Room	240	M0512	Television, HDTV, Large Screen, 60"	VV - GOVT FURNISHED & INSTALLED	1	3885	3885	A high definition (HDTV) multimedia, slim design, 60"W to 65"W color television. The TV will have a 16:9 wide screen aspect ratio with full HD 1080p resolution and HDMI connections. TV may be LED, Plasma or LCD. TV will include a stand.
4 - STAFF AND SUPPORT AREA	1 - ADMIN AREA	CRA01	1 - Conference Room	240	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
4 - STAFF AND SUPPORT AREA	1 - ADMIN AREA	SRGC2	Storage, Gas Cylinders, Interior	60	M2025	Rack, Storage, Cylinder, Gas	VV - GOVT FURNISHED & INSTALLED	1	604	604	Rack, Storage, Cylinder, Gas
4 - STAFF AND SUPPORT AREA	1 - ADMIN AREA	SRGC2	Storage, Gas Cylinders, Interior	60	M2117	Truck, Hand, 2 Wheel, Gas Cylinder	VV - GOVT FURNISHED & INSTALLED	1	169	169	Truck, Hand, 2 Wheel, Gas Cylinder

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
------------	-----------------	-----------	-----------	-----------	-----	--------------	----------	-----	-----------	------------	-------------

4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, 1 line.
4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	A5212	Bracket, Television, Wall-Mounted, Tilt/Angle	VV - GOVT FURNISHED & INSTALLED	2	113	226	A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs.
4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	2	93	186	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	2	517	1034	This JSN is to be used for determining and defining location of decorative artwork.
4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	F0220	Chair, Conference	VV - GOVT FURNISHED & INSTALLED	16	546	8736	Conference chair designed to complement the executive furniture package selected. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters.
4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	F0295	Chair, Stacking	VV - GOVT FURNISHED & INSTALLED	12	75	900	Stacking chair, approximately 34" H X 21" W X 24" D. May be stacked up to 20 high depending upon the model selected. These chairs are intended primarily as overflow capacity for conference rooms.
4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	F0600	Credenza, Executive, Wood	VV - GOVT FURNISHED & INSTALLED	0	2969	0	Executive credenza with two (2) box drawers, two (2) file drawers, a center closed storage area with adjustable shelf and floor glides.
4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	E0117	Workstation, Straight, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	1	4004	4004	This JSN provides a typical work station to quickly plan work areas in clinical or administrative spaces. THIS TYPICAL INCLUDES: 2 standard solid panels; 1 panel connector, 2-way corner; 2 finished end hardware kits; 1 cantilevered work surface; 1 lockable flipper unit; 1 light; 1 tack board; 1 tool rail; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file; 1 support panel.
4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	F0755	Table, Conference, Wood	VV - GOVT FURNISHED & INSTALLED	2	2400	4800	Executive conference table. Dimensions are approximately 30" high, 48" wide with lengths varying from 74" to 96". These tables add traditional elegance to any conference room.
4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	F0765	Table, Folding / Nesting	VV - GOVT FURNISHED & INSTALLED	2	1620	3240	allows tables to store nested to minimize needed storage space. Available in multiple laminate finish colors/patterns, bases, surface shapes (description and pricing based on a rectangle shape) and edge finish.
4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	F2005	Basket, Wastepaper, Executive, Wood	VV - GOVT FURNISHED & INSTALLED	0	137	0	Executive wastepaper basket, approximately 15" high X 13" wide X 13" deep.
4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	F2100	Lectern, Mobile, With Reading Light	VV - GOVT FURNISHED & INSTALLED	1	1022	1022	Portable floor lectern with reading light and self-contained audio. May use 110V or batteries (not included). Convenience outlet required if not using batteries.
4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	F3235	Rack, Hat / Coat, Floor Standing	VV - GOVT FURNISHED & INSTALLED	1	435	435	Floor standing hat / coat rack. Decoratively styled unit that provides hat rack at top, coat bar and hotel type hangers.
4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	12	31	372	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to
4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	M0385	Projector, Multimedia/Data	VV - GOVT FURNISHED & INSTALLED	0	1545	0	The projector shall provide computer and video projections. Minimum features included: Brightness of not less than 1500 ANSI (American National Standards Institute) Lumens, and a minimum resolution format of 1024 X 768 pixels (XGA). The projector shall be portable and weigh no more than 10 pounds. It shall include a zoom lens and computer and video input ports.
4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	M0400	Screen, Projection, 144x144, Remote Control	CC - CONTRACTOR FURNISHED/INSTALLED	0	2740	0	Wall or ceiling mounted, roll-up type screen with remote control. Includes multiple controls to operate the screen from two or more locations, wireless remote control, adjustable preset limit switches, and black borders on all sides. Screen is housed in a solid wood or metal case with removable motor module. For a classroom, conference room, or large auditorium.
4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	M0507	Video Conferencing System	VV - GOVT FURNISHED & INSTALLED	1	12692	12692	Shall be a video conferencing unit consisting of a camera, microphone, video/audio compression components, a component cart and a 32 inch monitor. It shall provide live audio-visual conferencing capabilities to dispersed geographic sites.
4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	M0512*	Television, HDTV, Large Screen, 60"	VV - GOVT FURNISHED & INSTALLED	2	3885	7770	A high definition (HDTV) multimedia, slim design, 80" W color television. The TV will have a 16.9 wide screen aspect ratio with full HD 1080p resolution and HDMI connections. TV may be LED, Plasma or LCD. TV will include a stand.
4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	F3050	Whiteboard, Dry Erase	VV - GOVT FURNISHED & INSTALLED	1	330	330	Whiteboard unit, approximately 36" H x 48" W consisting of a white porcelain enamel writing surface with an attached chalk tray. Magnetic surface available. Image can be easily removed with a standard chalkboard eraser. For use with water color pens. Unit is ready to hang.
4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	F3050	Shredder Box	VV - GOVT FURNISHED & INSTALLED	1		0	PHI 13 gallon lockable shredding container.

4 - STAFF AND SUPPORT AREA	2 - EDUCATION AREAS	CRA03	1 - Education/training/conference room	500	M1875	Board, Copy, Electronic Facsimile	VV - GOVT FURNISHED & INSTALLED	0	2432	0	Electronic facsimile copy board for use in conference rooms and classrooms. Available in a variety of sizes. Unit scans writing surface and makes a paper copy of the board's contents. The user can make multiple copies of a single scanning. Single sided version, single copy version, and office size boards are options. May have a PC interface option. Database pricing reflects a mobile two-panel copy-board with a minimum 33" x 66" writing surface. Depth dimension refers to depth at the caster level of the supporting frame.
----------------------------	---------------------	-------	--	-----	-------	-----------------------------------	---------------------------------	---	------	---	---

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
4 - STAFF AND SUPPORT AREA	3 - AMMS	DOCK1	4 - A&D: Receiving and Shipping Dock	130	A6125	Leveler, Dock	CC - CONTRACTOR FURNISHED/INSTALLED	1	1182	1182	Unit attaches to the face of the dock for easy installation. It consists of a counterbalance lip that can be extended to rest on the bed of the trailer for loading and unloading of merchandise. When the trailer departs, the lip will automatically retract behind the bumper face. Size will vary depending on the application.
4 - STAFF AND SUPPORT AREA	3 - AMMS	DOCK1	4 - A&D: Receiving and Shipping Dock	130	K0450	Curtain, Air	CC - CONTRACTOR FURNISHED/INSTALLED	1	2398	2398	Air curtain. The unit is generally fabricated to size for operation. This unit is used at entrances and docks to prevent cold and humid or dry and hot air from entering through openings which are exposed to weather conditions. The database pricing reflects an unheated air door 6-1/2' wide with a 3" or 6" deep discharge nozzle to cover a standard two-door width entry. Some units run on 120V power; refer to the manufacturer's specifications for the model chosen. Larger width and industrial duty air doors are available.
4 - STAFF AND SUPPORT AREA	3 - AMMS	DOCK1	4 - A&D: Receiving and Shipping Dock	130	K9300	Washer, Pressure w/Sanitizer	VC - GOVT FURNISHED/CONTR INST	1	4889	4889	Pressure washer for cleaning and sanitizing kitchen or other areas. This is a wall mounted, motor operated unit with a spray gun. The washer sprays a detergent solution on each item to be cleaned and then rinses them using a combination of water and high pressure that blasts away the loosened dirt and grease. The washer can be either a stand alone unit or part of a set of stations operating from a central control. See JSN K1350 for the mobile version of this unit. The unit is used for cleaning in commercial areas and institutions such as hospitals.
4 - STAFF AND SUPPORT AREA	3 - AMMS	DOCK1	4 - A&D: Receiving and Shipping Dock	130	M2105	Pallet Lift, Hydraulic, Manual, 48" Pallet	VV - GOVT FURNISHED & INSTALLED	1	556	556	Hydraulic manual pallet equipped with floor lock and wheels for easy transport. Unit accommodates 48" pallets and is designed to handle all types of lifting tasks.
4 - STAFF AND SUPPORT AREA	3 - AMMS	DOCK1	4 - A&D: Receiving and Shipping Dock	130	M2115	Truck, Hand, 2 Wheel	VV - GOVT FURNISHED & INSTALLED	1	156	156	2 wheel hand truck. Double handled with three supportive crossbars for heavy duty use. 800 pound weight capacity with two 8 or 10 inch wheels. For use in the warehouse.
4 - STAFF AND SUPPORT AREA	3 - AMMS	DOCK1	4 - A&D: Receiving and Shipping Dock	130	M2120	Truck, Platform, 4 Wheel	VV - GOVT FURNISHED & INSTALLED	1	522	522	A 4 wheel platform truck (push cart). Truck has heavy duty platform and is mounted on four 8" diameter casters. The load capacity is 2000-2500 pounds. It is designed for use in the receiving and other material handling areas.
4 - STAFF AND SUPPORT AREA	3 - AMMS	DOCK1	4 - A&D: Receiving and Shipping Dock	130	M4025	Scale, Roll On, Freestanding, 2000 Pound Capacity	VV - GOVT FURNISHED & INSTALLED	1	2186	2186	Freestanding roll on scale with a 2000 pound capacity. Unit consists of a heavy duty anodized aluminum or steel platform with powered digital readout. For use in food service or the laundry.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
4 - STAFF AND SUPPORT AREA	3 - AMMS	MMGS1	2 - A&D: Storage, Medical and General	552	F2700	Reader, Bar Code, Hand Held, With Interface	VV - GOVT FURNISHED & INSTALLED	1	1611	1611	Hand held laser bar code reader with computer interface. Used for automated inventory, using bar code stickers / labels. Convenience outlet required at point of use.
4 - STAFF AND SUPPORT AREA	3 - AMMS	MMGS1	2 - A&D: Storage, Medical and General	552	M2085	Shelving, Storage, Pallet	VV - GOVT FURNISHED & INSTALLED	2	874	1748	Pallet storage shelving starter section. This unit is of heavy duty construction and has channel type bracing in between columns, heavy duty foot plate with 3-point security. The size will be determined by weight load. It is designed for easy forklift access in storage areas and warehouses.
4 - STAFF AND SUPPORT AREA	3 - AMMS	MMGS1	2 - A&D: Storage, Medical and General	552	M2090	Shelving, Storage, Warehouse	VV - GOVT FURNISHED & INSTALLED	1	246	246	Warehouse storage shelving approximately 75 inches high by 36 inches wide by 24 inches deep.
4 - STAFF AND SUPPORT AREA	3 - AMMS	MMGS1	2 - A&D: Storage, Medical and General	552	M2105	Pallet Lift, Hydraulic, Manual, 48" Pallet	VV - GOVT FURNISHED & INSTALLED	0	556	0	Hydraulic manual pallet equipped with floor lock and wheels for easy transport. Unit accommodates 48" pallets and is designed to handle all types of lifting tasks.
4 - STAFF AND SUPPORT AREA	3 - AMMS	MMGS1	2 - A&D: Storage, Medical and General	552	M2115	Truck, Hand, 2 Wheel	VV - GOVT FURNISHED & INSTALLED	1	156	156	2 wheel hand truck. Double handled with three supportive crossbars for heavy duty use. 800 pound weight capacity with two 8 or 10 inch wheels. For use in the warehouse.
4 - STAFF AND SUPPORT AREA	3 - AMMS	MMGS1	2 - A&D: Storage, Medical and General	552	M2130	Truck, Hydraulic Lift, Electric	VV - GOVT FURNISHED & INSTALLED	1	4645	4645	Electric lift truck. Equipped with heavy duty hydraulic system and 12 V battery. For use within enclosed warehouse spaces. Adjustable 25" (approx) long forks. Complete with 10 amp charger. Counterweight must be used to help prevent tipping. NOTE: Not recommended for moving long distances or over uneven surfaces.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
4 - STAFF AND SUPPORT AREA	3 - AMMS	MMRP1	2 - A&D: Receiving and Issue area	100	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, multiple line.

4 - STAFF AND SUPPORT AREA	3 - AMMS	MMRP1	2 - A&D: Receiving and Issue area	100	E0078	Workstation, L-Shaped w/Peninsula, Free Std. 78x72	VV - GOVT FURNISHED & INSTALLED	1	7504	7504	This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file.
4 - STAFF AND SUPPORT AREA	3 - AMMS	MMRP1	2 - A&D: Receiving and Issue area	100	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	552	552	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
4 - STAFF AND SUPPORT AREA	3 - AMMS	MMRP1	2 - A&D: Receiving and Issue area	100	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	636	636	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
4 - STAFF AND SUPPORT AREA	3 - AMMS	MMRP1	2 - A&D: Receiving and Issue area	100	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	620	620	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
4 - STAFF AND SUPPORT AREA	3 - AMMS	MMRP1	2 - A&D: Receiving and Issue area	100	F0775	Table, Work, 2 Drawer	VV - GOVT FURNISHED & INSTALLED	1	941	941	Work table approximately 32" high X 72" wide X 30" deep with two drawers and a hard wood top.
4 - STAFF AND SUPPORT AREA	3 - AMMS	MMRP1	2 - A&D: Receiving and Issue area	100	F2700	Reader, Bar Code, Hand Held, With Interface	VV - GOVT FURNISHED & INSTALLED	1	1611	1611	Hand held laser bar code reader with computer interface. Used for automated inventory, using bar code stickers / labels. Convenience outlet required at point of use.
4 - STAFF AND SUPPORT AREA	3 - AMMS	MMRP1	2 - A&D: Receiving and Issue area	100	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
4 - STAFF AND SUPPORT AREA	3 - AMMS	MMRP1	2 - A&D: Receiving and Issue area	100	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
4 - STAFF AND SUPPORT AREA	3 - AMMS	MMRP1	2 - A&D: Receiving and Issue area	100	M1840	Printer/Copier/Fax Combination	VV - GOVT FURNISHED & INSTALLED	1	827	827	Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.
4 - STAFF AND SUPPORT AREA	3 - AMMS	MMRP1	2 - A&D: Receiving and Issue area	100	M2020	Cabinet, Storage, Safety, Built-In, Vented	CC - CONTRACTOR FURNISHED/INSTALLED	1	2694	2694	Safety storage cabinet. This unit is of double steel wall construction, with vented grounding attachment, raised leak proof door sill, and adjustable shelving. Equipped with two doors and three-point key lock. The construction meets standards set by OSHA and NFPA Code 30 requirements. Designed for storage of flammable type liquids. The cabinet fits into a laboratory casework configuration and its ventilation ports are in the back to leave the counterspace free. The cabinet requires ventilation ducting and an exhaust fan as part of the HVAC (heating, ventilation and air conditioning) system.
4 - STAFF AND SUPPORT AREA	3 - AMMS	MMRP1	2 - A&D: Receiving and Issue area	100	M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	1	846	846	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.
4 - STAFF AND SUPPORT AREA	3 - AMMS	MMRP1	2 - A&D: Receiving and Issue area	100	M2105	Pallet Lift, Hydraulic, Manual, 48" Pallet	VV - GOVT FURNISHED & INSTALLED	0	556	0	Hydraulic manual pallet equipped with floor lock and wheels for easy transport. Unit accommodates 48" pallets and is designed to handle all types of lifting tasks.
4 - STAFF AND SUPPORT AREA	3 - AMMS	MMRP1	2 - A&D: Receiving and Issue area	100	M2115	Truck, Hand, 2 Wheel	VV - GOVT FURNISHED & INSTALLED	1	156	156	2 wheel hand truck. Double handled with three supportive crossbars for heavy duty use. 800 pound weight capacity with two 8 or 10 inch wheels. For use in the warehouse.
4 - STAFF AND SUPPORT AREA	3 - AMMS	MMRP1	2 - A&D: Receiving and Issue area	100	M2125	Stacker, Straddle, 127" Lift, 2000 lb Capacity	VV - GOVT FURNISHED & INSTALLED	1	6858	6858	Straddle stacker. Battery powered with 2000 pound lifting capacity. Unit lifts to heights up to 127". Equipped with a extra heavy duty hydraulic system. Unit has a built-in automatic battery charger. Electrical requirements are for the charger. Designed for pallet lifting.
4 - STAFF AND SUPPORT AREA	3 - AMMS	MMRP1	2 - A&D: Receiving and Issue area	100	M2130	Truck, Hydraulic Lift, Electric	VV - GOVT FURNISHED & INSTALLED	0	4645	0	Electric lift truck. Equipped with heavy duty hydraulic system and 12 V battery. For use within enclosed warehouse spaces. Adjustable 25" (approx) long forks. Complete with 10 amp charger. Counterweight must be used to help prevent tipping. NOTE: Not recommended for moving long distances or over uneven surfaces.
4 - STAFF AND SUPPORT AREA	3 - AMMS	MMRP1	2 - A&D: Receiving and Issue area	100	M7780	Scanner, Document	VV - GOVT FURNISHED & INSTALLED	1	1142	1142	Scanner for recording printed material in an electronic format. Some models process both color and black-and-white images. Options include automatic paper feeders and transparency adapters. Most models require connection to a microcomputer for independent operation or use as part of a network. Larger models for high use applications which connect directly to a network without passing information through a microcomputer are available.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
4 - STAFF AND SUPPORT AREA	3 - AMMS	OFA02	1 - A&D: Office, Storekeeper, Systems Furniture	56	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, multiple line.

4 - STAFF AND SUPPORT AREA	3 - AMMS	OFA02	1 - A&D: Office, Storekeeper, Systems Furniture	56	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
4 - STAFF AND SUPPORT AREA	3 - AMMS	OFA02	1 - A&D: Office, Storekeeper, Systems Furniture	56	E0078	Workstation, L- Shaped w/Peninsula, Free Std, 78x72	VV - GOVT FURNISHED & INSTALLED	1	7504	7504	This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file.
4 - STAFF AND SUPPORT AREA	3 - AMMS	OFA02	1 - A&D: Office, Storekeeper, Systems Furniture	56	F0110	Bookcase, 3 Shelf	VV - GOVT FURNISHED & INSTALLED	1	433	433	Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides.
4 - STAFF AND SUPPORT AREA	3 - AMMS	OFA02	1 - A&D: Office, Storekeeper, Systems Furniture	56	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	552	1104	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
4 - STAFF AND SUPPORT AREA	3 - AMMS	OFA02	1 - A&D: Office, Storekeeper, Systems Furniture	56	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	2	636	1272	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) castor swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
4 - STAFF AND SUPPORT AREA	3 - AMMS	OFA02	1 - A&D: Office, Storekeeper, Systems Furniture	56	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	620	620	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
4 - STAFF AND SUPPORT AREA	3 - AMMS	OFA02	1 - A&D: Office, Storekeeper, Systems Furniture	56	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
4 - STAFF AND SUPPORT AREA	3 - AMMS	OFA02	1 - A&D: Office, Storekeeper, Systems Furniture	56	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated. (batteries not included).
4 - STAFF AND SUPPORT AREA	3 - AMMS	OFA02	1 - A&D: Office, Storekeeper, Systems Furniture	56	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
4 - STAFF AND SUPPORT AREA	4 - ENVIRONMENTAL MANAGEMENT (EMS)	LCCL1	2 - Storage, Clean Linen Cart	100	F0515	Cart, Supply, Linen	VV - GOVT FURNISHED & INSTALLED	1	2250	2250	Closed linen supply cart. Equipped with four (4) non-marking rubber tire roller bearing casters and heavy duty cover. May be used for the delivery and user storage of clean linen as well as the return of soiled linen.
4 - STAFF AND SUPPORT AREA	4 - ENVIRONMENTAL MANAGEMENT (EMS)	LCCL1	2 - Storage, Clean Linen Cart	100	F0510	Cart, Linen, Soiled	VV - GOVT FURNISHED & INSTALLED	4	1858	7432	Soiled linen collection cart, approximately 70" H x 68" W x 28" D with four (4) casters. Used to transport clean or soiled laundry.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
4 - STAFF AND SUPPORT AREA	4 - ENVIRONMENTAL MANAGEMENT (EMS)	SRHM1	3 - Infectious / Hazardous Waste	120	M2005	Cabinet, Storage, Acid, Floor Standing, Shelves	VV - GOVT FURNISHED & INSTALLED	1	1235	1235	Floor standing acid storage cabinet. A 30 gallon capacity standard two door cabinet with adjustable shelves, three-point latch with key-lock and 2" raised leak proof sill. An 18-gauge steel frame with vents, 1 1/2" airspace between walls and epoxy finish resistant to chemical attack. Note: Not for use with nitric and sulfuric acids.
4 - STAFF AND SUPPORT AREA	4 - ENVIRONMENTAL MANAGEMENT (EMS)	SRHM1	3 - Infectious / Hazardous Waste	120	M2015	Cabinet, Storage, Flammable, Freestanding	VV - GOVT FURNISHED & INSTALLED	1	1179	1179	Freestanding flammable safety storage cabinet. Size as required. Unit is of all welded steel wall construction with vented grounding attachments, raised leak proof door sill and adjustable shelving. Equipped with swinging doors and built-in key lock. Designed for storage of flammable fluids. Complies with OSHA standards, is FM approved and designed IAW NFPA 30.
4 - STAFF AND SUPPORT AREA	4 - ENVIRONMENTAL MANAGEMENT (EMS)	SRHM1	3 - Infectious / Hazardous Waste	120	M2070	Shelving, Storage, 77x36wx18d	VV - GOVT FURNISHED & INSTALLED	1	218	218	Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	LR002	1 - Locker Room	150	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, wall mounted, 1 line.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	LR002	1 - Locker Room	150	A1030	Locker, 2 Person, Over/Under	VV - GOVT FURNISHED & INSTALLED	10	285	2850	Two person locker, double tier, 72Hx12Wx18D. This unit includes hooks for coats and hats. Door equipped with safety guard handles. Designed for storage of coats, hats, and other personal belongings. Other width and depths are available.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	LR002	1 - Locker Room	150	A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	383	383	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	LR002	1 - Locker Room	150	A5020	Bench, Locker Room, Floor Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	330	330	Locker room bench. Floor mounting -1-1/4" thick. Benches are sanded smooth with two coats of moisture-resistant sealer to ensure a protective, satin gloss surface, and mounted on strong steel pedestal anchored to the floor. Over all height of 18" includes pedestal. Size as required.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	LR002	1 - Locker Room	150	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	LR002	1 - Locker Room	150	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated. (batteries not included).

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Male Staff	50	A1090	Mirror, Float Glass, With SS Frame & Shelf	CC - CONTRACTOR FURNISHED/INSTALLED	1	162	162	A high quality 1/4" polished float glass mirror, approximately 36" H X 18" W framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners and an integral stainless steel, stain finish, shelf. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in restroom areas, Doctor examination areas, offices, etc. May also be used above double lavatories, either wall or countertop mounted.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Male Staff	50	A5030	Bench, Stall, Shower, Built In	CC - CONTRACTOR FURNISHED/INSTALLED	1	673	673	Shower bench; built-in. Eighteen (18) gauge stainless steel frame with anchors built-in into the wall. Size and shape as required.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Male Staff	50	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Male Staff	50	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	207	207	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Male Staff	50	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	51	51	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Male Staff	50	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	156	156	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Male Staff	50	A5110	Grab Bar, 1-1/4" Dia., SS, 2 Wall, Shower Use	CC - CONTRACTOR FURNISHED/INSTALLED	1	107	107	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall shower, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical applications in shower stalls where ADA (American's With Disabilities Act) requirements must be met.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Male Staff	50	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Male Staff	50	A5170	Rod, Shower Curtain, 1" Diameter, W/Curtain & Hooks	CC - CONTRACTOR FURNISHED/INSTALLED	1	59	59	A concealed mounted, 1" outside diameter, satin finish stainless steel, shower curtain rod with white vinyl shower curtain (72" H) and SS shower curtain hooks. Rod and curtain available in various widths. For general purpose use at shower stall or bathtub locations. Pricing based upon standard shower stall dimensions of 36" x 36" and a standard curtain height of 72".
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Male Staff	50	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	87	87	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.

4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Male Staff	50	A5205	Bar, Towel, 1" Diameter, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	42	42	A surface mounted, satin finish stainless steel, 1" diameter, towel bar. Support posts and flanges are one piece, chrome-plated, cast heavy brass with satin finish. Towel bar shall not rotate within support posts. Available in 18", 24" and 30" widths. For general purpose use in shower or bathtub rooms. Pricing based upon a suggested standard width of 18".
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Male Staff	50	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Male Staff	50	P3000	Lavatory, Vitreous China, Straight Back	CC - CONTRACTOR FURNISHED/INSTALLED	1	380	380	Wall mounted, vitreous china lavatory (approximate bowl size 7"x15"x10") with: straight-front apron, straight or contoured back; faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care areas.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Male Staff	50	P5040	Shower, Single, Hand-Held	CC - CONTRACTOR FURNISHED/INSTALLED	1	547	547	A complete, barrier-free, single hand-held, personal shower system. The shower system includes: pressure balanced mixing valve with high temperature limit stop; personal hand shower; shower hose; wall supply; and slide bar. For general purpose use throughout the facility in shower stalls.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Male Staff	50	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	824	824	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Female Staff	50	A1090	Mirror, Float Glass, With SS Frame & Shelf	CC - CONTRACTOR FURNISHED/INSTALLED	1	162	162	A high quality 1/4" polished float glass mirror, approximately 36" H X 18" W framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners and an integral stainless steel, stain finish, shelf. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in restroom areas, Doctor examination areas, offices, etc. May also be used above double lavatories, either wall or countertop mounted.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Female Staff	50	A5030	Bench, Stall, Shower, Built In	CC - CONTRACTOR FURNISHED/INSTALLED	1	673	673	Shower bench; built-in. Eighteen (18) gauge stainless steel frame with anchors built-in into the wall. Size and shape as required.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Female Staff	50	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Female Staff	50	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	207	207	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Female Staff	50	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	51	51	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Female Staff	50	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	156	156	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Female Staff	50	A5110	Grab Bar, 1-1/4" Dia., SS, 2 Wall, Shower Use	CC - CONTRACTOR FURNISHED/INSTALLED	1	107	107	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall shower, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical applications in shower stalls where ADA (American's With Disabilities Act) requirements must be met.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Female Staff	50	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Female Staff	50	A5170	Rod, Shower Curtain, 1"Diameter, W/Curtain & Hooks	CC - CONTRACTOR FURNISHED/INSTALLED	1	59	59	A concealed mounted, 1" outside diameter, satin finish stainless steel, shower curtain rod with white vinyl shower curtain (72" H) and SS shower curtain hooks. Rod and curtain available in various widths. For general purpose use at shower stall or bathtub locations. Pricing based upon standard shower stall dimensions of 36" x 36" and a standard curtain height of 72".
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Female Staff	50	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	87	87	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Female Staff	50	A5205	Bar, Towel, 1" Diameter, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	42	42	A surface mounted, satin finish stainless steel, 1" diameter, towel bar. Support posts and flanges are one piece, chrome-plated, cast heavy brass with satin finish. Towel bar shall not rotate within support posts. Available in 18", 24" and 30" widths. For general purpose use in shower or bathtub rooms. Pricing based upon a suggested standard width of 18".
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Female Staff	50	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	240	240	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.

4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Female Staff	50	P3000	Lavatory, Vitreous China, Straight Back	CC - CONTRACTOR FURNISHED/INSTALLED	1	380	380	Wall mounted, vitreous china lavatory (approximate bowl size 7"x15"x10") with: straight-front apron, straight or contoured back; faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care areas.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Female Staff	50	P5040	Shower, Single, Hand-Held	CC - CONTRACTOR FURNISHED/INSTALLED	1	547	547	A complete, barrier-free, single hand-held, personal shower system. The shower system includes: pressure balanced mixing valve with high temperature limit stop; personal hand shower; shower hose; wall supply; and slide bar. For general purpose use throughout the facility in shower stalls.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTS1	4 - Shower, Female Staff	50	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	824	824	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTU1	2 - Toilet, Female Staff	55	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	294	294	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTU1	2 - Toilet, Female Staff	55	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTU1	2 - Toilet, Female Staff	55	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTU1	2 - Toilet, Female Staff	55	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	51	51	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTU1	2 - Toilet, Female Staff	55	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	156	156	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTU1	2 - Toilet, Female Staff	55	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTU1	2 - Toilet, Female Staff	55	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	87	87	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTU1	2 - Toilet, Female Staff	55	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTU1	2 - Toilet, Female Staff	55	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTU1	2 - Toilet, Female Staff	55	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	824	824	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTU1	2 - Toilet, Male Staff	55	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	294	294	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTU1	2 - Toilet, Male Staff	55	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	17	17	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTU1	2 - Toilet, Male Staff	55	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	88	88	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTU1	2 - Toilet, Male Staff	55	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	51	51	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.

4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTU1	2 - Toilet, Male Staff	55	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	156	156	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTU1	2 - Toilet, Male Staff	55	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTU1	2 - Toilet, Male Staff	55	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	87	87	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTU1	2 - Toilet, Male Staff	55	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTU1	2 - Toilet, Male Staff	55	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	546	546	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
4 - STAFF AND SUPPORT AREA	5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS	TLTU1	2 - Toilet, Male Staff	55	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	824	824	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	BMER1	1 - Biomedical Engineering Repair Shop	200	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, 1 line.
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	BMER1	1 - Biomedical Engineering Repair Shop	200	F0230	Chair, Drafting, Rotary	VV - GOVT FURNISHED & INSTALLED	1	364	364	Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair.
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	BMER1	1 - Biomedical Engineering Repair Shop	200	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	BMER1	1 - Biomedical Engineering Repair Shop	200	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated. (batteries not included).
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	BMER1	1 - Biomedical Engineering Repair Shop	200	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	BMER1	1 - Biomedical Engineering Repair Shop	200	T0005	Electrical Safety Analyzer	VV - GOVT FURNISHED & INSTALLED	1	1933	1933	Electrical safety analyzer. Characteristics/components include combining all lead connected ECG lead tests measuring individual lead leakage; AC/DC measurement; current consumption; automatic neutral-ground and power-ground resistance and volts. This unit is used for electrical safety testing, preventive maintenance programs and equipment repair. Battery powered models are available.
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	BMER1	1 - Biomedical Engineering Repair Shop	200	T0015	Defibrillator Analyzer, Automatic, Portable	VV - GOVT FURNISHED & INSTALLED	1	2928	2928	Defibrillator analyzer. Characteristics/components include automatic and portable with direct reading; accurately verifies the output characteristics of all defibrillators while simulating the resistance of the human body; output energy measured in joules or watt seconds on two scales of 0-200.0 or 0-1000; output energy remains displayed until the reset button is depressed once the defibrillator is fired; and output jacks provided for oscilloscope connection to observe defibrillator pulse wave shape. Shall include the optional pacemaker testing module if required by the end user. Battery powered models are available.
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	BMER1	1 - Biomedical Engineering Repair Shop	200	T0030	Radiation-Light Field Analyzer	VV - GOVT FURNISHED & INSTALLED	0	14310	0	Light and radiation field analyzer for quality assurance testing of radiation therapy devices. Unit is self contained and checks the coincidence of light and radiation fields, symmetry of radiation field, flatness of radiation field, and penumbra size of the radiation field. Unit has a built in graphics printer for hard copy output of scanned information.
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	BMER1	1 - Biomedical Engineering Repair Shop	200	T0801	Workbench, Electric, Pedestal Base	VV - GOVT FURNISHED & INSTALLED	1	1366	1366	Electrical workbench approximately 34" H x 72" W x 36" D. Characteristics/components include butcher block maple top; with two drawer or door pedestals and an electronic riser wiring kit. This workbench is used in wood and metal workshops. Workbench is a mix and match construction and can be configured to end users needs.
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	BMER1	1 - Biomedical Engineering Repair Shop	200	E0048	Workcenter, Computer, Free Standing, 72" W	VV - GOVT FURNISHED & INSTALLED	1	2994	2994	THIS TYPICAL INCLUDES: 2 Paper Tray 1 Diagonal Tray 1 Tool Rail 1 Freestanding Work Surface
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	BMER1	1 - Biomedical Engineering Repair Shop	200	T8030	Electrosurgery Analyzer	VV - GOVT FURNISHED & INSTALLED	0	5539	0	2 Paper Tray
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	BMER1	1 - Biomedical Engineering Repair Shop	200	T8055	Wattmeter, Ultrasonic	VV - GOVT FURNISHED & INSTALLED	0	2713	0	1 Diagonal Tray

4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	BMER1	1 - Biomedical Engineering Repair Shop	200	A1132	Rail, Accessory Mounting, Length As Required	VC - GOVT FURNISHED/CONTRACTOR INSTALLED	8	96	768	Horizontal equipment mounting rail with lock mounting devices capable of supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail.
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	BMER1	1 - Biomedical Engineering Repair Shop	200	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	1777	1777	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	BMER1	1 - Biomedical Engineering Repair Shop	200						0	
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	BMER1	1 - Biomedical Engineering Repair Shop	200						0	
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	BMER1	1 - Biomedical Engineering Repair Shop	200						0	
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	BMER1	1 - Biomedical Engineering Repair Shop	200	F0780	Table, Work, 60W x 30D	VV - GOVT FURNISHED & INSTALLED	1	544	544	Work table approximately 29" high X 60" wide X 30" deep with top and four (4) non-folding legs.
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	BMER1	1 - Biomedical Engineering Repair Shop	200	T8055	Wattmeter, Ultrasonic	VV - GOVT FURNISHED & INSTALLED	0	2713	0	1 Diagonal Tray

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	OFAO2	2-Engineering Cubicles	56	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	0	0	Telephone, desk, multiple line.
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	OFAO2	2-Engineering Cubicles	56	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	31	31	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	OFAO2	2-Engineering Cubicles	56	E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72	VV - GOVT FURNISHED & INSTALLED	1	7504	7504	This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file.
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	OFAO2	2-Engineering Cubicles	56	F0110	Bookcase, 3 Shelf	VV - GOVT FURNISHED & INSTALLED	1	433	433	Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides.
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	OFAO2	2-Engineering Cubicles	56	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	552	552	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	OFAO2	2-Engineering Cubicles	56	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	636	636	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	OFAO2	2-Engineering Cubicles	56	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	620	620	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	OFAO2	2-Engineering Cubicles	56	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	OFAO2	2-Engineering Cubicles	56	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	50	50	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
4 - STAFF AND SUPPORT AREA	6 - ENGINEERING	OFAO2	2-Engineering Cubicles	56	M1801*	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	1512	1512	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
------------	-----------------	-----------	-----------	-----------	-----	--------------	----------	-----	-----------	------------	-------------

4 - STAFF AND SUPPORT AREA	7 - OIT	CMP02	2 - Tele Communication s Room/Closet	100	A0900	Relay Rack, Aluminum	cc	1	279	279	Rack used to hold network components such as servers, switches, hubs, patch panels, router, etc. Racks are available in varying heights, channel depths, and channel width. The model numbers specified may be U.L. Listed version with 2 Top Angles, 7" height, 19" wide, blank Aluminum, with mounting holes on both sides (front and back).
4 - STAFF AND SUPPORT AREA	7 - OIT	CMP02	2 - Tele Communication s Room/Closet	100	*A0901	Cable Management, Horizontal Base Unit	cc	1	75	75	Horizontal cable management unit for a 19" rack with a channel approximately 4"x4". Provides for professional finish to hide cables in a switch rack. Various models are quoted with fingered type exits or brackets and/or rear access holes.
4 - STAFF AND SUPPORT AREA	7 - OIT	CMP02	2 - Tele Communication s Room/Closet	100	A0902	Rear Wire Frame	cc	1	77	77	For use with horizontal base unit for double sided management. This item is intended to be used with JSNs A0901 and/or A0903 model HC219 series from Hubbell only.
4 - STAFF AND SUPPORT AREA	7 - OIT	CMP02	2 - Tele Communication s Room/Closet	100	A0903	Rear Hinged Cover, for LAN Rack	cc	1	39	39	This item is intended to be used with JSNs A0901 and/or A0902 model HC219 series from Hubbell only.
4 - STAFF AND SUPPORT AREA	7 - OIT	CMP02	2 - Tele Communication s Room/Closet	100	A0904	Fiber Optic Cabinet, 36 Port, Rack Mounted	cc	1	422	422	This cabinet is designed to accommodate up to 6 six-packs of adapters or blank panels. This cabinet is specifically designed to accommodate Hubbell adapter panels as reflected in JSNs A0905 and A0906.
4 - STAFF AND SUPPORT AREA	7 - OIT	CMP02	2 - Tele Communication s Room/Closet	100	A0905	Adapter Panel With Couplers, Blue, 6 Port, SM/MM	VV - GOVT FURNISHED & INSTALLED	1	65	65	Modular six-pack fiber adapter panel, designed to snap into Hubbell's enclosures such as JSN A0904. Loaded with 3 SM/MM SC duplex style blue adapters, standard density.
4 - STAFF AND SUPPORT AREA	7 - OIT	CMP02	2 - Tele Communication s Room/Closet	100	A0906	Adapter Panel With Couplers, Yellow, 6 Port, SM/MM	VV - GOVT FURNISHED & INSTALLED	1	65	65	Modular six-pack fiber adapter panel, designed to snap into Hubbell's enclosures such as JSN A0904. Loaded with 3 SM/MM SC duplex style Yellow adapters, standard density.
4 - STAFF AND SUPPORT AREA	7 - OIT	CMP02	2 - Tele Communication s Room/Closet	100	A0908	Patch Panel, 110 Block/RJ-45, Cat 5E, 48 Port, 568A	VV - GOVT FURNISHED & INSTALLED	1	244	244	This 48 Port/RJ45, Cat 5e (or better) patch panel is designed for the following applications. Gigabit 1000BASE-T, 100BASE-TX, ATM 155, TP-PMD (CDDI).
4 - STAFF AND SUPPORT AREA	7 - OIT	CMP02	2 - Tele Communication s Room/Closet	100	A0910	Patch Panel, 110 Block/RJ-45, Cat 5E, 96 Port, 568A	VV - GOVT FURNISHED & INSTALLED	1	643	643	This 96 Port/RJ45, Cat 5e (or better) patch panel is designed for the following applications. Gigabit 1000BASE-T, 100BASE-TX, ATM 155, TP-PMD (CDDI).
4 - STAFF AND SUPPORT AREA	7 - OIT	CMP02	2 - Tele Communication s Room/Closet	100	A0911	Power Supply, Uninterruptable, Rack Mounted	VV - GOVT FURNISHED & INSTALLED	1	1292	1292	Uninterruptable Power Supply, Approximately 2200VA/1600W, Rack Mount with extendable Run Time. Unit must incorporate hot user swappable batteries and must have an overload indicator, replace battery indicator, audible alarm, automatic voltage regulation and include Smart Slot card and software. It must use RS232 DB-9 interface for communication. NEMA L5-30P power connector, and (8) NEMA 5-15R outlets.
4 - STAFF AND SUPPORT AREA	7 - OIT	CMP02	2 - Tele Communication s Room/Closet	100	A0912	Battery Pack, Extended for use with UPS (A0911)	VV - GOVT FURNISHED & INSTALLED	1	815	815	Battery Pack for use with JSN A0911 to extend backup power availability. Battery rated at approximately 1600 VA.
4 - STAFF AND SUPPORT AREA	7 - OIT	CMP02	2 - Tele Communication s Room/Closet	100	A0913	Switch, Local Area Network (LAN)	VV - GOVT FURNISHED & INSTALLED	1	29101	29101	Omni switch router, 9 slot chassis, 725W AC power supply and rack mount brackets. Supports high speed frame switching fabric. Software and Manual included. Requires management module JSN A0914 and works with Power Supply A0915.
4 - STAFF AND SUPPORT AREA	7 - OIT	CMP02	2 - Tele Communication s Room/Closet	100	A0914	Management Processor Module for LAN Switch	VV - GOVT FURNISHED & INSTALLED	1	0	0	Management processor module with 10BaseT with layer-3 switching (HRE-X); 32 MB DRAM & 8 MB flash memory. Operates over the 22G distributed switching fabric. Works with Switch LAN JSN A0913 and Power Supply A0915.
4 - STAFF AND SUPPORT AREA	7 - OIT	CMP02	2 - Tele Communication s Room/Closet	100	A0915	Power Supply, 725 W, for LAN Switch	VV - GOVT FURNISHED & INSTALLED	1	2560	2560	725 Watt powersupply. Redundant or spare power supply for the 9 slot Omni Switch Router. Works with Switch LAN JSN A0913 and Management Processor JSN A0914.
4 - STAFF AND SUPPORT AREA	7 - OIT	CMP02	2 - Tele Communication s Room/Closet	100	A0916	Switching Module, Desktop, Fast Ethernet	VV - GOVT FURNISHED & INSTALLED	1	0	0	High Density Fast Ethernet desktop switching module. Thirty-two 10/100Base TX switching ports, RJ-45 connectors. Supports Cat 5 twisted pair cable-100 ohm and CAM support for 1024 MAC addresses.
4 - STAFF AND SUPPORT AREA	7 - OIT	CMP02	2 - Tele Communication s Room/Closet	100	A0917	Switching Module, MM Fiber, Gigabit Ethernet Server	VV - GOVT FURNISHED & INSTALLED	1	0	0	Gigabit Ethernet server switching module. Four 1000 base SX switching ports, SC connectors. Supports multi-mode fiber optic cable and CAM support for 4096 MAC addresses. Must be used in the Omni Switch/Router product only.
4 - STAFF AND SUPPORT AREA	7 - OIT	CMP02	2 - Tele Communication s Room/Closet	100	A0918	Switching Module, SM, Gigabit Ethernet Server	VV - GOVT FURNISHED & INSTALLED	1	0	0	Gigabit Ethernet server switching module. Four 1000 Base LX switching ports, SC connectors. Supports single mode fiber optic cable and CAM support for 4096 MAC addresses. Must be used in the Omni Switch/Router product only.
4 - STAFF AND SUPPORT AREA	7 - OIT	CMP02	2 - Tele Communication s Room/Closet	100	F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	490	490	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
4 - STAFF AND SUPPORT AREA	7 - OIT	CMP02	2 - Tele Communication s Room/Closet	100	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	51	51	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
4 - STAFF AND SUPPORT AREA	7 - OIT	COMC1	1 - OIT Satellite Computer Room	200	A0900	Relay Rack, Aluminum	VV - GOVT FURNISHED & INSTALLED	3	279	837	Rack used to hold network components such as servers, switches, hubs, patch panels, router, etc. Racks are available in varying heights, channel depths, and channel width. The model numbers specified may be U.L. Listed version with 2 Top Angles, 7" height, 19" wide, blank Aluminum, with mounting holes on both sides (front and back).
4 - STAFF AND SUPPORT AREA	7 - OIT	COMC1	1 - OIT Satellite Computer Room	200	A0901	Cable Management, Horizontal Base Unit	VV - GOVT FURNISHED & INSTALLED	26	75	1950	Horizontal cable management unit for a 19" rack with a channel approximately 2"x2". Provides for professional finish to hide cables in a switch rack. Various models are quoted with fingered type exits or brackets and/or rear access holes.
4 - STAFF AND SUPPORT AREA	7 - OIT	COMC1	1 - OIT Satellite Computer Room	200	A0902	Rear Wire Frame	VV - GOVT FURNISHED & INSTALLED	13	77	1001	For use with horizontal base unit for double sided management. This item is intended to be used with JSNs A0901 and/or A0903 model HC219 series from Hubbell only.
4 - STAFF AND SUPPORT AREA	7 - OIT	COMC1	1 - OIT Satellite Computer Room	200	A0903	Rear Hinged Cover, for LAN Rack	VV - GOVT FURNISHED & INSTALLED	13	39	507	This item is intended to be used with JSNs A0901 and/or A0902 model HC219 series from Hubbell only.

4 - STAFF AND SUPPORT AREA	7 - OIT	COMC1	1 - OIT Satellite Computer Room	200	A0904	Fiber Optic Cabinet, 36 Port, Rack Mounted	VV - GOVT FURNISHED & INSTALLED	1	422	422	This cabinet is designed to accommodate up to 6 six-packs of adapters or blank panels. This cabinet is specifically designed to accommodate Hubbell adapter panels as reflected in JSNs A0905 and A0906.
4 - STAFF AND SUPPORT AREA	7 - OIT	COMC1	1 - OIT Satellite Computer Room	200	A0908	Patch Panel, 110 Block/RJ-45, Cat 5E, 48 Port, 568A	VV - GOVT FURNISHED & INSTALLED	13	244	3172	This 48 Port/RJ45, Cat 5e (or better) patch panel is designed for the following applications. Gigabit 1000BASE-T, 100BASE-TX, ATM 155, TP-PMD (CDD).
4 - STAFF AND SUPPORT AREA	7 - OIT	COMC1	1 - OIT Satellite Computer Room	200	A0911	Power Supply, Uninterruptable, Rack Mounted	VV - GOVT FURNISHED & INSTALLED	1	1292	1292	Uninterruptable Power Supply, Approximately 2200VA/1600W, Rack Mount with extendable Run Time. Unit must incorporate hot user swappable batteries and must have an overload indicator, replace battery indicator, audible alarm, automatic voltage regulation and include Smart Slot card and software. It must use RS232 DB-9 interface for communication. NEMA L5-30P power connector, and (8) NEMA 5-15R outlets.
4 - STAFF AND SUPPORT AREA	7 - OIT	COMC1	1 - OIT Satellite Computer Room	200	A0912	Battery Pack, Extended for use with UPS (A0911)	VV - GOVT FURNISHED & INSTALLED	1	815	815	Battery Pack for use with JSN A0911 to extend backup power availability. Battery rated at approximately 1600 VA.
4 - STAFF AND SUPPORT AREA	7 - OIT	COMC1	1 - OIT Satellite Computer Room	200	A0913	Switch, Local Area Network (LAN)	VV - GOVT FURNISHED & INSTALLED	1	29101	29101	Omni switch router, 9 slot chassis, 725W AC power supply and rack mount brackets. Supports high speed frame switching fabric. Software and Manual included. Requires management module JSN A0914 and works with Power Supply A0915.
4 - STAFF AND SUPPORT AREA	7 - OIT	COMC1	1 - OIT Satellite Computer Room	200	A0914	Management Processor Module for LAN Switch	VV - GOVT FURNISHED & INSTALLED	1	0	0	Management processor module with 10BaseT with layer-3 switching (HRE-X); 32 MB DRAM & 8 MB flash memory. Operates over the 22G distributed switching fabric. Works with Switch LAN JSN A0913 and Power Supply A0915.
4 - STAFF AND SUPPORT AREA	7 - OIT	COMC1	1 - OIT Satellite Computer Room	200	A0915	Power Supply, 725 W, for LAN Switch	VV - GOVT FURNISHED & INSTALLED	1	2560	2560	725 Watt powersupply. Redundant or spare power supply for the 9 slot Omni Switch Router. Works with Switch LAN JSN A0913 and Management Processor JSN A0914.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Unit Cost	Total Cost	Description
1- RECEPTION/LOBBY	1- RECEPTION/LOBBY	RECP4	1 - Kiosk, Patient Check-In	30	M1890	Kiosk, Educational, Stand-Up	VV - GOVT FURNISHED & INSTALLED	1	4470	4470	A free standing Kiosk providing educational information for patients. The kiosk will, as a minimum, include a computer, an LCD display of approximately 19" with a touch screen, keyboard with track ball, speakers, printer, card reader, bar code scanner and housed in a durable steel enclosure. The unit will contain all necessary software packages to satisfy a wide spectrum of information distribution. Final configuration of kiosk will be determined at time of purchase.

Report Parameters

Sorted By: Blueprint Number, JSN

(END OF REPORT)