


three inches = one foot  
one and one half inches = one foot  
one inch = one foot  
one half inch = one foot  
three quarters inch = one foot  
one half inch = one foot  
three eighths inch = one foot  
one quarter inch = one foot  
one eighth inch = one foot




SHEET NOTES:  
1. REFER TO SHEET P401 FOR PIPE SIZES AND ADDITIONAL INFORMATION.

KEYED NOTES:  
① INVESTIGATE EXACT PIPE SIZE, LOCATION, AND SYSTEM IN FIELD PRIOR TO BEGINNING THE WORK. FOR BIDDING PURPOSES, ASSUME 3/4" MEDICAL AIR.  
② INVESTIGATE EXACT PIPE SIZE, LOCATION, AND SYSTEM IN FIELD PRIOR TO BEGINNING THE WORK. FOR BIDDING PURPOSES, ASSUME 3/4" MEDICAL AIR, 3/4" OXYGEN, 3/4" NITROGEN, AND 3/4" VACUUM.

NOTE:  
CONTRACTOR SHALL VERIFY THE PRESENCE OF EXISTING CONDUIT IN THE SLAB PRIOR TO BEGINNING ANY WORK.

NOTE:  
CONTRACTOR SHALL MEET ALL INFECTION CONTROL REQUIREMENTS AS NECESSARY TO PERFORM WORK IN PHASES.

PLUMBING PIPING SYMBOLS		
—CW—	—CW—	EXISTING DOMESTIC COLD WATER
—HW—	—HW—	EXISTING NEW DOMESTIC HOT WATER
—HWR—	—HWR—	EXISTING DOMESTIC HOT WATER RETURN
—SAN—	—SAN—	EXISTING SANITARY SEWER
—V—	—V—	EXISTING VENT PIPING
—SD—	—SD—	EXISTING STORM WATER DRAIN
—	—	NEW DOMESTIC COLD WATER
—	—	NEW DOMESTIC HOT WATER
—	—	NEW DOMESTIC HOT WATER RETURN
—SAN—	—SAN—	NEW SANITARY SEWER
—	—	NEW VENT PIPING
—SD—	—SD—	NEW STORM WATER DRAIN
		POINT OF CONNECTION BETWEEN NEW AND EXISTING WORK
		CHECK VALVE
		BALL VALVE
		SOLENOID VALVE



FINAL BID SET  
FULLY SPRINKLERED

Revisions	Date

 <div>Dept. of Veterans Affairs Medical Center 5000 W. National Avenue Milwaukee, WI</div>	P:\11007-07\Production\Images\vausers12.bmp	KEY PLAN: 	ENGINEER:	ARCHITECT:	Drawing Title Partial Basement Floor Plan - Plumbing	Project Title 111 Upgrade Prosthetics Product Line Improvements	Project Number 695-11-115	Office of Construction and Facilities Management
							Building Number Building 111	
					Approved: Project Director	Location VA Medical Center, Milwaukee, WI	Drawing Number P098	
						Date 18 AUG 2012	Checked -	Drawn -