



- ### KEY NOTES
- 1 REMOVE AND REPLACE EXISTING CONCRETE SIDEWALK COLOR AND TEXTURE TO MATCH EXISTING. SAW CUT JOINTS TO MATCH GRANITE WALL LOCATIONS.
 - 2 EXISTING CONCRETE TO REMAIN AS IS.
 - 3 EXISTING CHARCOAL CONCRETE TO REMAIN. SANDBLAST TO MATCH ADJACENT TEXTURE.
 - 4 REMOVE EXISTING 1 1/2\" GRANITE PAVERS AND REPLACE WITH COLORED CONCRETE (CHARCOAL) WITH SANDBLAST FINISH. JOINT PATTERN TO MATCH GRANITE.
 - 5 REMOVE EXISTING CONCRETE (PAVERS) AND REPLACE WITH COLORED CONCRETE (LIGHT COLOR) SANDBLAST TO MATCH EXISTING. JOINT PATTERN TO MATCH EXIST PAVERS.
 - 6 REMOVE AND REPLACE EXISTING COLORED CONCRETE RAMP. INSTALL GROOVED RAMP AND TRUNCATED DOWMS AT STREET.
 - 7 REMOVE AND REPLACE EXISTING CONCRETE CURB. COLOR TO BE CHARCOAL.
 - 8 REMOVE EXISTING TILE AND REPLACE WITH 12X24 FIELD COLOR AND 12X12 ACCENT TILE. PATTERN TO MATCH NEW ADJACENT ENTRY.
 - 9 REMOVE EXISTING 1 1/2\" GRANITE PAVERS AND REPLACE WITH TEXTURED FINISH GRANITE TO MATCH ADJACENT DRIVE.
 - 10 REPLACE EXISTING DAMAGED GRANITE ALONG PLANTER WALL TOP AND FACE. MATCH EXISTING COLOR AND FINISH. ESTIMATE AREA TO REPLACE 590 S.F. RE-CAULK ALL JOINTS.
 - 11 REMOVE AND REPLACE EXISTING CONCRETE DRIVE.
 - 12 REMOVE EXISTING RECESSED LIGHT AND REPLACE WITH BOLLARDS TO MATCH (QTY. 4)
 - 13 REMOVE AND REPLACE EXISTING TILE. NEW TILE 12 X 24 TO MATCH ADJACENT AREA.
 - 14 REMOVE EXISTING CONCRETE AND INSTALL NEW COLORED CONCRETE. SANDBLAST TO MATCH EXISTING.
 - 15 INSTALL NEW SINGLE SLOPE HANDICAP RAMP.

- ### GENERAL NOTES
- 1 CONTRACTOR SHALL VERIFY EXISTING CONDITIONS. NOTIFY CORP IF CONDITIONS ARE DIFFERENT.
 - 2 CONTRACTOR IS RESPONSIBLE TO PATCH AND REPAIR ANY ADJACENT AREAS DAMAGED DURING THE DEMOLITION AND NEW CONSTRUCTION.
 - 3 ALL WORK IS TO BE DONE IN PHASES, ENTRIES, AND ACCESS THROUGH THE COURTYARD TO REMAIN OPEN.
 - 4 DEMOLITION WORK SHALL TAKE PLACE AT NIGHT OR WEEKENDS.
 - 5 CONTRACTOR SHALL PROVIDE TRAFFIC CONTROL FOR ALL WORK.
 - 6 NEW CONCRETE SHALL BE 3000 PSI # 4 THICK FOR ALL AREAS EXCEPT ROADWAY. ROADWAY SHALL BE 6\" 400 PSI.
 - 7 CONTRACTOR SHALL PROVIDE SAMPLES OF COLOR AND TEXTURE FOR VA REVIEW AND APPROVAL.
 - 8 EXISTING DETAILS PROVIDED FOR REFERENCE.
 - 9 ALL AREAS TO SHEET DRAIN.

Revisions	Date

ARCHITECT/ENGINEERS:

Dept. of Veterans Affairs
Michael E. DeBakey VAMC
2002 Holcombe Blvd.
Houston, TX

Drawing Title		Project Title		Project Number	
ENLARGED FLOOR PLANS		B-100 MAIN ENTRY COURTYARD UPGRADES		580-18-112	
Approved Chief Engineer/Division Manager		Location		Building Number	
		VA Medical Center Houston, TX		100	
Date		Checked		Drawing Number	
7/23/2018		ML		AS-201	
		Drawn		Dwg 3 of 4	
		Mal			
<p>Office of Construction and Facilities Management Department of Veterans Affairs</p>					

