

Project Contents List

CFM ANN ARBOR (COPIED 10 MAY 2018 10:34AM ET) FFE COPY

PACT CLINICS
CANTON, MICHIGAN

Intersection of I-275 and 153 (Ford Road)

Projected Year: 2018 Midpoint Year: 2018

VISN: 11 State: MI Station ID: 506
Station: Ann Arbor
Installation: VA Medical Center

Project Created: 20 Jan 2017 02:32PM ET by Eric Deters
Space Plan Last Edited: 20 Jun 2018 01:05PM ET by Patrick Hillier

Report Generated: 23 Jul 2018 05:19PM ET

COMMUNITY BASED OUTPATIENT CLINICS Choice 2.0

Ann Arbor, MI

Updated PDF into Project Contents List
Submittal 07/26/18

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	LOB02	1 - Vestibule	200	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	This JSN is to be used for determining and defining location of decorative artwork.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	CLSC2	10 - Workstation, Patient Education	10	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	CLSC2	10 - Workstation, Patient Education	10	E0042	Workcenter, Computer, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Tool Rail 2 Paper Tray 1 Diagonal Tray 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	CLSC2	10 - Workstation, Patient Education	10	F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	CLSC2	10 - Workstation, Patient Education	10	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	CLSC2	10 - Workstation, Patient Education	10	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPFM	11 - Toilet, Family	80	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPFM	11 - Toilet, Family	80	A4995	Table, Diaper Changing, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted diaper changing table for use in public restrooms. Unit is a fold down system that folds upward when not in use for minimal intrusion into the room. Changing surface is contoured and has safety belt to insure that an infant will not fall from the table. Table is designed to hold no less than 250 pounds static weight. Closed dimensions are approximately 21" H x 36" W x 5" D. Open dimensions vary according to style. One system's open dimensions are 15" high, 32" wide and 19" deep.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPFM	11 - Toilet, Family	80	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPFM	11 - Toilet, Family	80	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPFM	11 - Toilet, Family	80	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.

1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPFM	11 - Toilet, Family	80	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPFM	11 - Toilet, Family	80	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPFM	11 - Toilet, Family	80	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPFM	11 - Toilet, Family	80	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPFM	11 - Toilet, Family	80	P3000	Lavatory, Vitreous China, Straight Back	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, vitreous china lavatory (approximate bowl size 7"x15"x10") with: straight-front apron, straight or contoured back; faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care areas.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPFM	11 - Toilet, Family	80	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTPC2	13 - Waiting, PACT 2	920	A5077	Dispenser, Hand Sanitizer, Hands-Free	VV - GOVT FURNISHED & INSTALLED	1	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTPC2	13 - Waiting, PACT 2	920	A5212	Bracket, Television, Wall-Mounted, Tilt/Angle	VV - GOVT FURNISHED & INSTALLED	2	A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTPC2	13 - Waiting, PACT 2	920	A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	2	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTPC2	13 - Waiting, PACT 2	920	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	4	This JSN is to be used for determining and defining location of decorative artwork.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTPC2	13 - Waiting, PACT 2	920	F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	18	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTPC2	13 - Waiting, PACT 2	920	F0305	Chair, Waiting Room, Single	VV - GOVT FURNISHED & INSTALLED	146	Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTPC2	13 - Waiting, PACT 2	920	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTPC2	13 - Waiting, PACT 2	920	F2300	Rack, Magazine, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted magazine rack with nine (9) magazine holding compartments.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTPC2	13 - Waiting, PACT 2	920	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTPC2	13 - Waiting, PACT 2	920	M0512	Television, HDTV, Large Screen, 60"	VV - GOVT FURNISHED & INSTALLED	3	A high definition (HDTV) multimedia, slim design, 60"W to 65"W color television. The TV will have a 16.9 wide screen aspect ratio with full HD 1080p resolution and HDMI connections. TV may be LED, Plasma or LCD. TV will include a stand.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description

1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPM2	14 - Toilet, Male	200	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPM2	14 - Toilet, Male	200	A4995	Table, Diaper Changing, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted diaper changing table for use in public restrooms. Unit is a fold down system that folds upward when not in use for minimal intrusion into the room. Changing surface is contoured and has safety belt to insure that an infant will not fall from the table. Table is designed to hold no less than 250 pounds static weight. Closed dimensions are approximately 21" H x 36" W x 5" D. Open dimensions vary according to style. One system's open dimensions are 15" high, 32" wide and 19" deep.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPM2	14 - Toilet, Male	200	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	2	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPM2	14 - Toilet, Male	200	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPM2	14 - Toilet, Male	200	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPM2	14 - Toilet, Male	200	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPM2	14 - Toilet, Male	200	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	2	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPM2	14 - Toilet, Male	200	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPM2	14 - Toilet, Male	200	F2015	Basket, Wastepaper, Metal/Plastic, 2 Swinging Doors	VV - GOVT FURNISHED & INSTALLED	1	Metal receptacle for soiled / used towels or waste. Equipped with a removable tapered top with two independently operating self-closing, spring hinged doors. Used in public facilities for the collection and temporary storage of refuse.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPM2	14 - Toilet, Male	200	P3070	Lavatory, Vitreous China, Under or Counter Top Mtd	CC - CONTRACTOR FURNISHED/INSTALLED	2	An undercounter or countertop mounted vitreous china lavatory (approximate bowl size 6"x17"x14") with gooseneck spout, wrist blade handles, and grid drain. Counter top mounted lavatory to be self rimming with mounting kit provided. Undercounter lavatory to have unglazed rim with a mounting kit also provided. For general purpose use in vanity tops in public, patient and staff toilet rooms.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPM2	14 - Toilet, Male	200	P8150	Urinal, Wall Hung	CC - CONTRACTOR FURNISHED/INSTALLED	1	A low consumption (1.0 gallon per flush) vitreous china, wall hung, washout flush action urinal with extended sides, flushing rim, 3/4" inlet spud, 2" I.P.S. female outlet connection and stainless steel strainer. For general purpose use in male toilet rooms.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPM2	14 - Toilet, Male	200	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPF2	15 - Toilet, Female	200	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	2	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPF2	15 - Toilet, Female	200	A4995	Table, Diaper Changing, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted diaper changing table for use in public restrooms. Unit is a fold down system that folds upward when not in use for minimal intrusion into the room. Changing surface is contoured and has safety belt to insure that an infant will not fall from the table. Table is designed to hold no less than 250 pounds static weight. Closed dimensions are approximately 21" H x 36" W x 5" D. Open dimensions vary according to style. One system's open dimensions are 15" high, 32" wide and 19" deep.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPF2	15 - Toilet, Female	200	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	2	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPF2	15 - Toilet, Female	200	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPF2	15 - Toilet, Female	200	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPF2	15 - Toilet, Female	200	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPF2	15 - Toilet, Female	200	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPF2	15 - Toilet, Female	200	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	2	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPF2	15 - Toilet, Female	200	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPF2	15 - Toilet, Female	200	F2015	Basket, Wastepaper, Metal/Plastic, 2 Swinging Doors	VV - GOVT FURNISHED & INSTALLED	2	Metal receptacle for soiled / used towels or waste. Equipped with a removable tapered top with two independently operating self-closing, spring hinged doors. Used in public facilities for the collection and temporary storage of refuse.

1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPF2	15 - Toilet, Female	200	P3070	Lavatory, Vitreous China, Under or Counter Top Mtd	CC - CONTRACTOR FURNISHED/INSTALLED	2	An undercounter or countertop mounted vitreous china lavatory (approximate bowl size 6"x17"x14") with gooseneck spout, wrist blade handles, and grid drain. Counter top mounted lavatory to be self rimming with mounting kit provided. Undercounter lavatory to have unglazed rim with a mounting kit also provided. For general purpose use in vanity tops in public, patient and staff toilet rooms.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TNPF2	15 - Toilet, Female	200	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	3	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	RCHK2	16 - Kiosk, Patient Check-in	10	M1890	Kiosk, Educational, Stand-Up	VV - GOVT FURNISHED & INSTALLED	2	A free standing Kiosk providing educational information for patients. The kiosk will, as a minimum, include a computer, an LCD display of approximately 19" with a touch screen, keyboard with track ball, speakers, printer, card reader, bar code scanner and housed in a durable steel enclosure. The unit will contain all necessary software packages to satisfy a wide spectrum of information distribution. Final configuration of kiosk will be determined at time of purchase.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	LAC01	18 - Lactation	80	A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	LAC01	18 - Lactation	80	A4995	Table, Diaper Changing, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted diaper changing table for use in public restrooms. Unit is a fold down system that folds upward when not in use for minimal intrusion into the room. Changing surface is contoured and has safety belt to insure that an infant will not fall from the table. Table is designed to hold no less than 250 pounds static weight. Closed dimensions are approximately 21" H x 36" W x 5" D. Open dimensions vary according to style. One system's open dimensions are 15 " high, 32" wide and 19" deep.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	LAC01	18 - Lactation	80	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	LAC01	18 - Lactation	80	A5077	Dispenser, Hand Sanitizer, Hands-Free	VV - GOVT FURNISHED & INSTALLED	1	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	LAC01	18 - Lactation	80	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are place in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	LAC01	18 - Lactation	80	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	LAC01	18 - Lactation	80	C0035	Rail, Apron, 4x24x1	CC - CONTRACTOR FURNISHED/INSTALLED	2	Apron rail. Also referred to as an apron front, apron panel, or knee space rail. Used to close in front knee space area and/or provide work surface support between two base cabinets or a base cabinet and wall. Apron rails should be ordered in pairs to provide both front and rear work surface support.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	LAC01	18 - Lactation	80	C02D0	Cabinet, U/C/B, 4 Drawer, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base cabinet with four full width drawers of equal height. Also referred to as a drawer cabinet. For general purpose use throughout the facility.

1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	LAC01	18 - Lactation	80	CS040	Sink, SS, Single Compartment, 7.5x14x14 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. Coordinate actual outside sink dimensions with the actual clear dimension of cabinet specified to ensure that they are compatible. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	LAC01	18 - Lactation	80	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	6	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	LAC01	18 - Lactation	80	F0255	Chair, Easy	VV - GOVT FURNISHED & INSTALLED	1	Easy chair approximately 35" high X 28" wide X 32" deep with arms and floor glides. Arms, back and seat are foam padded and upholstered in woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	LAC01	18 - Lactation	80	F0740	Table, Occasional, Lamp	VV - GOVT FURNISHED & INSTALLED	1	Occasional lamp table (end table) approximately 20" high X 27" wide X 27" deep with choice of finishes (wood, oak veneer, or high pressure laminate).
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	LAC01	18 - Lactation	80	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	LAC01	18 - Lactation	80	M2605	Pump, Breast	VV - GOVT FURNISHED & INSTALLED	1	Electrically powered breast pump. The pump provides automatic or semi-automatic control of the pumping cycle and has a pressure limiting valve to prevent damage to breast tissues. Unit includes collection and overflow bottles as well as bacteria filters for the suction line between the pump and the overflow bottle. Options may include a trolley, carrying case and several sizes of collection bottles.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	LAC01	18 - Lactation	80	R6200	Refrigerator, U/C or F/S, 5 Cu Ft	VV - GOVT FURNISHED & INSTALLED	1	Utility refrigerator approximately 35" H x 24" W x 26" D. The unit has a two tray ice cube cooling system. The refrigerator fits standard architectural dimensions for undercounter installation. The unit is perfect for use in nurses' station, wards, and laboratories, pharmacies or wherever space is limited.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTG03	19 - Waiting, Women's	80	A5077	Dispenser, Hand Sanitizer, Hands-Free	VV - GOVT FURNISHED & INSTALLED	1	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTG03	19 - Waiting, Women's	80	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	This JSN is to be used for determining and defining location of decorative artwork.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTG03	19 - Waiting, Women's	80	F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	1	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTG03	19 - Waiting, Women's	80	F0305	Chair, Waiting Room, Single	VV - GOVT FURNISHED & INSTALLED	1	Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTG03	19 - Waiting, Women's	80	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTG03	19 - Waiting, Women's	80	F2300	Rack, Magazine, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted magazine rack with nine (9) magazine holding compartments.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTG03	19 - Waiting, Women's	80	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	SRLW1	2 - Alcove, Wheelchair	90	M4705	Wheelchair, Patient Transport, Folding	VV - GOVT FURNISHED & INSTALLED	1	Folding patient transport wheelchair. Constructed of chrome plated steel with detachable armrest and footrests. Unit has heavy duty front casters with sealed radial high-precision ball bearing assembly. Unit is used for patient transport.

1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	SRLW1	2 - Alcove, Wheelchair	90	M4710	Wheelchair, Patient, Bariatric, Transport, Folding	VV - GOVT FURNISHED & INSTALLED	1	Folding bariatric patient transport wheelchair with a capacity of at least 500 lbs. Constructed with a heavy duty steel frame and double cross brace, with detachable armrest and swing away footrests. Unit has heavy duty front casters and rear wheels with precision wheel bearings in front and rear assembly. Unit is used for patient movement.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	CLSC2	20 - Workstation, MVH	10	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	CLSC2	20 - Workstation, MVH	10	E0042	Workcenter, Computer, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Tool Rail 2 Paper Tray 1 Diagonal Tray 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	CLSC2	20 - Workstation, MVH	10	F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	CLSC2	20 - Workstation, MVH	10	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	CLSC2	20 - Workstation, MVH	10	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTF03	3 - Waiting, PACT Family	225	A5077	Dispenser, Hand Sanitizer, Hands-Free	VV - GOVT FURNISHED & INSTALLED	1	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTF03	3 - Waiting, PACT Family	225	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	This JSN is to be used for determining and defining location of decorative artwork.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTF03	3 - Waiting, PACT Family	225	F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	1	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTF03	3 - Waiting, PACT Family	225	F0215	Chair, Child's	VV - GOVT FURNISHED & INSTALLED	4	Armless stacking chair scaled for use by children. Lightweight and available with a choice of different seat heights.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTF03	3 - Waiting, PACT Family	225	F0305	Chair, Waiting Room, Single	VV - GOVT FURNISHED & INSTALLED	2	Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTF03	3 - Waiting, PACT Family	225	F0760	Table, Child's	VV - GOVT FURNISHED & INSTALLED	1	Child's table, approximately 25" high X 48" wide X 24" deep with floor glides. Table used for testing, observation, meals, education and play.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTF03	3 - Waiting, PACT Family	225	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTF03	3 - Waiting, PACT Family	225	F2300	Rack, Magazine, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted magazine rack with nine (9) magazine holding compartments.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTF03	3 - Waiting, PACT Family	225	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	RCP03	4 - Reception	220	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	3	Telephone, desk, multiple line.

1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	RCP03	4 - Reception	220	A6105	Counter, Reception Control, Built-In	CC - CONTRACTOR FURNISHED/INSTALLED	1	Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backsplash/curb. Pricing based on a 30" depth.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	RCP03	4 - Reception	220	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	3	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	RCP03	4 - Reception	220	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	3	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	RCP03	4 - Reception	220	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	2	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	RCP03	4 - Reception	220	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	RCP03	4 - Reception	220	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	3	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	RCHK2	5 - Kiosk, Patient Check-In	10	M1890	Kiosk, Educational, Stand-Up	VV - GOVT FURNISHED & INSTALLED	2	A free standing Kiosk providing educational information for patients. The kiosk will, as a minimum, include a computer, an LCD display of approximately 19" with a touch screen, keyboard with track ball, speakers, printer, card reader, bar code scanner and housed in a durable steel enclosure. The unit will contain all necessary software packages to satisfy a wide spectrum of information distribution. Final configuration of kiosk will be determined at time of purchase.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	NCWD4	6 - Alcove, Volunteer	120	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	NCWD4	6 - Alcove, Volunteer	120	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	NCWD4	6 - Alcove, Volunteer	120	C02C0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base cabinet with an adjustable shelf and a full width drawer above a solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings). Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	NCWD4	6 - Alcove, Volunteer	120	C02D0	Cabinet, U/C/B, 4 Drawer, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base cabinet with four full width drawers of equal height. Also referred to as a drawer cabinet. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	NCWD4	6 - Alcove, Volunteer	120	CB020	Cabinet, W/H, 2 Shelf, 1 DO, Sloping Top, 38x24x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall hung cabinet with two adjustable shelves, solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings), and sloping top. Also referred to as a solid hinged single door case. For general purpose use throughout the facility.

1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	NCWD4	6 - Alcove, Volunteer	120	CT030	Countertop, High Pressure Laminate	CC - CONTRACTOR FURNISHED/INSTALLED	1	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	NCWD4	6 - Alcove, Volunteer	120	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	NCWD4	6 - Alcove, Volunteer	120	F3025	Board, Bulletin, Wood Framed	VV - GOVT FURNISHED & INSTALLED	1	Bulletin board approximately 36"W x 24"H. Wood framed 1/2" cork posting panel with moisture proof backing. Units are factory assembled and have keyhole hangers for easy installation.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	NCWD4	6 - Alcove, Volunteer	120	K1552	Brewer, Coffee, Auto, Elect, 3 Burner, Front/Back	VV - GOVT FURNISHED & INSTALLED	1	Space saving front to back automatic coffee maker. This unit includes a heating tank, connection for a cold water supply, decanter service with three burners, funnel and a water flow controller. The unit is used for semi-automatic coffee brewing in cafeterias and commercial institutions. The unit automatically shuts off the water flow when enough has passed through to fill the pot. The unit is normally provided plumbed with a hot water faucet to the side for making other hot drinks (tea, cider, cocoa, etc.). The database height dimension does not include the clearance for coffee decanters warming on the upper burners.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	CLSC2	7 - Workstation, Patient Education	10	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	CLSC2	7 - Workstation, Patient Education	10	E0042	Workcenter, Computer, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Tool Rail 2 Paper Tray 1 Diagonal Tray 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	CLSC2	7 - Workstation, Patient Education	10	F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	CLSC2	7 - Workstation, Patient Education	10	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	CLSC2	7 - Workstation, Patient Education	10	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	CLSC2	8 - Workstation, MVH	10	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	CLSC2	8 - Workstation, MVH	10	E0042	Workcenter, Computer, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Tool Rail 2 Paper Tray 1 Diagonal Tray 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray

1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	CLSC2	8 - Workstation, MVH	10	F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	CLSC2	8 - Workstation, MVH	10	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	CLSC2	8 - Workstation, MVH	10	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	RCHK2	9 - Kiosk, Patient Check-In	10	M1890	Kiosk, Educational, Stand-Up	VV - GOVT FURNISHED & INSTALLED	2	A free standing Kiosk providing educational information for patients. The kiosk will, as a minimum, include a computer, an LCD display of approximately 19" with a touch screen, keyboard with track ball, speakers, printer, card reader, bar code scanner and housed in a durable steel enclosure. The unit will contain all necessary software packages to satisfy a wide spectrum of information distribution. Final configuration of kiosk will be determined at time of purchase.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOW1	1 - Dispensing, Window	60	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOW1	1 - Dispensing, Window	60	A6105	Counter, Reception Control, Built-In	CC - CONTRACTOR FURNISHED/INSTALLED	1	Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backsplash/curb. Pricing based on a 30" depth.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOW1	1 - Dispensing, Window	60	F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOW1	1 - Dispensing, Window	60	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOW1	1 - Dispensing, Window	60	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	OFDC2	2 - Consult Room, Pharmacy	130	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	OFDC2	2 - Consult Room, Pharmacy	130	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	OFDC2	2 - Consult Room, Pharmacy	130	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.

1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	OFDC2	2 - Consult Room, Pharmacy	130	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	OFDC2	2 - Consult Room, Pharmacy	130	CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	OFDC2	2 - Consult Room, Pharmacy	130	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	OFDC2	2 - Consult Room, Pharmacy	130	CT030	Countertop, High Pressure Laminate	CC - CONTRACTOR FURNISHED/INSTALLED	3	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	OFDC2	2 - Consult Room, Pharmacy	130	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	3	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	OFDC2	2 - Consult Room, Pharmacy	130	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	OFDC2	2 - Consult Room, Pharmacy	130	F0740	Table, Occasional, Lamp	VV - GOVT FURNISHED & INSTALLED	1	Occasional lamp table (end table) approximately 20" high X 27" wide X 27" deep with choice of finishes (wood, oak veneer, or high pressure laminate).
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	OFDC2	2 - Consult Room, Pharmacy	130	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	OFDC2	2 - Consult Room, Pharmacy	130	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	OFDC2	2 - Consult Room, Pharmacy	130	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	OFDC2	2 - Consult Room, Pharmacy	130	M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	TNPG1	3 - Toilet, Staff	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.

1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	TNPG1	3 - Toilet, Staff	60	A4995	Table, Diaper Changing, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted diaper changing table for use in public restrooms. Unit is a fold down system that folds upward when not in use for minimal intrusion into the room. Changing surface is contoured and has safety belt to insure that an infant will not fall from the table. Table is designed to hold no less than 250 pounds static weight. Closed dimensions are approximately 21" H x 36" W x 5" D. Open dimensions vary according to style. One system's open dimensions are 15" high, 32" wide and 19" deep.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	TNPG1	3 - Toilet, Staff	60	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	TNPG1	3 - Toilet, Staff	60	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	TNPG1	3 - Toilet, Staff	60	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	TNPG1	3 - Toilet, Staff	60	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	TNPG1	3 - Toilet, Staff	60	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	TNPG1	3 - Toilet, Staff	60	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	TNPG1	3 - Toilet, Staff	60	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	TNPG1	3 - Toilet, Staff	60	P3200	Lavatory, Vitreous China, Slab Type w/Sens Op Fauc	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximately 7 x 15 x 10 inches) with faucet holes on 4 inch centers; electronic sensor operated, goose neck spout and grid strainer. It shall be suitable for use in clinics, offices and patient care areas.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	TNPG1	3 - Toilet, Staff	60	P9051	Toilet, Floor Mounted, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is floor mounted with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Height does not include seat. Seat is not included with all vendors. See comments.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.

1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	A6105	Counter, Reception Control, Built-in	CC - CONTRACTOR FURNISHED/INSTALLED	1	Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backsplash/curb. Pricing based on a 30" depth.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	E0612	Shelf Unit, Pharmacy, Wall Mtd, 88"Hx48"Wx16"D	VV - GOVT FURNISHED & INSTALLED	6	THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 9 Shelf, Unit
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	E0648	Station, Picking, Pharm, U-Shape, Free Std, 144x72	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 12 solid panels, 85"H x 24"W; 1 solid panel, 85"H x 48"W; 4 panel connectors, 2-way corner, 85"H; 8 panel-to-panel connectors; 2 finished end hardware kits; 6 3-shelf units, 24"W; 1 5-shelf unit, 48"W; 2 corner, 5-shelf units, 48"W; 380 bins, 2-1/4"W x 2-3/16"H; 50 bins, 4-9/16"W x 2-3/16"W; 2 cantilevered, corner work surfaces, 48"W; 1 cantilevered work surface, 48"W; 1 drawer, 3"H and 1 drawer, 6"H.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	E0978	Cart, Wire, Mobile, 72"H x 48"W x 24"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Wire Cart, w/Casters 5 Wire Shelves w/Fences and Dividers 4 Vertical Back/Side Panels 1 Cart Cover Label Clips
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	F0530	Cart, Trash	VV - GOVT FURNISHED & INSTALLED	1	Heavy duty trash cart, approximately 42" high X 74" wide X 34" deep with two (2) solid non-marking rubber roller bearing wheels, one (1) or two (2) swivel casters, 2000 pound capacity and tilt mechanism.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	3	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	F2026	Container, Recycling, Large	VV - GOVT FURNISHED & INSTALLED	1	Recycling container shall be approximately 30-gallons in capacity. The container may include a lid and be Recycle Blue in color with the recycle symbol identified on the container.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	2	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	L1200	Cabinet, Specimen, Pass Thru, CRS	CC - CONTRACTOR FURNISHED/INSTALLED	1	Pass-through specimen cabinet. The unit has a sight-proof interlocking door that permits only one door to open at a time. It also includes a removable spill tray, corrosion resistant stainless steel welded construction with seamless corners and burr-free edges and is able to adjust to wall thickness between 3-6 inches. Used for passage of specimens from patient area to laboratory.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	M1830	Printer, Label, Pharmacy	VV - GOVT FURNISHED & INSTALLED	2	Label printer for use in pharmacy applications. The printer shall be bench top standing. It shall be flexible enough to accommodate label sizes up to 4 inches, with a minimum print speed of 6 inches per second and a minimum resolution of 203 dpi.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	M1840	Printer/Copier/Fax Combination	VV - GOVT FURNISHED & INSTALLED	1	Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	34	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	M7280	Dispensing System, Prescription, Robotic	VV - GOVT FURNISHED & INSTALLED	2	Robotic prescription dispensing system. System handles 200 tablets and capsules and delivers filled and labeled vials at a rate of up to 100 prescriptions per hour. System uses a computer controlled robotic arm to fill vials directly from medication dispensing cells.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	P1960	Eyewash, Counter Top	CC - CONTRACTOR FURNISHED/INSTALLED	1	Counter top mounted emergency eye wash station. Unit is hand operated to provide streams of water to clear or dilute foreign particles or liquids from the eyes in emergency situations. It is equipped with a stainless steel bowl, face spray ring and dual automatic pressure compensation devices. The valve remains open until manually closed. Used in laboratories and areas of the hospital where employees are subject to exposure to foreign bodies or caustic liquid matter to the eyes.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	2	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	R6060	Refrigerator, Biological, SS, 2 Door, 40 Cu Ft	VV - GOVT FURNISHED & INSTALLED	1	Biological refrigerator. This unit shall have a minimum volume of 40 cubic feet, double doors, stainless steel cooler storage with stainless steel drawers, three adjustable shelves and one stationary stainless steel shelf. This refrigerator is used in research laboratories and hospital pharmacies for storage and dispensing of drugs.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	R6100	Freezer, Food, Upright, CRS, 23 CUFT	VV - GOVT FURNISHED & INSTALLED	1	Food freezer approximately 23 CUFT and 84" H x 27" W x 37" D. This unit has a stainless steel case front and doors. The cabinet front and doors are constructed of heavy gauge polished stainless steel to maintain an attractive appearance. The heavy-duty wire shelves are adjustable in one inch increments, used for frozen food storage in food service departments.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	R6200	Refrigerator, U/C or F/S, 5 Cu Ft	VV - GOVT FURNISHED & INSTALLED	1	Utility refrigerator approximately 35" H x 24" W x 26" D. The unit has a two tray ice cube cooling system. The refrigerator fits standard architectural dimensions for undercounter installation. The unit is perfect for use in nurses' station, wards, and laboratories, pharmacies or wherever space is limited.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD5	4 - Pharmacy, PACT 2	682	R7050	Refrigerator, 25 Cubic Feet	VV - GOVT FURNISHED & INSTALLED	1	General purpose refrigerator approximately 84x27x37. This unit is corrosion resistant stainless steel. It has a single self closing door with safety stops. This refrigerator is generally used in commercial kitchens, hospitals and schools.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	LR001	5 - LOCKERS, PERSONAL PROPERTY	30	A1030	Locker, 2 Person, Over/Under	VV - GOVT FURNISHED & INSTALLED	12	Two person locker, double tier, 72Hx12Wx18D. This unit includes hooks for coats and hats. Door equipped with safety guard handles. Designed for storage of coats, hats, and other personal belongings. Other width and depths are available.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	LR001	5 - LOCKERS, PERSONAL PROPERTY	30	A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHB51	6 - Pharmacy Vault	215	E0978	Cart, Wire, Mobile, 72"H x 48"W x 24"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Wire Cart, w/Casters 5 Wire Shelves w/Fences and Dividers 4 Vertical Back/Side Panels 1 Cart Cover Label Clips

1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHBS1	6 - Pharmacy Vault	215	F0530	Cart, Trash	VV - GOVT FURNISHED & INSTALLED	1	Heavy duty trash cart, approximately 42" high X 74" wide X 34" deep with two (2) solid non-marking rubber roller bearing wheels, one (1) or two (2) swivel casters, 2000 pound capacity and tilt mechanism.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHBS1	6 - Pharmacy Vault	215	F2026	Container, Recycling, Large	VV - GOVT FURNISHED & INSTALLED	1	Recycling container shall be approximately 30-gallons in capacity. The container may include a lid and be Recycle Blue in color with the recycle symbol identified on the container.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	OFA07	7 - Workstation, Pharmacist	63	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	OFA07	7 - Workstation, Pharmacist	63	E0123	Workstation, Straight, Free Standing, 72" W	VV - GOVT FURNISHED & INSTALLED	1	This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: <ul style="list-style-type: none"> 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	OFA07	7 - Workstation, Pharmacist	63	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	OFA07	7 - Workstation, Pharmacist	63	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	OFA07	7 - Workstation, Pharmacist	63	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	OFA07	7 - Workstation, Pharmacist	63	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	11 - CLINIC MANAGEMENT	OFA09	1 - Office, CMO	100	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	11 - CLINIC MANAGEMENT	OFA09	1 - Office, CMO	100	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.

1 - OUTPATIENT / PACT CLINIC (265)	11 - CLINIC MANAGEMENT	OFA09	1 - Office, CMO	100	E0090	Workstation, L-Shaped, Free Standing, 72x72	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel-to-Panel Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 2 Lockable Flipper Units 2 Shelves, Storage/Display 3 Lights 3 Tackboards 2 Cantilevered Work Surfaces 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File 1 Pencil Drawer 2 Support Panels
1 - OUTPATIENT / PACT CLINIC (265)	11 - CLINIC MANAGEMENT	OFA09	1 - Office, CMO	100	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
1 - OUTPATIENT / PACT CLINIC (265)	11 - CLINIC MANAGEMENT	OFA09	1 - Office, CMO	100	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	11 - CLINIC MANAGEMENT	OFA09	1 - Office, CMO	100	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
1 - OUTPATIENT / PACT CLINIC (265)	11 - CLINIC MANAGEMENT	OFA09	1 - Office, CMO	100	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	11 - CLINIC MANAGEMENT	OFA09	1 - Office, CMO	100	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	11 - CLINIC MANAGEMENT	OFA09	1 - Office, CMO	100	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	11 - CLINIC MANAGEMENT	OFA09	2 - Office, Nurse Manager	100	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	11 - CLINIC MANAGEMENT	OFA09	2 - Office, Nurse Manager	100	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	11 - CLINIC MANAGEMENT	OFA09	2 - Office, Nurse Manager	100	E0090	Workstation, L-Shaped, Free Standing, 72x72	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel-to-Panel Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 2 Lockable Flipper Units 2 Shelves, Storage/Display 3 Lights 3 Tackboards 2 Cantilevered Work Surfaces 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File 1 Pencil Drawer 2 Support Panels
1 - OUTPATIENT / PACT CLINIC (265)	11 - CLINIC MANAGEMENT	OFA09	2 - Office, Nurse Manager	100	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.

1 - OUTPATIENT / PACT CLINIC (265)	11 - CLINIC MANAGEMENT	OFA09	2 - Office, Nurse Manager	100	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	11 - CLINIC MANAGEMENT	OFA09	2 - Office, Nurse Manager	100	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
1 - OUTPATIENT / PACT CLINIC (265)	11 - CLINIC MANAGEMENT	OFA09	2 - Office, Nurse Manager	100	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	11 - CLINIC MANAGEMENT	OFA09	2 - Office, Nurse Manager	100	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	11 - CLINIC MANAGEMENT	OFA09	2 - Office, Nurse Manager	100	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	WKTM1	1 - Workroom, Business Services	240	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	2	Telephone, desk, 1 line.
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	WKTM1	1 - Workroom, Business Services	240	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	2	This JSN is to be used for determining and defining location of decorative artwork.
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	WKTM1	1 - Workroom, Business Services	240	E0042	Workcenter, Computer, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Tool Rail 2 Paper Tray 1 Diagonal Tray 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	WKTM1	1 - Workroom, Business Services	240	F0130	Bookstack, Single	VV - GOVT FURNISHED & INSTALLED	2	Freestanding closed base single open faced book stack, approximately 84" H X 36" W X 13" D with six (6) or seven (7) adjustable shelves and one base shelf. Single-faced units should be transverse-brace secured, or wall, or floor anchored for stability.
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	WKTM1	1 - Workroom, Business Services	240	F0220	Chair, Conference	VV - GOVT FURNISHED & INSTALLED	4	Conference chair designed to complement the executive furniture package selected. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters.
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	WKTM1	1 - Workroom, Business Services	240	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	2	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	WKTM1	1 - Workroom, Business Services	240	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	WKTM1	1 - Workroom, Business Services	240	F0750	Table, Office, (size as required)	VV - GOVT FURNISHED & INSTALLED	1	Office table, sized as required. May be used as either a four (4) to six (6) person conference table or as an extra work surface area.
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	WKTM1	1 - Workroom, Business Services	240	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	2	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	WKTM1	1 - Workroom, Business Services	240	F3050	Whiteboard, Dry Erase	VV - GOVT FURNISHED & INSTALLED	1	Whiteboard unit, approximately 36" H x 48" W consisting of a white porcelain enamel writing surface with an attached chalk tray. Magnetic surface available. Image can be easily removed with a standard chalkboard eraser. For use with water color pens. Unit is ready to hang.

1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	WKTM1	1 - Workroom, Business Services	240	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	WKTM1	1 - Workroom, Business Services	240	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	WKTM1	1 - Workroom, Business Services	240	M1825	Printer, Computer	VV - GOVT FURNISHED & INSTALLED	1	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	WKTM1	1 - Workroom, Business Services	240	U0014	Coffee System, Nestle	VC - GOVT FURNISHED/CONTR INST	1	https://www.nestleprofessional.us/nescfe-alegria/nescfe-alegria-mini-xl
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	WKTM1	1 - Workroom, Business Services	240	U0015	Shredding Bins, Large	VV - GOVT FURNISHED & INSTALLED	1	Large Paper Shredding Bin 16"x19"x35"
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	2 - PA/VSO Office	100	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	2 - PA/VSO Office	100	E0075	Workstation, L-Shaped, Freestanding, 72x48	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel-To-Panel Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 2 Lockable Flipper Units 2 Shelves, Storage/Display 3 Lights 2 Tackboards 2 Tool Rails 2 Paper Trays 1 Diagonal Tray 2 Cantilevered Work Surfaces 1 Adjustable Keyboard Tray 1 Hanging Pedestal, Box/File 1 Pencil Drawer 2 Support Panels
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	2 - PA/VSO Office	100	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	2 - PA/VSO Office	100	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	2 - PA/VSO Office	100	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	2 - PA/VSO Office	100	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	2 - PA/VSO Office	100	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	2 - PA/VSO Office	100	U0013	Lateral Files, Stackable	VV - GOVT FURNISHED & INSTALLED	1	Stackable Lateral Files, Spec A https://www.hermandmiller.com/content/dam/hermandmiller/documents/pricing/PB_MLF.pdf
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	3 - Eligibility Office	78	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel-To-Panel Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 2 Lockable Flipper Units 2 Shelves, Storage/Display 3 Lights 2 Tackboards 2 Tool Rails 2 Paper Trays 1 Diagonal Tray 2 Cantilevered Work Surfaces 1 Adjustable Keyboard Tray 1 Hanging Pedestal, Box/File 1 Pencil Drawer 2 Support Panels
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	3 - Eligibility Office	78	E0075	Workstation, L-Shaped, Freestanding, 72x48	VV - GOVT FURNISHED & INSTALLED	1	
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	3 - Eligibility Office	78	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	3 - Eligibility Office	78	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	3 - Eligibility Office	78	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	3 - Eligibility Office	78	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	3 - Eligibility Office	78	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	4 - MSA Office	100	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel-To-Panel Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 2 Lockable Flipper Units 2 Shelves, Storage/Display 3 Lights 2 Tackboards 2 Tool Rails 2 Paper Trays 1 Diagonal Tray 2 Cantilevered Work Surfaces 1 Adjustable Keyboard Tray 1 Hanging Pedestal, Box/File 1 Pencil Drawer 2 Support Panels
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	4 - MSA Office	100	E0075	Workstation, L-Shaped, Freestanding, 72x48	VV - GOVT FURNISHED & INSTALLED	1	

1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	4 - MSA Office	100	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	4 - MSA Office	100	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	4 - MSA Office	100	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	4 - MSA Office	100	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	4 - MSA Office	100	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	5 - Flex Office, Small	78	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel-To-Panel Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 2 Lockable Flipper Units 2 Shelves, Storage/Display 3 Lights 2 Tackboards 2 Tool Rails 2 Paper Trays 1 Diagonal Tray 2 Cantilevered Work Surfaces 1 Adjustable Keyboard Tray 1 Hanging Pedestal, Box/File 1 Pencil Drawer 2 Support Panels
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	5 - Flex Office, Small	78	E0075	Workstation, L-Shaped, Freestanding, 72x48	VV - GOVT FURNISHED & INSTALLED	1	
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	5 - Flex Office, Small	78	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	5 - Flex Office, Small	78	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	5 - Flex Office, Small	78	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	5 - Flex Office, Small	78	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	OFA08	5 - Flex Office, Small	78	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	13 - ENGINEERING SERVICE	BMER1	1 - Repair Shop, Biomedical Engineering	160	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, 1 line.
1 - OUTPATIENT / PACT CLINIC (265)	13 - ENGINEERING SERVICE	BMER1	1 - Repair Shop, Biomedical Engineering	160	F0230	Chair, Drafting, Rotary	VV - GOVT FURNISHED & INSTALLED	1	Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair.
1 - OUTPATIENT / PACT CLINIC (265)	13 - ENGINEERING SERVICE	BMER1	1 - Repair Shop, Biomedical Engineering	160	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	13 - ENGINEERING SERVICE	BMER1	1 - Repair Shop, Biomedical Engineering	160	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	13 - ENGINEERING SERVICE	BMER1	1 - Repair Shop, Biomedical Engineering	160	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	13 - ENGINEERING SERVICE	BMER1	1 - Repair Shop, Biomedical Engineering	160	T0005	Electrical Safety Analyzer	VV - GOVT FURNISHED & INSTALLED	1	Electrical safety analyzer. Characteristics/components include combining all lead connected ECG lead tests measuring individual lead leakage; AC/DC measurement; current consumption; automatic neutral-ground and power-ground resistance and volts. This unit is used for electrical safety testing, preventive maintenance programs and equipment repair. Battery powered models are available.
1 - OUTPATIENT / PACT CLINIC (265)	13 - ENGINEERING SERVICE	BMER1	1 - Repair Shop, Biomedical Engineering	160	T0015	Defibrillator Analyzer, Automatic, Portable	VV - GOVT FURNISHED & INSTALLED	1	Defibrillator analyzer. Characteristics/components include automatic and portable with direct reading; accurately verifies the output characteristics of all defibrillators while simulating the resistance of the human body; output energy measured in joules or watt seconds on two scales of 0-200.0 or 0-1000; output energy remains displayed until the reset button is depressed once the defibrillator is fired; and output jacks provided for oscilloscope connection to observe defibrillator pulse wave shape. Shall include the optional pacemaker testing module if required by the end user. Battery powered models are available.
1 - OUTPATIENT / PACT CLINIC (265)	13 - ENGINEERING SERVICE	BMER1	1 - Repair Shop, Biomedical Engineering	160	T0030	Radiation-Light Field Analyzer	VV - GOVT FURNISHED & INSTALLED	1	Light and radiation field analyzer for quality assurance testing of radiation therapy devices. Unit is self contained and checks the coincidence of light and radiation fields, symmetry of radiation field, flatness of radiation field, and penumbra size of the radiation field. Unit has a built in graphics printer for hard copy output of scanned information.
1 - OUTPATIENT / PACT CLINIC (265)	13 - ENGINEERING SERVICE	BMER1	1 - Repair Shop, Biomedical Engineering	160	T0801	Workbench, Electric, Pedestal Base	VV - GOVT FURNISHED & INSTALLED	1	Electrical workbench approximately 34" H x 72" W x 36" D. Characteristics/components include butcher block maple top; with two drawer or door pedestals and an electronic riser wiring kit. This workbench is used in wood and metal workshops. Workbench is a mix and match construction and can be configured to end users needs.
1 - OUTPATIENT / PACT CLINIC (265)	13 - ENGINEERING SERVICE	BMER1	1 - Repair Shop, Biomedical Engineering	160	T8030	Electrosurgery Analyzer	VV - GOVT FURNISHED & INSTALLED	1	Electrosurgery analyzer. This is a power analyzing system that verifies electrosurgical specifications such as output power, radio frequency leakage and output waveforms. This is necessary because electrosurgical units should provide safe controlled power output at RF with a predetermined physiological load so that burns and electrical shocks are avoided.

1 - OUTPATIENT / PACT CLINIC (265)	13 - ENGINEERING SERVICE	BMER1	1 - Repair Shop, Biomedical Engineering	160	T8055	Wattmeter, Ultrasonic	VV - GOVT FURNISHED & INSTALLED	1	Ultrasonic wattmeter. Characteristics/components include electronic and mechanical design to provide superior performance and greater durability; clear Plexiglas tubing on the front panel that allows the operator to immediately determine the liquid level within the sealed reservoir; and power measurements that can be conveniently read on the LCD display. This unit is a one-of-a-kind instrument used by biomedical repair persons who regularly test therapeutic ultrasound devices. Unit is battery powered.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	OFA07	1 - Workstation, Logistics	56	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	OFA07	1 - Workstation, Logistics	56	E0123	Workstation, Straight, Free Standing, 72" W	VV - GOVT FURNISHED & INSTALLED	1	This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File
1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	OFA07	1 - Workstation, Logistics	56	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	OFA07	1 - Workstation, Logistics	56	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	OFA07	1 - Workstation, Logistics	56	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	OFA07	1 - Workstation, Logistics	56	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	DOCK1	2 - Receiving / Shipping Dock	130	A6125	Leveler, Dock	CC - CONTRACTOR FURNISHED/INSTALLED	1	Unit attaches to the face of the dock for easy installation. It consists of a counterbalance lip that can be extended to rest on the bed of the trailer for loading and unloading of merchandise. When the trailer departs, the lip will automatically retract behind the bumper face. Size will vary depending on the application.

1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	SRLG2	3 - Storage Area, Logistics PACT 2	700	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	SRLG2	3 - Storage Area, Logistics PACT 2	700	M1840	Printer/Copier/Fax Combination	VV - GOVT FURNISHED & INSTALLED	1	Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.
1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	SRLG2	3 - Storage Area, Logistics PACT 2	700	M2005	Cabinet, Storage, Acid, Floor Standing, Shelves	VV - GOVT FURNISHED & INSTALLED	1	Floor standing acid storage cabinet. A 30 gallon capacity standard two door cabinet with adjustable shelves, three-point latch with key-lock and 2" raised leak proof sill. An 18-gauge steel frame with vents, 1 1/2" airspace between walls and epoxy finish resistant to chemical attack. Note: Not for use with nitric and sulfuric acids.
1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	SRLG2	3 - Storage Area, Logistics PACT 2	700	M2020	Cabinet, Storage, Safety, Built-In, Vented	CC - CONTRACTOR FURNISHED/INSTALLED	1	Safety storage cabinet. This unit is of double steel wall construction, with vented grounding attachment, raised leak proof door sill, and adjustable shelving. Equipped with two doors and three-point key lock. The construction meets standards set by OSHA and NFPA Code 30 requirements. Designed for storage of flammable type liquids. The cabinet fits into a laboratory casework configuration and its ventilation ports are in the back to leave the counterspace free. The cabinet requires ventilation ducting and an exhaust fan as part of the HVAC (heating, ventilation and air conditioning) system.
1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	SRLG2	3 - Storage Area, Logistics PACT 2	700	M2025	Rack, Storage, Cylinder, Gas	VV - GOVT FURNISHED & INSTALLED	2	Medical gas cylinder storage rack. Unit is a modular cage frame for holding various sizes of gas cylinders. Nylon or fabric securing straps can be attached to the frame bars to stabilize gas cylinders. Add additional units or specify size as required when ordering. This item is often locally fabricated.
1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	SRLG2	3 - Storage Area, Logistics PACT 2	700	M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	1	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.
1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	SRLG2	3 - Storage Area, Logistics PACT 2	700	M2070	Shelving, Storage, 77hx36wx18d	VV - GOVT FURNISHED & INSTALLED	5	Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room.
1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	SRLG2	3 - Storage Area, Logistics PACT 2	700	M2085	Shelving, Storage, Pallet	VV - GOVT FURNISHED & INSTALLED	8	Pallet storage shelving starter section. This unit is of heavy duty construction and has channel type bracing in between columns, heavy duty foot plate with 3-point security. The size will be determined by weight load. It is designed for easy forklift access in storage areas and warehouses.
1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	SRLG2	3 - Storage Area, Logistics PACT 2	700	M2090	Shelving, Storage, Warehouse	VV - GOVT FURNISHED & INSTALLED	8	Warehouse storage shelving approximately 75 inches high by 36 inches wide by 24 inches deep.
1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	SRLG2	3 - Storage Area, Logistics PACT 2	700	M2115	Truck, Hand, 2 Wheel	VV - GOVT FURNISHED & INSTALLED	2	2 wheel hand truck. Double handled with three supportive crossbars for heavy duty use. 800 pound weight capacity with two 8 or 10 inch wheels. For use in the warehouse.
1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	SRLG2	3 - Storage Area, Logistics PACT 2	700	M2130	Truck, Hydraulic Lift, Electric	VV - GOVT FURNISHED & INSTALLED	1	Electric lift truck. Equipped with heavy duty hydraulic system and 12 V battery. For use within enclosed warehouse spaces. Adjustable 25" (approx) long forks. Complete with 10 amp charger. Counterweight must be used to help prevent tipping. NOTE: Not recommended for moving long distances or over uneven surfaces.
1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	SRLG2	3 - Storage Area, Logistics PACT 2	700	M7780	Scanner, Document	VV - GOVT FURNISHED & INSTALLED	1	Scanner for recording printed material in an electronic format. Some models process both color and black-and-white images. Options include automatic paper feeders and transparency adapters. Most models require connection to a microcomputer for independent operation or use as part of a network. Larger models for high use applications which connect directly to a network without passing information through a microcomputer are available.
1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	SRLG2	3 - Storage Area, Logistics PACT 2	700	P2450	Valve, Mixing, Thermostatic	CC - CONTRACTOR FURNISHED/INSTALLED	1	Thermostatic mixing valve with washout hose. Used with portable whirlpool equipment. Thermostatic valve is used to maintain temperature between 70 and 110 degree Fahrenheit, with a flow rate of 20 gallons a minute. The washout hose assembly is used to wash out tanks after treatment. Used in physical therapy department to provide comfortable water temperature for patient treatments.

1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	SRLG2	3 - Storage Area, Logistics PACT 2	700	P5210	Shower, Safety, Freestanding, With Eye/Face Wash	CC - CONTRACTOR FURNISHED/INSTALLED	1	Deluge safety shower. This is a complete, maximum protection safety station consisting of a free-standing emergency shower and an eye/face wash fixture. Used anywhere exposure to hazardous substances may occur.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	CROP1	1 - Operations Room	125	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	4	Telephone, desk, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	CROP1	1 - Operations Room	125	A5212	Bracket, Television, Wall-Mounted, Tilt/Angle	VV - GOVT FURNISHED & INSTALLED	2	A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	CROP1	1 - Operations Room	125	A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	2	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	CROP1	1 - Operations Room	125	E0042	Workcenter, Computer, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Tool Rail 2 Paper Tray 1 Diagonal Tray 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	CROP1	1 - Operations Room	125	E0117	Workstation, Straight, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	2	This JSN provides a typical work station to quickly plan work areas in clinical or administrative spaces. THIS TYPICAL INCLUDES: 2 standard solid panels; 1 panel connector, 2-way corner; 2 finished end hardware kits; 1 cantilevered work surface; 1 lockable flipper unit; 1 light; 1 tack board; 1 tool rail; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file; 1 support panel.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	CROP1	1 - Operations Room	125	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	8	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	CROP1	1 - Operations Room	125	F0425	Cabinet, Filing, Security, Full Height	VV - GOVT FURNISHED & INSTALLED	1	Class 6 full height security filing cabinet, 58" high x 21" wide x 28" deep with five (5) drawers. Used for storage of classified or controlled materials.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	CROP1	1 - Operations Room	125	F0780	Table, Work, 60W x 30D	VV - GOVT FURNISHED & INSTALLED	2	Work table approximately 29" high X 60" wide X 30" deep with top and four (4) non-folding legs.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	CROP1	1 - Operations Room	125	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	2	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	CROP1	1 - Operations Room	125	F2550	Shredder, Paper Heavy Duty	VV - GOVT FURNISHED & INSTALLED	1	Shredder shall be able to process a minimum of 25 sheets of paper per pass at a minimum rate of 20 feet per minute. The unit shall have a 16 inch throat to accept paper. Paper shall be shredded into 1/4 inch strips.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	CROP1	1 - Operations Room	125	F3060	Whiteboard, Projection Screen Combination	VV - GOVT FURNISHED & INSTALLED	1	Whiteboard and projection screen combination approximately 48" H x 72" W. Magnetic surface with matte finish for projection. Hard board stabilizer with aluminum foil back. For use with water color pens.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	CROP1	1 - Operations Room	125	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	4	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	CROP1	1 - Operations Room	125	F3230	Rack, Hat / Coat, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted hat / coat rack. Decoratively styled and equipped with bars, hooks and hat shelf. For use in waiting rooms.

1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	CROP1	1 - Operations Room	125	M0385	Projector, Multimedia/Data	VV - GOVT FURNISHED & INSTALLED	1	The projector shall provide computer and video projections. Minimum features included: Brightness of not less than 1500 ANSI (American National Standards Institute) Lumens, and a minimum resolution format of 1024 X 768 pixels (XGA). The projector shall be portable and weigh no more than 10 pounds. It shall include a zoom lens and computer and video input ports.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	CROP1	1 - Operations Room	125	M0400	Screen, Projection, 144x144, Remote Control	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall or ceiling mounted, roll-up type screen with remote control. Includes multiple controls to operate the screen from two or more locations, wireless remote control, adjustable preset limit switches, and black borders on all sides. Screen is housed in a solid wood or metal case with removable motor module. For a classroom, conference room, or large auditorium.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	CROP1	1 - Operations Room	125	M0507	Video Teleconferencing System	VV - GOVT FURNISHED & INSTALLED	1	Shall be a video conferencing unit consisting of a camera, microphone, video/audio compression components, a component cart and a 32 inch monitor. It shall provide live audio-visual conferencing capabilities to dispersed geographic sites.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	CROP1	1 - Operations Room	125	M0512	Television, HDTV, Large Screen, 60"	VV - GOVT FURNISHED & INSTALLED	2	A high definition (HDTV) multimedia, slim design, 60"W to 65"W color television. The TV will have a 16.9 wide screen aspect ratio with full HD 1080p resolution and HDMI connections. TV may be LED, Plasma or LCD. TV will include a stand.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	CROP1	1 - Operations Room	125	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	4	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	CROP1	1 - Operations Room	125	M1825	Printer, Computer	VV - GOVT FURNISHED & INSTALLED	1	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	CROP1	1 - Operations Room	125	M4125	Radio Communication System	VV - GOVT FURNISHED & INSTALLED	1	Radio equipment to support daily administrative, patient transport, emergency, mass casualty, fire protection and security operations. Includes base station(s), handheld portables, vehicle units, antennas, power supplies, controllers, electrical panels, computers, pagers and other equipment as required. The size, complexity and cost of the system depend on the geographic region covered, dispersement of the facility staff, size and capability of the facility, facility mission and distances to supporting police, fire and disaster relief organizations.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	POH01	2 - Holding Room	60	A5020	Bench, Locker Room, Floor Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Locker room bench. Floor mounting -1-1/4" thick. Benches are sanded smooth with two coats of moisture-resistant sealer to ensure a protective, satin gloss surface, and mounted on strong steel pedestal anchored to the floor. Over all height of 18" includes pedestal. Size as required.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	SSS01	3 - Storage, Secure	40	F0425	Cabinet, Filing, Security, Full Height	VV - GOVT FURNISHED & INSTALLED	1	Class 6 full height security filing cabinet, 58" high x 21" wide x 28" deep with five (5) drawers. Used for storage of classified or controlled materials.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	SSS01	3 - Storage, Secure	40	F3105	Safe, F/S, Class 5	VV - GOVT FURNISHED & INSTALLED	1	Class 5 safe, floor standing model with combination lock. Used for storage of narcotics, plans, film, and other classified or control materials.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description

1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	TLTU1	4 - Toilet, Locker Room/Men's	80	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	TLTU1	4 - Toilet, Locker Room/Men's	80	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	TLTU1	4 - Toilet, Locker Room/Men's	80	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	TLTU1	4 - Toilet, Locker Room/Men's	80	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	TLTU1	4 - Toilet, Locker Room/Men's	80	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	TLTU1	4 - Toilet, Locker Room/Men's	80	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	TLTU1	4 - Toilet, Locker Room/Men's	80	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	TLTU1	4 - Toilet, Locker Room/Men's	80	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	TLTU1	4 - Toilet, Locker Room/Men's	80	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	TLTU1	4 - Toilet, Locker Room/Men's	80	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	TLTU1	5 - Toilet, Locker Room Women's	80	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	TLTU1	5 - Toilet, Locker Room Women's	80	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	TLTU1	5 - Toilet, Locker Room Women's	80	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.

1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	TLTU1	5 - Toilet, Locker Room Women's	80	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	TLTU1	5 - Toilet, Locker Room Women's	80	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	TLTU1	5 - Toilet, Locker Room Women's	80	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	TLTU1	5 - Toilet, Locker Room Women's	80	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	TLTU1	5 - Toilet, Locker Room Women's	80	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	TLTU1	5 - Toilet, Locker Room Women's	80	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	TLTU1	5 - Toilet, Locker Room Women's	80	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	16 - CANTEEN SERVICE	BX002	1 - Vending Machine Area	0	A6030	Machine, Vending	L RE - OTHER - LEASED OR RENTED EQUIP	4	This JSN is to be used for determining and defining the requirement for vending machines. Item is normally leased or supplied by Army & Air Force Exchange Service, (AAFES).
1 - OUTPATIENT / PACT CLINIC (265)	16 - CANTEEN SERVICE	BX002	1 - Vending Machine Area	0	F0225	Chair, Dining Room	VV - GOVT FURNISHED & INSTALLED	2	Dining room chair with glides. Chair has straight legs with cushioned cloth or vinyl seat.
1 - OUTPATIENT / PACT CLINIC (265)	16 - CANTEEN SERVICE	BX002	1 - Vending Machine Area	0	F0795	Table, Dining	VV - GOVT FURNISHED & INSTALLED	1	Dining table. Round 42" diameter or square 42" X 42". Used in dining facilities and can comfortably seat up to four (4) persons.
1 - OUTPATIENT / PACT CLINIC (265)	16 - CANTEEN SERVICE	BX002	1 - Vending Machine Area	0	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	16 - CANTEEN SERVICE	FSCD4	2 - Canteen & Vending, PACT 2	300	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	16 - CANTEEN SERVICE	FSCD4	2 - Canteen & Vending, PACT 2	300	A6105	Counter, Reception Control, Built-In	CC - CONTRACTOR FURNISHED/INSTALLED	1	Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backsplash/curb. Pricing based on a 30" depth.

1 - OUTPATIENT / PACT CLINIC (265)	16 - CANTEEN SERVICE	FSCD4	2 - Canteen & Vending, PACT 2	300	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	16 - CANTEEN SERVICE	FSCD4	2 - Canteen & Vending, PACT 2	300	E0090	Workstation, L-Shaped, Free Standing, 72x72	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel-to-Panel Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 2 Lockable Flipper Units 2 Shelves, Storage/Display 3 Lights 3 Tackboards 2 Cantilevered Work Surfaces 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File 1 Pencil Drawer 2 Support Panels
1 - OUTPATIENT / PACT CLINIC (265)	16 - CANTEEN SERVICE	FSCD4	2 - Canteen & Vending, PACT 2	300	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
1 - OUTPATIENT / PACT CLINIC (265)	16 - CANTEEN SERVICE	FSCD4	2 - Canteen & Vending, PACT 2	300	F0225	Chair, Dining Room	VV - GOVT FURNISHED & INSTALLED	2	Dining room chair with glides. Chair has straight legs with cushioned cloth or vinyl seat.
1 - OUTPATIENT / PACT CLINIC (265)	16 - CANTEEN SERVICE	FSCD4	2 - Canteen & Vending, PACT 2	300	F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	16 - CANTEEN SERVICE	FSCD4	2 - Canteen & Vending, PACT 2	300	F0795	Table, Dining	VV - GOVT FURNISHED & INSTALLED	2	Dining table. Round 42" diameter or square 42" X 42". Used in dining facilities and can comfortably seat up to four (4) persons.
1 - OUTPATIENT / PACT CLINIC (265)	16 - CANTEEN SERVICE	FSCD4	2 - Canteen & Vending, PACT 2	300	F2015	Basket, Wastepaper, Metal/Plastic, 2 Swinging Doors	VV - GOVT FURNISHED & INSTALLED	1	Metal receptacle for soiled / used towels or waste. Equipped with a removable tapered top with two independently operating self-closing, spring hinged doors. Used in public facilities for the collection and temporary storage of refuse.
1 - OUTPATIENT / PACT CLINIC (265)	16 - CANTEEN SERVICE	FSCD4	2 - Canteen & Vending, PACT 2	300	F2125	Cash Register, With Locking Drawer	VV - GOVT FURNISHED & INSTALLED	1	Electronic cash register system. This unit includes multiple menu capabilities. Equipped with removable cash drawer for complete security. Calculator function and tax table. Convenience outlet required at point of use.
1 - OUTPATIENT / PACT CLINIC (265)	16 - CANTEEN SERVICE	FSCD4	2 - Canteen & Vending, PACT 2	300	K1552	Brewer, Coffee, Auto, Elect, 3 Burner, Front/Back	VV - GOVT FURNISHED & INSTALLED	2	Space saving front to back automatic coffee maker. This unit includes a heating tank, connection for a cold water supply, decanter service with three burners, funnel and a water flow controller. The unit is used for semi-automatic coffee brewing in cafeterias and commercial institutions. The unit automatically shuts off the water flow when enough has passed through to fill the pot. The unit is normally provided plumbed with a hot water faucet to the side for making other hot drinks (tea, cider, cocoa, etc.). The database height dimension does not include the clearance for coffee decanters warming on the upper burners.
1 - OUTPATIENT / PACT CLINIC (265)	16 - CANTEEN SERVICE	FSCD4	2 - Canteen & Vending, PACT 2	300	K4660	Oven, Microwave, Heavy Duty, 1000 Watts	VV - GOVT FURNISHED & INSTALLED	1	Heavy duty, counter mounted, microwave oven which delivers 1000 watts of microwave energy for rapid reheating, defrosting or cooking. The unit's cabinet is made from stainless steel or other rugged material. The touchpad has programmable keys for timing the cooking of specific items and a multiple portion cooking time adjustment key. The unit features an electronic timer with a digital readout. Some models have an additional manual dial timer. The unit can be mounted in a cabinet recess or on a shelf.
1 - OUTPATIENT / PACT CLINIC (265)	16 - CANTEEN SERVICE	FSCD4	2 - Canteen & Vending, PACT 2	300	K7250	Table, Food Preparation, CRS, Mobile	VV - GOVT FURNISHED & INSTALLED	1	Food preparation table approximately 36"H x 72"W x 36"D with a 5-6" stainless steel backsplash. This unit has options for heavy-duty casters with 5" hard rubber lockable wheels, under-shelves, stationary legs and storage drawers. Some models feature a removable backsplash, full or partial table replaceable plastic cutting boards, a decking section along the backsplash and tapered deck ends.

Project Contents List (23 Jul 2018 05:19PM ET)

1 - OUTPATIENT / PACT CLINIC (265)	16 - CANTEEN SERVICE	FSCD4	2 - Canteen & Vending, PACT 2	300	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	16 - CANTEEN SERVICE	FSCD4	2 - Canteen & Vending, PACT 2	300	R7200	Refrigerator, 20 Cubic Feet	VV - GOVT FURNISHED & INSTALLED	1	Commercial refrigerator, 20 cubic feet approximately 80" H x 32" D x 27" W. This unit is generally used to store perishable goods for safekeeping in commercial kitchens, hospitals and schools.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	CFR01	1 - Training Room, Staff	240	A1020	Telephone, Conferencing System	VV - GOVT FURNISHED & INSTALLED	1	A tabletop telephone conferencing system typically found in a conference room. Features and accessories include 12-key telephone keypad, multiple conferencing navigation keys, console microphones, dynamic noise reduction, LCD display, caller ID and console loudspeaker.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	CFR01	1 - Training Room, Staff	240	A5212	Bracket, Television, Wall-Mounted, Tilt/Angle	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	CFR01	1 - Training Room, Staff	240	A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	CFR01	1 - Training Room, Staff	240	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	This JSN is to be used for determining and defining location of decorative artwork.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	CFR01	1 - Training Room, Staff	240	F0220	Chair, Conference	VV - GOVT FURNISHED & INSTALLED	6	Conference chair designed to complement the executive furniture package selected. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	CFR01	1 - Training Room, Staff	240	F0601	Credenza, Performance	VV - GOVT FURNISHED & INSTALLED	1	Credenza approx. 120" long. The performance credenza comes standard with one piece top, adjustable shelves, 3-4 doors for storage and optional front or end opening recycling bin and refrigerator opening. Exterior available as veneer or veneer case in a variety of finishes. Conference or buffet heights.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	CFR01	1 - Training Room, Staff	240	F0755	Table, Conference, Wood	VV - GOVT FURNISHED & INSTALLED	2	Executive conference table. Dimensions are approximately 30" high, 48" wide with lengths varying from 74" to 96". These tables add traditional elegance to any conference room.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	CFR01	1 - Training Room, Staff	240	F0765	Table, Folding / Nesting	VV - GOVT FURNISHED & INSTALLED	2	Folding table intended for a variety of uses. Designed with a flip top that allows tables to store nested to minimize needed storage space. Available in multiple laminate finish colors/patterns, bases, surface shapes (description and pricing based on a rectangle shape) and edge finish. Available with leveling glides or casters (2 locking, 2 non-locking).
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	CFR01	1 - Training Room, Staff	240	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	CFR01	1 - Training Room, Staff	240	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	CFR01	1 - Training Room, Staff	240	M0507	Video Teleconferencing System	VV - GOVT FURNISHED & INSTALLED	1	Shall be a video conferencing unit consisting of a camera, microphone, video/audio compression components, a component cart and a 32 inch monitor. It shall provide live audio-visual conferencing capabilities to dispersed geographic sites.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	CFR01	1 - Training Room, Staff	240	M0512	Television, HDTV, Large Screen, 60"	VV - GOVT FURNISHED & INSTALLED	1	A high definition (HDTV) multimedia, slim design, 60"W to 65"W color television. The TV will have a 16.9 wide screen aspect ratio with full HD 1080p resolution and HDMI connections. TV may be LED, Plasma or LCD. TV will include a stand.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description

1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	LAC01	2 - Lactation Room	100	A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	LAC01	2 - Lactation Room	100	A4995	Table, Diaper Changing, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted diaper changing table for use in public restrooms. Unit is a fold down system that folds upward when not in use for minimal intrusion into the room. Changing surface is contoured and has safety belt to insure that an infant will not fall from the table. Table is designed to hold no less than 250 pounds static weight. Closed dimensions are approximately 21" H x 36" W x 5" D. Open dimensions vary according to style. One system's open dimensions are 15 " high, 32" wide and 19" deep.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	LAC01	2 - Lactation Room	100	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	LAC01	2 - Lactation Room	100	A5077	Dispenser, Hand Sanitizer, Hands-Free	VV - GOVT FURNISHED & INSTALLED	1	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	LAC01	2 - Lactation Room	100	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are place in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	LAC01	2 - Lactation Room	100	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	LAC01	2 - Lactation Room	100	C0035	Rail, Apron, 4x24x1	CC - CONTRACTOR FURNISHED/INSTALLED	2	Apron rail. Also referred to as an apron front, apron panel, or knee space rail. Used to close in front knee space area and/or provide work surface support between two base cabinets or a base cabinet and wall. Apron rails should be ordered in pairs to provide both front and rear work surface support.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	LAC01	2 - Lactation Room	100	C02D0	Cabinet, U/C/B, 4 Drawer, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base cabinet with four full width drawers of equal height. Also referred to as a drawer cabinet. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	LAC01	2 - Lactation Room	100	CS040	Sink, SS, Single Compartment, 7.5x14x14 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. Coordinate actual outside sink dimensions with the actual clear dimension of cabinet specified to ensure that they are compatible. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	LAC01	2 - Lactation Room	100	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	6	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	LAC01	2 - Lactation Room	100	F0255	Chair, Easy	VV - GOVT FURNISHED & INSTALLED	1	Easy chair approximately 35" high X 28" wide X 32" deep with arms and floor glides. Arms, back and seat are foam padded and upholstered in woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	LAC01	2 - Lactation Room	100	F0740	Table, Occasional, Lamp	VV - GOVT FURNISHED & INSTALLED	1	Occasional lamp table (end table) approximately 20" high X 27" wide X 27" deep with choice of finishes (wood, oak veneer, or high pressure laminate).
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	LAC01	2 - Lactation Room	100	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	LAC01	2 - Lactation Room	100	M2605	Pump, Breast	VV - GOVT FURNISHED & INSTALLED	1	Electrically powered breast pump. The pump provides automatic or semi-automatic control of the pumping cycle and has a pressure limiting valve to prevent damage to breast tissues. Unit includes collection and overflow bottles as well as bacteria filters for the suction line between the pump and the overflow bottle. Options may include a trolley, carrying case and several sizes of collection bottles.

1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	LAC01	2 - Lactation Room	100	R6200	Refrigerator, U/C or F/S, 5 Cu Ft	VV - GOVT FURNISHED & INSTALLED	1	Utility refrigerator approximately 35" H x 24" W x 26" D. The unit has a two tray ice cube cooling system. The refrigerator fits standard architectural dimensions for undercounter installation. The unit is perfect for use in nurses' station, wards, and laboratories, pharmacies or wherever space is limited.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	TNPG1	3 - Toilet, Staff	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	TNPG1	3 - Toilet, Staff	60	A4995	Table, Diaper Changing, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted diaper changing table for use in public restrooms. Unit is a fold down system that folds upward when not in use for minimal intrusion into the room. Changing surface is contoured and has safety belt to insure that an infant will not fall from the table. Table is designed to hold no less than 250 pounds static weight. Closed dimensions are approximately 21" H x 36" W x 5" D. Open dimensions vary according to style. One system's open dimensions are 15" high, 32" wide and 19" deep.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	TNPG1	3 - Toilet, Staff	60	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	TNPG1	3 - Toilet, Staff	60	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	TNPG1	3 - Toilet, Staff	60	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	TNPG1	3 - Toilet, Staff	60	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	TNPG1	3 - Toilet, Staff	60	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	TNPG1	3 - Toilet, Staff	60	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	TNPG1	3 - Toilet, Staff	60	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	TNPG1	3 - Toilet, Staff	60	P3200	Lavatory, Vitreous China, Slab Type w/Sens Op Fauc	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximately 7 x 15 x 10 inches) with faucet holes on 4 inch centers; electronic sensor operated, goose neck spout and grid strainer. It shall be suitable for use in clinics, offices and patient care areas.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	TNPG1	3 - Toilet, Staff	60	P9051	Toilet, Floor Mounted, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is floor mounted with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Height does not include seat. Seat is not included with all vendors. See comments.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	LR001	4 - Locker, Staff Personal Property	60	A1030	Locker, 2 Person, Over/Under	VV - GOVT FURNISHED & INSTALLED	12	Two person locker, double tier, 72Hx12Wx18D. This unit includes hooks for coats and hats. Door equipped with safety guard handles. Designed for storage of coats, hats, and other personal belongings. Other width and depths are available.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	LR001	4 - Locker, Staff Personal Property	60	A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	SL001	5 - Lounge, Staff	130	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	SL001	5 - Lounge, Staff	130	A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	SL001	5 - Lounge, Staff	130	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	SL001	5 - Lounge, Staff	130	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	SL001	5 - Lounge, Staff	130	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	SL001	5 - Lounge, Staff	130	A5210	Bracket, Television, Wall Mounted, w/Adjust Arm	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	SL001	5 - Lounge, Staff	130	A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	SL001	5 - Lounge, Staff	130	C02C0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base cabinet with an adjustable shelf and a full width drawer above a solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings). Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	SL001	5 - Lounge, Staff	130	C02D0	Cabinet, U/C/B, 4 Drawer, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base cabinet with four full width drawers of equal height. Also referred to as a drawer cabinet. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	SL001	5 - Lounge, Staff	130	C04P0	Cabinet, Sink, U/C/B, 2 Door, 36x36x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base sink cabinet with solid hinged doors. Also referred to as a double-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	SL001	5 - Lounge, Staff	130	C8020	Cabinet, W/H, 2 Shelf, 1 DO, Sloping Top, 38x24x13	CC - CONTRACTOR FURNISHED/INSTALLED	2	Wall hung cabinet with two adjustable shelves, solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings), and sloping top. Also referred to as a solid hinged single door case. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	SL001	5 - Lounge, Staff	130	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.

1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	SL001	5 - Lounge, Staff	130	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	7	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	SL001	5 - Lounge, Staff	130	F0225	Chair, Dining Room	VV - GOVT FURNISHED & INSTALLED	4	Dining room chair with glides. Chair has straight legs with cushioned cloth or vinyl seat.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	SL001	5 - Lounge, Staff	130	F0795	Table, Dining	VV - GOVT FURNISHED & INSTALLED	1	Dining table. Round 42" diameter or square 42" X 42". Used in dining facilities and can comfortably seat up to four (4) persons.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	SL001	5 - Lounge, Staff	130	F2015	Basket, Wastepaper, Metal/Plastic,2 Swinging Doors	VV - GOVT FURNISHED & INSTALLED	1	Metal receptacle for soiled / used towels or waste. Equipped with a removable tapered top with two independently operating self-closing, spring hinged doors. Used in public facilities for the collection and temporary storage of refuse.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	SL001	5 - Lounge, Staff	130	F3065	Whiteboard/Bulletin Board, Combination	VV - GOVT FURNISHED & INSTALLED	1	A combination whiteboard and bulletin board, half LCS and half cork. Available with either aluminum or wood frame. It can be used in patient rooms or in any appropriate space in the facility.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	SL001	5 - Lounge, Staff	130	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	SL001	5 - Lounge, Staff	130	K1552	Brewer, Coffee, Auto, Elect, 3 Burner, Front/Back	VV - GOVT FURNISHED & INSTALLED	1	Space saving front to back automatic coffee maker. This unit includes a heating tank, connection for a cold water supply, decanter service with three burners, funnel and a water flow controller. The unit is used for semi-automatic coffee brewing in cafeterias and commercial institutions. The unit automatically shuts off the water flow when enough has passed through to fill the pot. The unit is normally provided plumbed with a hot water faucet to the side for making other hot drinks (tea, cider, cocoa, etc.). The database height dimension does not include the clearance for coffee decanters warming on the upper burners.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	SL001	5 - Lounge, Staff	130	K4665	Oven, Microwave, Consumer	VV - GOVT FURNISHED & INSTALLED	1	Counter mounted microwave oven for average duty use. The exterior cabinet can be metal or heavy duty impact resistant plastic. The oven delivers instant energy for rapid heating, defrosting or prime cooking. The oven has touch pad controls, digital timer, power level selector and preprogrammed selectors for commonly cooked items. This oven is commonly found in staff lounges.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	SL001	5 - Lounge, Staff	130	M0515	Television, HD, 40" Class	VV - GOVT FURNISHED & INSTALLED	1	High definition (HDTV) multimedia flat panel LED 40" class display television. The TV will have a 16:9 wide screen aspect ratio, minimum of 1920 x 1080 display resolution, digital tuner, minimum refresh rate of 60Hz, minimum of two HDMI ports and 1 USB port ENERGY STAR certified.
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	SL001	5 - Lounge, Staff	130	R7250	Refrigerator/Freezer, 20 Cubic Feet	VV - GOVT FURNISHED & INSTALLED	1	Refrigerator/freezer unit. This type unit includes a food saver system that helps keep food fresher. It also includes roll out wheels and is equipped for an optional automatic icemaker. This unit is of commercial or residential design and use.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	UCCL1	1 - Clean Supply	150	E0903	Locker, Supply, w/Shelves, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Supply Locker 1 Drawer, 9"H 4 Tray/Shelves Drawer Organizers Consider the need for an E0921 to transport the locker from place to place.

1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	UCCL1	1 - Clean Supply	150	E0906	Locker, Supply, General, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H 3 Drawers, 6"H 2 Drawers, 9"H 1 Tray/Shelf Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	UCCL1	1 - Clean Supply	150	E0912	Locker, Supply, Med Surg, Wall Mtd	VV - GOVT FURNISHED & INSTALLED	2	Medical/Surgical Supply locker, Wall Mounted, approximately 23"W x 20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H 2 Drawers, 6"H 2 Tray/Shelf Dividers Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	UCCL1	1 - Clean Supply	150	E1500	Rail, MOD, W/MNTD, HX144XD	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	UCCL1	1 - Clean Supply	150	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	UCCL1	1 - Clean Supply	150	P8710	Utility Center, Plumbing Connection	CC - CONTRACTOR FURNISHED/INSTALLED	1	Plumbing connection utility center, sometimes referred to as a 'GUY GRAY BOX'. This recessed utility center provides for hot and cold water connections and a drain connection at sink and other equipment locations. The utility center includes cutoff valves for the water connections, a plug seal for the drain and an outside cover to provide an aesthetic appearance when connections are no longer required. This center may be installed in locations where no plumbing fixtures are included in a design as a future flexibility device, saving many dollars for later facility modifications to incorporate sinks as functions change.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	JANC1	2 - Housekeeping Supplies and Equipment	230	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	JANC1	2 - Housekeeping Supplies and Equipment	230	A5077	Dispenser, Hand Sanitizer, Hands-Free	VV - GOVT FURNISHED & INSTALLED	1	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	JANC1	2 - Housekeeping Supplies and Equipment	230	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	JANC1	2 - Housekeeping Supplies and Equipment	230	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	JANC1	2 - Housekeeping Supplies and Equipment	230	A5135	Shelf, Utility W/ Mop/Broom Holders, SS, Surf Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, utility shelf with a maximum of 6 mop/broom holders and 5 rag hooks. Utility shelf features: 8" deep shelf; mounting brackets welded to shelf; spring activated rubber cam holders; and drying rod. Unit is available in various widths 30" (minimum, 3 holders and 2 hooks) to 48" (maximum, 6 holders and 5 hooks). For use in janitor closets. Pricing based on a 36" width.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	JANC1	2 - Housekeeping Supplies and Equipment	230	F0500	Cart, Janitor's	VV - GOVT FURNISHED & INSTALLED	1	Janitors cart, 38" high X 66" wide X 20" deep with 25 gallon heavy duty collection bag. Accommodations for locking vault and janitorial support items (broom, dust pan, chemicals, mop and mop bucket; not included).
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	JANC1	2 - Housekeeping Supplies and Equipment	230	F0505	Bucket, Mop, With Wringer, 26 Quart	VV - GOVT FURNISHED & INSTALLED	1	Mobile mop bucket / wringer combination, approximately 35" H x 17" W x 22" D with four 2" casters. Total capacity is 26 quarts. Unit used for general hard surface floor maintenance.

1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	JANC1	2 - Housekeeping Supplies and Equipment	230	P2000	Eyewash, Wall Mounted, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted emergency eye wash station. The flow of water from the unit is activated by hand. Upon initiation of water flow the unit will operate hands free to provide streams of water to clear foreign particles or dilute caustic liquids from the eyes in emergency situations. Used in laboratories and areas of the hospital where employees are subject to foreign bodies or liquid material to the eyes.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	JANC1	2 - Housekeeping Supplies and Equipment	230	P2451	Valve, Mixing, Thermostatic, Eyewash	CC - CONTRACTOR FURNISHED/INSTALLED	1	Emergency tempering valve thermostatically mixes hot and cold water to provide a safe fluid supply for a single emergency eye/face wash with a flow rate of 10 gpm (38.8L)
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	JANC1	2 - Housekeeping Supplies and Equipment	230	P4700	Sink, Mop, Molded Stone	CC - CONTRACTOR FURNISHED/INSTALLED	1	Mop service sink approximately 10"H x 36"W x 24"D. Also called a mop service basin and a mop receptor. Unit is made of molded stone and is a one piece item. It shall include a service faucet hose, hose bracket and mop hanger. Used in utility rooms for cleaning mops and floor cleaning equipment.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	CMP02	3 - OIT Server Room	200	A0900	Relay Rack, Aluminum	VV - GOVT FURNISHED & INSTALLED	1	Rack used to hold network components such as servers, switches, hubs, patch panels, router, etc. Racks are available in varying heights, channel depths, and channel width. The model numbers specified may be U.L. Listed version with 2 Top Angles, 7" height, 19" wide, blank Aluminum, with mounting holes on both sides (front and back).
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	CMP02	3 - OIT Server Room	200	A0901	Cable Management, Horizontal Base Unit	VV - GOVT FURNISHED & INSTALLED	1	Horizontal cable management unit for a 19" rack with a channel approximately 2"x2". Provides for professional finish to hide cables in a switch rack. Various models are quoted with fingered type exits or brackets and/or rear access holes.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	CMP02	3 - OIT Server Room	200	A0902	Rear Wire Frame	VV - GOVT FURNISHED & INSTALLED	1	For use with horizontal base unit for double sided management. This item is intended to be used with JSNs A0901 and/or A0903 model HC219 series from Hubbell only.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	CMP02	3 - OIT Server Room	200	A0903	Rear Hinged Cover, for LAN Rack	VV - GOVT FURNISHED & INSTALLED	1	This item is intended to be used with JSNs A0901 and/or A0902 model HC219 series from Hubbell only.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	CMP02	3 - OIT Server Room	200	A0904	Fiber Optic Cabinet, 36 Port, Rack Mounted	VV - GOVT FURNISHED & INSTALLED	1	This cabinet is designed to accommodate up to 6 six-packs of adapters or blank panels. This cabinet is specifically designed to accommodate Hubbell adapter panels as reflected in JSNs A0905 and A0906.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	CMP02	3 - OIT Server Room	200	A0905	Adapter Panel With Couplers, Blue, 6 Port, SM/MM	VV - GOVT FURNISHED & INSTALLED	1	Modular six-pack fiber adapter panel, designed to snap into Hubbell's enclosures such as JSN A0904. Loaded with 3 SM/MM SC duplex style blue adapters, standard density.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	CMP02	3 - OIT Server Room	200	A0906	Adapter Panel With Couplers, Yellow, 6 Port, SM/MM	VV - GOVT FURNISHED & INSTALLED	1	Modular six-pack fiber adapter panel, designed to snap into Hubbell's enclosures such as JSN A0904. Loaded with 3 SM/MM SC duplex style Yellow adapters, standard density.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	CMP02	3 - OIT Server Room	200	A0908	Patch Panel, 110 Block/RJ-45, Cat 5E, 48 Port,568A	VV - GOVT FURNISHED & INSTALLED	1	This 48 Port/RJ45, Cat 5e (or better) patch panel is designed for the following applications. Gigabit 1000BASE-T, 100BASE-TX, ATM 155, TP-PMD (CDDI).
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	CMP02	3 - OIT Server Room	200	A0910	Patch Panel, 110 Block/RJ-45, Cat 5E, 96 Port,568A	VV - GOVT FURNISHED & INSTALLED	1	This 96 Port/RJ45, Cat 5e (or better) patch panel is designed for the following applications. Gigabit 1000BASE-T, 100BASE-TX, ATM 155, TP-PMD (CDDI).
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	CMP02	3 - OIT Server Room	200	A0911	Power Supply, Uninterruptable, Rack Mounted	VV - GOVT FURNISHED & INSTALLED	1	Uninterruptable Power Supply, Approximately 2200VA/1600W, Rack Mount with extendable Run Time. Unit must incorporate hot user swappable batteries and must have an overload indicator, replace battery indicator, audible alarm, automatic voltage regulation and include Smart Slot card and software. It must use RS232 DB-9 interface for communication. NEMA L5-30P power connector, and (8) NEMA 5-15R outlets.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	CMP02	3 - OIT Server Room	200	A0912	Battery Pack, Extended for use with UPS (A0911)	VV - GOVT FURNISHED & INSTALLED	1	Battery Pack for use with JSN A0911 to extend backup power availability. Battery rated at approximately 1600 VA.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	CMP02	3 - OIT Server Room	200	A0913	Switch, Local Area Network (LAN)	VV - GOVT FURNISHED & INSTALLED	1	Omni switch router, 9 slot chassis, 725W AC power supply and rack mount brackets. Supports high speed frame switching fabric. Software and Manual included. Requires management module JSN A0914 and works with Power Supply A0915.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	CMP02	3 - OIT Server Room	200	A0914	Management Processor Module for LAN Switch	VV - GOVT FURNISHED & INSTALLED	1	Management processor module with 10BaseT with layer-3 switching (HRE-X); 32 MB DRAM & 8 MB flash memory. Operates over the 22G distributed switching fabric. Works with Switch LAN JSN A0913 and Power Supply A0915.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	CMP02	3 - OIT Server Room	200	A0915	Power Supply, 725 W, for LAN Switch	VV - GOVT FURNISHED & INSTALLED	1	725 Watt powersupply. Redundant or spare power supply for the 9 slot Omni Switch Router. Works with Switch LAN JSN A0913 and Management Processor JSN A0914.

1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	CMP02	3 - OIT Server Room	200	A0916	Switching Module, Desktop, Fast Ethernet	VV - GOVT FURNISHED & INSTALLED	1	High Density Fast Ethernet desktop switching module. Thirty-two 10/100Base TX switching ports, RJ-45 connectors. Supports Cat 5 twisted pair cable-100 ohm and CAM support for 1024 MAC addresses.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	CMP02	3 - OIT Server Room	200	A0917	Switching Module, MM Fiber, Gigabit Ethernet Server	VV - GOVT FURNISHED & INSTALLED	1	Gigabit Ethernet server switching module. Four 1000 base SX switching ports, SC connectors. Supports multi-mode fiber optic cable and CAM support for 4096 MAC addresses. Must be used in the Omni Switch/Router product only.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	CMP02	3 - OIT Server Room	200	A0918	Switching Module, SM, Gigabit Ethernet Server	VV - GOVT FURNISHED & INSTALLED	1	Gigabit Ethernet server switching module. Four 1000 Base LX switching ports, SC connectors. Supports single mode fiber optic cable and CAM support for 4096 MAC addresses. Must be used in the Omni Switch/Router product only.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	CMP02	3 - OIT Server Room	200	F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	CMP02	3 - OIT Server Room	200	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	LCCL3	4 - Clean Linen	75	F0515	Cart, Supply, Linen	VV - GOVT FURNISHED & INSTALLED	2	Closed linen supply cart. Equipped with four (4) non-marking rubber tire roller bearing casters and heavy duty cover. May be used for the delivery and user storage of clean linen as well as the return of soiled linen.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	UCCL1	5 - Clean Medical Equipment	120	E0903	Locker, Supply, w/Shelves, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Supply Locker 1 Drawer, 9"H 4 Tray/Shelves Drawer Organizers Consider the need for an E0921 to transport the locker from place to place.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	UCCL1	5 - Clean Medical Equipment	120	E0906	Locker, Supply, General, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H 3 Drawers, 6"H 2 Drawers, 9"H 1 Tray/Shelf Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	UCCL1	5 - Clean Medical Equipment	120	E0912	Locker, Supply, Med Surg, Wall Mtd	VV - GOVT FURNISHED & INSTALLED	2	Medical/Surgical Supply locker, Wall Mounted, approximately 23"W x 20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H 2 Drawers, 6"H 2 Tray/Shelf Dividers Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	UCCL1	5 - Clean Medical Equipment	120	E1500	Rail, MOD, W/MNTD, HX144XD	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	UCCL1	5 - Clean Medical Equipment	120	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	UCCL1	5 - Clean Medical Equipment	120	P8710	Utility Center, Plumbing Connection	CC - CONTRACTOR FURNISHED/INSTALLED	1	Plumbing connection utility center, sometimes referred to as a 'GUY GRAY BOX'. This recessed utility center provides for hot and cold water connections and a drain connection at sink and other equipment locations. The utility center includes cutoff valves for the water connections, a plug seal for the drain and an outside cover to provide an aesthetic appearance when connections are no longer required. This center may be installed in locations where no plumbing fixtures are included in a design as a future flexibility device, saving many dollars for later facility modifications to incorporate sinks as functions change.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	USCL1	6 - Soiled Medical Equipment	120	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	USCL1	6 - Soiled Medical Equipment	120	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	USCL1	6 - Soiled Medical Equipment	120	A5077	Dispenser, Hand Sanitizer, Hands-Free	VV - GOVT FURNISHED & INSTALLED	1	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	USCL1	6 - Soiled Medical Equipment	120	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	USCL1	6 - Soiled Medical Equipment	120	A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	USCL1	6 - Soiled Medical Equipment	120	C04F0	Cabinet, U/C/B, 1 Shelf, 2 Half DR, 2 DO, 36x36x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base cabinet with an adjustable shelf and two half width drawers above solid hinged doors. Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	USCL1	6 - Soiled Medical Equipment	120	C05P0	Cabinet, Sink, U/C/B, 2 Door, 36x48x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base sink cabinet with solid hinged doors. Also referred to as a double-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	USCL1	6 - Soiled Medical Equipment	120	CS200	Sink, SS, Single Compartment, 12x28x16 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. Coordinate actual outside sink dimensions with the actual clear dimension of cabinet specified to ensure that they are compatible. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	USCL1	6 - Soiled Medical Equipment	120	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	USCL1	6 - Soiled Medical Equipment	120	F2020	Can, Trash, 44 Gallon	VV - GOVT FURNISHED & INSTALLED	1	Forty four (44) gallon trash can, 32" high X 24" diameter, with lid. Used to collect and transport refuse from a point of origin to point of disposal (example: from soiled utility or a nursing unit to the trash compactor at housekeeping).
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	USCL1	6 - Soiled Medical Equipment	120	M3070	Hamper, Linen, Mobile, w/Lid	VV - GOVT FURNISHED & INSTALLED	1	Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics.

1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	USCL1	6 - Soiled Medical Equipment	120	M3072	Frame, Infectious Waste Bag w/Lid	VV - GOVT FURNISHED & INSTALLED	1	Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	USCL1	6 - Soiled Medical Equipment	120	P2000	Eyewash, Wall Mounted, Hands-Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted emergency eye wash station. The flow of water from the unit is activated by hand. Upon initiation of water flow the unit will operate hands free to provide streams of water to clear foreign particles or dilute caustic liquids from the eyes in emergency situations. Used in laboratories and areas of the hospital where employees are subject to foreign bodies or liquid material to the eyes.
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	USCL1	6 - Soiled Medical Equipment	120	P2451	Valve, Mixing, Thermostatic, Eyewash	CC - CONTRACTOR FURNISHED/INSTALLED	1	Emergency tempering valve thermostatically mixes hot and cold water to provide a safe fluid supply for a single emergency eye/face wash with a flow rate of 10 gpm (38.8L)
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	USCL1	6 - Soiled Medical Equipment	120	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	A1066	Mirror, Float Glass, With SS Frame	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	A5180	Track, Cubicle, Surface Mounted, With Curtain	VV - GOVT FURNISHED & INSTALLED	12	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	CT030	Countertop, High Pressure Laminate	CC - CONTRACTOR FURNISHED/INSTALLED	3	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth. THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	1	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted pamphlet rack up to 12 (twelve) pamphlet holding pockets. Unit is used to store and display educational pamphlets.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	F2310	Rack, Pamphlet, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Bulletin board approximately 36"W x 24"H. Wood framed 1/2" cork posting panel with moisture proof backing. Units are factory assembled and have keyhole hangers for easy installation.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	F3025	Board, Bulletin, Wood Framed	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Flat screen television with approximately 32" to 40" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	M0506	Television, Flat Screen	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	M1825	Printer, Computer	VV - GOVT FURNISHED & INSTALLED	1	Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	M4116	Monitor, Vital Signs	VV - GOVT FURNISHED & INSTALLED	1	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	VV - GOVT FURNISHED & INSTALLED	1	The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	M9025	Table, Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	1	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXPA1	1 - Exam Room, Patient Aligned Care Team (PACT)	125	U0016	Equipment Rail, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall Mounted Nexspan Life Span rail with Accessories; http://nexspan.com/wp-content/uploads/2017/05/HDR-specification-01.2014-R5-053017.pdf
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TNPG1	10 - Toilet, Staff	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TNPG1	10 - Toilet, Staff	60	A4995	Table, Diaper Changing, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted diaper changing table for use in public restrooms. Unit is a fold down system that folds upward when not in use for minimal intrusion into the room. Changing surface is contoured and has safety belt to insure that an infant will not fall from the table. Table is designed to hold no less than 250 pounds static weight. Closed dimensions are approximately 21" H x 36" W x 5" D. Open dimensions vary according to style. One system's open dimensions are 15 " high, 32" wide and 19" deep.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TNPG1	10 - Toilet, Staff	60	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TNPG1	10 - Toilet, Staff	60	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TNPG1	10 - Toilet, Staff	60	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TNPG1	10 - Toilet, Staff	60	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TNPG1	10 - Toilet, Staff	60	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TNPG1	10 - Toilet, Staff	60	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TNPG1	10 - Toilet, Staff	60	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TNPG1	10 - Toilet, Staff	60	P3200	Lavatory, Vitreous China, Slab Type w/Sens Op Fauc	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximately 7 x 15 x 10 inches) with faucet holes on 4 inch centers; electronic sensor operated, goose neck spout and grid strainer. It shall be suitable for use in clinics, offices and patient care areas.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TNPG1	10 - Toilet, Staff	60	P9051	Toilet, Floor Mounted, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is floor mounted with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Height does not include seat. Seat is not included with all vendors. See comments.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	OFA07	12 - Workstation, Extended Team	56	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	OFA07	12 - Workstation, Extended Team	56	E0123	Workstation, Straight, Free Standing, 72" W	VV - GOVT FURNISHED & INSTALLED	1	This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: <ul style="list-style-type: none"> 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	OFA07	12 - Workstation, Extended Team	56	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	OFA07	12 - Workstation, Extended Team	56	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	OFA07	12 - Workstation, Extended Team	56	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	OFA07	12 - Workstation, Extended Team	56	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	RCA06	13 - Alcove, Medication	20	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	RCA06	13 - Alcove, Medication	20	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are place in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	RCA06	13 - Alcove, Medication	20	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	RCA06	13 - Alcove, Medication	20	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	RCA06	13 - Alcove, Medication	20	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	RCA06	13 - Alcove, Medication	20	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	RCA06	13 - Alcove, Medication	20	M1803	Workstation, Computer, Wall Mounted, Adjustable	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted computer workstation with height adjustable monitor and keyboard arms. Keyboard and monitor can be stored within 8" to 10" of wall. Fingertip adjustability for keyboard and monitor enable frequent position changes. Unit contains an integrated cable management system to hide wires. A separate wall-mounted CPU holder is included.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	RCA06	13 - Alcove, Medication	20	M3150	Distribution System, Medication, Automatic	VV - GOVT FURNISHED & INSTALLED	1	An automated dispensing system that provides controlled dispensing, inventory and security. Size and cost will vary dependent on number of modules selected.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	RCA06	13 - Alcove, Medication	20	R6200	Refrigerator, U/C or F/S, 5 Cu Ft	VV - GOVT FURNISHED & INSTALLED	1	Utility refrigerator approximately 35" H x 24" W x 26" D. The unit has a two tray ice cube cooling system. The refrigerator fits standard architectural dimensions for undercounter installation. The unit is perfect for use in nurses' station, wards, and laboratories, pharmacies or wherever space is limited.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	PEHW1	14 - Alcove, Height / Weight Station	10	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, 1 line.

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	PEHW1	14 - Alcove, Height / Weight Station	10	E0222	Worksurface, Computer, O/H Cab, Wall Mtd, 48" W	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light 1 Tack board 1 Cantilevered Work Surface 1 Adjustable Keyboard Tray 1 CPU Holder
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	PEHW1	14 - Alcove, Height / Weight Station	10	F0210	Chair, Side, Without Arms	VV - GOVT FURNISHED & INSTALLED	1	Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	PEHW1	14 - Alcove, Height / Weight Station	10	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	PEHW1	14 - Alcove, Height / Weight Station	10	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	PEHW1	14 - Alcove, Height / Weight Station	10	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	PEHW1	14 - Alcove, Height / Weight Station	10	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	PEHW1	14 - Alcove, Height / Weight Station	10	M4040	Scale, Weighing, 300 Pound Capacity	VV - GOVT FURNISHED & INSTALLED	1	Person weighing scale with 300 pound capacity. Unit consists of a rugged base frame of 3/32" thick steel with a non-slip surface and a speedometer dial with ultra sensitive registering mechanisms. Scale is designed for medical use.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPG01	15 - Toilet, PACT Patient	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPG01	15 - Toilet, PACT Patient	60	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPG01	15 - Toilet, PACT Patient	60	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPG01	15 - Toilet, PACT Patient	60	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPG01	15 - Toilet, PACT Patient	60	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPG01	15 - Toilet, PACT Patient	60	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPG01	15 - Toilet, PACT Patient	60	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPG01	15 - Toilet, PACT Patient	60	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPG01	15 - Toilet, PACT Patient	60	P3000	Lavatory, Vitreous China, Straight Back	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, vitreous china lavatory (approximate bowl size 7"x15"x10") with: straight-front apron, straight or contoured back; faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care areas.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPG01	15 - Toilet, PACT Patient	60	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	OFA07	18 - Workstation, Extended Team	56	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	OFA07	18 - Workstation, Extended Team	56	E0123	Workstation, Straight, Free Standing, 72" W	VV - GOVT FURNISHED & INSTALLED	1	This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	OFA07	18 - Workstation, Extended Team	56	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	OFA07	18 - Workstation, Extended Team	56	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	OFA07	18 - Workstation, Extended Team	56	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	OFA07	18 - Workstation, Extended Team	56	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPG01	2 - Toilet, PACT Patient	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPG01	2 - Toilet, PACT Patient	60	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPG01	2 - Toilet, PACT Patient	60	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPG01	2 - Toilet, PACT Patient	60	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPG01	2 - Toilet, PACT Patient	60	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPG01	2 - Toilet, PACT Patient	60	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPG01	2 - Toilet, PACT Patient	60	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, 1 line.

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	A1132	Rail, Accessory Mounting, Length As Required	VC - GOVT FURNISHED/CONTR INST	1	Horizontal equipment mounting rail with lock mounting devices capable of supporting up to 75 pounds each, being repositioned, and mounting and dismantling of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismantling equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	A1203	Lift System, Overhead, Bariatric	CC - CONTRACTOR FURNISHED/INSTALLED	1	An overhead ceiling mounted rail system specifically designed for bariatric patient lifting and movement within a patient room. The system will consist of recessed or ceiling mounted primary and secondary rails, lift motor with carriage, patient harness or seat, and a hand controller or control box with charger (other charging options may be available). System will facilitate lifting and movement of patient to and from bed, to stretcher, chair, bathroom or other requirements. Lifting capacity is 1000 pounds. Custom design of track layout by manufacturer is essential to meet individual facility requirements.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	A5180	Track, Cubicle, Surface Mounted, With Curtain	VV - GOVT FURNISHED & INSTALLED	14	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	C02Q0	Cabinet, Sink, U/C/B, 1 Door, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.

Project Contents List (23 Jul 2018 05:19PM ET)

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	E0915	Locker, Supply, Medication, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Locked Drawer w/Locked Lid, 6"H 5 Drawers, 3"H 3 Drawers, 6"H 2 Tray/Shelves Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	F3010	Board, Bulletin, 48 x 48	VV - GOVT FURNISHED & INSTALLED	1	Open face bulletin board. Cork posting panel with moisture proof backing. Variety of frames to choose from. Used for posting notes and messages.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	M0750	Flowmeter, Air, Connect w/50 PSI Supply	VV - GOVT FURNISHED & INSTALLED	1	Air flowmeter. Unit has a stainless steel needle valve with clear flowtube for connection to 50 PSI air outlet from central pipeline system. Requires the appropriate adapter for connection to the wall outlet and fitting to connect to tubing. Database prices reflect fittings with an attached DISS power outlet. Other outlet and adapter configurations are available.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	M0755	Flowmeter, Oxygen, Low Flow	VV - GOVT FURNISHED & INSTALLED	1	Oxygen flowmeter. Consists of a clear crystal flowtube calibrated to 3.5 or 8 LPM depending on manufacturer. For oxygen regulation in hospital settings. Database pricing includes DISS fitting and DISS power outlet and wall adapter. Other fitting and adapter configurations are available.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	M0765	Regulator, Vacuum	VV - GOVT FURNISHED & INSTALLED	2	Vacuum pressure regulator for connection to central piped vacuum system. Standard display scale is graduated at least from 0 to 200 mm Hg of vacuum. Displays on specialized regulators may cover other vacuum ranges. Regulator type (continuous, intermittent, continuous/intermittent, surgical, pediatric, thoracic, etc.) as required. To be used in delivery, neonatal, pediatrics or any area where suction is required. Database pricing reflects continuous regulators graduated to 200 mm Hg with a full line vacuum selection switch and DISS configured inlets and outlets.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	M3070	Hamper, Linen, Mobile, w/Lid	VV - GOVT FURNISHED & INSTALLED	1	Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	M3072	Frame, Infectious Waste Bag w/Lid	VV - GOVT FURNISHED & INSTALLED	1	Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	M4116	Monitor, Vital Signs	VV - GOVT FURNISHED & INSTALLED	1	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	M4255	Stand, IV, Adjustable	VV - GOVT FURNISHED & INSTALLED	1	Adjustable IV stand with 4-hook arrangement. Stand has stainless steel construction with heavy weight base. It adjusts from 66 inches to 100 inches and is mounted on conductive rubber, ball bearing, swivel casters. Stand is used for administering intravenous solutions.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	M4655	Stretcher, Mobile, CRS, 9 Position	VV - GOVT FURNISHED & INSTALLED	1	Mobile stretcher. All corrosion resistant stainless steel construction. It consists of a tubular frame with side rails, a 9-position hydraulic base with pneumatic fowler adjustment, and a 2" pad. Unit is mounted on 8" conductive casters. Designed for patient transport as well as for minor surgical procedures.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	VV - GOVT FURNISHED & INSTALLED	1	The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	M7405	Light, Exam, Ceiling Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Ceiling exam light. Consists of a lighththeaded reflector supported by a ceiling mounted radial arm assembly that provides a wide range of positioning capabilities. Halogen bulbs and an intensity control provide cool, color corrected light. The minimum ceiling height in most cases is 8'-0"; refer to each manufacturer's specific installation requirements. Physical dimensions refer to the retracted light; one length of the dual swing arm around the center mount in width and depth and the combined height of the lamp head and folded arms. Unit may also have a center mount detachable and sterilizable control handle. For use in minor procedure or examination room applications.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	M7710	Electrocardiograph, 12 Lead, Portable	VV - GOVT FURNISHED & INSTALLED	1	Used to detect the electrical signals associated with cardiac activity, diagnose cardiac abnormalities, determine a patients response to drug therapy and reveal trends or changes in heart function. Capable of recording two or more leads simultaneously, recording an entire 12 lead ECG in about 10 seconds. Includes of a 3.5 inch, high density, floppy disk drive for test storage. Portable.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	M8810	Stand, Mayo	VV - GOVT FURNISHED & INSTALLED	1	Adjustable instrument table. Table is corrosion resistant stainless steel construction and is mounted on two casters with two skid rails. It has telescopic upright adjusts from 39 inches to 60 inches with automatic locking device, and removable 13"x19" instrument tray. Designed for use in operating and procedure rooms.

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	M9025	Table, Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	1	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	3 - Procedure Room, General	180	U0016	Equipment Rail, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall Mounted Nexspan Equipment Rail with Accessories http://nexspan.com/wp-content/uploads/2017/05/HDR-specification-01.2014-R5-053017.pdf
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CLSC4	36 - Shared Medical Appointment Room	330	E0945	Cart, Computer, Mobile	VV - GOVT FURNISHED & INSTALLED	2	A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder 1 Wastebasket 1 Chart Holder 2 Drawers, 3"H 2 Drawers, 6"H 3 Accessory Rail, Side Drawer Organizer Bins
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CLSC4	36 - Shared Medical Appointment Room	330	F0295	Chair, Stacking	VV - GOVT FURNISHED & INSTALLED	16	Stacking chair, approximately 34" H X 21" W X 24" D. May be stacked up to 20 high depending upon the model selected. These chairs are intended primarily as overflow capacity for conference rooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CLSC4	36 - Shared Medical Appointment Room	330	F0435	Cabinet, Storage, Multi Media	VV - GOVT FURNISHED & INSTALLED	1	Multi media storage cabinet, approximately 60" high X 36" wide X 14" deep. For the storage of various types of audio or video cassettes, DVDs, CDs, and other media material.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CLSC4	36 - Shared Medical Appointment Room	330	F0860	Table, Mobile	VV - GOVT FURNISHED & INSTALLED	4	Mobile table. The unit provides mobile or isolated freestanding work surface. Characteristics and components include 3-1/2 inch casters and attached drawer bearers. Unit is used for general work applications, primarily in dry areas.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CLSC4	36 - Shared Medical Appointment Room	330	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CLSC4	36 - Shared Medical Appointment Room	330	F2250	Camcorder, Hand Held, HD, Zoom, w/Microphone	VV - GOVT FURNISHED & INSTALLED	1	Hand held camcorder with full HD recording, LCD display and microphone. Camcorder will also have capability for still picture capture. Audio and video output will be fully transferable to a computer.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CLSC4	36 - Shared Medical Appointment Room	330	F3060	Whiteboard, Projection Screen Combination	VV - GOVT FURNISHED & INSTALLED	1	Whiteboard and projection screen combination approximately 48" H x 72" W. Magnetic surface with matte finish for projection. Hard board stabilizer with aluminum foil back. For use with water color pens.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CLSC4	36 - Shared Medical Appointment Room	330	M0506	Television, Flat Screen	VV - GOVT FURNISHED & INSTALLED	1	Flat screen television with approximately 32" to 40' diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CLSC4	36 - Shared Medical Appointment Room	330	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CLSC4	36 - Shared Medical Appointment Room	330	U0001	VTC Equipment, Small Standalone	VC - GOVT FURNISHED/CONTR INST	1	VTC Equipment - SMALL ROOM INTEGRATED STANDALONE SYSTEM - CS-ROOM55-K9
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CLSC4	36 - Shared Medical Appointment Room	330	U0002	VTC Equipment, Large Integrated	VC - GOVT FURNISHED/CONTR INST	1	VTC Equipment - Large Room Integrated standalone system - CS-ROOM70D-K9
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CLSC4	36 - Shared Medical Appointment Room	330	U0003	Codec Unit	VC - GOVT FURNISHED/CONTR INST	1	MEDIUM/LARGE ROOM INTEGRATION CODEC ONLY UNIT CSKITP60-Spark room Kit plus codec w/p60 camera
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CLSC4	36 - Shared Medical Appointment Room	330	U0004	Codec Unit with Cameras	VC - GOVT FURNISHED/CONTR INST	1	LARGE ROOM INTEGRATION CODEC UNIT ONLY CS- SX80-IPST60-K9 - SX80 CODEC WITH DUAL P60 CAMERAS

Project Contents List (23 Jul 2018 05:19PM ET)

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CLSC4	36 - Shared Medical Appointment Room	330	U0005	Codec Unit, Small	VC - GOVT FURNISHED/CONTR INST	1	SMALL PERSONAL/ROOM CODEC ONLY SYSTEM CTS-SX10N-K9
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CLSC4	36 - Shared Medical Appointment Room	330	U0006	Desktop System, Medium	VC - GOVT FURNISHED/CONTR INST	1	MEDIUM SIZE PERSONAL DESKTOP SYSTEM CP-DX80-K9+++
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CLSC4	36 - Shared Medical Appointment Room	330	U0007	Monitor, Small	VC - GOVT FURNISHED/CONTR INST	1	SMALL HIGH DEFINITION MONITOR 49UH5C
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CLSC4	36 - Shared Medical Appointment Room	330	U0008	Monitor, Medium	VC - GOVT FURNISHED/CONTR INST	1	MEDIUM HIGH DEFINITION MONITOR 55UH5C
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CLSC4	36 - Shared Medical Appointment Room	330	U0009	Monitor, Large	VC - GOVT FURNISHED/CONTR INST	1	LARGE HIGH DEFINITION MONITOR 65UH5C
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CLSC4	36 - Shared Medical Appointment Room	330	U0010	Monitor Wall Mounts	VC - GOVT FURNISHED/CONTR INST	1	SMALL AND MEDIUM MONITOR WALL MOUNT PEERLESS ST640P
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CLSC4	36 - Shared Medical Appointment Room	330	U0011	Monitor, Wall Mounts	VC - GOVT FURNISHED/CONTR INST	1	LARGE MONITOR WALL MOUNT PEERLESS ST650P
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CLSC4	36 - Shared Medical Appointment Room	330	U0012	Bracket, Camera	VC - GOVT FURNISHED/CONTR INST	1	CAMERA WALL MOUNT BRACKET VADDIO THIN PROFILE WALL MOUNT OR EQUIVALENT
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CLSC4	36 - Shared Medical Appointment Room	330	U0019	Digital Consent Pads	VC - GOVT FURNISHED/CONTR INST	1	IMEDCONSENT DIGITAL CONSENT PAD BY TAYLOR HEALTHCARE
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CRA01	37 - CONFERENCE ROOM, SMALL	240	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, 1 line.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CRA01	37 - CONFERENCE ROOM, SMALL	240	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CRA01	37 - CONFERENCE ROOM, SMALL	240	A5212	Bracket, Television, Wall-Mounted, Tilt/Angle	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs. Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CRA01	37 - CONFERENCE ROOM, SMALL	240	A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	1	
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CRA01	37 - CONFERENCE ROOM, SMALL	240	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	This JSN is to be used for determining and defining location of decorative artwork.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CRA01	37 - CONFERENCE ROOM, SMALL	240	F0220	Chair, Conference	VV - GOVT FURNISHED & INSTALLED	8	Conference chair designed to complement the executive furniture package selected. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CRA01	37 - CONFERENCE ROOM, SMALL	240	F0690	Workstation, Computer, Enclosed, With Lock	VV - GOVT FURNISHED & INSTALLED	1	Computer operator workstation ,approximately 58" high X 36" wide X 25" deep. A fully enclosed workstation for a computer, monitor, printer and supplies. Cabinet has two lockable doors.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CRA01	37 - CONFERENCE ROOM, SMALL	240	F0755	Table, Conference, Wood	VV - GOVT FURNISHED & INSTALLED	1	Executive conference table. Dimensions are approximately 30" high, 48" wide with lengths varying from 74" to 96". These tables add traditional elegance to any conference room.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CRA01	37 - CONFERENCE ROOM, SMALL	240	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CRA01	37 - CONFERENCE ROOM, SMALL	240	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CRA01	37 - CONFERENCE ROOM, SMALL	240	M0507	Video Teleconferencing System	VV - GOVT FURNISHED & INSTALLED	1	Shall be a video conferencing unit consisting of a camera, microphone, video/audio compression components, a component cart and a 32 inch monitor. It shall provide live audio-visual conferencing capabilities to dispersed geographic sites.

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CRA01	37 - CONFERENCE ROOM, SMALL	240	M0512	Television, HDTV, Large Screen, 60"	VV - GOVT FURNISHED & INSTALLED	1	A high definition (HDTV) multimedia, slim design, 60"W to 65"W color television. The TV will have a 16.9 wide screen aspect ratio with full HD 1080p resolution and HDMI connections. TV may be LED, Plasma or LCD. TV will include a stand.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	CRA01	37 - CONFERENCE ROOM, SMALL	240	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	A5180	Track, Cubicle, Surface Mounted, With Curtain	VV - GOVT FURNISHED & INSTALLED	12	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	CT030	Countertop, High Pressure Laminate	CC - CONTRACTOR FURNISHED/INSTALLED	3	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.

Project Contents List (23 Jul 2018 05:19PM ET)

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	F2310	Rack, Pamphlet, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted pamphlet rack up to 12 (twelve) pamphlet holding pockets. Unit is used to store and display educational pamphlets.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	F3025	Board, Bulletin, Wood Framed	VV - GOVT FURNISHED & INSTALLED	1	Bulletin board approximately 36"W x 24"H. Wood framed 1/2" cork posting panel with moisture proof backing. Units are factory assembled and have keyhole hangers for easy installation.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	M3072	Frame, Infectious Waste Bag w/Lid	VV - GOVT FURNISHED & INSTALLED	1	Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	M4116	Monitor, Vital Signs	VV - GOVT FURNISHED & INSTALLED	1	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	VV - GOVT FURNISHED & INSTALLED	1	The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	M9025	Table, Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	1	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXW01	38 - Exam Room, Womens Health	125	U0016	Equipment Rail, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Equipment Rail Nexspan Wall Mounted with Accessories http://nexspan.com/wp-content/uploads/2017/05/HDR-specification-01.2014-R5-053017.pdf

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPB01	4 - Toilet, General Procedure Room Patient	75	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPB01	4 - Toilet, General Procedure Room Patient	75	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPB01	4 - Toilet, General Procedure Room Patient	75	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPB01	4 - Toilet, General Procedure Room Patient	75	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPB01	4 - Toilet, General Procedure Room Patient	75	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	2	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPB01	4 - Toilet, General Procedure Room Patient	75	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPB01	4 - Toilet, General Procedure Room Patient	75	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPB01	4 - Toilet, General Procedure Room Patient	75	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPB01	4 - Toilet, General Procedure Room Patient	75	P3005	Lavatory, Vitreous China, Bariatric	CC - CONTRACTOR FURNISHED/INSTALLED	1	A floor mounted bariatric lavatory with a capability to withstand a static downward pressure of 1,000 lbs. at the front of the sink. Lavatory will have a gooseneck faucet with wrist blade handles. Lavatory will be ADA compliant.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPB01	4 - Toilet, General Procedure Room Patient	75	P9056	Toilet, Floor Mounted, Bariatric	CC - CONTRACTOR FURNISHED/INSTALLED	1	A floor mounted, flush valve toilet with an elongated front and a load capacity of 1,000 pounds. The toilet will be vitreous china with a 1.28 or 1.6 Gpf low water consumption rate with a rear outlet. See manufacturer's literature for recommended flush valves and toilet seats.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	A5077	Dispenser, Hand Sanitizer, Hands-Free	VV - GOVT FURNISHED & INSTALLED	1	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	A5180	Track, Cubicle, Surface Mounted, With Curtain	VV - GOVT FURNISHED & INSTALLED	12	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	CT030	Countertop, High Pressure Laminate	CC - CONTRACTOR FURNISHED/INSTALLED	3	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	F2310	Rack, Pamphlet, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted pamphlet rack up to 12 (twelve) pamphlet holding pockets. Unit is used to store and display educational pamphlets.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	F3025	Board, Bulletin, Wood Framed	VV - GOVT FURNISHED & INSTALLED	1	Bulletin board approximately 36"W x 24"H. Wood framed 1/2" cork posting panel with moisture proof backing. Units are factory assembled and have keyhole hangers for easy installation.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	M3072	Frame, Infectious Waste Bag w/Lid	VV - GOVT FURNISHED & INSTALLED	1	Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	VV - GOVT FURNISHED & INSTALLED	1	The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM2	42 - Tele-Health Room	125	M9025	Table, Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	1	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.

Project Contents List (23 Jul 2018 05:19PM ET)

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	A5180	Track, Cubicle, Surface Mounted, With Curtain	VV - GOVT FURNISHED & INSTALLED	12	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	CT030	Countertop, High Pressure Laminate	CC - CONTRACTOR FURNISHED/INSTALLED	3	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	F2310	Rack, Pamphlet, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted pamphlet rack up to 12 (twelve) pamphlet holding pockets. Unit is used to store and display educational pamphlets.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	F3025	Board, Bulletin, Wood Framed	VV - GOVT FURNISHED & INSTALLED	1	Bulletin board approximately 36"W x 24"H. Wood framed 1/2" cork posting panel with moisture proof backing. Units are factory assembled and have keyhole hangers for easy installation.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	M3072	Frame, Infectious Waste Bag w/Lid	VV - GOVT FURNISHED & INSTALLED	1	Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation.

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	M6050	Retinal Imaging System, Fluorescein/Indocyanine	VV - GOVT FURNISHED & INSTALLED	1	Digital camera system for conducting fluorescing and indocyanine green studies of the choroid of the retina. The infrared sensitive camera has interchangeable barrier and exciter filters for the different dyes. The camera transmits images to a high resolution computer system and monitors for viewing, analysis, enhancement, manipulation, recording and color printing. Database reflects pricing and physical characteristics for the entire system with its required computer.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	VV - GOVT FURNISHED & INSTALLED	1	The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	WRTM3	44 - Tele-Retinal Room	135	M9025	Table, Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	1	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line, with speaker.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	A1132	Rail, Accessory Mounting, Length As Required	VC - GOVT FURNISHED/CONTR INST	2	Horizontal equipment mounting rail with lock mounting devices capable of supporting up to 75 pounds each, being repositioned, and mounting and dismantling of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismantling equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	A5077	Dispenser, Hand Sanitizer, Hands-Free	VV - GOVT FURNISHED & INSTALLED	1	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	A5180	Track, Cubicle, Surface Mounted, With Curtain	VV - GOVT FURNISHED & INSTALLED	10	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	This JSN is to be used for determining and defining location of decorative artwork.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	E0945	Cart, Computer, Mobile	VV - GOVT FURNISHED & INSTALLED	1	A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder 1 Wastebasket 1 Chart Holder 2 Drawers, 3"H 2 Drawers, 6"H 3 Accessory Rail, Side Drawer Organizer Bins
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	2	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	M3073	Container, Biohazard Waste, Step-on, Fire Safe	VV - GOVT FURNISHED & INSTALLED	1	A biohazard waste container with a step-on lid. The container will have a capacity of approximately 12 gallons and be made of a fire safe material.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	M4040	Scale, Weighing, 300 Pound Capacity	VV - GOVT FURNISHED & INSTALLED	1	Person weighing scale with 300 pound capacity. Unit consists of a rugged base frame of 3/32" thick steel with a non-slip surface and a speedometer dial with ultra sensitive registering mechanisms. Scale is designed for medical use.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	M4116	Monitor, Vital Signs	VV - GOVT FURNISHED & INSTALLED	1	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	M9025	Table, Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	1	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	EXRG6	46 - EXAM, ISOLATION, NEGATIVE PRESSURE	180	U0016	Equipment Rail, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall Mounted Nexspan Equipment Rail with Accessories http://nexspan.com/wp-content/uploads/2017/05/HDR-specification-01.2014-R5-053017.pdf
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, 1 line.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	A1132	Rail, Accessory Mounting, Length As Required	VC - GOVT FURNISHED/CONTR INST	1	Horizontal equipment mounting rail with lock mounting devices capable of supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	A1203	Lift System, Overhead, Bariatric	CC - CONTRACTOR FURNISHED/INSTALLED	1	An overhead ceiling mounted rail system specifically designed for bariatric patient lifting and movement within a patient room. The system will consist of recessed or ceiling mounted primary and secondary rails, lift motor with carriage, patient harness or seat, and a hand controller or control box with charger (other charging options may be available). System will facilitate lifting and movement of patient to and from bed, to stretcher, chair, bathroom or other requirements. Lifting capacity is 1000 pounds. Custom design of track layout by manufacturer is essential to meet individual facility requirements.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	A5180	Track, Cubicle, Surface Mounted, With Curtain	VV - GOVT FURNISHED & INSTALLED	14	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	C02Q0	Cabinet, Sink, U/C/B, 1 Door, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	E0915	Locker, Supply, Medication, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Locked Drawer w/Locked Lid, 6"H 5 Drawers, 3"H 3 Drawers, 6"H 2 Tray/Shelves Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	F3010	Board, Bulletin, 48 x 48	VV - GOVT FURNISHED & INSTALLED	1	Open face bulletin board. Cork posting panel with moisture proof backing. Variety of frames to choose from. Used for posting notes and messages.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	M0750	Flowmeter, Air, Connect w/50 PSI Supply	VV - GOVT FURNISHED & INSTALLED	1	Air flowmeter. Unit has a stainless steel needle valve with clear flowtube for connection to 50 PSI air outlet from central pipeline system. Requires the appropriate adapter for connection to the wall outlet and fitting to connect to tubing. Database prices reflect fittings with an attached DISS power outlet. Other outlet and adapter configurations are available.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	M0755	Flowmeter, Oxygen, Low Flow	VV - GOVT FURNISHED & INSTALLED	1	Oxygen flowmeter. Consists of a clear crystal flowtube calibrated to 3.5 or 8 LPM depending on manufacturer. For oxygen regulation in hospital settings. Database pricing includes DISS fitting and DISS power outlet and wall adapter. Other fitting and adapter configurations are available.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	M0765	Regulator, Vacuum	VV - GOVT FURNISHED & INSTALLED	2	Vacuum pressure regulator for connection to central piped vacuum system. Standard display scale is graduated at least from 0 to 200 mm Hg of vacuum. Displays on specialized regulators may cover other vacuum ranges. Regulator type (continuous, intermittent, continuous/intermittent, surgical, pediatric, thoracic, etc.) as required. To be used in delivery, neonatal, pediatrics or any area where suction is required. Database pricing reflects continuous regulators graduated to 200 mm Hg with a full line vacuum selection switch and DISS configured inlets and outlets.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	M3070	Hamper, Linen, Mobile, w/Lid	VV - GOVT FURNISHED & INSTALLED	1	Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	M3072	Frame, Infectious Waste Bag w/Lid	VV - GOVT FURNISHED & INSTALLED	1	Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	M4116	Monitor, Vital Signs	VV - GOVT FURNISHED & INSTALLED	1	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	M4255	Stand, IV, Adjustable	VV - GOVT FURNISHED & INSTALLED	1	Adjustable IV stand with 4-hook arrangement. Stand has stainless steel construction with heavy weight base. It adjusts from 66 inches to 100 inches and is mounted on conductive rubber, ball bearing, swivel casters. Stand is used for administering intravenous solutions.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	M4655	Stretcher, Mobile, CRS, 9 Position	VV - GOVT FURNISHED & INSTALLED	1	Mobile stretcher. All corrosion resistant stainless steel construction. It consists of a tubular frame with side rails, a 9-position hydraulic base with pneumatic fowler adjustment, and a 2" pad. Unit is mounted on 8" conductive casters. Designed for patient transport as well as for minor surgical procedures.

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	VV - GOVT FURNISHED & INSTALLED	1	The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	M7405	Light, Exam, Ceiling Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Ceiling exam light. Consists of a lightheaded reflector supported by a ceiling mounted radial arm assembly that provides a wide range of positioning capabilities. Halogen bulbs and an intensity control provide cool, color corrected light. The minimum ceiling height in most cases is 8'-0"; refer to each manufacturer's specific installation requirements. Physical dimensions refer to the retracted light; one length of the dual swing arm around the center mount in width and depth and the combined height of the lamp head and folded arms. Unit may also have a center mount detachable and sterilizable control handle. For use in minor procedure or examination room applications.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	M7710	Electrocardiograph, 12 Lead, Portable	VV - GOVT FURNISHED & INSTALLED	1	Used to detect the electrical signals associated with cardiac activity, diagnose cardiac abnormalities, determine a patients response to drug therapy and reveal trends or changes in heart function. Capable of recording two or more leads simultaneously, recording an entire 12 lead ECG in about 10 seconds. Includes of a 3.5 inch, high density, floppy disk drive for test storage. Portable.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	M8810	Stand, Mayo	VV - GOVT FURNISHED & INSTALLED	1	Adjustable instrument table. Table is corrosion resistant stainless steel construction and is mounted on two casters with two skid rails. It has telescopic upright adjusts from 39 inches to 60 inches with automatic locking device, and removable 13"x19" instrument tray. Designed for use in operating and procedure rooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TRPR1	53 - Procedure Room, General	180	M9025	Table, Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	1	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	RCA06	59 - Alcove, Medication	20	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	RCA06	59 - Alcove, Medication	20	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are place in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	RCA06	59 - Alcove, Medication	20	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	RCA06	59 - Alcove, Medication	20	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	RCA06	59 - Alcove, Medication	20	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	RCA06	59 - Alcove, Medication	20	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	RCA06	59 - Alcove, Medication	20	M1803	Workstation, Computer, Wall Mounted, Adjustable	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted computer workstation with height adjustable monitor and keyboard arms. Keyboard and monitor can be stored within 8" to 10" of wall. Fingertip adjustability for keyboard and monitor enable frequent position changes. Unit contains an integrated cable management system to hide wires. A separate wall-mounted CPU holder is included.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	RCA06	59 - Alcove, Medication	20	M3150	Distribution System, Medication, Automatic	VV - GOVT FURNISHED & INSTALLED	1	An automated dispensing system that provides controlled dispensing, inventory and security. Size and cost will vary dependent on number of modules selected.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	RCA06	59 - Alcove, Medication	20	R6200	Refrigerator, U/C or F/S, 5 Cu Ft	VV - GOVT FURNISHED & INSTALLED	1	Utility refrigerator approximately 35" H x 24" W x 26" D. The unit has a two tray ice cube cooling system. The refrigerator fits standard architectural dimensions for undercounter installation. The unit is perfect for use in nurses' station, wards, and laboratories, pharmacies or wherever space is limited.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TNPG1	60 - Toilet, Staff	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TNPG1	60 - Toilet, Staff	60	A4995	Table, Diaper Changing, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted diaper changing table for use in public restrooms. Unit is a fold down system that folds upward when not in use for minimal intrusion into the room. Changing surface is contoured and has safety belt to insure that an infant will not fall from the table. Table is designed to hold no less than 250 pounds static weight. Closed dimensions are approximately 21" H x 36" W x 5" D. Open dimensions vary according to style. One system's open dimensions are 15" high, 32" wide and 19" deep.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TNPG1	60 - Toilet, Staff	60	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TNPG1	60 - Toilet, Staff	60	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are place in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TNPG1	60 - Toilet, Staff	60	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TNPG1	60 - Toilet, Staff	60	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TNPG1	60 - Toilet, Staff	60	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TNPG1	60 - Toilet, Staff	60	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TNPG1	60 - Toilet, Staff	60	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot petal activated flip top.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TNPG1	60 - Toilet, Staff	60	P3200	Lavatory, Vitreous China, Slab Type w/Sens Op Fauc	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximately 7 x 15 x 10 inches) with faucet holes on 4 inch centers; electronic sensor operated, goose neck spout and grid strainer. It shall be suitable for use in clinics, offices and patient care areas.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TNPG1	60 - Toilet, Staff	60	P9051	Toilet, Floor Mounted, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is floor mounted with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Height does not include seat. Seat is not included with all vendors. See comments.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPB01	61 - Toilet, General Procedure Room Patient	75	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPB01	61 - Toilet, General Procedure Room Patient	75	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPB01	61 - Toilet, General Procedure Room Patient	75	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are place in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPB01	61 - Toilet, General Procedure Room Patient	75	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPB01	61 - Toilet, General Procedure Room Patient	75	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	2	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPB01	61 - Toilet, General Procedure Room Patient	75	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPB01	61 - Toilet, General Procedure Room Patient	75	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPB01	61 - Toilet, General Procedure Room Patient	75	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPB01	61 - Toilet, General Procedure Room Patient	75	P3005	Lavatory, Vitreous China, Bariatric	CC - CONTRACTOR FURNISHED/INSTALLED	1	A floor mounted bariatric lavatory with a capability to withstand a static downward pressure of 1,000 lbs. at the front of the sink. Lavatory will have a gooseneck faucet with wrist blade handles. Lavatory will be ADA compliant.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TPB01	61 - Toilet, General Procedure Room Patient	75	P9056	Toilet, Floor Mounted, Bariatric	CC - CONTRACTOR FURNISHED/INSTALLED	1	A floor mounted, flush valve toilet with an elongated front and a load capacity of 1,000 pounds. The toilet with vitreous china with a 1.28 or 1.6 Gpf low water consumption rate with a rear outlet. See manufacturer's literature for recommended flush valves and toilet seats.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TLTF1	63 - Toilet, Women's Health	60	A1066	Mirror, Float Glass, With SS Frame	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TLTF1	63 - Toilet, Women's Health	60	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TLTF1	63 - Toilet, Women's Health	60	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TLTF1	63 - Toilet, Women's Health	60	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TLTF1	63 - Toilet, Women's Health	60	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TLTF1	63 - Toilet, Women's Health	60	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TLTF1	63 - Toilet, Women's Health	60	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TLTF1	63 - Toilet, Women's Health	60	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TLTF1	63 - Toilet, Women's Health	60	P3000	Lavatory, Vitreous China, Straight Back	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, vitreous china lavatory (approximate bowl size 7"x15"x10") with: straight-front apron, straight or contoured back; faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care areas.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	TLTF1	63 - Toilet, Women's Health	60	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SAWK1	69 - Consult Room for Shared Med Appt.	120	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	4	Telephone, desk, 1 line.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SAWK1	69 - Consult Room for Shared Med Appt.	120	E0042	Workcenter, Computer, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	4	THIS TYPICAL INCLUDES: 1 Tool Rail 2 Paper Tray 1 Diagonal Tray 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SAWK1	69 - Consult Room for Shared Med Appt.	120	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	4	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SAWK1	69 - Consult Room for Shared Med Appt.	120	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	2	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SAWK1	69 - Consult Room for Shared Med Appt.	120	F3050	Whiteboard, Dry Erase	VV - GOVT FURNISHED & INSTALLED	1	Whiteboard unit, approximately 36" H x 48" W consisting of a white porcelain enamel writing surface with an attached chalk tray. Magnetic surface available. Image can be easily removed with a standard chalkboard eraser. For use with water color pens. Unit is ready to hang.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SAWK1	69 - Consult Room for Shared Med Appt.	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SAWK1	69 - Consult Room for Shared Med Appt.	120	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	4	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SAWK1	69 - Consult Room for Shared Med Appt.	120	CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SAWK1	69 - Consult Room for Shared Med Appt.	120	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SAWK1	69 - Consult Room for Shared Med Appt.	120	CT030	Countertop, High Pressure Laminate	CC - CONTRACTOR FURNISHED/INSTALLED	1	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.

Project Contents List (23 Jul 2018 05:19PM ET)

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SL001	8 - Lounge, Staff	220	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SL001	8 - Lounge, Staff	220	A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SL001	8 - Lounge, Staff	220	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SL001	8 - Lounge, Staff	220	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SL001	8 - Lounge, Staff	220	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SL001	8 - Lounge, Staff	220	A5210	Bracket, Television, Wall Mounted, w/Adjust Arm	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SL001	8 - Lounge, Staff	220	A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SL001	8 - Lounge, Staff	220	C02C0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base cabinet with an adjustable shelf and a full width drawer above a solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings). Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SL001	8 - Lounge, Staff	220	C02D0	Cabinet, U/C/B, 4 Drawer, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base cabinet with four full width drawers of equal height. Also referred to as a drawer cabinet. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SL001	8 - Lounge, Staff	220	C04P0	Cabinet, Sink, U/C/B, 2 Door, 36x36x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base sink cabinet with solid hinged doors. Also referred to as a double-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SL001	8 - Lounge, Staff	220	CB020	Cabinet, W/H, 2 Shelf, 1 DO, Sloping Top, 38x24x13	CC - CONTRACTOR FURNISHED/INSTALLED	2	Wall hung cabinet with two adjustable shelves, solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings), and sloping top. Also referred to as a solid hinged single door case. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SL001	8 - Lounge, Staff	220	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SL001	8 - Lounge, Staff	220	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	7	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SL001	8 - Lounge, Staff	220	F0225	Chair, Dining Room	VV - GOVT FURNISHED & INSTALLED	4	Dining room chair with glides. Chair has straight legs with cushioned cloth or vinyl seat.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SL001	8 - Lounge, Staff	220	F0795	Table, Dining	VV - GOVT FURNISHED & INSTALLED	1	Dining table. Round 42" diameter or square 42" X 42". Used in dining facilities and can comfortably seat up to four (4) persons.

1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SL001	8 - Lounge, Staff	220	F2015	Basket, Wastepaper, Metal/Plastic,2 Swinging Doors	VV - GOVT FURNISHED & INSTALLED	1	Metal receptacle for soiled / used towels or waste. Equipped with a removable tapered top with two independently operating self-closing, spring hinged doors. Used in public facilities for the collection and temporary storage of refuse.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SL001	8 - Lounge, Staff	220	F3065	Whiteboard/Bulletin Board, Combination	VV - GOVT FURNISHED & INSTALLED	1	A combination whiteboard and bulletin board, half LCS and half cork. Available with either aluminum or wood frame. It can be used in patient rooms or in any appropriate space in the facility.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SL001	8 - Lounge, Staff	220	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SL001	8 - Lounge, Staff	220	K1552	Brewer, Coffee, Auto, Elect, 3 Burner, Front/Back	VV - GOVT FURNISHED & INSTALLED	1	Space saving front to back automatic coffee maker. This unit includes a heating tank, connection for a cold water supply, decenter service with three burners, funnel and a water flow controller. The unit is used for semi-automatic coffee brewing in cafeterias and commercial institutions. The unit automatically shuts off the water flow when enough has passed through to fill the pot. The unit is normally provided plumbed with a hot water faucet to the side for making other hot drinks (tea, cider, cocoa, etc.). The database height dimension does not include the clearance for coffee decanters warming on the upper burners.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SL001	8 - Lounge, Staff	220	K4665	Oven, Microwave, Consumer	VV - GOVT FURNISHED & INSTALLED	1	Counter mounted microwave oven for average duty use. The exterior cabinet can be metal or heavy duty impact resistant plastic. The oven delivers instant energy for rapid heating, defrosting or prime cooking. The oven has touch pad controls, digital timer, power level selector and preprogrammed selectors for commonly cooked items. This oven is commonly found in staff lounges.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SL001	8 - Lounge, Staff	220	M0515	Television, HD, 40" Class	VV - GOVT FURNISHED & INSTALLED	1	High definition (HDTV) multimedia flat panel LED 40" class display television. The TV will have a 16:9 wide screen aspect ratio, minimum of 1920 x 1080 display resolution, digital tuner, minimum refresh rate of 60Hz, minimum of two HDMI ports and 1 USB port ENERGY STAR certified.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	SL001	8 - Lounge, Staff	220	R7250	Refrigerator/Freezer, 20 Cubic Feet	VV - GOVT FURNISHED & INSTALLED	1	Refrigerator/freezer unit. This type unit includes a food saver system that helps keep food fresher. It also includes roll out wheels and is equipped for an optional automatic icemaker. This unit is of commercial or residential design and use.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	LR001	9 - Locker, Staff Personal Property	120	A1030	Locker, 2 Person, Over/Under	VV - GOVT FURNISHED & INSTALLED	12	Two person locker, double tier, 72Hx12Wx18D. This unit includes hooks for coats and hats. Door equipped with safety guard handles. Designed for storage of coats, hats, and other personal belongings. Other width and depths are available.
1 - OUTPATIENT / PACT CLINIC (265)	2 - PATIENT ALIGNED CARE TEAM ((3 PACT MODULES)	LR001	9 - Locker, Staff Personal Property	120	A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OPMH1	1 - Group Therapy Room, Mental Health	200	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OPMH1	1 - Group Therapy Room, Mental Health	200	A5212	Bracket, Television, Wall-Mounted, Tilt/Angle	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OPMH1	1 - Group Therapy Room, Mental Health	200	A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.

1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OPMH1	1 - Group Therapy Room, Mental Health	200	E0945	Cart, Computer, Mobile	VV - GOVT FURNISHED & INSTALLED	2	A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder 1 Wastebasket 1 Chart Holder 2 Drawers, 3"H 2 Drawers, 6"H 3 Accessory Rail, Side Drawer Organizer Bins
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OPMH1	1 - Group Therapy Room, Mental Health	200	F0295	Chair, Stacking	VV - GOVT FURNISHED & INSTALLED	16	Stacking chair, approximately 34" H X 21" W X 24" D. May be stacked up to 20 high depending upon the model selected. These chairs are intended primarily as overflow capacity for conference rooms.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OPMH1	1 - Group Therapy Room, Mental Health	200	F0435	Cabinet, Storage, Multi Media	VV - GOVT FURNISHED & INSTALLED	1	Multi media storage cabinet, approximately 60" high X 36" wide X 14" deep. For the storage of various types of audio or video cassettes, DVDs, CDs, and other media material.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OPMH1	1 - Group Therapy Room, Mental Health	200	F0860	Table, Mobile	VV - GOVT FURNISHED & INSTALLED	4	Mobile table. The unit provides mobile or isolated freestanding work surface. Characteristics and components include 3-1/2 inch casters and attached drawer bearers. Unit is used for general work applications, primarily in dry areas.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OPMH1	1 - Group Therapy Room, Mental Health	200	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OPMH1	1 - Group Therapy Room, Mental Health	200	F3060	Whiteboard, Projection Screen Combination	VV - GOVT FURNISHED & INSTALLED	1	Whiteboard and projection screen combination approximately 48" H x 72" W. Magnetic surface with matte finish for projection. Hard board stabilizer with aluminum foil back. For use with water color pens.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OPMH1	1 - Group Therapy Room, Mental Health	200	M0506	Television, Flat Screen	VV - GOVT FURNISHED & INSTALLED	1	Flat screen television with approximately 32" to 40" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OPMH1	1 - Group Therapy Room, Mental Health	200	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	10 - Consult Room, Mental Health	125	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	10 - Consult Room, Mental Health	125	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	10 - Consult Room, Mental Health	125	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	10 - Consult Room, Mental Health	125	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	10 - Consult Room, Mental Health	125	CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.

1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	10 - Consult Room, Mental Health	125	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	10 - Consult Room, Mental Health	125	CT030	Countertop, High Pressure Laminate	CC - CONTRACTOR FURNISHED/INSTALLED	1	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	10 - Consult Room, Mental Health	125	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	3	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	10 - Consult Room, Mental Health	125	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	10 - Consult Room, Mental Health	125	F0740	Table, Occasional, Lamp	VV - GOVT FURNISHED & INSTALLED	1	Occasional lamp table (end table) approximately 20" high X 27" wide X 27" deep with choice of finishes (wood, oak veneer, or high pressure laminate).
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	10 - Consult Room, Mental Health	125	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	10 - Consult Room, Mental Health	125	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	10 - Consult Room, Mental Health	125	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	10 - Consult Room, Mental Health	125	M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	11 - Office, Supervisor	120	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	11 - Office, Supervisor	120	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	11 - Office, Supervisor	120	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	11 - Office, Supervisor	120	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	11 - Office, Supervisor	120	CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.

1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	11 - Office, Supervisor	120	CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	11 - Office, Supervisor	120	CT030	Countertop, High Pressure Laminate	CC - CONTRACTOR FURNISHED/INSTALLED	1	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	11 - Office, Supervisor	120	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	3	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	11 - Office, Supervisor	120	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	11 - Office, Supervisor	120	F0740	Table, Occasional, Lamp	VV - GOVT FURNISHED & INSTALLED	1	Occasional lamp table (end table) approximately 20" high X 27" wide X 27" deep with choice of finishes (wood, oak veneer, or high pressure laminate).
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	11 - Office, Supervisor	120	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	11 - Office, Supervisor	120	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	11 - Office, Supervisor	120	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFDC1	11 - Office, Supervisor	120	M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	SAWK1	13 - MH Workroom	150	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	4	Telephone, desk, 1 line.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	SAWK1	13 - MH Workroom	150	E0042	Workcenter, Computer, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	4	THIS TYPICAL INCLUDES: 1 Tool Rail 2 Paper Tray 1 Diagonal Tray 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	SAWK1	13 - MH Workroom	150	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	4	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	SAWK1	13 - MH Workroom	150	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	2	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	SAWK1	13 - MH Workroom	150	F3050	Whiteboard, Dry Erase	VV - GOVT FURNISHED & INSTALLED	1	Whiteboard unit, approximately 36" H x 48" W consisting of a white porcelain enamel writing surface with an attached chalk tray. Magnetic surface available. Image can be easily removed with a standard chalkboard eraser. For use with water color pens. Unit is ready to hang.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	SAWK1	13 - MH Workroom	150	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	SAWK1	13 - MH Workroom	150	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	4	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFD01	14 - MH Suicide Prevention Coordinator Office	100	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFD01	14 - MH Suicide Prevention Coordinator Office	100	A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFD01	14 - MH Suicide Prevention Coordinator Office	100	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFD01	14 - MH Suicide Prevention Coordinator Office	100	A5077	Dispenser, Hand Sanitizer, Hands-Free	VV - GOVT FURNISHED & INSTALLED	1	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFD01	14 - MH Suicide Prevention Coordinator Office	100	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFD01	14 - MH Suicide Prevention Coordinator Office	100	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFD01	14 - MH Suicide Prevention Coordinator Office	100	A5180	Track, Cubicle, Surface Mounted, With Curtain	VV - GOVT FURNISHED & INSTALLED	10	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFD01	14 - MH Suicide Prevention Coordinator Office	100	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	This JSN is to be used for determining and defining location of decorative artwork.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFD01	14 - MH Suicide Prevention Coordinator Office	100	E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72	VV - GOVT FURNISHED & INSTALLED	1	This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: <ul style="list-style-type: none"> 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file.

1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFD01	14 - MH Suicide Prevention Coordinator Office	100	F0115	Bookcase, Open, 5 Shelf	VV - GOVT FURNISHED & INSTALLED	1	Freestanding open shelf bookcase, approximately 82" high X 37" wide X 18" deep with 5 (five) adjustable shelves. Unit can be separate or part of a system with available add-on shelving.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFD01	14 - MH Suicide Prevention Coordinator Office	100	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFD01	14 - MH Suicide Prevention Coordinator Office	100	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFD01	14 - MH Suicide Prevention Coordinator Office	100	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFD01	14 - MH Suicide Prevention Coordinator Office	100	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFD01	14 - MH Suicide Prevention Coordinator Office	100	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFD01	14 - MH Suicide Prevention Coordinator Office	100	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFD01	14 - MH Suicide Prevention Coordinator Office	100	M1825	Printer, Computer	VV - GOVT FURNISHED & INSTALLED	1	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	OFD01	14 - MH Suicide Prevention Coordinator Office	100	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	TLTU1	15 - Toilet, Staff	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	TLTU1	15 - Toilet, Staff	60	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	TLTU1	15 - Toilet, Staff	60	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	TLTU1	15 - Toilet, Staff	60	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.

1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	TLTU1	17 - Patient Toilet	60	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	TLTU1	17 - Patient Toilet	60	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	TLTU1	17 - Patient Toilet	60	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	TLTU1	17 - Patient Toilet	60	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
1 - OUTPATIENT / PACT CLINIC (265)	4 - MENTAL HEALTH CLINIC	TLTU1	17 - Patient Toilet	60	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	OFA09	1 - Exam/Treatment Room, Therapist	125	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	OFA09	1 - Exam/Treatment Room, Therapist	125	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel-to-Panel Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 2 Lockable Flipper Units 2 Shelves, Storage/Display 3 Lights 3 Tackboards 2 Cantilevered Work Surfaces 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File 1 Pencil Drawer 2 Support Panels
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	OFA09	1 - Exam/Treatment Room, Therapist	125	E0090	Workstation, L-Shaped, Free Standing, 72x72	VV - GOVT FURNISHED & INSTALLED	1	
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	OFA09	1 - Exam/Treatment Room, Therapist	125	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	OFA09	1 - Exam/Treatment Room, Therapist	125	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	OFA09	1 - Exam/Treatment Room, Therapist	125	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	OFA09	1 - Exam/Treatment Room, Therapist	125	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	OFA09	1 - Exam/Treatment Room, Therapist	125	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).

1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	OFA09	1 - Exam/Treatment Room, Therapist	125	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	OFA09	1 - Exam/Treatment Room, Therapist	125	U0020	Mat Table	VC - GOVT FURNISHED/CONTR INST	1	TRI W-G INC. TG1530 SERIES HI-LO MOTORIZED MAT TABLE; TG1534;
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line, with speaker.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	4	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	C04P0	Cabinet, Sink, U/C/B, 2 Door, 36x36x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base sink cabinet with solid hinged doors. Also referred to as a double-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	CT025	Countertop, Solid Surface with Sink Combination	CC - CONTRACTOR FURNISHED/INSTALLED	1	A solid, nonporous countertop approximately 36"W x 22"D with a undercounter sink combination. The countertop is an acrylic-based solid surface product with a standard thickness of 1", and a 4" butt splash/curb. Surfaces will be easy to clean and maintain. Also referred to as a work surface or work top with sink. Available in a choice of colors, depths and sink shapes. Used for various applications in patient rooms, restrooms and throughout the facility. Usually a part of a casework interior design program. Unit does not include the drain and faucet.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	2	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	G0144	Ergometer, Recumbent Stepper	VV - GOVT FURNISHED & INSTALLED	1	Seated stepping ergometer for total body, arms and/or legs low impact conditioning. The unit features a closed kinetic chain action which combines reciprocal stepping and arm action. The arm settings and seat are adjustable. A battery operated performance computer allows for adjusting workload level. The unit has a heavy duty steel frame construction with low-density plastic covers.

1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	G1007	Ergometer, Stationary, Stair	VV - GOVT FURNISHED & INSTALLED	1	Stair climbing exercise unit for use in physical training in a gym or in rehabilitation exercise protocols in a physical therapy clinic. The unit includes foot pedals, variable resistance settings, several exercise routines with varying intensity settings and a display for motivation and monitoring. Some models have optional direct or telemetric pulse monitoring. Database electrical specifications are for those models which require power. Refer to the manufacturers' specifications to verify electrical requirements.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	G1026	Exercise Apparatus, Weight Training, Multi-Station	VV - GOVT FURNISHED & INSTALLED	1	Multi-station weight training apparatus for physical development and rehabilitation. Unit features a variety of benches, pull bars, supports and seats grouped around a central frame containing one or more weight stacks. Each station is designed to exercise specific muscle groups. A person can perform an extensive weight training routine by moving around the apparatus from station to station. More than one person can use the apparatus simultaneously by training at different stations. The number and types of exercises available depend on the specific model of equipment chosen. Greater system weight capacities for high level athletic competition training are available on some models. The room ceiling may have to be raised to accommodate this equipment. The database specifications refer to a higher end system with a large number of training stations and a standard weight set.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	G1037	Weight Set, Exercise, Dumbbell	VV - GOVT FURNISHED & INSTALLED	1	Set of weightlifting dumbbells for use in physical training or rehabilitation. Weights can be plain metal, rubber cushioned metal or chrome plated and are in matched pairs at each weight increment. Database information refers to a large set of matched weights increasing in 5-lb. increments from 5-lb. to 100-lb. (20 pairs of weights) stacked on the floor. Differing manufacturers may offer more or less extensive selections. The individual facility's requirement will determine the exact set configuration and cost. See JSN G1040 for the racks to hold these weights.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	G1040	Rack, Dumbbell	VV - GOVT FURNISHED & INSTALLED	1	Rack for holding dumbbells in a gym or rehabilitation facility. The manufacturers provide several different rack styles and capacities depending on the number and type of dumbbells the rack(s) will hold. The database information is for a double rail rack holding twenty (ten pairs) of full size metal plate dumbbells.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	G1043	Ergometer, Recumbent Bicycle, Computer Assisted	VV - GOVT FURNISHED & INSTALLED	1	Computer assisted recumbent bicycle aerobic trainer. The trainer provides aerobic workouts on a computer controlled and monitored recumbent bicycle ergometer. The ergometer has several training routines and intensities which either the exerciser or a therapist can select. The unit display provides a readout of work accomplished as well as graphics to motivate the exerciser. Many models offer optional heart rate monitoring and wheels for easy mobility. Depending on the manufacturer and model, the computer is powered by the exerciser or an external source. The database electrical requirements are for those units requiring electrical power. The trainer is used for cardio-respiratory development in a gym or the exercise area of Physical Therapy.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	M8075	Lift, Patient, Physical Therapy	CC - CONTRACTOR FURNISHED/INSTALLED	1	Physical therapy patient lift. The unit is constructed of durable stainless steel and bolted to the floor. The lift consists of a water powered hydraulic lift cylinder, lift swing arm and swivel chair with armrests. The unit is equipped with a control panel and below the floor foundation tube. This lift is custom made to meet specific buyer's needs. Refer to JSN descriptions for hydrotherapy baths and whirlpools before specifying this JSN in drawings. Lifts are integral parts of many baths and pools. The unit is used in physical therapy areas.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	M8115	Conditioner, Cold Treatment Pack	VV - GOVT FURNISHED & INSTALLED	1	Refrigeration unit for twelve cold therapy packs. Unit features thermostatic temperature control, automatic defrosting and refrigeration grade insulation. Interior chamber is designed to facilitate periodic cleaning. Smaller capacity models are available.

1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	M8120	Therapy Unit, Hydroculator	VV - GOVT FURNISHED & INSTALLED	1	Moist Heat Therapy Unit, also referred as a Hydrocollator Heating Unit, are used to apply effective heat to hot packs used in moist heat therapy. Unit is supplied ready for immediate use and requires no special plumbing. Unit features: stainless steel insulated wall, thermostatically controlled, casters (mobile units only), and standard size Hot Packs. Other unit sizes and accessories (variety of hot packs, tongs, side table rack, etc.) are available.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	M8125	Ergometer, Bicycle, Stationary	VV - GOVT FURNISHED & INSTALLED	2	Bicycle ergometer. The unit includes an adjustable seat, pedals with toe clips, disc brakes, and tachometer/odometer. The display provides readouts of time, speed and distance. The unit features steel construction for durability and reliability. The ergometer is used in progressive rehabilitation or physical training programs.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	M8174	Ultrasound/Neuromuscular Stimulation Combo Unit	VV - GOVT FURNISHED & INSTALLED	1	Ultrasound unit in combination with a neuromuscular stimulator; unit can deliver both types of treatments simultaneously or individually. The ultrasound unit operates at one or more frequencies. The electrotherapy portion of the instrument can operate at set voltages or continuously variable across a range. Depending on the ultrasound frequency and electrotherapy voltage, the clinician selects one of several treatment unit heads. Some models feature microprocessor controls, data collection, data correlation and data downloading for analysis over time.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	M8210	Cart, Weight, Physical Therapy, w/Weights	VV - GOVT FURNISHED & INSTALLED	1	Physical therapy weight cart equipped with weights, two storage shelves, and racks to store dumbbells. Unit is constructed of quality hardwood and mounted on 4 heavy-duty casters. Used for storage of weights.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	M8240	Parallel Bars, Physical Therapy	VV - GOVT FURNISHED & INSTALLED	1	Physical therapy parallel bars. Unit can have manual or electrically powered adjustments. Bar height is adjustable from 25" to 40" and the bar width is adjustable from 16" to 25". Hand rails are chrome plated 1-1/2" steel tubing. Walking aisle is a minimum of 24" wide and finished in natural wood or covered with vinyl matting. Database information reflects 10' or 12' bar length electrically powered units.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	M8275	Pulley, Triplex	VC - GOVT FURNISHED/CONTR INST	1	Triplex pulley for physical therapy use. Unit consists of two handles at chest level, two handles at the floor, and two handles suspended from the ceiling. Unit features 20 to 27 pounds of adjustable weights.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	M8305	Platform, Exercise, w/Mat, Powered	VV - GOVT FURNISHED & INSTALLED	2	Exercise platform with power height adjustment. The platform rests on one or two pedestal bases which contain the power mechanism for adjusting the table height. The platform top or removable mattress is covered with heavy duty, nylon-reinforced vinyl for durability. The adjustable height feature is designed to accommodate patients who have difficulty sitting or transferring from a wheelchair as well as providing an optimal working height for the physical therapist once the patient is on the table. Larger and smaller units as well as manual crank platform tables are available.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	M8331	Treadmill, Weight Bearing System	VV - GOVT FURNISHED & INSTALLED	1	Incremental weight bearing system. Unit is used to limit weight bearing while exercising on a treadmill. Includes frame, harness, sensor, controller and side pads. Does not include the treadmill.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	M8335	Exerciser, Continuous Passive Motion (CPM)	VV - GOVT FURNISHED & INSTALLED	1	Continuous passive motion exerciser (CPM). The unit provides mobilization of a patient's limbs with little or no effort required by the patient. The exerciser is used postoperatively to mobilize knees or shoulders to reduce recovery time and speed ambulation of the patient. The unit is motor driven and may be adjusted to fit a variety of patients. The exerciser also includes adjustments for limiting the range of motion.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	2 - Treatment Exercise Area	430	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description

1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	TPG01	3 - Toilet, PM&R Patient	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	TPG01	3 - Toilet, PM&R Patient	60	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	TPG01	3 - Toilet, PM&R Patient	60	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	TPG01	3 - Toilet, PM&R Patient	60	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	TPG01	3 - Toilet, PM&R Patient	60	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	TPG01	3 - Toilet, PM&R Patient	60	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	TPG01	3 - Toilet, PM&R Patient	60	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	TPG01	3 - Toilet, PM&R Patient	60	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	TPG01	3 - Toilet, PM&R Patient	60	P3000	Lavatory, Vitreous China, Straight Back	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, vitreous china lavatory (approximate bowl size 7"x15"x10") with: straight-front apron, straight or contoured back; faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care areas.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	TPG01	3 - Toilet, PM&R Patient	60	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	CSUC1	5 - Clean	60	E0906	Locker, Supply, General, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H 3 Drawers, 6"H 2 Drawers, 9"H 1 Tray/Shelf Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
1 - OUTPATIENT / PACT CLINIC (265)	5 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	CSUC1	5 - Clean	60	M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	3	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS CLINIC	OFA03	1 - Workstation, Dispensing Prosthetic Clerk	56	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS CLINIC	OFA03	1 - Workstation, Dispensing Prosthetic Clerk	56	E0075	Workstation, L-Shaped, Freestanding, 72x48	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel-To-Panel Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 2 Lockable Flipper Units 2 Shelves, Storage/Display 3 Lights 2 Tackboards 2 Tool Rails 2 Paper Trays 1 Diagonal Tray 2 Cantilevered Work Surfaces 1 Adjustable Keyboard Tray 1 Hanging Pedestal, Box/File 1 Pencil Drawer 2 Support Panels
1 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS CLINIC	OFA03	1 - Workstation, Dispensing Prosthetic Clerk	56	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS CLINIC	OFA03	1 - Workstation, Dispensing Prosthetic Clerk	56	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
1 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS CLINIC	OFA03	1 - Workstation, Dispensing Prosthetic Clerk	56	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS CLINIC	OFA03	1 - Workstation, Dispensing Prosthetic Clerk	56	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS CLINIC	SRCS1	2 - Storage, Prosthetic Appliances	285	A5125	Rack, Crutch, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	2	Wall mounted crutch rack. Constructed of natural finished wood with chrome plated adjustable hangers. Designed for hanging crutches and accessories.
1 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS CLINIC	SRCS1	2 - Storage, Prosthetic Appliances	285	M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	4	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS CLINIC	OFA03	3 - Workstation, Prosthetics Fitter	56	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.

1 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS CLINIC	OFA03	3 - Workstation, Prosthetics Fitter	56	E0075	Workstation, L-Shaped, Freestanding, 72x48	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel-To-Panel Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 2 Lockable Flipper Units 2 Shelves, Storage/Display 3 Lights 2 Tackboards 2 Tool Rails 2 Paper Trays 1 Diagonal Tray 2 Cantilevered Work Surfaces 1 Adjustable Keyboard Tray 1 Hanging Pedestal, Box/File 1 Pencil Drawer 2 Support Panels
1 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS CLINIC	OFA03	3 - Workstation, Prosthetics Fitter	56	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS CLINIC	OFA03	3 - Workstation, Prosthetics Fitter	56	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
1 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS CLINIC	OFA03	3 - Workstation, Prosthetics Fitter	56	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS CLINIC	OFA03	3 - Workstation, Prosthetics Fitter	56	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS CLINIC	CSUS2	4 - Soiled Storage	56	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line.
1 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS CLINIC	CSUS2	4 - Soiled Storage	56	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS CLINIC	CSUS2	4 - Soiled Storage	56	A5077	Dispenser, Hand Sanitizer, Hands-Free	VV - GOVT FURNISHED & INSTALLED	1	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
1 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS CLINIC	CSUS2	4 - Soiled Storage	56	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS CLINIC	CSUS2	4 - Soiled Storage	56	A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
1 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS CLINIC	CSUS2	4 - Soiled Storage	56	C04F0	Cabinet, U/C/B, 1 Shelf, 2 Half DR, 2 DO, 36x36x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base cabinet with an adjustable shelf and two half width drawers above solid hinged doors. Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	6 - PROSTHETICS AND SENSORY AIDS CLINIC	CSUS2	4 - Soiled Storage	56	C05P0	Cabinet, Sink, U/C/B, 2 Door, 36x48x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base sink cabinet with solid hinged doors. Also referred to as a double-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.

1 - OUTPATIENT / PACT CLINIC (265)	7 - HOME BASED PRIMARY CARE	WRTM1	1 - Team Work Area, Home-Based Primary Care and Storage	180	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	2	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
1 - OUTPATIENT / PACT CLINIC (265)	7 - HOME BASED PRIMARY CARE	WRTM1	1 - Team Work Area, Home-Based Primary Care and Storage	180	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	4	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	7 - HOME BASED PRIMARY CARE	WRTM1	1 - Team Work Area, Home-Based Primary Care and Storage	180	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	7 - HOME BASED PRIMARY CARE	WRTM1	1 - Team Work Area, Home-Based Primary Care and Storage	180	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	4	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	WTG02	1 - Sub-Waiting, Diagnostic Patient	56	A5077	Dispenser, Hand Sanitizer, Hands-Free	VV - GOVT FURNISHED & INSTALLED	1	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	WTG02	1 - Sub-Waiting, Diagnostic Patient	56	F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	1	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	WTG02	1 - Sub-Waiting, Diagnostic Patient	56	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	WTG02	1 - Sub-Waiting, Diagnostic Patient	56	F2300	Rack, Magazine, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted magazine rack with nine (9) magazine holding compartments.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	UCCL1	10 - UTILITY, CLEAN & Dirty	60	E0903	Locker, Supply, w/Shelves, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Supply Locker 1 Drawer, 9"H 4 Tray/Shelves Drawer Organizers Consider the need for an E0921 to transport the locker from place to place.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	UCCL1	10 - UTILITY, CLEAN & Dirty	60	E0906	Locker, Supply, General, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H 3 Drawers, 6"H 2 Drawers, 9"H 1 Tray/Shelf Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	UCCL1	10 - UTILITY, CLEAN & Dirty	60	E0912	Locker, Supply, Med Surg, Wall Mtd	VV - GOVT FURNISHED & INSTALLED	2	Medical/Surgical Supply locker, Wall Mounted, approximately 23"W x 20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H 2 Drawers, 6"H 2 Tray/Shelf Dividers Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	UCCL1	10 - UTILITY, CLEAN & Dirty	60	E1500	Rail, MOD, W/MNTD, HX144XD	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall.

1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	UCCL1	10 - UTILITY, CLEAN & Dirty	60	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	UCCL1	10 - UTILITY, CLEAN & Dirty	60	P8710	Utility Center, Plumbing Connection	CC - CONTRACTOR FURNISHED/INSTALLED	1	Plumbing connection utility center, sometimes referred to as a 'GUY GRAY BOX'. This recessed utility center provides for hot and cold water connections and a drain connection at sink and other equipment locations. The utility center includes cutoff valves for the water connections, a plug seal for the drain and an outside cover to provide an aesthetic appearance when connections are no longer required. This center may be installed in locations where no plumbing fixtures are included in a design as a future flexibility device, saving many dollars for later facility modifications to incorporate sinks as functions change.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	DR001	2 - Dressing Room	50	A1030	Locker, 2 Person, Over/Under	VV - GOVT FURNISHED & INSTALLED	1	Two person locker, double tier, 72Hx12Wx18D. This unit includes hooks for coats and hats. Door equipped with safety guard handles. Designed for storage of coats, hats, and other personal belongings. Other width and depths are available.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	DR001	2 - Dressing Room	50	A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	DR001	2 - Dressing Room	50	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDR01	3 - Radiology Room, General Purpose	300	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDR01	3 - Radiology Room, General Purpose	300	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDR01	3 - Radiology Room, General Purpose	300	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDR01	3 - Radiology Room, General Purpose	300	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDR01	3 - Radiology Room, General Purpose	300	A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDR01	3 - Radiology Room, General Purpose	300	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDR01	3 - Radiology Room, General Purpose	300	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDR01	3 - Radiology Room, General Purpose	300	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.

1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDR01	3 - Radiology Room, General Purpose	300	F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDR01	3 - Radiology Room, General Purpose	300	F0355	Footstool, Straight	VV - GOVT FURNISHED & INSTALLED	1	Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDR01	3 - Radiology Room, General Purpose	300	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDR01	3 - Radiology Room, General Purpose	300	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDR01	3 - Radiology Room, General Purpose	300	M3070	Hamper, Linen, Mobile, w/Lid	VV - GOVT FURNISHED & INSTALLED	1	Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDR01	3 - Radiology Room, General Purpose	300	M4255	Stand, IV, Adjustable	VV - GOVT FURNISHED & INSTALLED	1	Adjustable IV stand with 4-hook arrangement. Stand has stainless steel construction with heavy weight base. It adjusts from 66 inches to 100 inches and is mounted on conductive rubber, ball bearing, swivel casters. Stand is used for administering intravenous solutions.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDR01	3 - Radiology Room, General Purpose	300	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDR01	3 - Radiology Room, General Purpose	300	X1405	Stand, Bucky, Vertical, Tilt, Automatic	VC - GOVT FURNISHED/CONTR INST	1	Vertical and tilting bucky stand. This unit is mounted to the floor and wall to provide a vibration-free mounting platform for the universal bucky. The grid line free radiographs are produced at exposure times as short as two milliseconds. Characteristics and components include aluminum interspaced grid with a 36 inch (914 mm) to 40 inch (1016 mm) focal range. The unit's cassette size sensing tray accommodates all cassette sizes between 5 and 17 inches. The unit tilts at angles of +90/-20 degrees from the vertical position. The unit is used in X-ray facilities for processing radiography images.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDR01	3 - Radiology Room, General Purpose	300	X3150	Rack, Apron/Gloves, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Apron and gloves rack. This is a wall unit which holds aprons and gloves. The body is heavy gauge steel finish in gray or green baked enamel, glove and apron holding arms are aluminum. The unit's convenient on wall storage will prolong the useful life of your protection aprons by helping prevent damage to internal components.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDR01	3 - Radiology Room, General Purpose	300	X5900	Radiographic Unit, 80 kW, Non-Tilt Table	VC - GOVT FURNISHED/CONTR INST	1	This system is specifically designed to perform radiographic examinations in the Radiology Department. This units characteristics and components include, 80kW micro-processor controlled X-ray generator, a non-tilting table with a floating table top and an adjustable bucky, a ceiling suspended 0.6/1.2 mm tube unit and vertical bucky stand.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDR01	3 - Radiology Room, General Purpose	300	F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDR01	3 - Radiology Room, General Purpose	300	U0021	Bottle Warmer, Countertop	VV - GOVT FURNISHED & INSTALLED	1	Parker Thermasonic Gel Bottle Warmer, 3 Bottle; http://www.parkerlabs.com/thermasonic.asp
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDR01	3 - Radiology Room, General Purpose	300	M4655	Stretcher, Mobile, CRS, 9 Position	VV - GOVT FURNISHED & INSTALLED	1	Mobile stretcher. All corrosion resistant stainless steel construction. It consists of a tubular frame with side rails, a 9-position hydraulic base with pneumatic fowler adjustment, and a 2" pad. Unit is mounted on 8" conductive casters. Designed for patient transport as well as for minor surgical procedures.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDR01	3 - Radiology Room, General Purpose	300	A5180	Track, Cubicle, Surface Mounted, With Curtain	VV - GOVT FURNISHED & INSTALLED	1	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	OFDR1	4 - Office, Radiology	56	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	OFDR1	4 - Office, Radiology	56	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	OFDR1	4 - Office, Radiology	56	A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	This JSN is to be used for determining and defining location of decorative artwork.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	OFDR1	4 - Office, Radiology	56	E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72	VV - GOVT FURNISHED & INSTALLED	1	This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	OFDR1	4 - Office, Radiology	56	F0115	Bookcase, Open, 5 Shelf	VV - GOVT FURNISHED & INSTALLED	1	Freestanding open shelf bookcase, approximately 82" high X 37" wide X 18" deep with 5 (five) adjustable shelves. Unit can be separate or part of a system with available add-on shelving.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	OFDR1	4 - Office, Radiology	56	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	OFDR1	4 - Office, Radiology	56	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	OFDR1	4 - Office, Radiology	56	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	OFDR1	4 - Office, Radiology	56	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	OFDR1	4 - Office, Radiology	56	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	OFDR1	4 - Office, Radiology	56	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	OFR1	4 - Office, Radiology	56	X4122	Console, PACS, Remote View, w/Two 3MP Monitors	VV - GOVT FURNISHED & INSTALLED	1	Two monitor remote viewing station for picture and retrieval (DIN/PACS) system. This station is for use by providers inside or outside radiology to review images. Station includes local image storage, image manipulation and simultaneous display of multiple images on a two 2048 X 1536 image display monitors. Images are stored on a resident memory and roll off to long term storage as more recent images are sent to the station. Provider may request images from the PACS by LAN for image and result receipt. Console must be DICOM compliant. Input may be by keyboard, mouse, trackball or voice activated commands.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	OFA07	6 - Workstation, Radiology Tech	56	A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	OFA07	6 - Workstation, Radiology Tech	56	E0123	Workstation, Straight, Free Standing, 72" W	VV - GOVT FURNISHED & INSTALLED	1	This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	OFA07	6 - Workstation, Radiology Tech	56	F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	OFA07	6 - Workstation, Radiology Tech	56	F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	OFA07	6 - Workstation, Radiology Tech	56	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	OFA07	6 - Workstation, Radiology Tech	56	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	TPG01	7 - Toilet, Ultrasound Patient	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	TPG01	7 - Toilet, Ultrasound Patient	60	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.

1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	TPG01	7 - Toilet, Ultrasound Patient	60	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	TPG01	7 - Toilet, Ultrasound Patient	60	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	TPG01	7 - Toilet, Ultrasound Patient	60	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	TPG01	7 - Toilet, Ultrasound Patient	60	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	TPG01	7 - Toilet, Ultrasound Patient	60	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	TPG01	7 - Toilet, Ultrasound Patient	60	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	TPG01	7 - Toilet, Ultrasound Patient	60	P3000	Lavatory, Vitreous China, Straight Back	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, vitreous china lavatory (approximate bowl size 7"x15"x10") with: straight-front apron, straight or contoured back; faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care areas.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	TPG01	7 - Toilet, Ultrasound Patient	60	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDUS1	8 - Ultrasound Room	180	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line, with speaker.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDUS1	8 - Ultrasound Room	180	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDUS1	8 - Ultrasound Room	180	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDUS1	8 - Ultrasound Room	180	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDUS1	8 - Ultrasound Room	180	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDUS1	8 - Ultrasound Room	180	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.

1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDUS1	8 - Ultrasound Room	180	A5180	Track, Cubicle, Surface Mounted, With Curtain	VV - GOVT FURNISHED & INSTALLED	12	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDUS1	8 - Ultrasound Room	180	C0036	Rail, Apron, 4x30x1	CC - CONTRACTOR FURNISHED/INSTALLED	2	Apron rail. Also referred to as an apron front, apron panel, or knee space rail. Used to close in front knee space area and/or provide work surface support between two steel base cabinets or a steel base cabinet and wall. Apron rails should be ordered in pairs to provide both front and rear work surface support. Constructed of steel.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDUS1	8 - Ultrasound Room	180	C03F0	Cabinet, U/C/B, 1 Shelf, 2 Half DR, 2 DO, 36x30x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base cabinet with an adjustable shelf and two half width drawers above solid hinged doors. Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDUS1	8 - Ultrasound Room	180	CE030	Cabinet, W/H, 2 SH, 2 GDO, Sloping Top, 38x30x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall hung cabinet with two adjustable shelves, framed-glass hinged doors, and sloping top. Also referred to as a framed-glass hinged double door wall case. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDUS1	8 - Ultrasound Room	180	CS150	Sink, SS, Single Compartment, 10x19x16 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. Coordinate actual outside sink dimensions with the actual clear dimension of cabinet specified to ensure that they are compatible. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDUS1	8 - Ultrasound Room	180	CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	5	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDUS1	8 - Ultrasound Room	180	E0930	Locker, Supply, 6 Drawers, Mobile, 29"W x 20"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Mobile Supply Locker 2 Tray/Shelf 4 Drawers, 3"H 2 Drawers, 6"H Drawer Organizer Bins
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDUS1	8 - Ultrasound Room	180	E0945	Cart, Computer, Mobile	VV - GOVT FURNISHED & INSTALLED	1	A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder 1 Wastebasket 1 Chart Holder 2 Drawers, 3"H 2 Drawers, 6"H 3 Accessory Rail, Side Drawer Organizer Bins
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDUS1	8 - Ultrasound Room	180	F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDUS1	8 - Ultrasound Room	180	F0355	Footstool, Straight	VV - GOVT FURNISHED & INSTALLED	1	Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDUS1	8 - Ultrasound Room	180	F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDUS1	8 - Ultrasound Room	180	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).

1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	UCCL1	9 - UTILITY, CLEAN & Dirty	60	E0906	Locker, Supply, General, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H 3 Drawers, 6"H 2 Drawers, 9"H 1 Tray/Shelf Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	UCCL1	9 - UTILITY, CLEAN & Dirty	60	E0912	Locker, Supply, Med Surg, Wall Mtd	VV - GOVT FURNISHED & INSTALLED	2	Medical/Surgical Supply locker, Wall Mounted, approximately 23"W x 20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H 2 Drawers, 6"H 2 Tray/Shelf Dividers Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	UCCL1	9 - UTILITY, CLEAN & Dirty	60	E1500	Rail, MOD, W/MNTD, HX144XD	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	UCCL1	9 - UTILITY, CLEAN & Dirty	60	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	UCCL1	9 - UTILITY, CLEAN & Dirty	60	P8710	Utility Center, Plumbing Connection	CC - CONTRACTOR FURNISHED/INSTALLED	1	Plumbing connection utility center, sometimes referred to as a 'GUY GRAY BOX'. This recessed utility center provides for hot and cold water connections and a drain connection at sink and other equipment locations. The utility center includes cutoff valves for the water connections, a plug seal for the drain and an outside cover to provide an aesthetic appearance when connections are no longer required. This center may be installed in locations where no plumbing fixtures are included in a design as a future flexibility device, saving many dollars for later facility modifications to incorporate sinks as functions change.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBVP1	1 - Blood Specimen Collection Room	60	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line, with speaker.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBVP1	1 - Blood Specimen Collection Room	60	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBVP1	1 - Blood Specimen Collection Room	60	A5077	Dispenser, Hand Sanitizer, Hands-Free	VV - GOVT FURNISHED & INSTALLED	1	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBVP1	1 - Blood Specimen Collection Room	60	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBVP1	1 - Blood Specimen Collection Room	60	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBVP1	1 - Blood Specimen Collection Room	60	A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBVP1	1 - Blood Specimen Collection Room	60	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.

1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBVP1	1 - Blood Specimen Collection Room	60	E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBVP1	1 - Blood Specimen Collection Room	60	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBVP1	1 - Blood Specimen Collection Room	60	F3025	Board, Bulletin, Wood Framed	VV - GOVT FURNISHED & INSTALLED	1	Bulletin board approximately 36"W x 24"H. Wood framed 1/2" cork posting panel with moisture proof backing. Units are factory assembled and have keyhole hangers for easy installation.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBVP1	1 - Blood Specimen Collection Room	60	M1410	Chair, Laboratory, Blood Drawing, w/Storage	VV - GOVT FURNISHED & INSTALLED	1	Laboratory blood drawing chair with storage. Chair has built-in storage cabinet(s) and locking arm assembly that may be positioned on either side of the fiberglass chair.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBVP1	1 - Blood Specimen Collection Room	60	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBVP1	1 - Blood Specimen Collection Room	60	M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBVP1	1 - Blood Specimen Collection Room	60	M1830	Printer, Label, Pharmacy	VV - GOVT FURNISHED & INSTALLED	1	Label printer for use in pharmacy applications. The printer shall be bench top standing. It shall be flexible enough to accommodate label sizes up to 4 inches, with a minimum print speed of 6 inches per second and a minimum resolution of 203 dpi.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBVP1	1 - Blood Specimen Collection Room	60	M3072	Frame, Infectious Waste Bag w/Lid	VV - GOVT FURNISHED & INSTALLED	1	Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBVP1	1 - Blood Specimen Collection Room	60	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	UTC01	10 - Cardboard	60	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	UTC01	10 - Cardboard	60	F0530	Cart, Trash	VV - GOVT FURNISHED & INSTALLED	1	Heavy duty trash cart, approximately 42" high X 74" wide X 34" deep with two (2) solid non-marking rubber roller bearing wheels, one (1) or two (2) swivel casters, 2000 pound capacity and tilt mechanism.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	UTC01	10 - Cardboard	60	F2026	Container, Recycling, Large	VV - GOVT FURNISHED & INSTALLED	1	Recycling container shall be approximately 30-gallons in capacity. The container may include a lid and be Recycle Blue in color with the recycle symbol identified on the container.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	TPSP1	3 - Toilet, Specimen Collection	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.

1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	TPSP1	3 - Toilet, Specimen Collection	60	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	TPSP1	3 - Toilet, Specimen Collection	60	A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	TPSP1	3 - Toilet, Specimen Collection	60	A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	TPSP1	3 - Toilet, Specimen Collection	60	A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	TPSP1	3 - Toilet, Specimen Collection	60	A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	TPSP1	3 - Toilet, Specimen Collection	60	A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	TPSP1	3 - Toilet, Specimen Collection	60	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	TPSP1	3 - Toilet, Specimen Collection	60	L1200	Cabinet, Specimen, Pass Thru, CRS	CC - CONTRACTOR FURNISHED/INSTALLED	1	Pass-through specimen cabinet. The unit has a sight-proof interlocking door that permits only one door to open at a time. It also includes a removable spill tray, corrosion resistant stainless steel welded construction with seamless corners and burr-free edges and is able to adjust to wall thickness between 3-6 inches. Used for passage of specimens from patient area to laboratory.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	TPSP1	3 - Toilet, Specimen Collection	60	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	TPSP1	3 - Toilet, Specimen Collection	60	P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBSS1	5 - Shipping / Receiving	0	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBSS1	5 - Shipping / Receiving	0	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.

1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBSS1	5 - Shipping / Receiving	0	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBSS1	5 - Shipping / Receiving	0	A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBSS1	5 - Shipping / Receiving	0	E0573	Workstation, Shipping/Receiving Lab, Minimal	VV - GOVT FURNISHED & INSTALLED	1	<p>THIS TYPICAL INCLUDES:</p> <ul style="list-style-type: none"> 1 Equipment Rail, System-Mt, 48"W 2 Clinical Panel, 80"H x 30"W 1 Module, 80"H x 24W, w/ 7-1/4inch utility chase, w/ service shelf 2 Module, 80"H x 48W , w/ 7-1/4inch utility chase, w/ service shelf 1 Vertical Chase Cover 2 Service Shelf 48W 2 Light 48W 2 Cantilevered Work Surface 30D x 48W 2 Lockable Flipper Unit, 48W 2 Adjustable Keyboard Tray 1 Sink Base Cabinet, Dbl. Door, Backsplash, w/Corian Top, 30D x 48W 1 Swing-Away Eyewash 1 SS Sink 19D x 33D 1 Gooseneck Mixing Faucet ASSY. With Wristbands 1 Strainer and Tailpiece 1 Coat Hook Drawer Organizer Bins <p>* Connecting hardware required to complete installation.</p>
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBSS1	5 - Shipping / Receiving	0	F0230	Chair, Drafting, Rotary	VV - GOVT FURNISHED & INSTALLED	1	Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBSS1	5 - Shipping / Receiving	0	F2540	Shredder, Paper, Security	VV - GOVT FURNISHED & INSTALLED	1	Paper shredder, approximately 21" high X 15" wide X 12" deep with shredding unit and waste receptacle. Security features will include cross-cut shredding.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBSS1	5 - Shipping / Receiving	0	F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBSS1	5 - Shipping / Receiving	0	L1502	Centrifuge, Tabletop	VV - GOVT FURNISHED & INSTALLED	1	Tabletop laboratory centrifuge. This unit has a variable speed range of 1500 to 13000 RPM in part dependent on rotor assembly used. It includes a no brake option allowing rotor to spin to a gradual stop as well as the capability to enter combinations of time and RPM into the memory, and a door lock safety system. Heads accommodate a wide variety of tubes and can accommodate up to at least 76 tubes. Used in laboratories to prepare samples for further analysis.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBSS1	5 - Shipping / Receiving	0	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBSS1	5 - Shipping / Receiving	0	M1830	Printer, Label, Pharmacy	VV - GOVT FURNISHED & INSTALLED	1	Label printer for use in pharmacy applications. The printer shall be bench top standing. It shall be flexible enough to accommodate label sizes up to 4 inches, with a minimum print speed of 6 inches per second and a minimum resolution of 203 dpi.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBSS1	5 - Shipping / Receiving	0	P1965	Eyewash, Eye/Face, Sink Mounted, Hands-free	CC - CONTRACTOR FURNISHED/INSTALLED	1	A sink mounted eyewash station. The unit is designed for emergency eye and face rinsing from soft flow dual spray-heads. The Flow must be activated by the single momentary action and remain on until terminated.

1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBSS1	5 - Shipping / Receiving	0	P2450	Valve, Mixing, Thermostatic	CC - CONTRACTOR FURNISHED/INSTALLED	1	Thermostatic mixing valve with washout hose. Used with portable whirlpool equipment. Thermostatic valve is used to maintain temperature between 70 and 110 degree Fahrenheit, with a flow rate of 20 gallons a minute. The washout hose assembly is used to wash out tanks after treatment. Used in physical therapy department to provide comfortable water temperature for patient treatments.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBSS1	5 - Shipping / Receiving	0	R5135	Freezer, Undercounter, 5 Cubic Feet	VV - GOVT FURNISHED & INSTALLED	1	Under counter freezer. This unit features space-saving thin-wall construction and has the flexibility of being built with existing cabinets, installed under-counter without top or custom-finished to specifications. This unit is a general purpose laboratory freezer.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBSS1	5 - Shipping / Receiving	0	R6200	Refrigerator, U/C or F/S, 5 Cu Ft	VV - GOVT FURNISHED & INSTALLED	1	Utility refrigerator approximately 35" H x 24" W x 26" D. The unit has a two tray ice cube cooling system. The refrigerator fits standard architectural dimensions for undercounter installation. The unit is perfect for use in nurses' station, wards, and laboratories, pharmacies or wherever space is limited.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	SRS01	6 - Storage, Bulk	0	A1010	Telecommunication Outlet	VV - GOVT FURNISHED & INSTALLED	1	Telecommunication outlet location.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	SRS01	6 - Storage, Bulk	0	A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line, with speaker.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	SRS01	6 - Storage, Bulk	0	M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	4	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBGM1	7 - Laboratory, General	350	A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, 1 line.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBGM1	7 - Laboratory, General	350	A1013	Telephone, Wall Mounted, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, multiple line.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBGM1	7 - Laboratory, General	350	A5075	Dispenser, Soap, Disposable	VV - GOVT FURNISHED & INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBGM1	7 - Laboratory, General	350	A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBGM1	7 - Laboratory, General	350	A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBGM1	7 - Laboratory, General	350	E0512	Module, Lab, Work Surface, O/H Cab, 60" W	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 2 Modules With 7-1/4" Utility Chase 2 Service Shelves 4 Electrical Access Panels 4 Module Connectors 2 Lockable Flipper Units 2 Shelves, Storage/Display 2 Lights 1 Work Surface

1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBGM1	7 - Laboratory, General	350	E0533	Module, Lab, Work Surf, O/H Cab, Hvy Storage, 48"W	VV - GOVT FURNISHED & INSTALLED	1	<p>THIS TYPICAL INCLUDES:</p> <ul style="list-style-type: none"> 1 Module With 7-1/4" Utility Chase <ul style="list-style-type: none"> 1 Service Shelf 2 Electrical Access Panels <ul style="list-style-type: none"> 2 Module Connectors 1 Lockable Flipper Unit 1 Shelf, Storage/Display <ul style="list-style-type: none"> 1 Light 1 Work Surface 4 Storage Frames 1 Storage Frame Rail <ul style="list-style-type: none"> 2 Drawers, 3"H 6 Drawers, 6"H 2 Drawers, 9"H Drawer Organizer Bins
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBGM1	7 - Laboratory, General	350	F0230	Chair, Drafting, Rotary	VV - GOVT FURNISHED & INSTALLED	2	Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBGM1	7 - Laboratory, General	350	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBGM1	7 - Laboratory, General	350	L0990	Analyzer, Urine, Basic	VV - GOVT FURNISHED & INSTALLED	1	Basic urine analysis system. Automated system provides 8 chemistries. Unit requires only power connection. This unit is a benchtop instrument.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBGM1	7 - Laboratory, General	350	L1115	Analyzer, Hematology, Differential, Automatic	VV - GOVT FURNISHED & INSTALLED	1	Automatic hematology counter/analyzer. The analyzers characteristics/components include the measurement of eight hematology parameters as well as platelet counts, auto-rinse cycle between analysis, minimum specimen requirement of 100 microliters, readout results in 40 seconds, automatic calibration and capable of computerized differential counting and manual verification of results. Used for hematology analysis.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBGM1	7 - Laboratory, General	350	L1502	Centrifuge, Tabletop	VV - GOVT FURNISHED & INSTALLED	1	Tabletop laboratory centrifuge. This unit has a variable speed range of 1500 to 13000 RPM in part dependent on rotor assembly used. It includes a no brake option allowing rotor to spin to a gradual stop as well as the capability to enter combinations of time and RPM into the memory, and a door lock safety system. Heads accommodate a wide variety of tubes and can accommodate up to at least 76 tubes. Used in laboratories to prepare samples for further analysis.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBGM1	7 - Laboratory, General	350	L2570	Incubator, Bacteriological, Single	VV - GOVT FURNISHED & INSTALLED	1	Small bacteriological incubator. It has a corrosion resistant chamber with adjustable shelves and a temperature range of approximately 30-70 degrees centigrade. Used in laboratories to grow cultures.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBGM1	7 - Laboratory, General	350	L8520	Shaker, Rotating, 12 Standard Tubes	VV - GOVT FURNISHED & INSTALLED	1	Rotator/shaker. The unit has a speed range approximately 6 to 60 RPM, an adjustable place head, and the capability to hold all tubes 10 to 19 mm in diameter. Used for hematology procedures, micro-diffusion techniques, precipitate washing, blood gas saturation and more.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBGM1	7 - Laboratory, General	350	L8580	Stainer, Slide, Automatic, Hematology	VV - GOVT FURNISHED & INSTALLED	1	Automatic slide stainer. This is a microprocessor controlled stainer designed for minimum of 20 slides at one time. It includes a staining station, rinsing station and drying station. For use in microbiology, histology, and hematology laboratories.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBGM1	7 - Laboratory, General	350	M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBGM1	7 - Laboratory, General	350	M1830	Printer, Label, Pharmacy	VV - GOVT FURNISHED & INSTALLED	1	Label printer for use in pharmacy applications. The printer shall be bench top standing. It shall be flexible enough to accommodate label sizes up to 4 inches, with a minimum print speed of 6 inches per second and a minimum resolution of 203 dpi.

1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBGM1	7 - Laboratory, General	350	M1840	Printer/Copier/Fax Combination	VV - GOVT FURNISHED & INSTALLED	1	Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBGM1	7 - Laboratory, General	350	M3072	Frame, Infectious Waste Bag w/Lid	VV - GOVT FURNISHED & INSTALLED	3	Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBGM1	7 - Laboratory, General	350	P1965	Eyewash, Eye/Face, Sink Mounted, Hands-free	CC - CONTRACTOR FURNISHED/INSTALLED	1	A sink mounted eyewash station. The unit is designed for emergency eye and face rinsing from soft flow dual spray-heads. The Flow must be activated by the single momentary action and remain on until terminated.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBGM1	7 - Laboratory, General	350	P2451	Valve, Mixing, Thermostatic, Eyewash	CC - CONTRACTOR FURNISHED/INSTALLED	1	Emergency tempering valve thermostatically mixes hot and cold water to provide a safe fluid supply for a single emergency eye/face wash with a flow rate of 10 gpm (38.8L)
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBGM1	7 - Laboratory, General	350	P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBGM1	7 - Laboratory, General	350	R6280	Refrigerator, Lab, SS, 2 Door, 6 Shelves	VV - GOVT FURNISHED & INSTALLED	1	Laboratory refrigerator approximately 83x56x33 in size. This unit will have double-doors; stainless steel interior; six stainless steel shelves that are fully adjustable to one-half centers; blower coil cooler with automatic off cycle defrost and a seven day precision temperature recording clock. This unit is used in hospitals and research laboratories for general cold storage.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	SRR02	8 - Storage, Refrigerated	0	R6060	Refrigerator, Biological, SS, 2 Door, 40 Cu Ft	VV - GOVT FURNISHED & INSTALLED	2	Biological refrigerator. This unit shall have a minimum volume of 40 cubic feet, double doors, stainless steel cooler storage with stainless steel drawers, three adjustable shelves and one stationary stainless steel shelf. This refrigerator is used in research laboratories and hospital pharmacies for storage and dispensing of drugs.
Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	UCCL1	9 - UTILITY, CLEAN	60	E0903	Locker, Supply, w/Shelves, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Supply Locker 1 Drawer, 9"H 4 Tray/Shelves Drawer Organizers Consider the need for an E0921 to transport the locker from place to place.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	UCCL1	9 - UTILITY, CLEAN	60	E0906	Locker, Supply, General, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H 3 Drawers, 6"H 2 Drawers, 9"H 1 Tray/Shelf Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	UCCL1	9 - UTILITY, CLEAN	60	E0912	Locker, Supply, Med Surg, Wall Mtd	VV - GOVT FURNISHED & INSTALLED	2	Medical/Surgical Supply locker, Wall Mounted, approximately 23"W x 20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H 2 Drawers, 6"H 2 Tray/Shelf Dividers Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.

1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	UCCL1	9 - UTILITY, CLEAN	60	E1500	Rail, MOD, W/MNTD, HX144XD	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	UCCL1	9 - UTILITY, CLEAN	60	F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	UCCL1	9 - UTILITY, CLEAN	60	P8710	Utility Center, Plumbing Connection	CC - CONTRACTOR FURNISHED/INSTALLED	1	Plumbing connection utility center, sometimes referred to as a 'GUY GRAY BOX'. This recessed utility center provides for hot and cold water connections and a drain connection at sink and other equipment locations. The utility center includes cutoff valves for the water connections, a plug seal for the drain and an outside cover to provide an aesthetic appearance when connections are no longer required. This center may be installed in locations where no plumbing fixtures are included in a design as a future flexibility device, saving many dollars for later facility modifications to incorporate sinks as functions change.

Report Parameters

Sorted By: Blueprint Number, JSN

(END OF REPORT)