

COMMUNITY BASED OUTPATIENT CLINICS Choice 2.0

Terre Haute, IN

Appendix A.2: VA Project Content List

RLP No. 36C10F18F3202

July 31, 2018

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	CLSC2	Workstation, Patient Education	30	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	1	Telecommunication outlet location.
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
					E0042	Workcenter, Computer, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Tool Rail 2 Paper Tray 1 Diagonal Tray 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray
					F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms

2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	NCWD4	Alcove, Volunteer	60	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	2	Telecommunication outlet location.
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	2	Telephone, desk, multiple line.
					E0045	Workcenter, Computer, Free Standing, 60" W	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Tool Rail 2 Paper Tray 1 Diagonal Tray 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray
					n/a	Hand Sanitizer	VV - GOVT FURNISHED & INSTALLED	1	
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	2	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
					F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	2	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms

1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	RECP4	12 - Kiosk, Patient Check-In	30	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	1	Telecommunication outlet location.
					M1890	Kiosk, Educational, Stand-Up	VV - GOVT FURNISHED & INSTALLED	1	A free standing Kiosk providing educational information for patients. The kiosk will, as a minimum, include a computer, an LCD display of approximately 19" with a touch screen, keyboard with track ball, speakers, printer, card reader, bar code scanner and housed in a durable steel enclosure. The unit will contain all necessary software packages to satisfy a wide spectrum of information distribution. Final configuration of kiosk will be determined at time of purchase.
Qty of Rooms		5							

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	RECP5	Reception, Accessible	400	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	4	Telecommunication outlet location.
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	4	Telephone, desk, multiple line.
					A6105	Counter, Reception Control, Built-In	CC - CONTRACTOR FURNISHED/INSTALLED	4	Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backsplash/curb. Pricing based on a 30" depth.
					F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	4	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).

					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	4	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	4	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	SRLW1	Alcove, Wheelchair	120	M4705	Wheelchair, Patient Transport, Folding	VV - GOVT FURNISHED & INSTALLED	7	Folding patient transport wheelchair. Constructed of chrome plated steel with detachable armrest and footrests. Unit has heavy duty front casters with sealed radial high-precision ball bearing assembly. Unit is used for patient transport.
					M4710	Wheelchair, Patient, Bariatric, Transport, Folding	VV - GOVT FURNISHED & INSTALLED	3	Folding bariatric patient transport wheelchair with a capacity of at least 500 lbs. Constructed with a heavy duty steel frame and double cross brace, with detachable armrest and swing away footrests. Unit has heavy duty front casters and rear wheels with precision wheel bearings in front and rear assembly. Unit is used for patient movement.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TLTF2	Toilet, Female	260	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	2	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
					A4995	Table, Diaper Changing, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted diaper changing table for use in public restrooms. Unit is a fold down system that folds upward when not in use for minimal intrusion into the room. Changing surface is contoured and has safety belt to insure that an infant will not fall from the table. Table is designed to hold no less than 250 pounds static weight. Closed dimensions are approximately 21" H x 36" W x 5" D. Open dimensions vary according to style. One system's open dimensions are 15" high, 32" wide and 19" deep.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	2	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
					A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	3	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
					n/a	Dispenser, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	
					A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
					A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	3	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.

					C0041	Rail, Apron, 4x60x1	CC - CONTRACTOR FURNISHED/INSTALLED	2	Apron rail. Also referred to as an apron front, apron panel, or knee space rail. Used to close in front knee space area and/or provide work surface support between two base cabinets or a base cabinet and wall. Apron rails should be ordered in pairs to provide both front and rear work surface support.
					CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	5	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
					F2015	Basket, Wastepaper, Metal/Plastic, 2 Swinging Doors	VV - GOVT FURNISHED & INSTALLED	1	Metal receptacle for soiled / used towels or waste. Equipped with a removable tapered top with two independently operating self-closing, spring hinged doors. Used in public facilities for the collection and temporary storage of refuse.
					P3070	Lavatory, Vitreous China, Under or Counter Top Mtd	CC - CONTRACTOR FURNISHED/INSTALLED	2	An undercounter or countertop mounted vitreous china lavatory (approximate bowl size 6"x17"x14") with gooseneck spout, wrist blade handles, and grid drain. Counter top mounted lavatory to be self rimming with mounting kit provided. Undercounter lavatory to have unglazed rim with a mounting kit also provided. For general purpose use in vanity tops in public, patient and staff toilet rooms.
						Toilet, Floor Mounted, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	3	Siphon jet water closet/ toilet. This unit is floor mounted with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TLTM2	Toilet, Male	260	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	2	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
					A4995	Table, Diaper Changing, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted diaper changing table for use in public restrooms. Unit is a fold down system that folds upward when not in use for minimal intrusion into the room. Changing surface is contoured and has safety belt to insure that an infant will not fall from the table. Table is designed to hold no less than 250 pounds static weight. Closed dimensions are approximately 21" H x 36" W x 5" D. Open dimensions vary according to style. One system's open dimensions are 15" high, 32" wide and 19" deep.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	2	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
					A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
					A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	2	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
					C0041	Rail, Apron, 4x60x1	CC - CONTRACTOR FURNISHED/INSTALLED	2	Apron rail. Also referred to as an apron front, apron panel, or knee space rail. Used to close in front knee space area and/or provide work surface support between two base cabinets or a base cabinet and wall. Apron rails should be ordered in pairs to provide both front and rear work surface support.

					CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	5	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
					F2015	Basket, Wastepaper, Metal/Plastic, 2 Swinging Doors	VV - GOVT FURNISHED & INSTALLED	1	Metal receptacle for soiled / used towels or waste. Equipped with a removable tapered top with two independently operating self-closing, spring hinged doors. Used in public facilities for the collection and temporary storage of refuse.
					P3070	Lavatory, Vitreous China, Under or Counter Top Mtd	CC - CONTRACTOR FURNISHED/INSTALLED	2	An undercounter or countertop mounted vitreous china lavatory (approximate bowl size 6"x17"x14") with gooseneck spout, wrist blade handles, and grid drain. Counter top mounted lavatory to be self rimming with mounting kit provided. Undercounter lavatory to have unglazed rim with a mounting kit also provided. For general purpose use in vanity tops in public, patient and staff toilet rooms.
					P8150	Urinal, Wall Hung	CC - CONTRACTOR FURNISHED/INSTALLED	2	A low consumption (1.0 gallon per flush) vitreous china, wall hung, washout flush action urinal with extended sides, flushing rim, 3/4" inlet spud, 2" I.P.S. female outlet connection and stainless steel strainer. For general purpose use in male toilet rooms.
						Toilet, Floor Mounted, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	3	Siphon jet water closet/ toilet. This unit is floor mounted with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Qty of Rooms

1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	TLTU1	Toilet, Family	75	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
					n/a	Dispenser, Sanitary Napkin, SS, Surface Mounted	VV - GOVT FURNISHED & INSTALLED	1	Price provided by Bobrick Trim Line Series Surface Mounted Model B370639 25
					A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

					P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
						Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Qty of Rooms 2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WRF01	Waiting, PACT Family	100	A5210	Bracket, Television, Wall Mounted, w/Adjust Arm	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms.
					A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
					A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	2	This JSN is to be used for determining and defining location of decorative artwork.
					F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	3	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
					F0305	Chair, Waiting Room, Single	VV - GOVT FURNISHED & INSTALLED	6	Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M0515	Television, HD, 40" Class	VV - GOVT FURNISHED & INSTALLED	1	High definition (HDTV) multimedia flat panel LED 40" class display television. The TV will have a 16:9 wide screen aspect ratio, minimum of 1920 x 1080 display resolution, digital tuner, minimum refresh rate of 60Hz, minimum of two HDMI ports and 1 USB port ENERGY STAR certified.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	1 - LOBBY / RECEPTION AREA	WTPC2	Waiting, PACT 2	1200	A5077	Dispenser, Hand Sanitizer, Hands-Free	VV - GOVT FURNISHED & INSTALLED	4	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
					A5212	Bracket, Television, Wall-Mounted, Tilt/Angle	VV - GOVT FURNISHED & INSTALLED	2	A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs.
					A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	2	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
					A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	10	This JSN is to be used for determining and defining location of decorative artwork.
					F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	20	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
					F0305	Chair, Waiting Room, Single	VV - GOVT FURNISHED & INSTALLED	120	Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included.
					F0740	Table, Occasional, Lamp	VV - GOVT FURNISHED & INSTALLED	1	Occasional lamp table (end table) approximately 20" high X 27" wide X 27" deep with choice of finishes (wood, oak veneer, or high pressure laminate).
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					F2300	Rack, Magazine, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted magazine rack with nine (9) magazine holding compartments.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	4	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M0512	Television, HDTV, Large Screen, 60"	VV - GOVT FURNISHED & INSTALLED	3	A high definition (HDTV) multimedia, slim design, 60"W to 65"W color television. The TV will have a 16.9 wide screen aspect ratio with full HD 1080p resolution and HDMI connections. TV may be LED, Plasma or LCD. TV will include a stand.

Qty of Rooms

1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	CLSC4	Shared Medical Appointment Room	400	E0945	Cart, Computer, Mobile	VV - GOVT FURNISHED & INSTALLED	2	<p>A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase.</p> <p>This Typical may include:</p> <p>1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top</p> <p>1 Flip-Up Shelf</p> <p>1 Sharps Container Holder</p> <p>1 Wastebasket</p> <p>1 Chart Holder</p> <p>2 Drawers, 3"H</p> <p>2 Drawers, 6"H</p> <p>3 Accessory Rail, Side Drawer Organizer Bins</p>
					A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	3	Telecommunication outlet location.
					A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, 1 line.
					F0295	Chair, Stacking	VV - GOVT FURNISHED & INSTALLED	16	Stacking chair, approximately 34" H X 21" W X 24" D. May be stacked up to 20 high depending upon the model selected. These chairs are intended primarily as overflow capacity for conference rooms.
					F0860	Table, Mobile	VV - GOVT FURNISHED & INSTALLED	4	Mobile table. The unit provides mobile or isolated freestanding work surface. Characteristics and components include 3-1/2 inch casters and attached drawer bearers. Unit is used for general work applications, primarily in dry areas.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
					F3060	Whiteboard, Projection Screen Combination	VV - GOVT FURNISHED & INSTALLED	1	Whiteboard and projection screen combination approximately 48" H x 72" W. Magnetic surface with matte finish for projection. Hard board stabilizer with aluminum foil back. For use with water color pens.

					M0506	Television, Flat Screen	VV - GOVT FURNISHED & INSTALLED	1	Flat screen television with approximately 32" to 40" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms 2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	CRA01	Conference Room	240	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	3	Telecommunication outlet location.
					A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, 1 line.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					A5212	Bracket, Television, Wall-Mounted, Tilt/Angle	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs.
					A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
					F0220	Chair, Conference	VV - GOVT FURNISHED & INSTALLED	10	Conference chair designed to complement the executive furniture package selected. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters.
					E0042	Workcenter, Computer, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Tool Rail 2 Paper Tray 1 Diagonal Tray 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray
					F0755	Table, Conference, Wood	VV - GOVT FURNISHED & INSTALLED	1	Executive conference table. Dimensions are approximately 30" high, 48" wide with lengths varying from 74" to 96". These tables add traditional elegance to any conference room.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M0507	Video Teleconferencing System	VV - GOVT FURNISHED & INSTALLED	1	Shall be a video conferencing unit consisting of a camera, microphone, video/audio compression components, a component cart and a 32 inch monitor. It shall provide live audio-visual conferencing capabilities to dispersed geographic sites.
					F3060	Whiteboard, Projection Screen Combination	VV - GOVT FURNISHED & INSTALLED	1	Whiteboard and projection screen combination approximately 48" H x 72" W. Magnetic surface with matte finish for projection. Hard board stabilizer with aluminum foil back. For use with water color pens.
					M0512	Television, HDTV, Large Screen, 60"	VV - GOVT FURNISHED & INSTALLED	1	A high definition (HDTV) multimedia, slim design, 60"W to 65"W color television. The TV will have a 16.9 wide screen aspect ratio with full HD 1080p resolution and HDMI connections. TV may be LED, Plasma or LCD. TV will include a stand.
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms

1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	EXPA1	Exam Room, Patient Aligned Care Team (PACT)	125	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	2	Telecommunication outlets located on opposite walls opposite door wall.
					A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
					A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - FURNISH AND INSTALL TRACK, VV - FURNISH AND INSTALL CURTAIN	12	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
					CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
					CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.

					CT030	Countertop, High Pressure Laminate	CC - CONTRACTOR FURNISHED/INSTALLED	3	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.
					E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
					F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	1	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
					F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
					F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
					n/a	Docking Station for tablet	VV - GOVT FURNISHED & INSTALLED	1	
					M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
					M4116	Monitor, Vital Signs	VV - GOVT FURNISHED & INSTALLED	1	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.
					M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.

					M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	VV - GOVT FURNISHED & INSTALLED	1	The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement.
					M9025	Table, Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	1	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms.

Qty of Rooms

14

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	EXW01	Exam Room, Women's Health	125	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	1	Telecommunication outlet location.
					A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
					A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - FURNISH AND INSTALL TRACK, VV - FURNISH AND INSTALL CURTAIN	12	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.

					CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
					CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
					CT030	Countertop, High Pressure Laminate	CC - CONTRACTOR FURNISHED/INSTALLED	3	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.
					E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
					F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	1	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
					F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
					F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
					F2310	Rack, Pamphlet, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted pamphlet rack up to 12 (twelve) pamphlet holding pockets. Unit is used to store and display educational pamphlets.
					F3025	Board, Bulletin, Wood Framed	VV - GOVT FURNISHED & INSTALLED	1	Bulletin board approximately 36"W x 24"H. Wood framed 1/2" cork posting panel with moisture proof backing. Units are factory assembled and have keyhole hangers for easy installation.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).

					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
					M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
					M3072	Frame, Infectious Waste Bag w/Lid	VV - GOVT FURNISHED & INSTALLED	1	Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation.
					M4100	Sphygmomanometer, Aneroid, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction.
					M4116	Monitor, Vital Signs	VV - GOVT FURNISHED & INSTALLED	1	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.
					M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
					M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	VV - GOVT FURNISHED & INSTALLED	1	The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement.
					M9025	Table, Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	1	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms.

Qty of Rooms

4

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	LR004	Locker, Staff Personal Property	60	A1040	Locker, 2 Person, Side by Side, 72x15x18	VV - GOVT FURNISHED & INSTALLED	30	Two person side by side locker. Steel unit. It consists of side by side compartments for hanging clothes and over/under compartments for hats, etc. Used for personal belongings storage.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	2	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

Qty of Rooms 2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	OFA03	Workstation, Extended Team	56	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	1	Telecommunication outlet location.
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
					E0075	Workstation, L-Shaped, Freestanding, 72x48	VV - GOVT FURNISHED & INSTALLED	1	<ul style="list-style-type: none"> 4 Standard Solid Panels 2 Panel-To-Panel Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 2 Lockable Flipper Units 2 Shelves, Storage/Display 3 Lights 2 Tackboards 2 Tool Rails 2 Paper Trays 1 Diagonal Tray 2 Cantilevered Work Surfaces 1 Adjustable Keyboard Tray 1 Hanging Pedestal, Box/File 1 Pencil Drawer 2 Support Panels
					F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
					F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.

					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms 8

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	EXPA1	Consult Room, Patient Aligned Care Team (PACT)	125	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	2	Telecommunication outlets located on opposite walls opposite door wall.
					A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
					A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - FURNISH AND INSTALL TRACK, VV - FURNISH AND INSTALL CURTAIN	12	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.

					CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
					CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
					CT030	Countertop, High Pressure Laminate	CC - CONTRACTOR FURNISHED/INSTALLED	3	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.
					E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
					F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	1	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
					F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
					F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
					n/a	Docking Station for tablet	VV - GOVT FURNISHED & INSTALLED	1	
					M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.

					M4116	Monitor, Vital Signs	VV - GOVT FURNISHED & INSTALLED	1	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.
					M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
					M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	VV - GOVT FURNISHED & INSTALLED	1	The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement.
					M9025	Table, Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	1	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms.

Qty of Rooms 8

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	PEHW2	Alcove, Height / Weight Accessible Station	40	M4045	Scale, Wheelchair, Portable, 1000 lb Capacity	VV - GOVT FURNISHED & INSTALLED	1	A battery operated, portable, digital wheelchair scale. This item is designed to accommodate extra-wide wheelchairs for weighing bariatric patients and also can be used for walk-ons. The scale can store the weight of the chair. The digital display unit can be scale mounted or mounted on a wall. An optional AC adapter is available. Designed for a gross 1000 lbs. capacity.
						Quad Plex	CC - CONTRACTOR FURNISHED/INSTALLED	1	Supply one quad plex in each weight alcove

Qty of Rooms 2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 4 MODULES, 16 TEAMLETS	RCA06	Alcove, Medication	20	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Telecommunication outlet location.
					R6200	Refrigerator, U/C or F/S, 5 CuFt	VV - GOVT FURNISHED & INSTALLED	1	Utility refrigerator approx 35"Hx24"Wx26"D. The unit has a two tray ice cube cooling system. The refrigerator fits standard architectural dimensions for undercounter installation. The unit perfect for use in nurses' station, wards, and laboratories, pharmacies or wherever space is limited.
					M3150	Distribution System, Medication, Automatic	VV - GOVT FURNISHED & INSTALLED	1	An automated dispensing system that provides controlled dispensing, inventory and security. Size and cost will vary dependent on number of modules selected.

Qty of Rooms 2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	SL001	Lounge, Staff	200	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Telecommunication outlet location.
					A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					A5210	Bracket, Television, Wall Mounted, w/Adjust Arm	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms.
					A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
					C02C0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base cabinet with an adjustable shelf and a full width drawer above a solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings). Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.

					C02D0	Cabinet, U/C/B, 4 Drawer, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base cabinet with four full width drawers of equal height. Also referred to as a drawer cabinet. For general purpose use throughout the facility.
					C04P0	Cabinet, Sink, U/C/B, 2 Door, 36x36x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base sink cabinet with solid hinged doors. Also referred to as a double-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
					CB020	Cabinet, W/H, 2 Shelf, 1 DO, Sloping Top, 38x24x13	CC - CONTRACTOR FURNISHED/INSTALLED	2	Wall hung cabinet with two adjustable shelves, solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings), and sloping top. Also referred to as a solid hinged single door case. For general purpose use throughout the facility.
					CS230	Sink, SS, Double Compartment, 10x14x16 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Double compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. Coordinate actual outside sink dimensions with the actual clear dimension of cabinet specified to ensure that they are compatible. For general purpose use throughout the facility.
					CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	7	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
					F0295	Chair, Stacking	VV - GOVT FURNISHED & INSTALLED	16	Stacking chair, approximately 34" H X 21" W X 24" D. May be stacked up to 20 high depending upon the model selected. These chairs are intended primarily as overflow capacity for conference rooms.
					F0795	Table, Dining	VV - GOVT FURNISHED & INSTALLED	2	Dining table. Round 42" diameter or square 42" X 42". Used in dining facilities and can comfortably seat up to four (4) persons.
					F2015	Basket, Wastepaper, Metal/Plastic, 2 Swinging Doors	VV - GOVT FURNISHED & INSTALLED	1	Metal receptacle for soiled / used towels or waste. Equipped with a removable tapered top with two independently operating self-closing, spring hinged doors. Used in public facilities for the collection and temporary storage of refuse.
						Whiteboard	VV - GOVT FURNISHED & INSTALLED	1	
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).

					K1552	Brewer, Coffee, Auto, Elect, 3 Burner, Front/Back	VV - GOVT FURNISHED & INSTALLED	1	Space saving front to back automatic coffee maker. This unit includes a heating tank, connection for a cold water supply, decanter service with three burners, funnel and a water flow controller. The unit is used for semi-automatic coffee brewing in cafeterias and commercial institutions. The unit automatically shuts off the water flow when enough has passed through to fill the pot. The unit is normally provided plumbed with a hot water faucet to the side for making other hot drinks (tea, cider, cocoa, etc.). The database height dimension does not include the clearance for coffee decanters warming on the upper burners.
					K4665	Oven, Microwave, Consumer	VV - GOVT FURNISHED & INSTALLED	1	Counter mounted microwave oven for average duty use. The exterior cabinet can be metal or heavy duty impact resistant plastic. The oven delivers instant energy for rapid heating, defrosting or prime cooking. The oven has touch pad controls, digital timer, power level selector and preprogrammed selectors for commonly cooked items. This oven is commonly found in staff lounges.
					M0515	Television, HD, 40" Class	VV - GOVT FURNISHED & INSTALLED	1	High definition (HDTV) multimedia flat panel LED 40" class display television. The TV will have a 16:9 wide screen aspect ratio, minimum of 1920 x 1080 display resolution, digital tuner, minimum refresh rate of 60Hz, minimum of two HDMI ports and 1 USB port ENERGY STAR certified.
					R7250	Refrigerator/Freezer, 20 Cubic Feet	VV - GOVT FURNISHED & INSTALLED	1	Refrigerator/freezer unit. This type unit includes a food saver system that helps keep food fresher. It also includes roll out wheels and is equipped for an optional automatic icemaker. This unit is of commercial or residential design and use.
Qty of Rooms		1							

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	SRE01	Storage, Medical Equipment	120	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Telecommunication outlet location.
					M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	4	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.

Qty of Rooms 2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	SRE01	Storage, Shared Medical Appointments	100	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Telecommunication outlet location.
						Quad Plex	CC - CONTRACTOR FURNISHED/INSTALLED	1	Include one quad plex for refrigeration storage
					R7250	Refrigerator/Freezer, 20 Cubic Feet	VV - GOVT FURNISHED & INSTALLED	1	Refrigerator/freezer unit. This type unit includes a food saver system that helps keep food fresher. It also includes roll out wheels and is equipped for an optional automatic icemaker. This unit is of commercial or residential design and use.
					n/a	Cart, Mobile, teaching Kitchen	VV - GOVT FURNISHED & INSTALLED	1	Mobile cart
					M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	4	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.

Qty of Rooms 2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	SRE01	Storage, Equipment	40	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	1	Telecommunication outlet location.
					M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	4	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.

Qty of Rooms 2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	SRE01	Storage, Equipment	30	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	1	Telecommunication outlet location.
					M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	4	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.

Qty of Rooms 2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	SRLW1	Wheelchair Alcove	20	M4705	Wheelchair, Patient Transport, Folding	VV - GOVT FURNISHED & INSTALLED	0	Folding patient transport wheelchair. Constructed of chrome plated steel with detachable armrest and footrests. Unit has heavy duty front casters with sealed radial high-precision ball bearing assembly. Unit is used for patient transport.
					M4710	Wheelchair, Patient, Bariatric, Transport, Folding	VV - GOVT FURNISHED & INSTALLED	0	Folding bariatric patient transport wheelchair with a capacity of at least 500 lbs. Constructed with a heavy duty steel frame and double cross brace, with detachable armrest and swing away footrests. Unit has heavy duty front casters and rear wheels with precision wheel bearings in front and rear assembly. Unit is used for patient movement.

Qty of Rooms 2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	RCA02	Alcove, Stretcher (8'x4')	32	M4655	Stretcher, Mobile, CRS, 9 Position	VV - GOVT FURNISHED & INSTALLED	1	Mobile stretcher. All corrosion resistant stainless steel construction. It consists of a tubular frame with side rails, a 9-position hydraulic base with pneumatic fowler adjustment, and a 2" pad. Unit is mounted on 8" conductive casters. Designed for patient transport as well as for minor surgical procedures.
						Quad Plex	CC - CONTRACTOR FURNISHED/INSTALLED	2	Add Quad plex to rear wall for future flexibility of space

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	TLTB1	Toilet, General Procedure Room Patient	75	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
					A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
					A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.

					F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
					P3000	Lavatory, Vitreous China, Straight Back	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, vitreous china lavatory (approximate bowl size 7"x15"x10") with: straight-front apron, straight or contoured back; faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care areas.
						Toilet, Floor Mounted, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is floor mounted with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Qty of Rooms 2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	TLTF1	Toilet, Women's Health Exam Room Patient	60	A1066	Mirror, Float Glass, With SS Frame	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and uni-sex toilet rooms.
					n/a	Dispenser, Sanitary Napkin, SS, Surface Mounted	VV - GOVT FURNISHED & INSTALLED	1	Price provided by Bobrick Trim Line Series Surface Mounted Model B370639 25
					A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.

					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					P3000	Lavatory, Vitreous China, Straight Back	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, vitreous china lavatory (approximate bowl size 7"x15"x10") with: straight-front apron, straight or contoured back; faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care areas.
						Toilet, Floor Mounted, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is floor mounted with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Qty of Rooms 4

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	TLTU1	Toilet, PACT Patient	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
					A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

					P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
						Toilet, Floor Mounted, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is floor mounted with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Qty of Rooms 3

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	TLTU1	Toilet, Staff	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
					A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.

					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
					P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Qty of Rooms 2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	TRPR1	Procedure Room, General	180	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	2	Telecommunication outlet location.
					A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, 1 line.
					A1132	Rail, Accessory Mounting, Length As Required	VC - GOVT FURNISHED/CONT R INST	1	Horizontal equipment mounting rail with lock mounting devices capable of; supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail.
					A1203	Lift System, Overhead, Bariatric	CC - CONTRACTOR FURNISHED /INSTALLED NOTE: There are 4 procedure room of which 2 will get a full system. The Qty of 0.5 is for cost purposes only	0.5	An overhead ceiling mounted rail system specifically designed for bariatric patient lifting and movement within a patient room. The system will consist of recessed or ceiling mounted primary and secondary rails, lift motor with carriage, patient harness or seat, and a hand controller or control box with charger (other charging options may be available). System will facilitate lifting and movement of patient to and from bed, to stretcher, chair, bathroom or other requirements. Lifting capacity is 1000 pounds. Custom design of track layout by manufacturer is essential to meet individual facility requirements.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.

					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
					A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - FURNISH AND INSTALL TRACK, VV - FURNISH AND INSTALL CURTAIN	1	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
					C02Q0	Cabinet, Sink, U/C/B, 1 Door, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
					CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
					CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
					CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.

					E0915	Locker, Supply, Medication, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Locked Drawer w/Locked Lid, 6"H 5 Drawers, 3"H 3 Drawers, 6"H 2 Tray/Shelves Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
					E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
					F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
					F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
					M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
					M3070	Hamper, Linen, Mobile, w/Lid	VV - GOVT FURNISHED & INSTALLED	1	Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics.
					M3072	Frame, Infectious Waste Bag w/Lid	VV - GOVT FURNISHED & INSTALLED	1	Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation.

					M4116	Monitor, Vital Signs	VV - GOVT FURNISHED & INSTALLED	1	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.
					M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
					M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	VV - GOVT FURNISHED & INSTALLED	1	The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement.
					M7405	Light, Exam, Ceiling Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Ceiling exam light. Consists of a lightheaded reflector supported by a ceiling mounted radial arm assembly that provides a wide range of positioning capabilities. Halogen bulbs and an intensity control provide cool, color corrected light. The minimum ceiling height in most cases is 8'-0"; refer to each manufacturer's specific installation requirements. Physical dimensions refer to the retracted light; one length of the dual swing arm around the center mount in width and depth and the combined height of the lamp head and folded arms. Unit may also have a center mount detachable and sterilizable control handle. For use in minor procedure or examination room applications.
					M7710	Electrocardiograph, 12 Lead, Portable	VV - GOVT FURNISHED & INSTALLED	1	Used to detect the electrical signals associated with cardiac activity, diagnose cardiac abnormalities, determine a patients response to drug therapy and reveal trends or changes in heart function. Capable of recording two or more leads simultaneously, recording an entire 12 lead ECG in about 10 seconds. Includes of a 3.5 inch, high density, floppy disk drive for test storage. Portable.
					M8810	Stand, Mayo	VV - GOVT FURNISHED & INSTALLED	1	Adjustable instrument table. Table is corrosion resistant stainless steel construction and is mounted on two casters with two skid rails. It has telescopic upright adjusts from 39 inches to 60 inches with automatic locking device, and removable 13"x19" instrument tray. Designed for use in operating and procedure rooms.
					M9025	Table, Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	1	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms.

Qty of Rooms

2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	UCCL1	Utility Room, Clean	60	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	1	Telecommunication outlet location.
					E0903	Locker, Supply, w/Shelves, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Supply Locker 1 Drawer, 9"H 4 Tray/Shelves Drawer Organizers Consider the need for an E0921 to transport the locker from place to place.
					E0906	Locker, Supply, General, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H 3 Drawers, 6"H 2 Drawers, 9"H 1 Tray/Shelf Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
					E0912	Locker, Supply, Med Surg, Wall Mtd	VV - GOVT FURNISHED & INSTALLED	2	Medical/surgical supply locker, wall mounted, approximately 23" w x 20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H 2 Drawers, 6"H 2 Tray/Shelf Dividers Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
					E1500	Rail, MOD, W/MNTD, HX144XD	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall.

Qty of Rooms

2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	UTMW1	Bio & Hazardous Waste Closet	20	M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	1	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.

Qty of Rooms

2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	WRTM1	Team Work Area	240	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	4	Telecommunication outlet location.
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	4	Telephone, desk, multiple line.
					E0123	Workstation, Straight, Free Standing, 72" W	VV - GOVT FURNISHED & INSTALLED	4	areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File
					F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	4	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
					F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	4	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	4	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	4	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms 8

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	WRTM2	Tele-Health Room	125	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	2	Telecommunication outlets located on opposite walls opposite door wall.
					A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
					A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - FURNISH AND INSTALL TRACK, VV - FURNISH AND INSTALL CURTAIN	12	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
					CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.

					CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
					CT030	Countertop, High Pressure Laminate	CC - CONTRACTOR FURNISHED/INSTALLED	3	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.
					E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
					F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	1	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
					F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
					F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
					n/a	Docking Station for tablet	VV - GOVT FURNISHED & INSTALLED	1	
					M4116	Monitor, Vital Signs	VV - GOVT FURNISHED & INSTALLED	1	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.

					M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
					M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	VV - GOVT FURNISHED & INSTALLED	1	The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement.
					M9025	Table, Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	1	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms.
					M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.

Qty of Rooms 2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	2 - PACT SPACE - 2 MODULES, 8 TEAMLETS	WRTM3	Tele-Retinal Room	125	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	2	Telecommunication outlets located on opposite walls opposite door wall.
					A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
					A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.

					A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - FURNISH AND INSTALL TRACK, VV - FURNISH AND INSTALL CURTAIN	12	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
					CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
					CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
					CT030	Countertop, High Pressure Laminate	CC - CONTRACTOR FURNISHED/INSTALLED	3	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.
					E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
					F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	1	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
					F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
					F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).

					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
					n/a	Docking Station for tablet	VV - GOVT FURNISHED & INSTALLED	1	
					M4116	Monitor, Vital Signs	VV - GOVT FURNISHED & INSTALLED	1	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.
					M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	VV - GOVT FURNISHED & INSTALLED	1	The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement.
					M9025	Table, Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	1	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms.
					M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
					M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.

Qty of Rooms

1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	3 - AUDIOLOGY AND SPEECH PATHOLOGY CLINIC	EXAU1	Exam / Consult, Audiology	125	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Telecommunication outlets located on opposite walls opposite door wall.
					A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line, with speaker.
					A1132	Rail, Accessory Mounting, Length As Required	VC - GOVT FURNISHED/CONT R INST	1	Horizontal equipment mounting rail with lock mounting devices capable of; supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5077	Dispenser, Hand Sanitizer, Hands-Free	VV - GOVT FURNISHED & INSTALLED	1	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
					F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	30	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
					F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.

					F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
					M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
					M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
					P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

Qty of Rooms

1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	3 - AUDIOLOGY AND SPEECH PATHOLOGY CLINIC	HAFR1	Hearing Aid Fitting Room	125	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Telecommunication outlet location.
					A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line, with speaker.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5077	Dispenser, Hand Sanitizer, Hands-Free	VV - GOVT FURNISHED & INSTALLED	1	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
					A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
					CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
					CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
					CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
					E0906	Locker, Supply, General, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H 3 Drawers, 6"H 2 Drawers, 9"H 1 Tray/Shelf Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.

					E1500	Rail, MOD, W/MNTD, HX144XD	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall.
					F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	30	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
					F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
					F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
					F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M0020	Hearing Aid Analyzer	VV - GOVT FURNISHED & INSTALLED	1	Hearing aid analyzer. It includes a complete acoustic test system, comprised of a control unit, color monitor, and hearing aid test box. For use in automatically testing, calculating and printing all electrical and acoustical performance data of any hearing aid in accordance with ANSI S3.22.
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms

1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	3 - AUDIOLOGY AND SPEECH PATHOLOGY CLINIC	PEHS4	Exam, Audiometric Booth	260	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Telecommunication outlet location.
					A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, 1 line.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					E0042	Workcenter, Computer, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Tool Rail 2 Paper Tray 1 Diagonal Tray 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray
					E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
					F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	30	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
					F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	2	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M0025	Audiometer, Diagnostic, Middle Ear, Impedance	VV - GOVT FURNISHED & INSTALLED	1	Diagnostic impedance audiometer. Unit includes a clinical ear analyzer and can link to a complete data base computer system that stores patient results. Used for diagnostic audiological testing for middle ear impedance / compliance.
					M0041	Booth, Audio, Double Wall, Suite	CC - CONTRACTOR FURNISHED/INSTALLED	1	Double wall audiometric testing suite with double walled examination and control rooms. Unit includes recessed incandescent lights, carpet, keyed locks on both outer doors, a twelve outlet surface mounted plug mold strip in both rooms. A 24"x30" viewing window and self contained ventilation system permit extended examinations. Unit also includes jack panel between the exam and control rooms. Height may require raising room ceiling.

					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
					M1825	Printer, Computer	VV - GOVT FURNISHED & INSTALLED	1	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	3 - AUDIOLOGY AND SPEECH PATHOLOGY CLINIC	RECP5	Reception	75	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Telecommunication outlet location.
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
					A6105	Counter, Reception Control, Built-In	CC - CONTRACTOR FURNISHED/INSTALLED	1	Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backsplash/curb. Pricing based on a 30" depth.
					F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	3 - AUDIOLOGY AND SPEECH PATHOLOGY CLINIC	SRSE1	Storage, Equipment	50	M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	1	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.
					M2070	Shelving, Storage, 77hx36wx18d	VV - GOVT FURNISHED & INSTALLED	1	Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYFD1	Fitting and Dispensing Room	140	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Telecommunication outlet location.
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
					A1066	Mirror, Float Glass, With SS Frame	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.

					E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72	VV - GOVT FURNISHED & INSTALLED	1	This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file.
					E0906	Locker, Supply, General, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H 3 Drawers, 6"H 2 Drawers, 9"H 1 Tray/Shelf Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
					E0912	Locker, Supply, Med Surg, Wall Mtd	VV - GOVT FURNISHED & INSTALLED	2	Medical/Surgical Supply locker, wall mounted, approximately 23" W x 20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H 2 Drawers, 6"H 2 Tray/Shelf Dividers Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
					E1500	Rail, MOD, W/MNTD, HX144XD	VV - GOVT FURNISHED & INSTALLED	2	Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall.
					F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	2	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
					F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	30	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.

					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	2	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
					M5520	Lensometer	VV - GOVT FURNISHED & INSTALLED	1	Lensometer. Unit includes lamps, prism measuring lens marking device, cylinder axis wheel calibrated in two 180 degree segments and a green filter for tinted glass. The instrument may be inclined between 25 to 90 degrees. Used for measuring lens.
					M5705	Gauge, Distance, Pupillary	VV - GOVT FURNISHED & INSTALLED	2	Pupillary distance gauge. Unit is electronic and features corneal reflection, LCD display, 0.5mm measurement increments, and measure fixation PD distance to 30 cm from infinity. Unit runs on battery power and is designed to measure the distance between pupils as well as corneal and pupil diameter.
					M5735	Warmer, Spectacle, Plastic	VV - GOVT FURNISHED & INSTALLED	2	Plastic spectacle warmer. Bath type. Thermostatically controlled. For use with glass beads or salt.
					P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

Qty of Rooms

1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYOT2	Exam / Treatment Room	125	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Telecommunication outlet location.
					A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line, with speaker.
					A1066	Mirror, Float Glass, With SS Frame	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					E0945	Cart, Computer, Mobile	VV - GOVT FURNISHED & INSTALLED	1	A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder 1 Wastebasket 1 Chart Holder 2 Drawers, 3"H 2 Drawers, 6"H 3 Accessory Rail, Side Drawer Organizer Bins
					F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	30	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
					F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.

					F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
					M5025	Table, Instrument, Ophthalmic, Adjustable	VV - GOVT FURNISHED & INSTALLED	1	Ophthalmic adjustable instrument table. Four toed pedestal type base with foot pedal brake or hand operated clamp for securing table adjustment. Designed for use with slit lamp, ophthalmometer, perimeter and screening instruments.
					M5530	Lamp, Slit, w/Applanation Tonometer	VV - GOVT FURNISHED & INSTALLED	1	Slit lamp with applanation tonometer. Unit consists of a base mounted ophthalmological slit lamp with head and chin rest and manual height and focusing adjustments. The instrument features a microscope head with parallel optics that will accept an applanation tonometer. Designed for use in ophthalmology during diagnostic examinations.
					M5535	Ophthalmoscope, Binocular, Indirect	VV - GOVT FURNISHED & INSTALLED	1	Binocular indirect ophthalmoscope. Unit consists of headband and crown, halogen quartz lamp, multi-coated aspherical lenses, scleral depressor and mirror. It also includes a control switch that regulates the illumination from 2 to 6 volts. Used to examine presence of blood vessels in patient's pupils.
					M5545	Ophthalmometer/Keratometer	VV - GOVT FURNISHED & INSTALLED	1	Keratometer/ophthalmometer. Unit features a focusing system, engraved focusing scale, positive fixation for rapid measurements, center and peripheral corneal measurements scale with a range from 30D to 60D. Unit is used for measuring corneal astigmatism.
					M5562	Tester, Visual Acuity, Video/Microprocessor Based	VV - GOVT FURNISHED & INSTALLED	1	Visual acuity tester using video (television monitor) and microprocessor technology. This equipment replaces the projector chart and projector in an eye examination lane. Wall bracing is required for mounting the unit directly to the wall without support from below. An optional floor stand can also be used. The unit requires an electrical outlet on the far end wall of the examination lane. This differs from standard eye examination room configurations which normally do not have electrical outlets in that wall. Other options include binocular vision and contrast sensitivity testing.
					M5600	Unit, Exam, Eye, w/Motor Chair, Phoropter	VV - GOVT FURNISHED & INSTALLED	1	Eye exam phoropter unit with motor operated chair. Unit consists of an adjustable chair, and phoropter unit for eye examination, mounted on a stand. Stand includes an additive tray with keratometer arm and tray and a integral instrument tray. Unit is designed for use during ophthalmic examinations.

					A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
					P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTAL LED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

Qty of Rooms

3

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	EYVF1	Visual Fields Room (diagnostic)	125	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTAL LED	2	Telecommunication outlet location.
					A1016	Telephone, Desk, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, with speaker.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTAL LED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTAL LED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTAL LED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					C02Q0	Cabinet, Sink, U/C/B, 1 Door, 36x24x22	CC - CONTRACTOR FURNISHED/INSTAL LED	1	Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.

					CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
					CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
					E0210	Worksurface, w/Overhead Cab, Wall Mtd, 48" W	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface
					F0300	Chair, Task, Swivel, With Arms	VV - GOVT FURNISHED & INSTALLED	1	Task chair, approximately 34" H X 26" W X 22" D with adjustable arms and a five caster adjustable swivel base. Seat and back are foam padded and upholstered in woven fabric or vinyl.
					F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
					F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
					M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
						Add OCT which takes images of retina	VV - GOVT FURNISHED & INSTALLED		VA to confirm cost.

					M5016	Desk, Refraction w/console, w/o Sink	VC - GOVT FURNISHED/CONT R INST	1	The ophthalmic refraction desk shall be specifically designed to conduct eye examinations in ophthalmic clinics and hospital. It shall have a control console consisting of three rechargeable instrument wells, two 110v auxiliary switches to control accessories, two low voltage switches to control fixation lights, a separate on/off dimmer control for room lights and an indirect ophthalmoscope control with hanger that provides power to the instrument when lifted. This item may include an optional equipment stand/pole with one to three arms and the ability to accept a phoropter arm. There shall be a swivel Lamp and a trial lens drawer.
					M6045	Corneal Topography Unit	VV - GOVT FURNISHED & INSTALLED	1	Computerized corneal mapping system for pre- and post- surgical diagnosis of astigmatism, refractive error, irregularly shaped corneas and other eye conditions. The unit performs analysis of 5,000 - 6,000 different points on a ring pattern reflected from the patient's cornea to quantify the curvature and contours of the corneal surface.
					M5555	Perimeter, Automated	VV - GOVT FURNISHED & INSTALLED	1	Automated ophthalmic perimeter. Unit has on screen display for rapid and accurate alignment of patients automatic pupil size measurement, seven different fixation aids, ergonomic chin rest, several threshold strategies, and high target intensity.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	SRSE1	Storage, Equipment	60	M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	2	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.
					M2070	Shelving, Storage, 77hx36wx18d	VV - GOVT FURNISHED & INSTALLED	2	Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	OFA04	Office, Supervisor	56	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Telecommunication outlet location.
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72	VV - GOVT FURNISHED & INSTALLED	1	This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file.
					F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
					F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
					F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms

1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	OFA04	Workstation, Provider, Team area	56	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Telecommunication outlet location.
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72	VV - GOVT FURNISHED & INSTALLED	1	This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file.
					F0110	Bookcase, 3 Shelf	VV - GOVT FURNISHED & INSTALLED	1	Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides.
					F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.

					F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
					F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
Qty of Rooms		1							

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	4 - EYE CLINIC	WRC03	Sub-Waiting, Dilation Patient	120	A5210	Bracket, Television, Wall Mounted, w/Adjust Arm	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms.
					A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	This JSN is to be used for determining and defining location of decorative artwork.
					F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	1	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
					F0305	Chair, Waiting Room, Single	VV - GOVT FURNISHED & INSTALLED	1	Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included.
					F2300	Rack, Magazine, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted magazine rack with nine (9) magazine holding compartments.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M0506	Television, Flat Screen	VV - GOVT FURNISHED & INSTALLED	1	Flat screen television with approximately 32" to 40' diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	5 - MENTAL HEALTH CLINIC	OFD01	Consult Room, Mental Health	125	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Telecommunication outlet location.
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					E0075	Workstation, L-Shaped, Freestanding, 72x48	VV - GOVT FURNISHED & INSTALLED	1	4 Standard Solid Panels 2 Panel-To-Panel Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 2 Lockable Flipper Units 2 Shelves, Storage/Display 3 Lights 2 Tackboards 2 Tool Rails 2 Paper Trays 1 Diagonal Tray 2 Cantilevered Work Surfaces 1 Adjustable Keyboard Tray 1 Hanging Pedestal, Box/File 1 Pencil Drawer 2 Support Panels
					F0250	Chair, Arm Lounge Type	VV - GOVT FURNISHED & INSTALLED	2	Lounge chair approx 33" H x 28"Wx29"D with arms and floor glides. Chair completely padded and upholstered in either woven textile fabric or vinyl.
					F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
					F0740	Table, Occasional, Lamp	VV - GOVT FURNISHED & INSTALLED	1	Occasional lamp table (end table) approximately 20" high X 27" wide X 27" deep with choice of finishes (wood, oak veneer, or high pressure laminate).
					F2420	Lamp, Table, with Shade	VV - GOVT FURNISHED & INSTALLED	1	Table lamp, 27-34" high x 6" wide x 6" deep with linen shade. Convenience outlet required at point of use.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms 8

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	5 - MENTAL HEALTH CLINIC	OFDC1	Shared Office (Nurse and MHICM w SPC)	200	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	4	Telecommunication outlet location.
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	2	Telephone, desk, multiple line.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					E0075	Workstation, L-Shaped, Freestanding, 72x48	VV - GOVT FURNISHED & INSTALLED	2	<ul style="list-style-type: none"> 4 Standard Solid Panels 2 Panel-To-Panel Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 2 Lockable Flipper Units 2 Shelves, Storage/Display 3 Lights 2 Tackboards 2 Tool Rails 2 Paper Trays 1 Diagonal Tray 2 Cantilevered Work Surfaces 1 Adjustable Keyboard Tray 1 Hanging Pedestal, Box/File 1 Pencil Drawer 2 Support Panels
					F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	2	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
					F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.

					F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	2	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	2	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms

2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	5 - MENTAL HEALTH CLINIC	OFDC1	MH Workspace	125	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	3	Telecommunication outlets located on opposite walls adjacent to door wall.
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	3	Telephone, desk, multiple line.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	3	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
					F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	3	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	3	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
					E0042	Workcenter, Computer, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	3	THIS TYPICAL INCLUDES: 1 Tool Rail 2 Paper Tray 1 Diagonal Tray 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	5 - MENTAL HEALTH CLINIC	OPMH1	Group Therapy Room, Mental Health	300	A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line.
					A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	3	Telecommunication outlets located on opposite walls adjacent to door wall. These shall be quad plexes.
					A5212	Bracket, Television, Wall-Mounted, Tilt/Angle	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs.
					A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
					M0507	Video Teleconferencing System	VV - GOVT FURNISHED & INSTALLED	1	Shall be a video conferencing unit consisting of a camera, microphone, video/audio compression components, a component cart and a 32 inch monitor. It shall provide live audio-visual conferencing capabilities to dispersed geographic sites.
					E0042	Workcenter, Computer, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	3	THIS TYPICAL INCLUDES: 1 Tool Rail 2 Paper Tray 1 Diagonal Tray 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray
					F0295	Chair, Stacking	VV - GOVT FURNISHED & INSTALLED	16	Stacking chair, approximately 34" H X 21" W X 24" D. May be stacked up to 20 high depending upon the model selected. These chairs are intended primarily as overflow capacity for conference rooms.
					F0860	Table, Mobile	VV - GOVT FURNISHED & INSTALLED	4	Mobile table. The unit provides mobile or isolated freestanding work surface. Characteristics and components include 3-1/2 inch casters and attached drawer bearers. Unit is used for general work applications, primarily in dry areas.
					F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
					F3060	Whiteboard, Projection Screen Combination	VV - GOVT FURNISHED & INSTALLED	1	Whiteboard and projection screen combination approximately 48" H x 72" W. Magnetic surface with matte finish for projection. Hard board stabilizer with aluminum foil back. For use with water color pens.

					M0506	Television, Flat Screen	VV - GOVT FURNISHED & INSTALLED	1	Flat screen television with approximately 32" to 40' diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms 2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	5 - MENTAL HEALTH CLINIC	SRS01	Storage, Closet	75	M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	2	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.

Qty of Rooms 2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	5 - MENTAL HEALTH CLINIC	SRS01	Storage, General	75	M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	4	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	5 - MENTAL HEALTH CLINIC	TLTU1	Toilet, Patient	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
					A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

					P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
						Toilet, Floor Mounted, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is floor mounted with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	5 - MENTAL HEALTH CLINIC	WRTM2	Tele-Health Room	125	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	2	Telecommunication outlets located on opposite walls opposite door wall.
					A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
					A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - FURNISH AND INSTALL TRACK, VV - FURNISH AND INSTALL CURTAIN	12	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
					CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.

					CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
					CT030	Countertop, High Pressure Laminate	CC - CONTRACTOR FURNISHED/INSTALLED	3	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.
					E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
					F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	1	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
					F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
					F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
					n/a	Docking Station for tablet	VV - GOVT FURNISHED & INSTALLED	1	
					M4116	Monitor, Vital Signs	VV - GOVT FURNISHED & INSTALLED	1	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.

					M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
					M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	VV - GOVT FURNISHED & INSTALLED	1	The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement.
					M9025	Table, Examination/Treatment, With Cabinet	VV - GOVT FURNISHED & INSTALLED	1	Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms.
					M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.

Qty of Rooms 2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	6 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	EXPA1	Exam Room, PM&R	125	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	2	Telecommunication outlets located on opposite walls opposite door wall.
					A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
					A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.

					A5180	Track, Cubicle, Surface Mounted, With Curtain	CC - FURNISH AND INSTALL TRACK, VV - FURNISH AND INSTALL CURTAIN	12	Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.
					CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
					CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
					CT030	Countertop, High Pressure Laminate	CC - CONTRACTOR FURNISHED/INSTALLED	3	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.
					E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
					F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	1	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
					F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
					F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).

					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
					n/a	Docking Station for tablet	VV - GOVT FURNISHED & INSTALLED	1	
					M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
					M4116	Monitor, Vital Signs	VV - GOVT FURNISHED & INSTALLED	1	Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand.
					M4200	Otoscope/Ophthalmoscope, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms.
					M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	VV - GOVT FURNISHED & INSTALLED	1	The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement.
						Table, Examination/Treatment, Chiropractic	VV - GOVT FURNISHED & INSTALLED	1	

Qty of Rooms

1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	6 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	OFA05	Charting	200	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	4	Telecommunication outlet location.
						Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	4	Telephone, desk, multiple line.
					E0123	Workstation, Straight, Free Standing, 72" W	VV - GOVT FURNISHED & INSTALLED	4	This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File
						Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	4	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	2	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
						Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	4	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms

1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	6 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	PTEA1	Treatment Exercise Area	1100	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	4	Data outlets on opposite walls adjacent to the door wall. Each data outlet contains 4 Jacks.
					A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line, with speaker.
					A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs. 2 full length mirrors at 24"-48" wide
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					C04P0	Cabinet, Sink, U/C/B, 2 Door, 36x36x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base sink cabinet with solid hinged doors. Also referred to as a double-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
					CT025	Countertop, Solid Surface with Sink Combination	CC - CONTRACTOR FURNISHED/INSTALLED	1	A solid, nonporous countertop approximately 36"W x 22"D with a undercounter sink combination. The countertop is an acrylic-based solid surface product with a standard thickness of 1", and a 4" butt backsplash/curb. Surfaces will be easy to clean and maintain. Also referred to as a work surface or work top with sink. Available in a choice of colors, depths and sink shapes. Used for various applications in patient rooms, restrooms and throughout the facility. Usually a part of a casework interior design program. Unit does not include the drain and faucet.
					E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	2	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).

					G0144	Ergometer, Recumbent Stepper	VV - GOVT FURNISHED & INSTALLED	2	Seated stepping ergometer for total body, arms and/or legs low impact conditioning. The unit features a closed kinetic chain action which combines reciprocal stepping and arm action. The arm settings and seat are adjustable. A battery operated performance computer allows for adjusting workload level. The unit has a heavy duty steel frame construction with low-density plastic covers.
					G1026	Exercise Apparatus, Weight Training, Multi-Station	VV - GOVT FURNISHED & INSTALLED	1	Multi-station weight training apparatus for physical development and rehabilitation. Unit features a variety of benches, pull bars, supports and seats grouped around a central frame containing one or more weight stacks. Each station is designed to exercise specific muscle groups. A person can perform an extensive weight training routine by moving around the apparatus from station to station. More than one person can use the apparatus simultaneously by training at different stations. The number and types of exercises available depend on the specific model of equipment chosen. Greater system weight capacities for high level athletic competition training are available on some models. The room ceiling may have to be raised to accommodate this equipment. The database specifications refer to a higher end system with a large number of training stations and a standard weight set.
					G1043	Ergometer, Recumbent Bicycle, Computer Assisted	VV - GOVT FURNISHED & INSTALLED	1	Computer assisted recumbent bicycle aerobic trainer. The trainer provides aerobic workouts on a computer controlled and monitored recumbent bicycle ergometer. The ergometer has several training routines and intensities which either the exerciser or a therapist can select. The unit display provides a readout of work accomplished as well as graphics to motivate the exerciser. Many models offer optional heart rate monitoring and wheels for easy mobility. Depending on the manufacturer and model, the computer is powered by the exerciser or an external source. The database electrical requirements are for those units requiring electrical power. The trainer is used for cardio-respiratory development in a gym or the exercise area of Physical Therapy.
						Match other model - portable	VV - GOVT FURNISHED & INSTALLED	1	sphygmomanometer
					M8115	Conditioner, Cold Treatment Pack	VV - GOVT FURNISHED & INSTALLED	1	Refrigeration unit for twelve cold therapy packs. Unit features thermostatic temperature control, automatic defrosting and refrigeration grade insulation. Interior chamber is designed to facilitate periodic cleaning. Smaller capacity models are available.
					M8125	Ergometer, Bicycle, Stationary	VV - GOVT FURNISHED & INSTALLED	1	Bicycle ergometer. The unit includes an adjustable seat, pedals with toe clips, disc brakes, and tachometer/odometer. The display provides readouts of time, speed and distance. The unit features steel construction for durability and reliability. The ergometer is used in progressive rehabilitation or physical training programs.

					M8174	Ultrasound/Neuromuscular Stimulation Combo Unit	VV - GOVT FURNISHED & INSTALLED	1	Ultrasound unit in combination with a neuromuscular stimulator; unit can deliver both types of treatments simultaneously or individually. The ultrasound unit operates at one or more frequencies. The electrotherapy portion of the instrument can operate at set voltages or continuously variable across a range. Depending on the ultrasound frequency and electrotherapy voltage, the clinician selects one of several treatment unit heads. Some models feature microprocessor controls, data collection, data correlation and data downloading for analysis over time.
					M8210	Cart, Weight, Physical Therapy, w/Weights	VV - GOVT FURNISHED & INSTALLED	1	Physical therapy weight cart equipped with weights, two storage shelves, and racks to store dumbbells. Unit is constructed of quality hardwood and mounted on 4 heavy-duty casters. Used for storage of weights.
					M8240	Parallel Bars, Physical Therapy	VV - GOVT FURNISHED & INSTALLED	1	Physical therapy parallel bars. Unit can have manual or electrically powered adjustments. Bar height is adjustable from 25" to 40" and the bar width is adjustable from 16" to 25". Hand rails are chrome plated 1-1/2" steel tubing. Walking aisle is a minimum of 24" wide and finished in natural wood or covered with vinyl matting. Database information reflects 10' or 12' bar length electrically powered units.
					M8305	Platform, Exercise, w/Mat, Powered	VV - GOVT FURNISHED & INSTALLED	1	Exercise platform with power height adjustment. The platform rests on one or two pedestal bases which contain the power mechanism for adjusting the table height. The platform top or removable mattress is covered with heavy duty, nylon-reinforced vinyl for durability. The adjustable height feature is designed to accommodate patients who have difficulty sitting or transferring from a wheelchair as well as providing an optimal working height for the physical therapist once the patient is on the table. Larger and smaller units as well as manual crank platform tables are available.
						Hi-Low Mat Table	VV - GOVT FURNISHED & INSTALLED	4	36" wide.

					M8331	Treadmill, Weight Bearing System	VV - GOVT FURNISHED & INSTALLED	1	Incremental weight bearing system. Unit is used to limit weight bearing while exercising on a treadmill. Includes frame, harness, sensor, controller and side pads. Does not include the treadmill.
					A1203	Lift System, Overhead, Bariatric	CC - CONTRACTOR FURNISHED /INSTALLED	1	An overhead ceiling mounted rail system specifically designed for bariatric patient lifting and movement within a patient room. The system will consist of recessed or ceiling mounted primary and secondary rails, lift motor with carriage, patient harness or seat, and a hand controller or control box with charger (other charging options may be available). System will facilitate lifting and movement of patient to and from bed, to stretcher, chair, bathroom or other requirements. Lifting capacity is 1000 pounds. Custom design of track layout by manufacturer is essential to meet individual facility requirements.
					P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	6 - PHYSICAL MEDICINE AND REHABILITATION (PM&R) CLINIC	SRE01	Storage, Equipment	100	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Two data outlets on opposite walls adjacent to the door wall. Each data outlet contains 4 Jacks.
					M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	4	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	7 - PROSTHETICS AND SENSORY AIDS CLINIC	OFA03	Workstation, Dispensing Prosthetic Clerk	160	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Two data outlets on opposite walls adjacent to the door wall. Each data outlet contains 4 Jacks.
						Outlets		6	standard one quad on each wall - plus an additional 2 on the 2 walls adjacent to the entry door
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	2	Telephone, desk, multiple line.
					P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	1	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
						Plaster trap	CC - CONTRACTOR FURNISHED/INSTALLED	1	Plaster trap added to wall hung sink.
					E0123	Workstation, Straight, Free Standing, 72" W	VV - GOVT FURNISHED & INSTALLED	2	This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File
					F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	2	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.

					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	2	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
						Small Printer		1	table top mfd
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	7 - PROSTHETICS AND SENSORY AIDS CLINIC	SRCS1	Storage, Prosthetic Appliances	300	T0850	Orthopedic Grinder	VV - GOVT FURNISHED & INSTALLED	1	(oversized grinder) 5' tall about 48" wide. JSN number similar to T0850 which is called Cutter, Sole, Bench Mounted - Placed inside separate small room with ventilation within the overall storage space
					n/a	Cabinet, Storage, Flammable, Freestanding 24x24x24 countertop	VV - GOVT FURNISHED & INSTALLED	1	Price provided by Grainger Cabinets for 16g 23"Wx18"Dx44"H Condor model Item 42X496
					T0761	Bench, Woodworking, Locker Base, 33x120x30	VV - GOVT FURNISHED & INSTALLED	1	Woodworking workbench. This is a locker based unit with laminated maple top. The lockers include padlock hasp, sprink hinges and provision for cylinder locks. The top is sturdy laminate maple. This unit is used in woodworking shops. It consists of base cabinets and one maple top. Final configuration to be determined by end user.
					n/a	Air Compressor, Small Portable	VV - GOVT FURNISHED & INSTALLED	1	Price provided by Dewalt 15g Portable Electric Air Compressor Model #D55168
					A5125	Rack, Crutch, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted crutch rack. Constructed of natural finished wood with chrome plated adjustable hangers. Designed for hanging crutches and accessories.
					M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	4	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	8 - Home Based Primary Care	SRE01	Storage Room	120	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	1	Two data outlets on opposite walls adjacent to the door wall. Each data outlet contains 4 Jacks.
					M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	4	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	8 - Home Based Primary Care	WRTM1	Team Work Area, Home-Based Primary Care	180	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	10	Coordinate location of outlets with the VA and final furniture layout. The idea is that there will be space for potentially 10 staff in this room. Each data outlet contains 4 Jacks.
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	5	Telephone, desk, multiple line.
					E0123	Workstation, Straight, Free Standing, 72" W	VV - GOVT FURNISHED & INSTALLED	4	This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File
					F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	10	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
					F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	2	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.

					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	5	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	10	Desktop microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	OFDR1	Office, Radiology	56	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Two data outlets on opposite walls adjacent to the door wall. Each data outlet contains 4 Jacks.
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
					M1825	Printer, Computer	VV - GOVT FURNISHED & INSTALLED	1	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	2	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	This JSN is to be used for determining and defining location of decorative artwork.

					E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72	VV - GOVT FURNISHED & INSTALLED	1	This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file.
					F0115	Bookcase, Open, 5 Shelf	VV - GOVT FURNISHED & INSTALLED	1	Freestanding open shelf bookcase, approximately 82" high X 37" wide X 18" deep with 5 (five) adjustable shelves. Unit can be separate or part of a system with available add-on shelving.
					F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
					F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
					F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms

2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	SRE01	Storage	50	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Telecommunication outlet location.
						Portable Lift	CC - CONTRACTOR FURNISHED/INSTALLED	1	Portable patient transfer lift
						Transducer Cabinet - Lockable	VV - GOVT FURNISHED & INSTALLED	1	VA to confirm cost.
						Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	4	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	UCCL1	Clean Storage	80	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Telecommunication outlet location.
					E0903	Locker, Supply, w/Shelves, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Supply Locker 1 Drawer, 9"H 4 Tray/Shelves Drawer Organizers Consider the need for an E0921 to transport the locker from place to place.
					E0906	Locker, Supply, General, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H 3 Drawers, 6"H 2 Drawers, 9"H 1 Tray/Shelf Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
					E0912	Locker, Supply, Med Surg, Wall Mtd	VV - GOVT FURNISHED & INSTALLED	2	Medical/Surgical Supply locker, wall mounted, approximately 23" w x 20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H 2 Drawers, 6"H 2 Tray/Shelf Dividers Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
					E1500	Rail, MOD, W/MNTD, HX144XD	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall.
Qty of Rooms		1							

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	WRC01	Sub-Waiting, Diagnostic Patient	120	A5077	Dispenser, Hand Sanitizer, Hands-Free	VV - GOVT FURNISHED & INSTALLED	1	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
					A5210	Bracket, Television, Wall Mounted, w/Adjust Arm	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms.
					A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
					F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	1	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
					F0305	Chair, Waiting Room, Single	VV - GOVT FURNISHED & INSTALLED	1	Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					F2300	Rack, Magazine, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted magazine rack with nine (9) magazine holding compartments.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M0506	Television, Flat Screen	VV - GOVT FURNISHED & INSTALLED	1	Flat screen television with approximately 32" to 40" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.

Qty of Rooms

1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XCTC1	Control Room	125	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	4	Telecommunication outlet location.
					C0041	Rail, Apron, 4x60x1	CC - CONTRACTOR FURNISHED/INSTALLED	2	Apron rail. Also referred to as an apron front, apron panel, or knee space rail. Used to close in front knee space area and/or provide work surface support between two base cabinets or a base cabinet and wall. Apron rails should be ordered in pairs to provide both front and rear work surface support.
					C0045	Frame, Apron, 1 Drawer, 4x36x22	CC - CONTRACTOR FURNISHED/INSTALLED	2	Apron frame with one standard drawer. Also referred to as a drawer frame or table frame. Used for a knee space as a combination frame and drawer to support a top between base cabinets or a base cabinet and a wall. Constructed of steel.
					CT030	Countertop, High Pressure Laminate	CC - CONTRACTOR FURNISHED/INSTALLED	10	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.
					F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	2	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	8 - RADIOLOGY SERVICE	XDR01	Radiology Room, General Purpose	300	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Two data outlets on opposite walls adjacent to the door wall. Each data outlet contains 4 Jacks.
					A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.

					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
					F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	1	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
					F0340	Stool, Self Adjusting	VV - GOVT FURNISHED & INSTALLED	1	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
					F0355	Footstool, Straight	VV - GOVT FURNISHED & INSTALLED	1	Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M3070	Hamper, Linen, Mobile, w/Lid	VV - GOVT FURNISHED & INSTALLED	1	Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics.
					M4255	Stand, IV, Adjustable	VV - GOVT FURNISHED & INSTALLED	1	Adjustable IV stand with 4-hook arrangement. Stand has stainless steel construction with heavy weight base. It adjusts from 66 inches to 100 inches and is mounted on conductive rubber, ball bearing, swivel casters. Stand is used for administering intravenous solutions.
					C0036	Rail, Apron, 4x30x1	CC - CONTRACTOR FURNISHED/INSTALLED	2	Apron rail. Also referred to as an apron front, apron panel, or knee space rail. Used to close in front knee space area and/or provide work surface support between two steel base cabinets or a steel base cabinet and wall. Apron rails should be ordered in pairs to provide both front and rear work surface support. Constructed of steel.

					C03F0	Cabinet, U/C/B, 1 Shelf, 2 Half DR, 2 DO, 36x30x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base cabinet with an adjustable shelf and two half width drawers above solid hinged doors. Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.
					CE030	Cabinet, W/H, 2 SH, 2 GDO, Sloping Top, 38x30x13	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall hung cabinet with two adjustable shelves, framed-glass hinged doors, and sloping top. Also referred to as a framed-glass hinged double door wall case. For general purpose use throughout the facility.
					CS150	Sink, SS, Single Compartment, 10x19x16 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. Coordinate actual outside sink dimensions with the actual clear dimension of cabinet specified to ensure that they are compatible. For general purpose use throughout the facility.
					CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	5	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
					X1405	Stand, Bucky, Vertical, Tilt, Automatic	VC - GOVT FURNISHED/CONT R INST	1	Vertical and tilting bucky stand. This unit is mounted to the floor and wall to provide a vibration-free mounting platform for the universal bucky. The grid line free radiographs are produced at exposure times as short as two milliseconds. Characteristics and components include aluminum interspaced grid with a 36 inch (914 mm) to 40 inch (1016 mm) focal range. The unit's cassette size sensing tray accommodates all cassette sizes between 5 and 17 inches. The unit tilts at angles of +90/-20 degrees from the vertical position. The unit is used in X-ray facilities for processing radiography images.

					X3150	Rack, Apron/Gloves, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Apron and gloves rack. This is a wall unit which holds aprons and gloves. The body is heavy gauge steel finish in gray or green baked enamel, glove and apron holding arms are aluminum. The unit's convenient on wall storage will prolong the useful life of your protection aprons by helping prevent damage to internal components. Confirm these are arm like hangers and not pegs or posts.
					X5900	Radiographic Unit, 80 kW, Non-Tilt Table	VC - GOVT FURNISHED/CONT R INST	1	This system is specifically designed to perform radiographic examinations in the Radiology Department. This units characteristics and components include, 80kW micro-processor controlled X-ray generator, a non-tilting table with a floating table top and an adjustable bucky, a ceiling suspended 0.6/1.2 mm tube unit and vertical bucky stand.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBSS1	Shipping / Receiving	100	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	2	Telecommunication outlet location.
			Area open with Lab		A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line.
					A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
					E0573	Workstation, Shipping/Receiving Lab, Minimal	VV - GOVT FURNISHED & INSTALLED	1	<p>THIS TYPICAL INCLUDES:</p> <p>1 Equipment Rail, System-Mt, 48"W</p> <p>2 Clinical Panel, 80"H x 30"W</p> <p>1 Module, 80"H x 24W, w/ 7-1/4inch utility chase, w/ service shelf</p> <p>2 Module, 80"H x 48W , w/ 7-1/4inch utility chase, w/ service shelf</p> <p>1 Vertical Chase Cover</p> <p>2 Service Shelf 48W</p> <p>2 Light 48W</p> <p>2 Cantilevered Work Surface 30D x 48W</p> <p>2 Lockable Flipper Unit, 48W</p> <p>2 Adjustable Keyboard Tray</p> <p>1 Sink Base Cabinet, Dbl. Door, Backsplash, w/Corian Top, 30D x 48W</p> <p>1 Swing-Away Eyewash</p> <p>1 SS Sink 19D x 33D</p> <p>1 Gooseneck Mixing Faucet ASSY. With Wristbands</p> <p>1 Strainer and Tailpiece</p> <p>1 Coat Hook</p> <p>Drawer Organizer Bins</p> <p>* Connecting hardware required to complete installation.</p>
					F0230	Chair, Drafting, Rotary	VV - GOVT FURNISHED & INSTALLED	1	Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair.

					F2540	Shredder, Paper, Security	VV - GOVT FURNISHED & INSTALLED	1	Paper shredder, approximately 21" high X 15" wide X 12" deep with shredding unit and waste receptacle. Security features will include cross-cut shredding.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
					M1830	Printer, Label, Pharmacy	VV - GOVT FURNISHED & INSTALLED	1	Label printer for use in pharmacy applications. The printer shall be bench top standing. It shall be flexible enough to accommodate label sizes up to 4 inches, with a minimum print speed of 6 inches per second and a minimum resolution of 203 dpi.
					P1965	Eyewash, Eye/Face, Sink Mounted, Hands-free	CC - CONTRACTOR FURNISHED/INSTALLED	1	A sink mounted eyewash station. The unit is designed for emergency eye and face rinsing from soft flow dual spray-heads. The Flow must be activated by the single momentary action and remain on until terminated.
					P2450	Valve, Mixing, Thermostatic	CC - CONTRACTOR FURNISHED/INSTALLED	1	Thermostatic mixing valve with washout hose. Used with portable whirlpool equipment. Thermostatic valve is used to maintain temperature between 70 and 110 degree Fahrenheit, with a flow rate of 20 gallons a minute. The washout hose assembly is used to wash out tanks after treatment. Used in physical therapy department to provide comfortable water temperature for patient treatments.
					R5135	Freezer, Undercounter, 5 Cubic Feet	VV - GOVT FURNISHED & INSTALLED	1	Under counter freezer. This unit features space-saving thin-wall construction and has the flexibility of being built with existing cabinets, installed under-counter without top or custom-finished to specifications. This unit is a general purpose laboratory freezer.
					R6200	Refrigerator, U/C or F/S, 5 Cu Ft	VV - GOVT FURNISHED & INSTALLED	1	Utility refrigerator approximately 35" H x 24" W x 26" D. The unit has a two tray ice cube cooling system. The refrigerator fits standard architectural dimensions for undercounter installation. The unit is perfect for use in nurses' station, wards, and laboratories, pharmacies or wherever space is limited. - LAB GRADE

Qty of Rooms

1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LBVP1	Blood Specimen Collection Room	80	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Min requirement by User is 4 data ports. Recommend 2 on opposite walls.
						Quad Outlets	CC - CONTRACTOR FURNISHED/INSTALLED	2	Min requirement by User is 4 outlets. Recommend 2 on opposite walls.
					A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line, with speaker.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5077	Dispenser, Hand Sanitizer, Hands-Free	VV - GOVT FURNISHED & INSTALLED	1	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
					A5108	Waste Disposal Unit, Sharps	VV - GOVT FURNISHED & INSTALLED	1	A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					M1410	Chair, Laboratory, Blood Drawing, w/Storage	VV - GOVT FURNISHED & INSTALLED	5	Laboratory blood drawing chair with storage. Chair has built-in storage cabinet(s) and locking arm assembly that may be positioned on either side of the fiberglass chair.
						Chair, Laboratory, Blood Drawing, w/Storage - BARIATRIC	VV - GOVT FURNISHED & INSTALLED	1	Laboratory blood drawing chair with storage. Chair has built-in storage cabinet(s) and locking arm assembly that may be positioned on either side of the fiberglass chair.

					M1405	Chair, Blood Donor, Recliner, w Motor, Armrest	VV - GOVT FURNISHED & INSTALLED	1	Donor chair, with motor and armrest. Contour chair with extra wide armrests, remote control, and power slide control.
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
					M1802	Work Station, Computer, Retractable, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.
					M1830	Printer, Label, Pharmacy	VV - GOVT FURNISHED & INSTALLED	1	Label printer for use in pharmacy applications. The printer shall be bench top standing. It shall be flexible enough to accommodate label sizes up to 4 inches, with a minimum print speed of 6 inches per second and a minimum resolution of 203 dpi.
					M3072	Frame, Infectious Waste Bag w/Lid	VV - GOVT FURNISHED & INSTALLED	1	Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation.
					P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

Qty of Rooms

4

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	LMCH1	Laboratory, Clinical Chemistry	150	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	7	14 data jacks- VA using 4 jack outlets therefore need 4 outlets for total of 16
						Quad Outlets	CC - CONTRACTOR FURNISHED/INSTALLED	8	Use Quad Plex not wall strips
					A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line, with speaker.
					A1066	Mirror, Float Glass, With SS Frame	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					C03P0	Cabinet, Sink, U/C/B, 2 Door, 30" W	CC - CONTRACTOR FURNISHED/INSTALLED	2	Standing height under counter base sink cabinet. 36" H x 30" W x 22" D with two solid hinged doors. Also referred to as a double-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
					C04E0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 2 DO, 36x36x22	CC - CONTRACTOR FURNISHED/INSTALLED	7	Standing height under counter base cabinet with an adjustable shelf and a full width drawer above solid hinged doors. Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.

					CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
					CS090	Sink, SS, Single Compartment, 7.5x19x16 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. Coordinate actual outside sink dimensions with the actual clear dimension of cabinet specified to ensure that they are compatible. For general purpose use throughout the facility.
					CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	4	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
					CA040	Cabinet, Open, W/H, 2 Shelf, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	3	Wall hung open front cabinet with two adjustable shelves and sloping top. Also referred to as an open case. For general purpose use throughout the facility.
					n/a	Lab Quality Surface preferably soapstone	CC - CONTRACTOR FURNISHED/INSTALLED	36	Price per lineal foot to cover 36' lineal feet over the above mentioned under cabinets 10 +2sinks = 12x3'=36'
					F0230	Chair, Drafting, Rotary	VV - GOVT FURNISHED & INSTALLED	1	Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair.
					F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).

					L1502	Centrifuge, Tabletop	VV - GOVT FURNISHED & INSTALLED	2	Tabletop laboratory centrifuge. This unit has a variable speed range of 1500 to 13000 RPM in part dependent on rotor assembly used. It includes a no brake option allowing rotor to spin to a gradual stop as well as the capability to enter combinations of time and RPM into the memory, and a door lock safety system. Heads accommodate a wide variety of tubes and can accommodate up to at least 76 tubes. Used in laboratories to prepare samples for further analysis.
					L0990	Analyzer, Urine, Basic	VV - GOVT FURNISHED & INSTALLED	2	Basic urine analysis system. Automated system provides 8 chem. istries. Unit requires only power connection. This unit is a benchtop instrument
						POC INR		3	VA ro provide Cut Sheet for information and/or JSN number
						POC Glucose		2	VA ro provide Cut Sheet for information and/or JSN number
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
					M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	2	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.
					M1825	Printer, Computer	VV - GOVT FURNISHED & INSTALLED	1	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.

Qty of Rooms

1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	RCP01	Check-in	30	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	2	Provide (2) Quad plexes located per VA and final counter configuration.
						Quad Outlets	CC - CONTRACTOR FURNISHED/INSTALLED	2	Provide (2) Quad plexes located per VA and final counter configuration.
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
						Counter, Reception Control, Built-In	CC - CONTRACTOR FURNISHED/INSTALLED	1	Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backsplash/curb. Pricing based on a 30" depth.
					F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
						Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
						Printer, Label, Pharmacy	VV - GOVT FURNISHED & INSTALLED	1	Label printer for use in pharmacy applications. The printer shall be bench top standing. It shall be flexible enough to accommodate label sizes up to 4 inches, with a minimum print speed of 6 inches per second and a minimum resolution of 203 dpi.
					M1830	Printer, Wrist band	VV - GOVT FURNISHED & INSTALLED	1	
						Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms

1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	SRR02	Storage, Refrigerated	50	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	1	Telecommunication outlet location.
					R5135	Freezer, Undercounter	VV - GOVT FURNISHED & INSTALLED	1	Under counter freezer. This unit features space-saving thin-wall construction and has the flexibility of being built with existing cabinets, installed under-counter without top or custom-finished to specifications. This unit is a general purpose freezer.
					R6060	Refrigerator, Biological, SS, 2 Door, 40 Cu Ft	VV - GOVT FURNISHED & INSTALLED	1	Biological refrigerator. This unit shall have a minimum volume of 40 cubic feet, double doors, stainless steel cooler storage with stainless steel drawers, three adjustable shelves and one stationary stainless steel shelf. This refrigerator is used in research laboratories and hospital pharmacies for storage and dispensing of drugs.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	10 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	TLTU1	Toilet, Staff	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
					A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.

					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
						Toilet, Floor Mounted, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is floor mounted with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	TLTU1	Toilet, Specimen Collection	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
						Call Light	CC - CONTRACTOR FURNISHED/INSTALLED	1	Include Call light within Suite incase help is required by patient.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
					A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

					P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
					P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Qty of Rooms 2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	9 - PATHOLOGY AND LABORATORY MEDICINE (PLM) SERVICE	UCCL1	Clean Storage	100	A1010	Telecommunication Outlet	CC - FURNISHED & INSTALLED	1	Telecommunication outlet location.
					E0903	Locker, Supply, w/Shelves, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Supply Locker 1 Drawer, 9"H 4 Tray/Shelves Drawer Organizers Consider the need for an E0921 to transport the locker from place to place.
					E0906	Locker, Supply, General, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H 3 Drawers, 6"H 2 Drawers, 9"H 1 Tray/Shelf Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
					E0912	Locker, Supply, Med Surg, Wall Mtd	VV - GOVT FURNISHED & INSTALLED	2	Medical/Surgical supply locker, wall mounted, approximately 23" w x 20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H 2 Drawers, 6"H 2 Tray/Shelf Dividers Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
					E1500	Rail, MOD, W/MNTD, HX144XD	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

					P8710	Utility Center, Plumbing Connection	CC - CONTRACTOR FURNISHED/INSTALLED	1	Plumbing connection utility center, sometimes referred to as a 'GUY GRAY BOX'. This recessed utility center provides for hot and cold water connections and a drain connection at sink and other equipment locations. The utility center includes cutoff valves for the water connections, a plug seal for the drain and an outside cover to provide an aesthetic appearance when connections are no longer required. This center may be installed in locations where no plumbing fixtures are included in a design as a future flexibility device, saving many dollars for later facility modifications to incorporate sinks as functions change.
--	--	--	--	--	-------	-------------------------------------	--	---	--

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	OFDC2	Consult Room, Pharmacy	125	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Telecommunication outlet location.
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
					F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
					F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	3	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
					E0123	Workstation, Straight, Free Standing, 72" W	VV - GOVT FURNISHED & INSTALLED	1	This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M0515	Television, HD, 40" Class	VV - GOVT FURNISHED & INSTALLED	1	High definition (HDTV) multimedia flat panel LED 40" class display television. The TV will have a 16:9 wide screen aspect ratio, minimum of 1920 x 1080 display resolution, digital tuner, minimum refresh rate of 60Hz, minimum of two HDMI ports and 1 USB port ENERGY STAR certified.
					A5212	Bracket, Television, Wall-Mounted, Tilt/Angle	VV - GOVT FURNISHED & INSTALLED	2	A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs.
					A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	2	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
					M1825	Printer, Computer	VV - GOVT FURNISHED & INSTALLED	1	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms

1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOD6	Pharmacy, PACT 3	1000	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	10	Telecommunication outlet location.
						Power	CC - CONTRACTOR FURNISHED/INSTALLED		Quad Plex every 6'
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	3	Telephone, desk, multiple line.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	VV - GOVT FURNISHED & INSTALLED	1	The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure.
					F3050	Whiteboard, Dry Erase	VV - GOVT FURNISHED & INSTALLED	1	Whiteboard unit, approximately 36" H x 48" W consisting of a white porcelain enamel writing surface with an attached chalk tray. Magnetic surface available. Image can be easily removed with a standard chalkboard eraser. For use with water color pens. Unit is ready to hang.
					A6105	Counter, Reception Control, Built-In	CC - CONTRACTOR FURNISHED/INSTALLED	1	Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backsplash/curb. Pricing based on a 30" depth.
					C03P0	Cabinet, Sink, U/C/B, 2 Door, 30" W	CC - CONTRACTOR FURNISHED/INSTALLED	2	Standing height under counter base sink cabinet. 36" H x 30" W x 22" D with two solid hinged doors. Also referred to as a double-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
					C04E0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 2 DO, 36x36x22	CC - CONTRACTOR FURNISHED/INSTALLED	16	Standing height under counter base cabinet with an adjustable shelf and a full width drawer above solid hinged doors. Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.

					CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
					CS090	Sink, SS, Single Compartment, 7.5x19x16 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. Coordinate actual outside sink dimensions with the actual clear dimension of cabinet specified to ensure that they are compatible. For general purpose use throughout the facility.
					CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	8	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
					CA040	Cabinet, Open, W/H, 2 Shelf, Sloping Top, 38x36x13	CC - CONTRACTOR FURNISHED/INSTALLED	8	Wall hung open front cabinet with two adjustable shelves and sloping top. Also referred to as an open case. For general purpose use throughout the facility.
					n/a	Lab Quality Surface preferably soapstone	CC - CONTRACTOR FURNISHED/INSTALLED	66	Price per lineal foot to cover 36' lineal feet over the above mentioned under cabinets 10 +2sinks = 12x3'=36'
						Movable Racks System		1	VA to provide Cut Sheet on this and/or JSN number for price
					F3105	Safe, F/S, Class 5	VV - GOVT FURNISHED & INSTALLED	1	Class 5 safe, floor standing model with combination lock. Used for storage of narcotics, plans, film, and other classified or control materials.
					E0648	Station, Picking, Pharm, U-Shape, Free Std, 144x72	VV - GOVT FURNISHED & INSTALLED	1	12 solid panels, 85"H x 24"W; 1 solid panel, 85"H x 48"W; 4 panel connectors, 2-way corner, 85"H; 8 panel-to-panel connectors; 2 finished end hardware kits; 6 3-shelf units, 24"W; 1 5-shelf unit, 48"W; 2 corner, 5-shelf units, 48"W; 380 bins, 2-1/4"W x 2-3/16"H; 50 bins, 4-9/16"W x 2-3/16"W; 2 cantilevered, corner work surfaces, 48"W; 1 cantilevered work surface, 48"W; 1 drawer, 3"H and 1 drawer, 6"H .

					E0674	Pharmacy Manuf & Prepack Medium Volume	VV - GOVT FURNISHED & INSTALLED	1	<ul style="list-style-type: none"> 4 Shelf Storage Display 24"W; 6 Shelf Storage Display 48"W; 8 Wall Strip, 84"H; 1 Adapter Rail, 48"W; 1 Work Surf, Hvy-Duty 24"D x 48"W; 1 Work Surf, Hvy-Duty 24"D x 72"W; 1 Module, Cant Sink-Adaptable w/Corian Top, 24"D x 48"W; 1 Table, Process w/Casters, Adj Ht 30"D x 48"W; 1 Storage Case, 3 Bottle Dwrs, Legs <ul style="list-style-type: none"> 1 Storage Frame 2 Drawer, 3{"H; 2 Drawer, 9"H; 2 Task Light, 42"W; 1 Eyewash 1 Adjustable Keyboard Tray 1 Sink and Faucet Assembly Drawer Organizer Bins <p>*Connecting hardware required to complete the installation.</p>
					E0978	Cart, Wire, Mobile, 72"H x 48"W x 24"D	VV - GOVT FURNISHED & INSTALLED	3	<p>THIS TYPICAL INCLUDES:</p> <ul style="list-style-type: none"> 1 Wire Cart, w/Casters 5 Wire Shelves w/Fences and Dividers 4 Vertical Back/Side Panels <ul style="list-style-type: none"> 1 Cart Cover Label Clips
					F0230	Chair, Drafting, Rotary	VV - GOVT FURNISHED & INSTALLED	2	Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair.
					F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	2	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
					F0530	Cart, Trash	VV - GOVT FURNISHED & INSTALLED	2	Heavy duty trash cart, approximately 42" high X 74" wide X 34" deep with two (2) solid non-marking rubber roller bearing wheels, one (1) or two (2) swivel casters, 2000 pound capacity and tilt mechanism.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	5	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					F2026	Container, Recycling, Large	VV - GOVT FURNISHED & INSTALLED	2	Recycling container shall be approximately 30-gallons in capacity. The container may include a lid and be Recycle Blue in color with the recycle symbol identified on the container.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	4	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
						Speaker Window Unit	CC - CONTRACTOR FURNISHED/INSTALLED	2	Impact Resistent glazing, with metal speaker.

					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
					M1830	Printer, Label, Pharmacy	VV - GOVT FURNISHED & INSTALLED	2	Label printer for use in pharmacy applications. The printer shall be bench top standing. It shall be flexible enough to accommodate label sizes up to 4 inches, with a minimum print speed of 6 inches per second and a minimum resolution of 203 dpi.
					M1840	Printer/Copier/Fax Combination	VV - GOVT FURNISHED & INSTALLED	2	Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.
					M2005	Cabinet, Storage, Acid, Floor Standing, Shelves	VV - GOVT FURNISHED & INSTALLED	1	Floor standing acid storage cabinet. A 30 gallon capacity standard two door cabinet with adjustable shelves, three-point latch with key-lock and 2" raised leak proof sill. An 18-gauge steel frame with vents, 1 1/2" airspace between walls and epoxy finish resistant to chemical attack. Note: Not for use with nitric and sulfuric acids.
					A1030	Locker, 2 Person, Over/Under	VV - GOVT FURNISHED & INSTALLED	6	Two person locker, double tier, 72Hx12W,x18D. This unit includes hooks for coats and hats. Door equipped with safety guard handles. Dsigned for storage of coats, hats, and other personal belongings. Other width and depths are available.
					M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	3	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.
					M7265	Counter, Pill/Tablet, Automated, Counter Mounted	VV - GOVT FURNISHED & INSTALLED	2	Table mounted prescription counter device that counts tablets and capsules directly into the final container. The unit shall automatically count and dispense tablets and capsules into a container with speed and accuracy.
					P1960	Eyewash, Counter Top	CC - CONTRACTOR FURNISHED/INSTALLED	1	Counter top mounted emergency eye wash station. Unit is hand operated to provide streams of water to clear or dilute foreign particles or liquids from the eyes in emergency situations. It is equipped with a stainless steel bowl, face spray ring and dual automatic pressure compensation devices. The valve remains open until manually closed. Used in laboratories and areas of the hospital where employees are subject to exposure to foreign bodies or caustic liquid matter to the eyes.
					P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.

					R6100	Freezer, Food, Upright, CRS, 23 CUFT	VV - GOVT FURNISHED & INSTALLED	1	Food freezer approximately 23 CUFT and 84" H x 27" W x 37" D. This unit has a stainless steel case front and doors. The cabinet front and doors are constructed of heavy gauge polished stainless steel to maintain an attractive appearance. The heavy-duty wire shelves are adjustable in one inch increments, used for frozen food storage in food service departments.
					R6200	Refrigerator, U/C or F/S, 5 Cu Ft	VV - GOVT FURNISHED & INSTALLED	1	Utility refrigerator approximately 35" H x 24" W x 26" D. The unit has a two tray ice cube cooling system. The refrigerator fits standard architectural dimensions for undercounter installation. The unit is perfect for use in nurses' station, wards, and laboratories, pharmacies or wherever space is limited.
					R7050	Refrigerator, 25 Cubic Feet	VV - GOVT FURNISHED & INSTALLED	3	General purpose refrigerator approximately 84x27x37. This unit is corrosion resistant stainless steel. It has a single self closing door with safety stops. This refrigerator is generally used in commercial kitchens, hospitals and schools.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOW1	Disp Window (Pick Up)	60	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Telecommunication outlet location.
						Power Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	1	
						Electronic Signature Capture Pads	VV - GOVT FURNISHED & INSTALLED	1	
					A6105	Counter, Reception Control, Built-In	CC - CONTRACTOR FURNISHED/INSTALLED	1	Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backsplash/curb. Pricing based on a 30" depth.
					F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

						Large Flat Panel Electronic Display Board (Note: There is one of these for the department. Qty of .5 is for pricing purposes only.)	CC - CONTRACTOR FURNISHED/INSTALLED	0.5	Will only need 1 for department
					A5220	Bracket, Television, Wall Backing (to be used for Queing Display)	CC - CONTRACTOR FURNISHED/INSTALLED	0.5	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms

2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	PHOW1	Prescription Receiving Window (Drop Off)	50	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Telecommunication outlet location.
						Power	CC - CONTRACTOR FURNISHED/INSTALLED	1	
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
						Queing Display (Note: There is one of these for the department. Qty of .5 is for pricing purposes only.)	CC - CONTRACTOR FURNISHED/INSTALLED	0.5	Will only need one system for department
					A5220	Bracket, Television, Wall Backing (to be used for Queing Display)	CC - CONTRACTOR FURNISHED/INSTALLED	0.5	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
					A6105	Counter, Reception Control, Built-In	CC - CONTRACTOR FURNISHED/INSTALLED	1	Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backsplash/curb. Pricing based on a 30" depth.

					F0280	Chair, Swivel, Low Back	VV - GOVT FURNISHED & INSTALLED	1	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms

1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	OFA07	Workstation Pharmacist	56			CC - CONTRACTOR FURNISHED/INSTALLED		
					A1010	Telecommunication Outlet		2	Telecommunication outlet location.
						power		1	
							VV - GOVT FURNISHED & INSTALLED		
					A1015	Telephone, Desk, Multiple Line		1	Telephone, desk, multiple line.
							VV - GOVT FURNISHED & INSTALLED		
					E0123	Workstation, Straight, Free Standing, 72" W		1	<p>This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES:</p> <ul style="list-style-type: none"> 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File
							VV - GOVT FURNISHED & INSTALLED		
					F0275	Chair, Swivel, High Back		1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
							VV - GOVT FURNISHED & INSTALLED		
					F0405	Cabinet, Filing, Full Height, 4-5 Drawer		1	Four or Five drawer letter size vertical filing cabinet, 53"Hx 15" wide x 29" D with locking device. Each drawer has label holder, handle and roller cradle.

					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms 2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	10 - PHARMACY SERVICE	TNPG1	Toilet, Staff	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
					A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms.
					A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.

					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
					F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
					P3200	Lavatory, Vitreous China, Slab Type w/Sens Op Fauc	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximately 7 x 15 x 10 inches) with faucet holes on 4 inch centers; electronic sensor operated, goose neck spout and grid strainer. It shall be suitable for use in clinics, offices and patient care areas.
						Toilet, Floor Mounted, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is floor mounted with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Qty of Rooms

1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	11 - CLINIC MANAGEMENT	OFA01	FLEX OFFICE UNASSIGNED	100	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Telecommunication outlet location.
					A1016	Telephone, Desk, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, with speaker.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	1	This JSN is to be used for determining and defining location of decorative artwork.
					F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
					F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
					F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.

					F0635	Desk, Double Pedestal	VV - GOVT FURNISHED & INSTALLED	1	Double pedestal flat top desk, 30" high X 60" wide X 30" deep with center pencil drawer, choices of combinations of file and box drawers, floor glides and modesty panel.
					F0710	Table, Computer, With Print Shelf	VV - GOVT FURNISHED & INSTALLED	1	Computer work table, approximately 31" high X 40" wide X 24" deep with retractable shelf(s) for keyboard and/or extra work space, adjustable shelves for printer and printer paper, and (optional) dual wheel casters (two locking).
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms 5

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	11 - CLINIC MANAGEMENT	OFA04	Office, CMO	100	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Telecommunication outlet location.
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72	VV - GOVT FURNISHED & INSTALLED	1	This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file.
					F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
					F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
					F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).

					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
--	--	--	--	--	-------	---	---------------------------------	---	---

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	11 - CLINIC MANAGEMENT	OFA04	Office, Nurse Manager	100	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Telecommunication outlet location.
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72	VV - GOVT FURNISHED & INSTALLED	1	This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file.
					F0205	Chair, Side With Arms	VV - GOVT FURNISHED & INSTALLED	2	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
					F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.

					F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	12 - BUSINESS SERVICES	WKTM1	Enrollment	150	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	4	Telecommunication outlet location.
					A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	2	Telephone, desk, 1 line.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					A6046	Artwork, Decorative, With Frame	VV - GOVT FURNISHED & INSTALLED	2	This JSN is to be used for determining and defining location of decorative artwork.
					E0042	Workcenter, Computer, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Tool Rail 2 Paper Tray 1 Diagonal Tray 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray
					F0206	Chair, Side, Bariatric, With Arms	VV - GOVT FURNISHED & INSTALLED	3	A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.
					F0305	Chair, Waiting Room, Single	VV - GOVT FURNISHED & INSTALLED	6	Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included.

					F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	2	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
					F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	2	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					F3050	Whiteboard, Dry Erase	VV - GOVT FURNISHED & INSTALLED	1	Whiteboard unit, approximately 36" H x 48" W consisting of a white porcelain enamel writing surface with an attached chalk tray. Magnetic surface available. Image can be easily removed with a standard chalkboard eraser. For use with water color pens. Unit is ready to hang.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M0507	Video Teleconferencing System	VV - GOVT FURNISHED & INSTALLED	1	Shall be a video conferencing unit consisting of a camera, microphone, video/audio compression components, a component cart and a 32 inch monitor. It shall provide live audio-visual conferencing capabilities to dispersed geographic sites.
						Camera for ID badge	VV - GOVT FURNISHED & INSTALLED	1	
						Backdrop for badge	VV - GOVT FURNISHED & INSTALLED	1	
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	2	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
					M1825	Printer, Computer	VV - GOVT FURNISHED & INSTALLED	1	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.

Qty of Rooms

1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	13 - ENGINEERING SERVICE	BMER1	Repair Shop, Biomedical Engineering	180	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	4	Telecommunication quad plex one per wall.
						Power Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	4	Power quad plex one per wall.
					A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, 1 line.
					F0230	Chair, Drafting, Rotary	VV - GOVT FURNISHED & INSTALLED	1	Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
					T0005	Electrical Safety Analyzer	VV - GOVT FURNISHED & INSTALLED	1	Electrical safety analyzer. Characteristics/components include combining all lead connected ECG lead tests measuring individual lead leakage; AC/DC measurement; current consumption; automatic neutral-ground and power-ground resistance and volts. This unit is used for electrical safety testing, preventive maintenance programs and equipment repair. Battery powered models are available.
						Ultra Sound Phantom	VV - GOVT FURNISHED & INSTALLED	1	
						Bladder Scanner Phantom	VV - GOVT FURNISHED & INSTALLED	1	
						Sim Cube Vitals Simulator	VV - GOVT FURNISHED & INSTALLED	1	

					T0015	Defibrillator Analyzer, Automatic, Portable	VV - GOVT FURNISHED & INSTALLED	1	Defibrillator analyzer. Characteristics/components include automatic and portable with direct reading; accurately verifies the output characteristics of all defibrillators while simulating the resistance of the human body; output energy measured in joules or watt seconds on two scales of 0-200.0 or 0-1000; output energy remains displayed until the reset button is depressed once the defibrillator is fired; and output jacks provided for oscilloscope connection to observe defibrillator pulse wave shape. Shall include the optional pacemaker testing module if required by the end user. Battery powered models are available.
					T0801	Workbench, Electric, Pedestal Base	VV - GOVT FURNISHED & INSTALLED	1	Electrical workbench approximately 34" H x 72" W x 36" D. Characteristics/components include butcher block maple top; with two drawer or door pedestals and an electronic riser wiring kit. This workbench is used in wood and metal workshops. Workbench is a mix and match construction and can be configured to end users needs.
					T8030	Electrosurgery Analyzer	VV - GOVT FURNISHED & INSTALLED	1	Electrosurgery analyzer. This is a power analyzing system that verifies electrosurgical specifications such as output power, radio frequency leakage and output waveforms. This is necessary because electrosurgical units should provide safe controlled power output at RF with a predetermined physiological load so that burns and electrical shocks are avoided.
					T8055	Wattmeter, Ultrasonic	VV - GOVT FURNISHED & INSTALLED	1	Ultrasonic wattmeter. Characteristics/components include electronic and mechanical design to provide superior performance and greater durability; clear Plexiglas tubing on the front panel that allows the operator to immediately determine the liquid level within the sealed reservoir; and power measurements that can be conveniently read on the LCD display. This unit is a one-of-a-kind instrument used by biomedical repair persons who regularly test therapeutic ultrasound devices. Unit is battery powered.

Qty of Rooms

1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	13 - ENGINEERING SERVICE	BMER1	Repair Shiop, General Engineering	140	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	4	Telecommunication quad plex one per wall.
						Power Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	4	Power quad plex one per wall.
					A1011	Telephone, Desk, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, 1 line.
						Chair, Drafting, Rotary	VV - GOVT FURNISHED & INSTALLED	1	Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
						Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	4	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.
						Cabinet, Storage, Flammable, Freestanding 65x34x34 countertop	VV - GOVT FURNISHED & INSTALLED	1	Price provided by Grainger Cabinets for 60g 34"Wx34"Dx95"H Condor model Item 42X502
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
						Workbench, Electric, Pedestal Base	VV - GOVT FURNISHED & INSTALLED	1	Electrical workbench approximately 34" H x 72" W x 36" D. Characteristics/components include butcher block maple top; with two drawer or door pedestals and an electronic riser wiring kit. This workbench is used in wood and metal workshops. Workbench is a mix and match construction and can be configured to end users needs.

Qty of Rooms

1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	13 - ENGINEERING SERVICE	ITAE1	OIT	300	A0925	Cabinet, Computer, Server, Blade	VV - GOVT FURNISHED & INSTALLED	1	Rack enclosure cabinet for blade servers and other data center components. Rack is designed to support power management, efficient cooling and flexible cable management. Front and rear doors will aid cooling and simplify component installations. Numerous sizes and configurations are available.
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
					F0230	Chair, Drafting, Rotary	VV - GOVT FURNISHED & INSTALLED	1	Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair.
					T0761	Bench, Woodworking, Locker Base, 33x120x30	VV - GOVT FURNISHED & INSTALLED	1	Woodworking workbench. This is a locker based unit with laminated maple top. The lockers include padlock hasp, sprink hinges and provision for cylinder locks. The top is sturdy laminate maple. This unit is used in woodworking shops. It consists of base cabinets and one maple top. Final configuration to be determined by end user.
					M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	4	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.
					A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Telecommunication outlet location.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	DOCK1	Receiving / Shipping Dock	130	A6125	Leveler, Dock	CC - CONTRACTOR FURNISHED/INSTALLED	1	Unit attaches to the face of the dock for easy installation. It consists of a counterbalance lip that can be extended to rest on the bed of the trailer for loading and unloading of merchandise. When the trailer departs, the lip will automatically retract behind the bumper face. Size will vary depending on the application.
					K0450	Curtain, Air	CC - CONTRACTOR FURNISHED/INSTALLED	2	Air curtain. The unit is generally fabricated to size for operation. This unit is used at entrances and docks to prevent cold and humid or dry and hot air from entering through openings which are exposed to weather conditions. The database pricing reflects an unheated air door 6-1/2' wide with a 3" or 6" deep discharge nozzle to cover a standard two-door width entry. Some units run on 120V power; refer to the manufacturer's specifications for the model chosen. Larger width and industrial duty air doors are available.
					K9300	Washer, Pressure w/Sanitizer	VC - GOVT FURNISHED/CONT R INST	1	Pressure washer for cleaning and sanitizing kitchen or other areas. This is a wall mounted, motor operated unit with a spray gun. The washer sprays a detergent solution on each item to be cleaned and then rinses them using a combination of water and high pressure that blasts away the loosened dirt and grease. The washer can be either a stand alone unit or part of a set of stations operating from a central control. See JSN K1350 for the mobile version of this unit. The unit is used for cleaning in commercial areas and institutions such as hospitals.
					M2105	Pallet Lift, Hydraulic, Manual, 48" Pallet	VV - GOVT FURNISHED & INSTALLED	1	Hydraulic manual pallet equipped with floor lock and wheels for easy transport. Unit accommodates 48" pallets and is designed to handle all types of lifting tasks.
					M2115	Truck, Hand, 2 Wheel	VV - GOVT FURNISHED & INSTALLED	1	2 wheel hand truck. Double handled with three supportive crossbars for heavy duty use. 800 pound weight capacity with two 8 or 10 inch wheels. For use in the warehouse.
					M2120	Truck, Platform, 4 Wheel	VV - GOVT FURNISHED & INSTALLED	2	A 4 wheel platform truck (push cart). Truck has heavy duty platform and is mounted on four 8" diameter casters. The load capacity is 2000-2500 pounds. It is designed for use in the receiving and other material handling areas.
					M4025	Scale, Roll On, Freestanding, 2000 Pound Capacity	VV - GOVT FURNISHED & INSTALLED	1	Freestanding roll on scale with a 2000 pound capacity. Unit consists of a heavy duty anodized aluminum or steel platform with powered digital readout. For use in food service or the laundry.
Qty of Rooms		2							

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	OFA03	Workstation, Logistics	56	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Telecommunication outlet location.
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
					E0075	Workstation, L-Shaped, Freestanding, 72x48	VV - GOVT FURNISHED & INSTALLED	1	THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel-To-Panel Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 2 Lockable Flipper Units 2 Shelves, Storage/Display 3 Lights 2 Tackboards 2 Tool Rails 2 Paper Trays 1 Diagonal Tray 2 Cantilevered Work Surfaces 1 Adjustable Keyboard Tray 1 Hanging Pedestal, Box/File 1 Pencil Drawer 2 Support Panels
					F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
					F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
Qty of Rooms	1								

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	14 - LOGISTICS SERVICE	SRLG3	Storage Area, Logistics PACT 3	1000	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Telecommunication outlet location.
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
					E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72	VV - GOVT FURNISHED & INSTALLED	1	This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file.
					F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
					F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
					F2700	Reader, Bar Code, Hand Held, With Interface	VV - GOVT FURNISHED & INSTALLED	2	Hand held laser bar code reader with computer interface. Used for automated inventory, using bar code stickers / labels. Convenience outlet required at point of use.
					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
					M1840	Printer/Copier/Fax Combination	VV - GOVT FURNISHED & INSTALLED	1	Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.

					M2005	Cabinet, Storage, Acid, Floor Standing, Shelves	VV - GOVT FURNISHED & INSTALLED	2	Floor standing acid storage cabinet. A 30 gallon capacity standard two door cabinet with adjustable shelves, three-point latch with key-lock and 2" raised leak proof sill. An 18-gauge steel frame with vents, 1 1/2" airspace between walls and epoxy finish resistant to chemical attack. Note: Not for use with nitric and sulfuric acids.
					M2020	Cabinet, Storage, Safety, Built-In, Vented	CC - CONTRACTOR FURNISHED/INSTALLED	1	Safety storage cabinet. This unit is of double steel wall construction, with vented grounding attachment, raised leak proof door sill, and adjustable shelving. Equipped with two doors and three-point key lock. The construction meets standards set by OSHA and NFPA Code 30 requirements. Designed for storage of flammable type liquids. The cabinet fits into a laboratory casework configuration and its ventilation ports are in the back to leave the counterspace free. The cabinet requires ventilation ducting and an exhaust fan as part of the HVAC (heating, ventilation and air conditioning) system.
					M2025	Rack, Storage, Cylinder, Gas	VV - GOVT FURNISHED & INSTALLED	3	Medical gas cylinder storage rack. Unit is a modular cage frame for holding various sizes of gas cylinders. Nylon or fabric securing straps can be attached to the frame bars to stabilize gas cylinders. Add additional units or specify size as required when ordering. This item is often locally fabricated.
					M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	2	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.
					M2070	Shelving, Storage, 77hx36wx18d	VV - GOVT FURNISHED & INSTALLED	9	Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room.
					M2085	Shelving, Storage, Pallet	VV - GOVT FURNISHED & INSTALLED	12	Pallet storage shelving starter section. This unit is of heavy duty construction and has channel type bracing in between columns, heavy duty foot plate with 3-point security. The size will be determined by weight load. It is designed for easy forklift access in storage areas and warehouses.
					M2090	Shelving, Storage, Warehouse	VV - GOVT FURNISHED & INSTALLED	12	Warehouse storage shelving approximately 75 inches high by 36 inches wide by 24 inches deep.
					M2115	Truck, Hand, 2 Wheel	VV - GOVT FURNISHED & INSTALLED	2	2 wheel hand truck. Double handled with three supportive crossbars for heavy duty use. 800 pound weight capacity with two 8 or 10 inch wheels. For use in the warehouse.
					M2130	Truck, Hydraulic Lift, Electric	VV - GOVT FURNISHED & INSTALLED	1	Electric lift truck. Equipped with heavy duty hydraulic system and 12 V battery. For use within enclosed warehouse spaces. Adjustable 25" (approx) long forks. Complete with 10 amp charger. Counterweight must be used to help prevent tipping. NOTE: Not recommended for moving long distances or over uneven surfaces.

					M7780	Scanner, Document	VV - GOVT FURNISHED & INSTALLED	1	Scanner for recording printed material in an electronic format. Some models process both color and black-and-white images. Options include automatic paper feeders and transparency adapters. Most models require connection to a microcomputer for independent operation or use as part of a network. Larger models for high use applications which connect directly to a network without passing information through a microcomputer are available.
					P2450	Valve, Mixing, Thermostatic	CC - CONTRACTOR FURNISHED/INSTALLED	1	Thermostatic mixing valve with washout hose. Used with portable whirlpool equipment. Thermostatic valve is used to maintain temperature between 70 and 110 degree Fahrenheit, with a flow rate of 20 gallons a minute. The washout hose assembly is used to wash out tanks after treatment. Used in physical therapy department to provide comfortable water temperature for patient treatments.
					P5210	Shower, Safety, Freestanding, With Eye/Face Wash	CC - CONTRACTOR FURNISHED/INSTALLED	1	Deluge safety shower. This is a complete, maximum protection safety station consisting of a free-standing emergency shower and an eye/face wash fixture. Used anywhere exposure to hazardous substances may occur.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	CROP1	Operations Room	125	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	8	Telecommunication outlet location.
						Power			
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	4	Telephone, desk, multiple line.
					A5212	Bracket, Television, Wall-Mounted, Tilt/Angle	VV - GOVT FURNISHED & INSTALLED	2	A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs.
					A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	2	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
					E0042	Workcenter, Computer, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Tool Rail 2 Paper Tray 1 Diagonal Tray 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray

					E0117	Workstation, Straight, Free Standing, 48" W	VV - GOVT FURNISHED & INSTALLED	2	THIS UNIT provides a typical work station to quickly plan work areas in clinical or administrative spaces. THIS TYPICAL INCLUDES: 2 standard solid panels; 1 panel connector, 2-way corner; 2 finished end hardware kits; 1 cantilevered work surface; 1 lockable flipper unit; 1 light; 1 tack board; 1 tool rail; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file; 1 support panel.
					F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	4	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
					F0425	Cabinet, Filing, Security, Full Height	VV - GOVT FURNISHED & INSTALLED	1	Class 6 full height security filing cabinet, 58" high x 21" wide x 28" deep with five (5) drawers. Used for storage of classified or controlled materials.
					F0780	Table, Work, 60W x 30D	VV - GOVT FURNISHED & INSTALLED	2	Work table approximately 29" high X 60" wide X 30" deep with top and four (4) non-folding legs.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	2	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					F2550	Shredder, Paper Heavy Duty	VV - GOVT FURNISHED & INSTALLED	1	Shredder shall be able to process a minimum of 25 sheets of paper per pass at a minimum rate of 20 feet per minute. The unit shall have a 16 inch throat to accept paper. Paper shall be shredded into 1/4 inch strips.
					F3060	Whiteboard, Projection Screen Combination	VV - GOVT FURNISHED & INSTALLED	1	Whiteboard and projection screen combination approximately 48" H x 72" W. Magnetic surface with matte finish for projection. Hard board stabilizer with aluminum foil back. For use with water color pens.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	4	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					F3230	Rack, Hat / Coat, Wall Mounted	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted hat / coat rack. Decoratively styled and equipped with bars, hooks and hat shelf. For use in waiting rooms.
					M0507	Video Teleconferencing System	VV - GOVT FURNISHED & INSTALLED	1	Shall be a video conferencing unit consisting of a camera, microphone, video/audio compression components, a component cart and a 32 inch monitor. It shall provide live audio-visual conferencing capabilities to dispersed geographic sites.
					M0512	Television, HDTV, Large Screen, 60"	VV - GOVT FURNISHED & INSTALLED	2	A high definition (HDTV) multimedia, slim design, 60"W to 65"W color television. The TV will have a 16.9 wide screen aspect ratio with full HD 1080p resolution and HDMI connections. TV may be LED, Plasma or LCD. TV will include a stand.

					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	4	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
					M1825	Printer, Computer	VV - GOVT FURNISHED & INSTALLED	1	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.
						Long Gun Storage Cabinet	VV - GOVT FURNISHED & INSTALLED	1	Single Rifle Rack, 28.25Hx70.75Dx7W, with # way entry RFID, 4 digit security pin and Key backup in case of power failure.
					M4125	Radio Communication System	VV - GOVT FURNISHED & INSTALLED	1	Radio equipment to support daily administrative, patient transport, emergency, mass casualty, fire protection and security operations. Includes base station(s), handheld portables, vehicle units, antennas, power supplies, controllers, electrical panels, computers, pagers and other equipment as required. The size, complexity and cost of the system depend on the geographic region covered, dispersement of the facility staff, size and capability of the facility, facility mission and distances to supporting police, fire and disaster relief organizations.
Qty of Rooms		1							

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	LR001	Locker Room M/F	125		Locker, 1 Person, Over/Under	VV - GOVT FURNISHED & INSTALLED	8	Single locker 72Hx24Wx24D with a base drawer. This unit includes hooks for coats and hats. Door equipped with safety guard handles. Designed for storage of coats, hats, and other personal belongings. Other width and depths are available.
					A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.

Qty of Rooms 2

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	OFA07	Workspace	56			CC - CONTRACTOR FURNISHED/INSTALLED		
					A1010	Telecommunication Outlet	LED	2	Telecommunication outlet location.
					A1015	Telephone, Desk, Multiple Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, desk, multiple line.
					E0123	Workstation, Straight, Free Standing, 72" W	VV - GOVT FURNISHED & INSTALLED	1	This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File
					F0275	Chair, Swivel, High Back	VV - GOVT FURNISHED & INSTALLED	1	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
					F0420	Cabinet, Filing, Lateral, Half Height	VV - GOVT FURNISHED & INSTALLED	1	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

					M1801	Computer, Microprocessing, w/Flat Panel Monitor	VV - GOVT FURNISHED & INSTALLED	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
--	--	--	--	--	-------	---	---------------------------------	---	--

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	POH01	Holding Room	60	A5020	Bench, Locker Room, Floor Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Locker room bench. Floor mounting -1-1/4" thick. Benches are sanded smooth with two coats of moisture-resistant sealer to ensure a protective, satin gloss surface, and mounted on strong steel pedestal anchored to the floor. Over all height of 18" includes pedestal. Size as required.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	SRS01	Armory, Secure	40	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Telecommunication outlet location.
					A1014	Telephone, Wall Mounted, 1 Line, With Speaker	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line, with speaker.
						Long Gun Storage Cabinet	VV - GOVT FURNISHED & INSTALLED	1	Single Rifle Rack, 28.25Hx70.75Dx7W, with # way entry RFID, 4 digit security pin and Key backup in case of power failure.
						Pistol Storage Cabinet	VV - GOVT FURNISHED & INSTALLED	4	Locable double shelf box to store pistol.
						Safe	VV - GOVT FURNISHED & INSTALLED	1	Large Capacity Safe 13.75Wx13Dx19 11/16H utilized for ammo storage
						Clearing Trap/Station	VV - GOVT FURNISHED & INSTALLED	1	Firearm unloading station withstand discharges from all handguns, shotgun and rifles. 40" tall self standing.
						Workbench, Electric, Pedestal Base	VV - GOVT FURNISHED & INSTALLED	1	Stationary Multipurpose workbench/workstation has a wood or hard base counter top, Overtable Mounting, with adjustable storage bins, shelves for general purpose storage and metal pegboard panel
					M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	VV - GOVT FURNISHED & INSTALLED	4	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	SSS01	Storage, Secure	40	F0425	Cabinet, Filing, Security, Full Height	VV - GOVT FURNISHED & INSTALLED	1	Class 6 full height security filing cabinet, 58" high x 21" wide x 28" deep with five (5) drawers. Used for storage of classified or controlled materials.
					F3105	Safe, F/S, Class 5	VV - GOVT FURNISHED & INSTALLED	1	Class 5 safe, floor standing model with combination lock. Used for storage of narcotics, plans, film, and other classified or control materials.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	15 - POLICE SERVICE	TLTU1	TOILET	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and uni-sex toilet rooms.
					A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.

					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
						Toilet, Floor Mounted, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is floor mounted with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	16 - CANTEEN SERVICE	BX002	Vending Machine Area & Seating	160	A6030	Machine, Vending	L_RE - OTHER - LEASED OR RENTED EQUIP	5	This JSN is to be used for determining and defining the requirement for vending machines. Item is normally leased or supplied by Army & Air Force Exchange Service, (AAFES).
					F0225	Chair, Dining Room	VV - GOVT FURNISHED & INSTALLED	12	Dining room chair with glides. Chair has straight legs with cushioned cloth or vinyl seat.
					F0795	Table, Dining	VV - GOVT FURNISHED & INSTALLED	3	Dining table. Round 42" diameter or square 42" X 42". Used in dining facilities and can comfortably seat up to four (4) persons.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	LAC01	Lactation Room	100	A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5077	Dispenser, Hand Sanitizer, Hands-Free	VV - GOVT FURNISHED & INSTALLED	1	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
					A5082	Dispenser, Paper Towel, Sensor, Hands Free	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					C0035	Rail, Apron, 4x24x1	CC - CONTRACTOR FURNISHED/INSTALLED	2	Apron rail. Also referred to as an apron front, apron panel, or knee space rail. Used to close in front knee space area and/or provide work surface support between two base cabinets or a base cabinet and wall. Apron rails should be ordered in pairs to provide both front and rear work surface support.
					C02D0	Cabinet, U/C/B, 4 Drawer, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base cabinet with four full width drawers of equal height. Also referred to as a drawer cabinet. For general purpose use throughout the facility.
					CS040	Sink, SS, Single Compartment, 7.5x14x14 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. Coordinate actual outside sink dimensions with the actual clear dimension of cabinet specified to ensure that they are compatible. For general purpose use throughout the facility.
					CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	1	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.

					F0255	Chair, Easy	VV - GOVT FURNISHED & INSTALLED	1	Easy chair approximately 35" high X 28" wide X 32" deep with arms and floor glides. Arms, back and seat are foam padded and upholstered in woven textile fabric or vinyl.
					F0740	Table, Occasional, Lamp	VV - GOVT FURNISHED & INSTALLED	1	Occasional lamp table (end table) approximately 20" high X 27" wide X 27" deep with choice of finishes (wood, oak veneer, or high pressure laminate).
					F2010	Basket, Wastepaper, Step-On	VV - GOVT FURNISHED & INSTALLED	1	"Step-on" wastepaper basket with inner liner and foot pedal activated flip top.
					R6200	Refrigerator, U/C or F/S, 5 Cu Ft	VV - GOVT FURNISHED & INSTALLED	1	Utility refrigerator approximately 35" H x 24" W x 26" D. The unit has a two tray ice cube cooling system. The refrigerator fits standard architectural dimensions for undercounter installation. The unit is perfect for use in nurses' station, wards, and laboratories, pharmacies or wherever space is limited.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	LR004	Locker, Staff Personal Property	100	A1040	Locker, 2 Person, Side by Side, 72x15x18	VV - GOVT FURNISHED & INSTALLED	20	Two person side by side locker. Steel unit. It consists of side by side compartments for hanging clothes and over/under compartments for hats, etc. Used for personal belongings storage.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					A1080	Mirror, Posture, Wall Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	SL001	Lounge, Staff	220	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Telecommunication outlet location.
					A1012	Telephone, Wall Mounted, 1 Line	VV - GOVT FURNISHED & INSTALLED	1	Telephone, wall mounted, 1 line.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
					A5210	Bracket, Television, Wall Mounted, w/Adjust Arm	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms.
					A5220	Bracket, Television, Wall Backing	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.
					C02C0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base cabinet with an adjustable shelf and a full width drawer above a solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings). Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.
					C02D0	Cabinet, U/C/B, 4 Drawer, 36x24x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base cabinet with four full width drawers of equal height. Also referred to as a drawer cabinet. For general purpose use throughout the facility.
					C04P0	Cabinet, Sink, U/C/B, 2 Door, 36x36x22	CC - CONTRACTOR FURNISHED/INSTALLED	1	Standing height under counter base sink cabinet with solid hinged doors. Also referred to as a double-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.
					CB020	Cabinet, W/H, 2 Shelf, 1 DO, Sloping Top, 36x24x13	CC - CONTRACTOR FURNISHED/INSTALLED	2	Wall hung cabinet with two adjustable shelves, solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings), and sloping top. Also referred to as a solid hinged single door case. For general purpose use throughout the facility.

					CS150	Sink, SS, Single Compartment, 10x19x16 ID	CC - CONTRACTOR FURNISHED/INSTALLED	1	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. Coordinate actual outside sink dimensions with the actual clear dimension of cabinet specified to ensure that they are compatible. For general purpose use throughout the facility.
					CT020	Countertop, Solid Surface	CC - CONTRACTOR FURNISHED/INSTALLED	9	A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.
					F0225	Chair, Dining Room	VV - GOVT FURNISHED & INSTALLED	10	Dining room chair with glides. Chair has straight legs with cushioned cloth or vinyl seat.
					F0795	Table, Dining	VV - GOVT FURNISHED & INSTALLED	2	Dining table. Round 42" diameter or square 42" X 42". Used in dining facilities and can comfortably seat up to four (4) persons.
					F2015	Basket, Wastepaper, Metal/Plastic, 2 Swinging Doors	VV - GOVT FURNISHED & INSTALLED	1	Metal receptacle for soiled / used towels or waste. Equipped with a removable tapered top with two independently operating self-closing, spring hinged doors. Used in public facilities for the collection and temporary storage of refuse.
					F3060	Whiteboard, Projection Screen Combination	VV - GOVT FURNISHED & INSTALLED	1	Whiteboard and projection screen combination approximately 48" H x 72" W. Magnetic surface with matte finish for projection. Hard board stabilizer with aluminum foil back. For use with water color pens.
					F3200	Clock, Battery, 12" Diameter	VV - GOVT FURNISHED & INSTALLED	1	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
					K4665	Oven, Microwave, Consumer	VV - GOVT FURNISHED & INSTALLED	1	Counter mounted microwave oven for average duty use. The exterior cabinet can be metal or heavy duty impact resistant plastic. The oven delivers instant energy for rapid heating, defrosting or prime cooking. The oven has touch pad controls, digital timer, power level selector and preprogrammed selectors for commonly cooked items. This oven is commonly found in staff lounges.
					M0515	Television, HD, 40" Class	VV - GOVT FURNISHED & INSTALLED	1	High definition (HDTV) multimedia flat panel LED 40" class display television. The TV will have a 16:9 wide screen aspect ratio, minimum of 1920 x 1080 display resolution, digital tuner, minimum refresh rate of 60Hz, minimum of two HDMI ports and 1 USB port ENERGY STAR certified.
					R7250	Refrigerator/Freezer, 20 Cubic Feet	VV - GOVT FURNISHED & INSTALLED	1	Refrigerator/freezer unit. This type unit includes a food saver system that helps keep food fresher. It also includes roll out wheels and is equipped for an optional automatic icemaker. This unit is of commercial or residential design and use.

Qty of Rooms

1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	17 - STAFF SUPPORT AREA	TLTU1	Toilet, Staff	60	A1067	Mirror, Float Glass, ADA Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and uni-sex toilet rooms.
					A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	CC - CONTRACTOR FURNISHED/INSTALLED	1	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
					A5145	Hook, Garment, Double, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.

					A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	CC - CONTRACTOR FURNISHED/INSTALLED	1	A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.
					P3100	Lavatory, Vitreous China, Slab Type	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area.
					P9050	Toilet, Wall Hung, Siphon Jet	CC - CONTRACTOR FURNISHED/INSTALLED	1	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.
Qty of Rooms	6								

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	COMC1	Communications Room	100	A0900	Relay Rack, Aluminum	V - GOVT FURNISHED & C-CONTRACTOR INSTALLED	2	Rack used to hold network components such as servers, switches, hubs, patch panels, router, etc. Racks are available in varying heights, channel depths, and channel width. The model numbers specified may be U.L. Listed version with 2 Top Angles, 7' height, 19" wide, blank Aluminum, with mounting holes on both sides (front and back).
						Cableing	CC - CONTRACTOR FURNISHED/INSTALLED		All Cableing by contractor.
					A0901	Cable Management, Horizontal Base Unit	VV - GOVT FURNISHED & INSTALLED	26	Horizontal cable management unit for a 19" rack with a channel approximately 2"x2". Provides for professional finish to hide cables in a switch rack. Various models are quoted with fingered type exits or brackets and/or rear access holes.
						Rear Wire Frame	VV - GOVT FURNISHED & INSTALLED	13	For use with horizontal base unit for double sided management. This item is intended to be used with JSNs A0901 and/or A0903 model HC219 series from Hubbell only.
					A0903	Rear Hinged Cover, for LAN Rack	VV - GOVT FURNISHED & INSTALLED	13	This item is intended to be used with JSNs A0901 and/or A0902 model HC219 series from Hubbell only.
						Fiber Optic Cabinet, 36 Port, Rack Mounted	VV - GOVT FURNISHED & INSTALLED	1	This cabinet is designed to accommodate up to 6 six-packs of adapters or blank panels. This cabinet is specifically designed to accommodate Hubbell adapter panels as reflected in JSNs A0905 and A0906.
					A0908	Patch Panel, 110 Block/RJ-45, Cat 6, 48 Port,568A	VV - GOVT FURNISHED & INSTALLED	13	This 48 Port/RJ45, Cat 5e (or better) patch panel is designed for the following applications. Gigabit 1000BASE-T, 100BASE-TX, ATM 155, TP-PMD (CDDI).
						Power Supply, Uninterruptable, Rack Mounted	VV - GOVT FURNISHED & INSTALLED	1	Uninterruptable Power Supply, Approximately 2200VA/1600W, Rack Mount with extendable Run Time. Unit must incorporate hot user swappable batteries and must have an overload indicator, replace battery indicator, audible alarm, automatic voltage regulation and include Smart Slot card and software. It must use RS232 DB-9 interface for communication. NEMA L5-30P power connector, and (8) NEMA 5-15R outlets.
					A0912	Battery Pack, Extended for use with UPS (A0911)	VV - GOVT FURNISHED & INSTALLED	1	Battery Pack for use with JSN A0911 to extend backup power availability. Battery rated at approximately 1600 VA.
						Switch, Local Area Network (LAN)	VV - GOVT FURNISHED & INSTALLED	3	Cisco 3850, dual 1100W power supplies, 48 port switches
					A0914	Management Processor Module for LAN Switch	VV - GOVT FURNISHED & INSTALLED	0.25	Cisco Router 4410 (one per site)
						Power Supply, 725 W, for LAN Switch	VV - GOVT FURNISHED & INSTALLED	3	1100 Watt powersupply. Redundant or spare power supply for the 9 slot Omni Switch Router. Works with Switch LAN JSN A0913 and Management Processor JSN A0914.

Qty of Rooms 3

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	SRHM1	Biohazard & Hazardous Waste	70	M2005	Cabinet, Storage, Acid, Floor Standing, Shelves	VV - GOVT FURNISHED & INSTALLED	1	Floor standing acid storage cabinet. A 30 gallon capacity standard two door cabinet with adjustable shelves, three-point latch with key-lock and 2" raised leak proof sill. An 18-gauge steel frame with vents, 1 1/2" airspace between walls and epoxy finish resistant to chemical attack. Note: Not for use with nitric and sulfuric acids.
					A5077	Dispenser, Hand Sanitizer, Hands-Free	VV - GOVT FURNISHED & INSTALLED	1	A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.
					A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
					M2015	Cabinet, Storage, Flammable, Freestanding	VV - GOVT FURNISHED & INSTALLED	1	Freestanding flammable safety storage cabinet. Size as required. Unit is of all welded steel wall construction with vented grounding attachments, raised leak proof door sill and adjustable shelving. Equipped with swinging doors and built-in key lock. Designed for storage of flammable fluids. Complies with OSHA standards, is FM approved and designed IAW NFPA 30.
					M2070	Shelving, Storage, 77hx36wx18d	VV - GOVT FURNISHED & INSTALLED	1	Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	UCCL1	Utility Room, Clean	125	A1010	Telecommunication Outlet	CC - CONTRACTOR FURNISHED/INSTALLED	2	Telecommunication outlet location.
					E0903	Locker, Supply, w/Shelves, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Supply Locker 1 Drawer, 9"H 4 Tray/Shelves Drawer Organizers Consider the need for an E0921 to transport the locker from place to place.
					E0906	Locker, Supply, General, Wall Mtd, 23"W x 20"D	VV - GOVT FURNISHED & INSTALLED	2	THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H 3 Drawers, 6"H 2 Drawers, 9"H 1 Tray/Shelf Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
					E0912	Locker, Supply, Med Surg, Wall Mtd	VV - GOVT FURNISHED & INSTALLED	2	Medical/surgical supply locker, wall mounted, approximately 23" W x 20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H 2 Drawers, 6"H 2 Tray/Shelf Dividers Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place.
					E1500	Rail, MOD, W/MNTD, HX144XD	VV - GOVT FURNISHED & INSTALLED	1	Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall.
					F2000	Basket, Wastepaper, Fire Resistant	VV - GOVT FURNISHED & INSTALLED	1	Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected.

Qty of Rooms 1

Department	Functional Area	Room Code	Room Name	Room Area	JSN	Content Name	Acq Code	Qty	Description
1 - OUTPATIENT / PACT CLINIC (265)	18 - SUPPORT AREA	UTC01	Utility Room, Recycled Material	80	A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	VV - GOVT FURNISHED & INSTALLED	1	Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting.
					P3000	Lavatory, Vitreous China, Straight Back	CC - CONTRACTOR FURNISHED/INSTALLED	1	Wall mounted, vitreous china lavatory (approximate bowl size 7"x15"x10") with: straight-front apron, straight or contoured back; faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care areas.
					A5075	Dispenser, Soap, Disposable	CC - CONTRACTOR FURNISHED/INSTALLED	1	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
					A5080	Dispenser, Paper Towel, SS, Surface Mounted	CC - CONTRACTOR FURNISHED/INSTALLED	1	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
					F0530	Cart, Trash	VV - GOVT FURNISHED & INSTALLED	1	Heavy duty trash cart, approximately 42" high X 74" wide X 34" deep with two (2) solid non-marking rubber roller bearing wheels, one (1) or two (2) swivel casters, 2000 pound capacity and tilt mechanism.
					F2026	Container, Recycling, Large	VV - GOVT FURNISHED & INSTALLED	1	Recycling container shall be approximately 30-gallons in capacity. The container may include a lid and be Recycle Blue in color with the recycle symbol identified on the container.
Qty of Rooms	1								