

Project Contents List

PORTLAND, ME OUTPATIENT CLINIC LEASE FINAL (FFE COPIED 30 APR 2018 01:41PM ET)

PORTLAND, ME OPC LEASE

PORTLAND, ME

Projected Year: 2016 Midpoint Year: 2017

VISN: 1 State: ME Station ID: 402

Station: Togus

Installation: VAM&ROC

Project Created: 06 Oct 2014 10:08PM ET by Jason Moseley

Space Plan Last Edited: 04 May 2018 01:53PM ET by Patrick Hillier

Report Generated: 04 May 2018 02:21PM ET

COMMUNITY BASED OUTPATIENT CLINICS Choice 2.0

Portland, ME

Updated PDF into Project Content List

Submittal 06/28/18

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|-----------------------|--------------------|-----------|----------------|-----------|--------|---|-------------------------------------|-----|---|
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | RCP01 | 10 - Reception | 55 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, multiple line. |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | RCP01 | 10 - Reception | 55 | A6105 | Counter, Reception Control, Built-In | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backplash/curb. Pricing based on a 30" depth. |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | RCP01 | 10 - Reception | 55 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 1 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | RCP01 | 10 - Reception | 55 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | RCP01 | 10 - Reception | 55 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | RCP01 | 10 - Reception | 55 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | RCP01 | 10 - Reception | 55 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|-----------------------|--------------------|-----------|-----------------------------|-----------|-------|------------------------------|---------------------------------|-----|---|
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | RECP4 | 2 - Kiosk, Patient Check-In | 30 | M1890 | Kiosk, Educational, Stand-Up | VV - GOVT FURNISHED & INSTALLED | 1 | A free standing Kiosk providing educational information for patients. The kiosk will, as a minimum, include a computer, an LCD display of approximately 19" with a touch screen, keyboard with track ball, speakers, printer, card reader, bar code scanner and housed in a durable steel enclosure. The unit will contain all necessary software packages to satisfy a wide spectrum of information distribution. Final configuration of kiosk will be determined at time of purchase. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|-----------------------|--------------------|-----------|-----------------------------|-----------|-------|--|---------------------------------|-----|--|
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | WKT01 | 7 - Workroom, Team Resident | 200 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 2 | This JSN is to be used for determining and defining location of decorative artwork. |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | WKT01 | 7 - Workroom, Team Resident | 200 | E0042 | Workcenter, Computer, Free Standing, 48" W | VV - GOVT FURNISHED & INSTALLED | 4 | THIS TYPICAL INCLUDES: 1 Tool Rail 2 Paper Tray 1 Diagonal Tray 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | WKT01 | 7 - Workroom, Team Resident | 200 | F0130 | Bookstack, Single | VV - GOVT FURNISHED & INSTALLED | 2 | Freestanding closed base single open faced book stack, approximately 84" H X 36" W X 13" D with six (6) or seven (7) adjustable shelves and one base shelf. Single-faced units should be transverse-brace secured, or wall, or floor anchored for stability. |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | WKT01 | 7 - Workroom, Team Resident | 200 | F0220 | Chair, Conference | VV - GOVT FURNISHED & INSTALLED | 4 | Conference chair designed to complement the executive furniture package selected. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters. |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | WKT01 | 7 - Workroom, Team Resident | 200 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 4 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | WKT01 | 7 - Workroom, Team Resident | 200 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 1 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |

| | | | | | | | | | |
|-----------------------|--------------------|-------|-----------------------------|-----|--------|---|---------------------------------|---|---|
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | WKT01 | 7 - Workroom, Team Resident | 200 | F0750 | Table, Office, (size as required) | VV - GOVT FURNISHED & INSTALLED | 1 | Office table, sized as required. May be used as either a four (4) to six (6) person conference table or as an extra work surface area. |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | WKT01 | 7 - Workroom, Team Resident | 200 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 2 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | WKT01 | 7 - Workroom, Team Resident | 200 | F3050 | Whiteboard, Dry Erase | VV - GOVT FURNISHED & INSTALLED | 1 | Whiteboard unit, approximately 36" H x 48" W consisting of a white porcelain enamel writing surface with an attached chalk tray. Magnetic surface available. Image can be easily removed with a standard chalkboard eraser. For use with water color pens. Unit is ready to hang. |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | WKT01 | 7 - Workroom, Team Resident | 200 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | WKT01 | 7 - Workroom, Team Resident | 200 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 4 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | WKT01 | 7 - Workroom, Team Resident | 200 | M1825 | Printer, Computer | VV - GOVT FURNISHED & INSTALLED | 1 | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available. |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | WKT01 | 7 - Workroom, Team Resident | 200 | M1840 | Printer/Copier/Fax Combination | VV - GOVT FURNISHED & INSTALLED | 1 | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine. |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | WKT01 | 7 - Workroom, Team Resident | 200 | F0465 | Cabinet, Storage, 2 Door, 5 Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Storage cabinet, 78" high X 48" wide X 24" deep with two (2) doors and five (5) adjustable shelves. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|-----------------------|--------------------|-----------|----------------|-----------|-------|---|-------------------------------------|-----|---|
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | WRF01 | Family Waiting | 115 | a5210 | Bracket, Television, Wall Mounted, w/Adjust Arm | VV - GOVT FURNISHED & INSTALLED | 1 | Bracket, Television, Wall Mounted, w/Adjust Arm |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | WRF01 | Family Waiting | 115 | A5220 | Bracket, Television, Wall Backing | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Bracket, Television, Wall Backing |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | WRF01 | Family Waiting | 115 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 1 | Artwork, Decorative, With Frame |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | WRF01 | Family Waiting | 115 | F0206 | Chair, Side, Bariatric, With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Chair, Side, Bariatric, With Arms |
| | 1 - RECEPTION AREA | WRF01 | Family Waiting | 115 | F0206 | Chair, Waiting Room, Single | VV - GOVT FURNISHED & INSTALLED | 3 | Chair, Waiting Room, Single |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | WRF01 | Family Waiting | 115 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Basket, Wastepaper, Fire Resistant |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | WRF01 | Family Waiting | 115 | F2045 | Furniture, Playroom, Assorted | VV - GOVT FURNISHED & INSTALLED | 1 | Furniture, Playroom, Assorted |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | WRF01 | Family Waiting | 115 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, Battery, 12" Diameter |
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | WRF01 | Family Waiting | 115 | M0515 | Television, HD, 40" Class | VV - GOVT FURNISHED & INSTALLED | 1 | Television, HD, 40" Class |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|-----------------------|--------------------|-----------|------------------|-----------|-------|---------------------------------|---------------------------------|-----|---------------------------------|
| 1 - RECEPTION / LOBBY | 1 - RECEPTION AREA | LOB02 | Lobby, Vestibule | 175 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 1 | Artwork, Decorative, With Frame |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|-----------------------|-----------------|-----------|--------------------|-----------|-------|-------------------------------|-------------------------------------|-----|--|
| 1 - RECEPTION / LOBBY | 2 - LOBBY | LAC01 | 6 - Lactation Room | 75 | A1080 | Mirror, Posture, Wall Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs. |

| | | | | | | | | | |
|-----------------------|-----------|-------|--------------------|----|-------|--|-------------------------------------|---|---|
| 1 - RECEPTION / LOBBY | 2 - LOBBY | LAC01 | 6 - Lactation Room | 75 | A4995 | Table, Diaper Changing, Wall Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted diaper changing table for use in public restrooms. Unit is a fold down system that folds upward when not in use for minimal intrusion into the room. Changing surface is contoured and has safety belt to insure that an infant will not fall from the table. Table is designed to hold no less than 250 pounds static weight. Closed dimensions are approximately 21" H x 36" W x 5" D. Open dimensions vary according to style. One system's open dimensions are 15" high, 32" wide and 19" deep. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | LAC01 | 6 - Lactation Room | 75 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | LAC01 | 6 - Lactation Room | 75 | A5077 | Dispenser, Hand Sanitizer, Hands-Free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | LAC01 | 6 - Lactation Room | 75 | A5082 | Dispenser, Paper Towel, Sensor, Hands Free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | LAC01 | 6 - Lactation Room | 75 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | LAC01 | 6 - Lactation Room | 75 | C0035 | Rail, Apron, 4x24x1 | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Apron rail. Also referred to as an apron front, apron panel, or knee space rail. Used to close in front knee space area and/or provide work surface support between two base cabinets or a base cabinet and wall. Apron rails should be ordered in pairs to provide both front and rear work surface support. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | LAC01 | 6 - Lactation Room | 75 | C02D0 | Cabinet, U/C/B, 4 Drawer, 36x24x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Standing height under counter base cabinet with four full width drawers of equal height. Also referred to as a drawer cabinet. For general purpose use throughout the facility. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | LAC01 | 6 - Lactation Room | 75 | CS040 | Sink, SS, Single Compartment, 7.5x14x14 ID | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. Coordinate actual outside sink dimensions with the actual clear dimension of cabinet specified to ensure that they are compatible. For general purpose use throughout the facility. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | LAC01 | 6 - Lactation Room | 75 | CT020 | Countertop, Solid Surface | CC - CONTRACTOR FURNISHED/INSTALLED | 6 | A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | LAC01 | 6 - Lactation Room | 75 | F0255 | Chair, Easy | VV - GOVT FURNISHED & INSTALLED | 1 | Easy chair approximately 35" high X 28" wide X 32" deep with arms and floor glides. Arms, back and seat are foam padded and upholstered in woven textile fabric or vinyl. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | LAC01 | 6 - Lactation Room | 75 | F0740 | Table, Occasional, Lamp | VV - GOVT FURNISHED & INSTALLED | 1 | Occasional lamp table (end table) approximately 20" high X 27" wide X 27" deep with choice of finishes (wood, oak veneer, or high pressure laminate). |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | LAC01 | 6 - Lactation Room | 75 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | LAC01 | 6 - Lactation Room | 75 | M2605 | Pump, Breast | VV - GOVT FURNISHED & INSTALLED | 1 | Electrically powered breast pump. The pump provides automatic or semi-automatic control of the pumping cycle and has a pressure limiting valve to prevent damage to breast tissues. Unit includes collection and overflow bottles as well as bacteria filters for the suction line between the pump and the overflow bottle. Options may include a trolley, carrying case and several sizes of collection bottles. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | LAC01 | 6 - Lactation Room | 75 | R6200 | Refrigerator, U/C or F/S, 5 Cu Ft | VV - GOVT FURNISHED & INSTALLED | 1 | Utility refrigerator approximately 35" H x 24" W x 26" D. The unit has a two tray ice cube cooling system. The refrigerator fits standard architectural dimensions for undercounter installation. The unit is perfect for use in nurses' station, wards, and laboratories, pharmacies or wherever space is limited. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|-----------------------|-----------------|-----------|----------------------------------|-----------|-------|--|-------------------------------------|-----|---|
| 1 - RECEPTION / LOBBY | 2 - LOBBY | OFA09 | 8 - Office, Police Service Chief | 180 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, multiple line. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | OFA09 | 8 - Office, Police Service Chief | 180 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |

| | | | | | | | | | |
|-----------------------|-----------|-------|----------------------------------|-----|--------|---|---------------------------------|---|---|
| 1 - RECEPTION / LOBBY | 2 - LOBBY | OFA09 | 8 - Office, Police Service Chief | 180 | E0090 | Workstation, L-Shaped, Free Standing, 72x72 | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel-to-Panel Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 2 Lockable Flipper Units 2 Shelves, Storage/Display 3 Lights 3 Tackboards 2 Cantilevered Work Surfaces 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File 1 Pencil Drawer 2 Support Panels |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | OFA09 | 8 - Office, Police Service Chief | 180 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | OFA09 | 8 - Office, Police Service Chief | 180 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 1 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | OFA09 | 8 - Office, Police Service Chief | 180 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 1 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | OFA09 | 8 - Office, Police Service Chief | 180 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | OFA09 | 8 - Office, Police Service Chief | 180 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | OFA09 | 8 - Office, Police Service Chief | 180 | A1045 | Locker, Security, Evidence | VV - GOVT FURNISHED & INSTALLED | 2 | A steel constructed evidence security locker with 10 compartments with keyless locks. Locker is used to store evidence and should be approximately 82" H x 36" W x 24" D. Many door configurations are available and must be determined at time of purchase.. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | OFA09 | 8 - Office, Police Service Chief | 180 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 2 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|-----------------------|-----------------|-----------|----------------------|-----------|--------|---|-------------------------------------|-----|---|
| 1 - RECEPTION / LOBBY | 2 - LOBBY | RECP3 | 2 - Information Desk | 100 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, multiple line. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | RECP3 | 2 - Information Desk | 100 | A6105 | Counter, Reception Control, Built-In | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backsplash/curb. Pricing based on a 30" depth. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | RECP3 | 2 - Information Desk | 100 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 1 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | RECP3 | 2 - Information Desk | 100 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | RECP3 | 2 - Information Desk | 100 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | RECP3 | 2 - Information Desk | 100 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | RECP3 | 2 - Information Desk | 100 | M1825 | Printer, Computer | VV - GOVT FURNISHED & INSTALLED | 1 | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|-----------------------|-----------------|-----------|-------------------------|-----------|-------|--|---------------------------------|-----|--|
| 1 - RECEPTION / LOBBY | 2 - LOBBY | SRLW1 | 1 - Storage, Wheelchair | 100 | M4705 | Wheelchair, Patient Transport, Folding | VV - GOVT FURNISHED & INSTALLED | 3 | Folding patient transport wheelchair. Constructed of chrome plated steel with detachable armrest and footrests. Unit has heavy duty front casters with sealed radial high-precision ball bearing assembly. Unit is used for patient transport. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | SRLW1 | 1 - Storage, Wheelchair | 100 | M4710 | Wheelchair, Patient, Bariatric, Transport, Folding | VV - GOVT FURNISHED & INSTALLED | 2 | Folding bariatric patient transport wheelchair with a capacity of at least 500 lbs. Constructed with a heavy duty steel frame and double cross brace, with detachable armrest and swing away footrests. Unit has heavy duty front casters and rear wheels with precision wheel bearings in front and rear assembly. Unit is used for patient movement. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|-----------------------|-----------------|-----------|----------------------------|-----------|-------|---|-------------------------------------|-----|--|
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF2 | 3 - Toilet, Public, Female | 200 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF2 | 3 - Toilet, Public, Female | 200 | A4995 | Table, Diaper Changing, Wall Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted diaper changing table for use in public restrooms. Unit is a fold down system that folds upward when not in use for minimal intrusion into the room. Changing surface is contoured and has safety belt to insure that an infant will not fall from the table. Table is designed to hold no less than 250 pounds static weight. Closed dimensions are approximately 21" H x 36" W x 5" D. Open dimensions vary according to style. One system's open dimensions are 15" high, 32" wide and 19" deep. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF2 | 3 - Toilet, Public, Female | 200 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF2 | 3 - Toilet, Public, Female | 200 | A5082 | Dispenser, Paper Towel, Sensor, Hands Free | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF2 | 3 - Toilet, Public, Female | 200 | A5090 | Disposal, Sanitary Napkin, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 3 | A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF2 | 3 - Toilet, Public, Female | 200 | A5109 | Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF2 | 3 - Toilet, Public, Female | 200 | A5110 | Grab Bar, 1-1/4" Dia., SS, 2 Wall, Shower Use | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall shower, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical applications in shower stalls where ADA (American's With Disabilities Act) requirements must be met. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF2 | 3 - Toilet, Public, Female | 200 | A5200 | Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd | CC - CONTRACTOR FURNISHED/INSTALLED | 3 | A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF2 | 3 - Toilet, Public, Female | 200 | C0041 | Rail, Apron, 4x60x1 | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Apron rail. Also referred to as an apron front, apron panel, or knee space rail. Used to close in front knee space area and/or provide work surface support between two base cabinets or a base cabinet and wall. Apron rails should be ordered in pairs to provide both front and rear work surface support. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF2 | 3 - Toilet, Public, Female | 200 | CT020 | Countertop, Solid Surface | CC - CONTRACTOR FURNISHED/INSTALLED | 5 | A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF2 | 3 - Toilet, Public, Female | 200 | F2015 | Basket, Wastepaper, Metal/Plastic, 2 Swinging Doors | VV - GOVT FURNISHED & INSTALLED | 1 | Metal receptacle for soiled / used towels or waste. Equipped with a removable tapered top with two independently operating self-closing, spring hinged doors. Used in public facilities for the collection and temporary storage of refuse. |

| | | | | | | | | | |
|-----------------------|-----------|-------|----------------------------|-----|-------|--|-------------------------------------|---|---|
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF2 | 3 - Toilet, Public, Female | 200 | P3070 | Lavatory, Vitreous China, Under or Counter Top Mtd | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | An undercounter or countertop mounted vitreous china lavatory (approximate bowl size 6"x17"x14") with gooseneck spout, wrist blade handles, and grid drain. Counter top mounted lavatory to be self rimming with mounting kit provided. Undercounter lavatory to have unglazed rim with a mounting kit also provided. For general purpose use in vanity tops in public, patient and staff toilet rooms. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF2 | 3 - Toilet, Public, Female | 200 | P9050 | Toilet, Wall Hung, Siphon Jet | CC - CONTRACTOR FURNISHED/INSTALLED | 3 | Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|-----------------------|-----------------|-----------|--------------------|-----------|-------|--|-------------------------------------|-----|--|
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF3 | 4 - Toilet, Family | 70 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF3 | 4 - Toilet, Family | 70 | A4995 | Table, Diaper Changing, Wall Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted diaper changing table for use in public restrooms. Unit is a fold down system that folds upward when not in use for minimal intrusion into the room. Changing surface is contoured and has safety belt to insure that an infant will not fall from the table. Table is designed to hold no less than 250 pounds static weight. Closed dimensions are approximately 21" H x 36" W x 5" D. Open dimensions vary according to style. One system's open dimensions are 15" high, 32" wide and 19" deep. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF3 | 4 - Toilet, Family | 70 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF3 | 4 - Toilet, Family | 70 | A5082 | Dispenser, Paper Towel, Sensor, Hands Free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF3 | 4 - Toilet, Family | 70 | A5090 | Disposal, Sanitary Napkin, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF3 | 4 - Toilet, Family | 70 | A5109 | Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF3 | 4 - Toilet, Family | 70 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF3 | 4 - Toilet, Family | 70 | A5200 | Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF3 | 4 - Toilet, Family | 70 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF3 | 4 - Toilet, Family | 70 | P3000 | Lavatory, Vitreous China, Straight Back | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, vitreous china lavatory (approximate bowl size 7"x15"x10") with: straight-front apron, straight or contoured back; faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care areas. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTF3 | 4 - Toilet, Family | 70 | P9050 | Toilet, Wall Hung, Siphon Jet | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|-----------------------|-----------------|-----------|--------------------------|-----------|-------|-------------------------------------|-------------------------------------|-----|--|
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTM2 | 5 - Toilet, Public, Male | 200 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |

| | | | | | | | | | |
|-----------------------|-----------|-------|--------------------------|-----|-------|---|-------------------------------------|---|--|
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTM2 | 5 - Toilet, Public, Male | 200 | A4995 | Table, Diaper Changing, Wall Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted diaper changing table for use in public restrooms. Unit is a fold down system that folds upward when not in use for minimal intrusion into the room. Changing surface is contoured and has safety belt to insure that an infant will not fall from the table. Table is designed to hold no less than 250 pounds static weight. Closed dimensions are approximately 21" H x 36" W x 5" D. Open dimensions vary according to style. One system's open dimensions are 15" high, 32" wide and 19" deep. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTM2 | 5 - Toilet, Public, Male | 200 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTM2 | 5 - Toilet, Public, Male | 200 | A5082 | Dispenser, Paper Towel, Sensor, Hands Free | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTM2 | 5 - Toilet, Public, Male | 200 | A5109 | Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTM2 | 5 - Toilet, Public, Male | 200 | A5200 | Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTM2 | 5 - Toilet, Public, Male | 200 | C0041 | Rail, Apron, 4x60x1 | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Apron rail. Also referred to as an apron front, apron panel, or knee space rail. Used to close in front knee space area and/or provide work surface support between two base cabinets or a base cabinet and wall. Apron rails should be ordered in pairs to provide both front and rear work surface support. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTM2 | 5 - Toilet, Public, Male | 200 | CT020 | Countertop, Solid Surface | CC - CONTRACTOR FURNISHED/INSTALLED | 5 | A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTM2 | 5 - Toilet, Public, Male | 200 | F2015 | Basket, Wastepaper, Metal/Plastic, 2 Swinging Doors | VV - GOVT FURNISHED & INSTALLED | 1 | Metal receptacle for soiled / used towels or waste. Equipped with a removable tapered top with two independently operating self-closing, spring hinged doors. Used in public facilities for the collection and temporary storage of refuse. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTM2 | 5 - Toilet, Public, Male | 200 | P3070 | Lavatory, Vitreous China, Under or Counter Top Mtd | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | An undercounter or countertop mounted vitreous china lavatory (approximate bowl size 6"x17"x14") with gooseneck spout, wrist blade handles, and grid drain. Counter top mounted lavatory to be self rimming with mounting kit provided. Undercounter lavatory to have unglazed rim with a mounting kit also provided. For general purpose use in vanity tops in public, patient and staff toilet rooms. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTM2 | 5 - Toilet, Public, Male | 200 | P8150 | Urinal, Wall Hung | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A low consumption (1.0 gallon per flush) vitreous china, wall hung, washout flush action urinal with extended sides, flushing rim, 3/4" inlet spud, 2" I.P.S. female outlet connection and stainless steel strainer. For general purpose use in male toilet rooms. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | TLTM2 | 5 - Toilet, Public, Male | 200 | P9050 | Toilet, Wall Hung, Siphon Jet | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|-----------------------|-----------------|-----------|----------------------|-----------|-------|---|-------------------------------------|-----|---|
| 1 - RECEPTION / LOBBY | 2 - LOBBY | WTG32 | 7 - Waiting, General | 600 | A5077 | Dispenser, Hand Sanitizer, Hands-Free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | WTG32 | 7 - Waiting, General | 600 | A5210 | Bracket, Television, Wall Mounted, w/Adjust Arm | VV - GOVT FURNISHED & INSTALLED | 2 | Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | WTG32 | 7 - Waiting, General | 600 | A5220 | Bracket, Television, Wall Backing | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | WTG32 | 7 - Waiting, General | 600 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 2 | This JSN is to be used for determining and defining location of decorative artwork. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | WTG32 | 7 - Waiting, General | 600 | F0206 | Chair, Side, Bariatric, With Arms | VV - GOVT FURNISHED & INSTALLED | 5 | A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | WTG32 | 7 - Waiting, General | 600 | F0305 | Chair, Waiting Room, Single | VV - GOVT FURNISHED & INSTALLED | 40 | Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | WTG32 | 7 - Waiting, General | 600 | F0740 | Table, Occasional, Lamp | VV - GOVT FURNISHED & INSTALLED | 2 | Occasional lamp table (end table) approximately 20" high X 27" wide X 27" deep with choice of finishes (wood, oak veneer, or high pressure laminate). |

| | | | | | | | | | |
|-----------------------|-----------|-------|----------------------|-----|-------|------------------------------------|---------------------------------|---|--|
| 1 - RECEPTION / LOBBY | 2 - LOBBY | WTG32 | 7 - Waiting, General | 600 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | WTG32 | 7 - Waiting, General | 600 | F2300 | Rack, Magazine, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted magazine rack with nine (9) magazine holding compartments. |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | WTG32 | 7 - Waiting, General | 600 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 1 - RECEPTION / LOBBY | 2 - LOBBY | WTG32 | 7 - Waiting, General | 600 | M0506 | Television, Flat Screen | VV - GOVT FURNISHED & INSTALLED | 2 | Flat screen television with approximately 32" to 40" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|-----------------------|-----------------------|-----------|---------------|-----------|--------|---|-------------------------------------|-----|---|
| 1 - RECEPTION / LOBBY | 3 - VOLUNTARY SERVICE | OFA01 | 2 - Volunteer | 120 | A1016 | Telephone, Desk, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, with speaker. |
| 1 - RECEPTION / LOBBY | 3 - VOLUNTARY SERVICE | OFA01 | 2 - Volunteer | 120 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 1 - RECEPTION / LOBBY | 3 - VOLUNTARY SERVICE | OFA01 | 2 - Volunteer | 120 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN is to be used for determining and defining location of decorative artwork. |
| 1 - RECEPTION / LOBBY | 3 - VOLUNTARY SERVICE | OFA01 | 2 - Volunteer | 120 | F0110 | Bookcase, 3 Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides. |
| 1 - RECEPTION / LOBBY | 3 - VOLUNTARY SERVICE | OFA01 | 2 - Volunteer | 120 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 2 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 1 - RECEPTION / LOBBY | 3 - VOLUNTARY SERVICE | OFA01 | 2 - Volunteer | 120 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 1 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) castor swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 1 - RECEPTION / LOBBY | 3 - VOLUNTARY SERVICE | OFA01 | 2 - Volunteer | 120 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 1 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 1 - RECEPTION / LOBBY | 3 - VOLUNTARY SERVICE | OFA01 | 2 - Volunteer | 120 | F0635 | Desk, Double Pedestal | VV - GOVT FURNISHED & INSTALLED | 1 | Double pedestal flat top desk, 30" high X 60" wide X 30" deep with center pencil drawer, choices of combinations of file and box drawers, floor glides and modesty panel. |
| 1 - RECEPTION / LOBBY | 3 - VOLUNTARY SERVICE | OFA01 | 2 - Volunteer | 120 | F0710 | Table, Computer, With Print Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Computer work table, approximately 31" high X 40" wide X 24" deep with retractable shelf(s) for keyboard and/or extra work space, adjustable shelves for printer and printer paper, and (optional) dual wheel casters (two locking). |
| 1 - RECEPTION / LOBBY | 3 - VOLUNTARY SERVICE | OFA01 | 2 - Volunteer | 120 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 1 - RECEPTION / LOBBY | 3 - VOLUNTARY SERVICE | OFA01 | 2 - Volunteer | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 1 - RECEPTION / LOBBY | 3 - VOLUNTARY SERVICE | OFA01 | 2 - Volunteer | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|-----------------------|-----------------------|-----------|------------------------|-----------|-------|--|---------------------------------|-----|---|
| 1 - RECEPTION / LOBBY | 3 - VOLUNTARY SERVICE | SRS01 | 1 - Storage, Volunteer | 120 | A1014 | Telephone, Wall Mounted, 1 Line, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line, with speaker. |
| 1 - RECEPTION / LOBBY | 3 - VOLUNTARY SERVICE | SRS01 | 1 - Storage, Volunteer | 120 | M2055 | Shelving, Storage, Wire, CRS, w/Adjustable Shelves | VV - GOVT FURNISHED & INSTALLED | 4 | Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------|-----------------|-----------|-----------|-----------|-----|--------------|----------|-----|-------------|
|------------|-----------------|-----------|-----------|-----------|-----|--------------|----------|-----|-------------|

| | | | | | | | | | |
|-----------------------|-------------|-------|--------------------------------------|-----|-------|---|---------------------------------------|---|---|
| 1 - RECEPTION / LOBBY | 4 - CANTEEN | BX001 | 1 - Vending Machine Area and Seating | 200 | A6030 | Machine, Vending | L_RE - OTHER - LEASED OR RENTED EQUIP | 2 | This JSN is to be used for determining and defining the requirement for vending machines. Item is normally leased or supplied by Army & Air Force Exchange Service, (AAFES). |
| 1 - RECEPTION / LOBBY | 4 - CANTEEN | BX001 | 1 - Vending Machine Area and Seating | 200 | F2015 | Basket, Wastepaper, Metal/Plastic, 2 Swinging Doors | VV - GOVT FURNISHED & INSTALLED | 1 | Metal receptacle for soiled / used towels or waste. Equipped with a removable tapered top with two independently operating self-closing, spring hinged doors. Used in public facilities for the collection and temporary storage of refuse. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|------------------|-----------|--------------------------------------|-----------|--------|---|---------------------------------|-----|---|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | SRE01 | 12 - Shared Medical Appointment Room | 400 | E0945 | Cart, Computer, Mobile | VV - GOVT FURNISHED & INSTALLED | 2 | A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder 1 Wastebasket 1 Chart Holder 2 Drawers, 3"H 2 Drawers, 6"H 3 Accessory Rail, Side Drawer Organizer Bins |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | SRE01 | 12 - Shared Medical Appointment Room | 400 | F0295 | Chair, Stacking | VV - GOVT FURNISHED & INSTALLED | 16 | Stacking chair, approximately 34" H X 21" W X 24" D. May be stacked up to 20 high depending upon the model selected. These chairs are intended primarily as overflow capacity for conference rooms. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | SRE01 | 12 - Shared Medical Appointment Room | 400 | F0435 | Cabinet, Storage, Multi Media | VV - GOVT FURNISHED & INSTALLED | 1 | Multi media storage cabinet, approximately 60" high X 36" wide X 14" deep. For the storage of various types of audio or video cassettes, DVDs, CDs, and other media material. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | SRE01 | 12 - Shared Medical Appointment Room | 400 | F0860 | Table, Mobile | VV - GOVT FURNISHED & INSTALLED | 4 | Mobile table. The unit provides mobile or isolated freestanding work surface. Characteristics and components include 3-1/2 inch casters and attached drawer bearers. Unit is used for general work applications, primarily in dry areas. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | SRE01 | 12 - Shared Medical Appointment Room | 400 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | SRE01 | 12 - Shared Medical Appointment Room | 400 | F2250 | Camcorder, Hand Held, HD, Zoom, w/Microphone | VV - GOVT FURNISHED & INSTALLED | 1 | Hand held camcorder with full HD recording, LCD display and microphone. Camcorder will also have capability for still picture capture. Audio and video output will be fully transferable to a computer. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | SRE01 | 12 - Shared Medical Appointment Room | 400 | F3060 | Whiteboard, Projection Screen Combination | VV - GOVT FURNISHED & INSTALLED | 1 | Whiteboard and projection screen combination approximately 48" H x 72" W. Magnetic surface with matte finish for projection. Hard board stabilizer with aluminum foil back. For use with water color pens. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | SRE01 | 12 - Shared Medical Appointment Room | 400 | M0506 | Television, Flat Screen | VV - GOVT FURNISHED & INSTALLED | 1 | Flat screen television with approximately 32" to 40" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | SRE01 | 12 - Shared Medical Appointment Room | 400 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 2 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|------------------|-----------|--|-----------|-------|------------------------------------|-------------------------------------|-----|--|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | A1012 | Telephone, Wall Mounted, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | | Wall mounted folding chair | VV - GOVT FURNISHED & INSTALLED | 1 | Wall hanging folding chair - TBD. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | A1066 | Mirror, Float Glass, With SS Frame | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |

| | | | | | | | | | |
|------------------|------------------|-------|--|-----|-------|--|-------------------------------------|----|--|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | A5107 | Dispenser, Glove, Surgical/Examination, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | A5108 | Waste Disposal Unit, Sharps | VV - GOVT FURNISHED & INSTALLED | 1 | A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | A5109 | Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | CC - CONTRACTOR FURNISHED/INSTALLED | 24 | Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | CD040 | Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | CS010 | Sink, SS, Single Compartment, 7.5x12x12 ID | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | CT030 | Countertop, High Pressure Laminate | CC - CONTRACTOR FURNISHED/INSTALLED | 3 | High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | E0948 | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | F0206 | Chair, Side, Bariatric, With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | F2310 | Rack, Pamphlet, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted pamphlet rack up to 12 (twelve) pamphlet holding pockets. Unit is used to store and display educational pamphlets. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | F3025 | Board, Bulletin, Wood Framed | VV - GOVT FURNISHED & INSTALLED | 1 | Bulletin board approximately 36"W x 24"H. Wood framed 1/2" cork posting panel with moisture proof backing. Units are factory assembled and have keyhole hangers for easy installation. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | M0506 | Television, Flat Screen | VV - GOVT FURNISHED & INSTALLED | 0 | Flat screen television with approximately 32" to 40" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control. |

| | | | | | | | | | |
|------------------|------------------|-------|--|-----|--------|---|---------------------------------|---|---|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | M1802 | Work Station, Computer, Retractable, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 0 | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | E0945 | Cart, Computer, Mobile | VV - GOVT FURNISHED & INSTALLED | 1 | A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | M1825 | Printer, Computer | VV - GOVT FURNISHED & INSTALLED | 0 | This Typical may include: |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | M4040 | Scale, Weighing, 300 Pound Capacity | VV - GOVT FURNISHED & INSTALLED | 0 | 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | M4100 | Sphygmomanometer, Aneroid, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | 1 Flip-Up Shelf |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | M4116 | Monitor, Vital Signs | VV - GOVT FURNISHED & INSTALLED | 1 | 1 Sharps Container Holder |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | M4200 | Otoscope/Ophthalmoscope, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | 1 Wastebasket |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | M7401 | Light, Exam, Mobile, Spotlight, Mobile Stand | VV - GOVT FURNISHED & INSTALLED | 1 | 1 Chart Holder |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 55 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | M8320 | Table, Treatment, Hi/Lo | VV - GOVT FURNISHED & INSTALLED | 1 | Hi/lo metal treatment table. Unit consists of a hydraulic electromechanical power system operated with a hand or foot control. Includes a foam pad, upholstered top with back section adjustable to a full chair position. Adjustable height from 24" to 39". Provides easy access for patients in wheelchair or stretcher. Designed for general examinations as well as orthopedic and Ob-Gyn. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|------------------|-----------|-----------------------|-----------|-------|---|-------------------------------------|-----|--|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | A1014 | Telephone, Wall Mounted, 1 Line, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line, with speaker. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | A1080 | Mirror, Posture, Wall Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | A1132 | Rail, Accessory Mounting, Length As Required | VC - GOVT FURNISHED/CONTRINST | 1 | Horizontal equipment mounting rail with lock mounting devices capable of; supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | A5077 | Dispenser, Hand Sanitizer, Hands-Free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |

| | | | | | | | | | |
|------------------|------------------|-------|--|-----|--------|---|-------------------------------------|----|---|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | VV - GOVT FURNISHED & INSTALLED | 1 | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | CC - CONTRACTOR FURNISHED/INSTALLED | 10 | Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN is to be used for determining and defining location of decorative artwork. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | E0945 | Cart, Computer, Mobile | VV - GOVT FURNISHED & INSTALLED | 1 | A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder 1 Wastebasket 1 Chart Holder 2 Drawers, 3"H 2 Drawers, 6"H 3 Accessory Rail, Side Drawer Organizer Bins |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | E0948 | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | F2245 | Camera, Video Surveillance, HD, IP Powered | VV - GOVT FURNISHED & INSTALLED | 1 | A high definition, full functional video surveillance camera. The camera is capable of full 1080p resolution at 30 frames per second while optimizing network usage with H.264, MPEG-4 and JPEG compression formats. Camera will have an open, standards-based design providing a platform for integration and operation as an independent device or as part of a surveillance network. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| | | | | 125 | M0506 | Television, Flat Screen | VV - GOVT FURNISHED & INSTALLED | 1 | Flat screen television with approximately 32" to 40" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXPA1 | 22 - Exam Room, Patient Aligned Care Team (PACT) | 125 | E0945 | Cart, Computer, Mobile | VV - GOVT FURNISHED & INSTALLED | 1 | A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | M4100 | Sphygmomanometer, Aneroid, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | M4116 | Monitor, Vital Signs | VV - GOVT FURNISHED & INSTALLED | 1 | Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | M4200 | Otoscope/Ophthalmoscope, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | M9025 | Table, Examination/Treatment, With Cabinet | VV - GOVT FURNISHED & INSTALLED | 1 | Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |

| | | | | | | | | | |
|------------------|------------------|-------|-----------------------|-----|-------|-------------------------------------|-------------------------------------|---|---|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTH1 | 59 - Exam, Telehealth | 120 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |
|------------------|------------------|-------|-----------------------|-----|-------|-------------------------------------|-------------------------------------|---|---|

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|------------------|-----------|---------------------------|-----------|-------|---|-------------------------------------|-----|--|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 120 | A1014 | Telephone, Wall Mounted, 1 Line, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line, with speaker. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 120 | A1080 | Mirror, Posture, Wall Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 120 | A1132 | Rail, Accessory Mounting, Length As Required | VC - GOVT FURNISHED/CONTR INST | 1 | Horizontal equipment mounting rail with lock mounting devices capable of; supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 120 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 120 | A5077 | Dispenser, Hand Sanitizer, Hands-Free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 120 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 120 | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | VV - GOVT FURNISHED & INSTALLED | 1 | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 120 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 120 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | CC - CONTRACTOR FURNISHED/INSTALLED | 10 | Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 120 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN is to be used for determining and defining location of decorative artwork. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 120 | E0945 | Cart, Computer, Mobile | VV - GOVT FURNISHED & INSTALLED | 1 | A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder 1 Wastebasket 1 Chart Holder 2 Drawers, 3"H 2 Drawers, 6"H 3 Accessory Rail, Side Drawer Organizer Bins THIS TYPICAL INCLUDES: |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 120 | E0948 | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | VV - GOVT FURNISHED & INSTALLED | 1 | 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 120 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 2 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 120 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |

| | | | | | | | | | |
|------------------|------------------|-------|---------------------------|-----|--------|---|-------------------------------------|---|---|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 125 | E0945 | Cart, Computer, Mobile | VV - GOVT FURNISHED & INSTALLED | 1 | A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 120 | M4040 | Scale, Weighing, 300 Pound Capacity | VV - GOVT FURNISHED & INSTALLED | 0 | Person weighing scale with 300 pound capacity. Unit consists of a rugged base frame of 3/32" thick steel with a non-slip surface and a speedometer dial with ultra sensitive registering mechanisms. Scale is designed for medical use. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 120 | M4100 | Sphygmomanometer, Aneroid, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 120 | M4116 | Monitor, Vital Signs | VV - GOVT FURNISHED & INSTALLED | 1 | Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 120 | M4200 | Otoscope/Ophthalmoscope, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 120 | M9025 | Table, Examination/Treatment, With Cabinet | VV - GOVT FURNISHED & INSTALLED | 0 | Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 125 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 55 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | 63 - Patient Room, Triage | 120 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|------------------|-----------|--------------|-----------|-------|---|-------------------------------------|-----|---|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | A1014 | Telephone, Wall Mounted, 1 Line, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line, with speaker. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | A1080 | Mirror, Posture, Wall Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | A1132 | Rail, Accessory Mounting, Length As Required | VC - GOVT FURNISHED/CONTR INST | 1 | Horizontal equipment mounting rail with lock mounting devices capable of supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | A5077 | Dispenser, Hand Sanitizer, Hands-Free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | VV - GOVT FURNISHED & INSTALLED | 1 | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |

| | | | | | | | | | |
|------------------|------------------|-------|--------------|-----|--------------|---|-------------------------------------|----|---|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | CC - CONTRACTOR FURNISHED/INSTALLED | 10 | Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN is to be used for determining and defining location of decorative artwork. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | E0945 | Cart, Computer, Mobile | VV - GOVT FURNISHED & INSTALLED | 1 | A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder 1 Wastebasket 1 Chart Holder 2 Drawers, 3"H 2 Drawers, 6"H 3 Accessory Rail, Side Drawer Organizer Bins |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | E0948 | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | E0945 | Cart, Computer, Mobile | VV - GOVT FURNISHED & INSTALLED | 1 | A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | M4040 | Scale, Weighing, 300 Pound Capacity | VV - GOVT FURNISHED & INSTALLED | 1 | Person weighing scale with 300 pound capacity. Unit consists of a rugged base frame of 3/32" thick steel with a non-slip surface and a speedometer dial with ultra sensitive registering mechanisms. Scale is designed for medical use. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | M4100 | Sphygmomanometer, Aneroid, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | M4116 | Monitor, Vital Signs | VV - GOVT FURNISHED & INSTALLED | 1 | Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | M4200 | Otoscope/Ophthalmoscope, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | M9025 | Table, Examination/Treatment, With Cabinet | VV - GOVT FURNISHED & INSTALLED | 0 | Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | M4655 | Stretcher, Mobile, CRS, 9 Position | VV - GOVT FURNISHED & INSTALLED | 1 | Mobile stretcher. All corrosion resistant stainless steel construction. It consists of a tubular frame with side rails, a 9-position hydraulic base with pneumatic fowler adjustment, and a 2" pad. Unit is mounted on 8" conductive casters. Designed for patient transport as well as for minor surgical procedures. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 55 | Shredder Box | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXTR1 | Large Triage | 150 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|------------------|-----------|--------------------------------|-----------|--------|--|-------------------------------------|-----|--|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | A1012 | Telephone, Wall Mounted, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | A5107 | Dispenser, Glove, Surgical/Examination, Wall Mntd | VV - GOVT FURNISHED & INSTALLED | 1 | Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | A5108 | Waste Disposal Unit, Sharps | VV - GOVT FURNISHED & INSTALLED | 1 | A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | CC - CONTRACTOR FURNISHED/INSTALLED | 12 | Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | CD040 | Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | CS010 | Sink, SS, Single Compartment, 7.5x12x12 ID | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | CT030 | Countertop, High Pressure Laminate | CC - CONTRACTOR FURNISHED/INSTALLED | 3 | High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | E0948 | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | F2310 | Rack, Pamphlet, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted pamphlet rack up to 12 (twelve) pamphlet holding pockets. Unit is used to store and display educational pamphlets. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | F3025 | Board, Bulletin, Wood Framed | VV - GOVT FURNISHED & INSTALLED | 1 | Bulletin board approximately 36"W x 24"H. Wood framed 1/2" cork posting panel with moisture proof backing. Units are factory assembled and have keyhole hangers for easy installation. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | E0945 | Cart, Computer, Mobile | VV - GOVT FURNISHED & INSTALLED | 1 | A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. |

| | | | | | | | | | |
|------------------|------------------|-------|--------------------------------|-----|-------|---|---------------------------------|---|---|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | M1802 | Work Station, Computer, Retractable, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | M3072 | Frame, Infectious Waste Bag w/Lid | VV - GOVT FURNISHED & INSTALLED | 1 | Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | M4100 | Sphygmomanometer, Aneroid, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | M4116 | Monitor, Vital Signs | VV - GOVT FURNISHED & INSTALLED | 1 | Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | M4200 | Otoscope/Ophthalmoscope, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | M7401 | Light, Exam, Mobile, Spotlight, Mobile Stand | VV - GOVT FURNISHED & INSTALLED | 1 | The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 55 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | EXW01 | 15 - Exam Room, Women's Health | 125 | M9025 | Table, Examination/Treatment, With Cabinet | VV - GOVT FURNISHED & INSTALLED | 1 | Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|------------------|-----------|------------------------|-----------|-------|--|-------------------------------------|-----|--|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | OFDC2 | 23 - Consultation Room | 125 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, multiple line. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | OFDC2 | 23 - Consultation Room | 125 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | OFDC2 | 23 - Consultation Room | 125 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | OFDC2 | 23 - Consultation Room | 125 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | OFDC2 | 23 - Consultation Room | 125 | CD040 | Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | OFDC2 | 23 - Consultation Room | 125 | CS010 | Sink, SS, Single Compartment, 7.5x12x12 ID | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | OFDC2 | 23 - Consultation Room | 125 | CT030 | Countertop, High Pressure Laminate | CC - CONTRACTOR FURNISHED/INSTALLED | 3 | High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | OFDC2 | 23 - Consultation Room | 125 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 3 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | OFDC2 | 23 - Consultation Room | 125 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | OFDC2 | 23 - Consultation Room | 125 | F0740 | Table, Occasional, Lamp | VV - GOVT FURNISHED & INSTALLED | 1 | Occasional lamp table (end table) approximately 20" high X 27" wide X 27" deep with choice of finishes (wood, oak veneer, or high pressure laminate). |

| | | | | | | | | | |
|------------------|------------------|-------|------------------------|-----|--------|---|---------------------------------|---|---|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | OFDC2 | 23 - Consultation Room | 125 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | OFDC2 | 23 - Consultation Room | 125 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | OFDC2 | 23 - Consultation Room | 125 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | OFDC2 | 23 - Consultation Room | 125 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | OFDC2 | 23 - Consultation Room | 125 | A5107 | Dispenser, Glove, Surgical/Examination, Wall Mntd | VV - GOVT FURNISHED & INSTALLED | 1 | Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | OFDC2 | 23 - Consultation Room | 125 | A5108 | Waste Disposal Unit, Sharps | VV - GOVT FURNISHED & INSTALLED | 1 | A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | OFDC2 | 23 - Consultation Room | 125 | F2310 | Rack, Pamphlet, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted pamphlet rack up to 12 (twelve) pamphlet holding pockets. Unit is used to store and display educational pamphlets. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | OFDC2 | 23 - Consultation Room | 125 | M4100 | Sphygmomanometer, Aneroid, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | OFDC2 | 23 - Consultation Room | 125 | M4116 | Monitor, Vital Signs | VV - GOVT FURNISHED & INSTALLED | 1 | Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | OFDC2 | 23 - Consultation Room | 125 | M4200 | Otoscope/Ophthalmoscope, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | OFDC2 | 23 - Consultation Room | 125 | M1802 | Work Station, Computer, Retractable, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|------------------|-----------|-----------------------------|-----------|--------|---|---------------------------------|-----|---|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | PEHW1 | 1 - Height / Weight Station | 40 | A1011 | Telephone, Desk, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, 1 line. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | PEHW1 | 1 - Height / Weight Station | 40 | E0222 | Worksurface, Computer, O/H Cab, Wall Mtd, 48" W | VV - GOVT FURNISHED & INSTALLED | 0 | THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light 1 Tack board 1 Cantilevered Work Surface 1 Adjustable Keyboard Tray 1 CPU Holder |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | PEHW1 | 1 - Height / Weight Station | 40 | F0210 | Chair, Side, Without Arms | VV - GOVT FURNISHED & INSTALLED | 0 | Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | PEHW1 | 1 - Height / Weight Station | 40 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 0 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) casters swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | PEHW1 | 1 - Height / Weight Station | 40 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 0 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | PEHW1 | 1 - Height / Weight Station | 40 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 0 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | PEHW1 | 1 - Height / Weight Station | 40 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 0 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | PEHW1 | 1 - Height / Weight Station | 40 | M4040 | Scale, Weighing, 300 Pound Capacity | VV - GOVT FURNISHED & INSTALLED | 0 | Person weighing scale with 300 pound capacity. Unit consists of a rugged base frame of 3/32" thick steel with a non-slip surface and a speedometer dial with ultra sensitive registering mechanisms. Scale is designed for medical use. |

| | | | | | | | | | |
|------------------|------------------|-------|-----------------------------|----|-------|---|---------------------------------|---|---|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | PEHW1 | 1 - Height / Weight Station | 40 | M4045 | Scale, Wheelchair, Portable, 1000 lb Capacity | VV - GOVT FURNISHED & INSTALLED | 1 | A battery operated, portable, digital wheelchair scale. This item is designed to accommodate extra-wide wheelchairs for weighing bariatric patients and also can be used for walk-ons. The scale can store the weight of the chair. The digital display unit can be scale mounted or mounted on a wall. An optional AC adapter is available. Designed for a gross 1000 lbs. capacity. |
|------------------|------------------|-------|-----------------------------|----|-------|---|---------------------------------|---|---|

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|------------------|-----------|-------------------------------------|-----------|-------|--|-------------------------------------|-----|--|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TLTB1 | 57 - Toilet, General Procedure room | 75 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TLTB1 | 57 - Toilet, General Procedure room | 75 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TLTB1 | 57 - Toilet, General Procedure room | 75 | A5082 | Dispenser, Paper Towel, Sensor, Hands Free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TLTB1 | 57 - Toilet, General Procedure room | 75 | A5090 | Disposal, Sanitary Napkin, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TLTB1 | 57 - Toilet, General Procedure room | 75 | A5109 | Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TLTB1 | 57 - Toilet, General Procedure room | 75 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TLTB1 | 57 - Toilet, General Procedure room | 75 | A5200 | Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TLTB1 | 57 - Toilet, General Procedure room | 75 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TLTB1 | 57 - Toilet, General Procedure room | 75 | P3005 | Lavatory, Vitreous China, Bariatric | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A floor mounted bariatric lavatory with a capability to withstand a static downward pressure of 1,000 lbs. at the front of the sink. Lavatory will have a gooseneck faucet with wrist blade handles. Lavatory will be ADA compliant. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TLTB1 | 57 - Toilet, General Procedure room | 75 | P9056 | Toilet, Floor Mounted, Bariatric | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A floor mounted, flush valve toilet with an elongated front and a load capacity of 1,000 pounds. The toilet will be vitreous china with a 1.28 or 1.6 Gpf low water consumption rate with a rear outlet. See manufacturer's literature for recommended flush valves and toilet seats. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|------------------|-----------|--------------------------------------|-----------|-------|--|-------------------------------------|-----|--|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TLTU1 | 14 - Toilet, Womens Health Exam Room | 60 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TLTU1 | 14 - Toilet, Womens Health Exam Room | 60 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TLTU1 | 14 - Toilet, Womens Health Exam Room | 60 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TLTU1 | 14 - Toilet, Womens Health Exam Room | 60 | A5090 | Disposal, Sanitary Napkin, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms. |

| | | | | | | | | | |
|------------------|------------------|-------|--------------------------------------|----|-------|--|-------------------------------------|---|--|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TLTU1 | 14 - Toilet, Womens Health Exam Room | 60 | A5109 | Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TLTU1 | 14 - Toilet, Womens Health Exam Room | 60 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TLTU1 | 14 - Toilet, Womens Health Exam Room | 60 | A5200 | Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TLTU1 | 14 - Toilet, Womens Health Exam Room | 60 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TLTU1 | 14 - Toilet, Womens Health Exam Room | 60 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TLTU1 | 14 - Toilet, Womens Health Exam Room | 60 | P9050 | Toilet, Wall Hung, Siphon Jet | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|------------------|-----------|------------------------------|-----------|-------|---|-------------------------------------|-----|--|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | A1011 | Telephone, Desk, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, 1 line. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | A1132 | Rail, Accessory Mounting, Length As Required | VC - GOVT FURNISHED/CONTR INST | 1 | Horizontal equipment mounting rail with lock mounting devices capable of; supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | A1203 | Lift System, Overhead, Bariatric | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | An overhead ceiling mounted rail system specifically designed for bariatric patient lifting and movement within a patient room. The system will consist of recessed or ceiling mounted primary and secondary rails, lift motor with carriage, patient harness or seat, and a hand controller or control box with charger (other charging options may be available). System will facilitate lifting and movement of patient to and from bed, to stretcher, chair, bathroom or other requirements. Lifting capacity is 1000 pounds. Custom design of track layout by manufacturer is essential to meet individual facility requirements. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | A5107 | Dispenser, Glove, Surgical/Examination, Wall Mntd | VV - GOVT FURNISHED & INSTALLED | 1 | Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | A5108 | Waste Disposal Unit, Sharps | VV - GOVT FURNISHED & INSTALLED | 1 | A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | CC - CONTRACTOR FURNISHED/INSTALLED | 14 | Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote. |

| | | | | | | | | | |
|------------------|------------------|-------|------------------------------|-----|--------|--|-------------------------------------|---|---|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | C02Q0 | Cabinet, Sink, U/C/B, 1 Door, 36x24x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | CD040 | Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | CS010 | Sink, SS, Single Compartment, 7.5x12x12 ID | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | CT020 | Countertop, Solid Surface | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | E0915 | Locker, Supply, Medication, Wall Mtd, 23"W x 20"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Locked Drawer w/Locked Lid, 6"H 5 Drawers, 3"H 3 Drawers, 6"H 2 Tray/Shelves Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | E0948 | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | F3010 | Board, Bulletin, 48 x 48 | VV - GOVT FURNISHED & INSTALLED | 1 | Open face bulletin board. Cork posting panel with moisture proof backing. Variety of frames to choose from. Used for posting notes and messages. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | M0750 | Flowmeter, Air, Connect w/50 PSI Supply | VV - GOVT FURNISHED & INSTALLED | 1 | Air flowmeter. Unit has a stainless steel needle valve with clear flowtube for connection to 50 PSI air outlet from central pipeline system. Requires the appropriate adapter for connection to the wall outlet and fitting to connect to tubing. Database prices reflect fittings with an attached DISS power outlet. Other outlet and adapter configurations are available. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | M0755 | Flowmeter, Oxygen, Low Flow | VV - GOVT FURNISHED & INSTALLED | 1 | Oxygen flowmeter. Consists of a clear crystal flowtube calibrated to 3.5 or 8 LPM depending on manufacturer. For oxygen regulation in hospital settings. Database pricing includes DISS fitting and DISS power outlet and wall adapter. Other fitting and adapter configurations are available. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | M0765 | Regulator, Vacuum | VV - GOVT FURNISHED & INSTALLED | 2 | Vacuum pressure regulator for connection to central piped vacuum system. Standard display scale is graduated at least from 0 to 200 mm Hg of vacuum. Displays on specialized regulators may cover other vacuum ranges. Regulator type (continuous, intermittent, continuous/intermittent, surgical, pediatric, thoracic, etc.) as required. To be used in delivery, neonatal, pediatrics or any area where suction is required. Database pricing reflects continuous regulators graduated to 200 mm Hg with a full line vacuum selection switch and DISS configured inlets and outlets. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |

| | | | | | | | | | |
|------------------|------------------|-------|------------------------------|-----|-------|---|-------------------------------------|---|---|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | M1802 | Work Station, Computer, Retractable, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | M3070 | Hamper, Linen, Mobile, w/Lid | VV - GOVT FURNISHED & INSTALLED | 1 | Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | M3072 | Frame, Infectious Waste Bag w/Lid | VV - GOVT FURNISHED & INSTALLED | 1 | Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | M4100 | Sphygmomanometer, Aneroid, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | M4116 | Monitor, Vital Signs | VV - GOVT FURNISHED & INSTALLED | 1 | Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | M4200 | Otoscope/Ophthalmoscope, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | M4255 | Stand, IV, Adjustable | VV - GOVT FURNISHED & INSTALLED | 1 | Adjustable IV stand with 4-hook arrangement. Stand has stainless steel construction with heavy weight base. It adjusts from 66 inches to 100 inches and is mounted on conductive rubber, ball bearing, swivel casters. Stand is used for administering intravenous solutions. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | M4655 | Stretcher, Mobile, CRS, 9 Position | VV - GOVT FURNISHED & INSTALLED | 1 | Mobile stretcher. All corrosion resistant stainless steel construction. It consists of a tubular frame with side rails, a 9-position hydraulic base with pneumatic fowler adjustment, and a 2" pad. Unit is mounted on 8" conductive casters. Designed for patient transport as well as for minor surgical procedures. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | M7401 | Light, Exam, Mobile, Spotlight, Mobile Stand | VV - GOVT FURNISHED & INSTALLED | 1 | The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | M7405 | Light, Exam, Ceiling Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Ceiling exam light. Consists of a lightheaded reflector supported by a ceiling mounted radial arm assembly that provides a wide range of positioning capabilities. Halogen bulbs and an intensity control provide cool, color corrected light. The minimum ceiling height in most cases is 8'-0"; refer to each manufacturer's specific installation requirements. Physical dimensions refer to the retracted light; one length of the dual swing arm around the center mount in width and depth and the combined height of the lamp head and folded arms. Unit may also have a center mount detachable and sterilizable control handle. For use in minor procedure or examination room applications. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | M7710 | Electrocardiograph, 12 Lead, Portable | VV - GOVT FURNISHED & INSTALLED | 1 | Used to detect the electrical signals associated with cardiac activity, diagnose cardiac abnormalities, determine a patient's response to drug therapy and reveal trends or changes in heart function. Capable of recording two or more leads simultaneously, recording an entire 12 lead ECG in about 10 seconds. Includes of a 3.5 inch, high density, floppy disk drive for test storage. Portable. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | M8810 | Stand, Mayo | VV - GOVT FURNISHED & INSTALLED | 1 | Adjustable instrument table. Table is corrosion resistant stainless steel construction and is mounted on two casters with two skid rails. It has telescopic upright adjusts from 39 inches to 60 inches with automatic locking device, and removable 13"x19" instrument tray. Designed for use in operating and procedure rooms. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 55 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | M9025 | Table, Examination/Treatment, With Cabinet | VV - GOVT FURNISHED & INSTALLED | 0 | Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | TRPR1 | 17 - Procedure Room, General | 180 | M8321 | Table, Treatment HI/Low, Bariatric | VV - GOVT FURNISHED & INSTALLED | 1 | A HI/Low, powered treatment table for Bariatric patients with a weight bearing capacity of approximately 800 pounds. The table will have an electro-mechanical power system for multiple position movement including full height adjustment and powered back. The table will provide easy access for patients in wheelchair or stretcher and be adjustable from a low of approximately 18" to a high of approximately 30". It will operate with hand or foot controls. It will include an upholstered contoured padded top for patient comfort. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|------------------|-----------|------------------------|-----------|--------|--|-------------------------------------|-----|--|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | A1012 | Telephone, Wall Mounted, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | A5107 | Dispenser, Glove, Surgical/Examination, Wall Mntd | VV - GOVT FURNISHED & INSTALLED | 1 | Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | A5108 | Waste Disposal Unit, Sharps | VV - GOVT FURNISHED & INSTALLED | 1 | A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | CC - CONTRACTOR FURNISHED/INSTALLED | 12 | Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | CD040 | Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | CS010 | Sink, SS, Single Compartment, 7.5x12x12 ID | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | CT030 | Countertop, High Pressure Laminate | CC - CONTRACTOR FURNISHED/INSTALLED | 3 | High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | E0948 | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | F2310 | Rack, Pamphlet, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted pamphlet rack up to 12 (twelve) pamphlet holding pockets. Unit is used to store and display educational pamphlets. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | F3025 | Board, Bulletin, Wood Framed | VV - GOVT FURNISHED & INSTALLED | 1 | Bulletin board approximately 36"W x 24"H. Wood framed 1/2" cork posting panel with moisture proof backing. Units are factory assembled and have keyhole hangers for easy installation. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | M1802 | Work Station, Computer, Retractable, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited. |

| | | | | | | | | | |
|------------------|------------------|-------|------------------------|-----|-------|---|---------------------------------|---|---|
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | M3072 | Frame, Infectious Waste Bag w/Lid | VV - GOVT FURNISHED & INSTALLED | 1 | Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | M4100 | Sphygmomanometer, Aneroid, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | M4200 | Otoscope/Ophthalmoscope, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | M6050 | Retinal Imaging System, Fluorescein/Indocyanine | VV - GOVT FURNISHED & INSTALLED | 1 | Digital camera system for conducting fluorescing and indocyanine green studies of the choroid of the retina. The infrared sensitive camera has interchangeable barrier and exciter filters for the different dyes. The camera transmits images to a high resolution computer system and monitors for viewing, analysis, enhancement, manipulation, recording and color printing. Database reflects pricing and physical characteristics for the entire system with its required computer. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | M7401 | Light, Exam, Mobile, Spotlight, Mobile Stand | VV - GOVT FURNISHED & INSTALLED | 1 | The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 55 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 2 - PRIMARY CARE | 1 - PATIENT AREA | WRTM3 | 62 - Tele-Retinal Room | 135 | M9025 | Table, Examination/Treatment, With Cabinet | VV - GOVT FURNISHED & INSTALLED | 1 | Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|---------------------------------|-----------|---------------------|-----------|-------|---|-------------------------------------|-----|---|
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | A1014 | Telephone, Wall Mounted, 1 Line, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line, with speaker. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | A1080 | Mirror, Posture, Wall Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | A1132 | Rail, Accessory Mounting, Length As Required | VC - GOVT FURNISHED/CONTR INST | 2 | Horizontal equipment mounting rail with lock mounting devices capable of supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | A5077 | Dispenser, Hand Sanitizer, Hands-Free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | VV - GOVT FURNISHED & INSTALLED | 1 | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | CC - CONTRACTOR FURNISHED/INSTALLED | 10 | Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote. |

| | | | | | | | | | |
|------------------|------------------------------------|-------|------------------------|-----|--------------|--|--|---|---|
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | C02Q0 | Cabinet, Sink, U/C/B, 1 Door, 36x24x22 | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | CS010 | Sink, SS, Single Compartment, 7.5x12x12 ID | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | CT020 | Countertop, Solid Surface | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | E0948 | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 2 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | M1803 | Workstation, Computer, Wall Mounted, Adjustable | VV - GOVT FURNISHED & INSTALLED | 1 | A wall mounted computer workstation with height adjustable monitor and keyboard arms. Keyboard and monitor can be stored within 8" to 10" of wall. Fingertip adjustability for keyboard and monitor enable frequent position changes. Unit contains an integrated cable management system to hide wires. A separate wall-mounted CPU holder is included. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | M4100 | Sphygmomanomet er, Aneroid, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | Shredder Box | | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | M4920 | Chair, Exam/Treatment, Podiatry, w/Motor | VV - GOVT FURNISHED & INSTALLED | 1 | Podiatry exam/treatment chair. Unit is motor driven and has a foot control with gliding foot rest and debris tray. It may include a shoe tray. Unit is fully adjustable to the desired position. It is designed for podiatric examinations and procedures. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | | Podiatric Grinder | VV - GOVT FURNISHED & INSTALLED | 1 | |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | | Grinder Cart | VV - GOVT FURNISHED & INSTALLED | 1 | |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | M7405 | Exam/Procedure Light | VV - GOVT FURNISHED & INSTALLED | 1 | Ceiling exam light. Consists of a lightheaded reflector supported by a ceiling mounted radial arm assembly that provides a wide range of positioning capabilities. Halogen bulbs and an intensity control provide cool, color corrected light. The minimum ceiling height in most cases is 8'-0"; refer to each manufacturer's specific installation requirements. Physical dimensions refer to the retracted light; one length of the dual swing arm around the center mount in width and depth and the combined height of the lamp head and folded arms. Unit may also have a center mount detachable and sterilizable control handle. For use in minor procedure or examination room applications. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | EXPO1 | 13 - Exam, Podiatry | 120 | M4200 | Otoscope/Ophthal moscope, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|---------------------------------|-----------|-----------------------------|-----------|--------|---|-------------------------------------|-----|---|
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFA09 | 22 - Spec. Office, Flexible | 100 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, multiple line. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFA09 | 22 - Spec. Office, Flexible | 100 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFA09 | 22 - Spec. Office, Flexible | 100 | E0090 | Workstation, L-Shaped, Free Standing, 72x72 | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel-to-Panel Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 2 Lockable Flipper Units 2 Shelves, Storage/Display 3 Lights 3 Tackboards 2 Cantilevered Work Surfaces 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File 1 Pencil Drawer 2 Support Panels |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFA09 | 22 - Spec. Office, Flexible | 100 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFA09 | 22 - Spec. Office, Flexible | 100 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 1 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFA09 | 22 - Spec. Office, Flexible | 100 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 1 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFA09 | 22 - Spec. Office, Flexible | 100 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFA09 | 22 - Spec. Office, Flexible | 100 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFA09 | 22 - Spec. Office, Flexible | 100 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|---------------------------------|-----------|-------------------------------|-----------|-------|--|-------------------------------------|-----|--|
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFD04 | 4 - Medical Student Work Room | 240 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 12 | Telephone, desk, multiple line. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFD04 | 4 - Medical Student Work Room | 240 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 12 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFD04 | 4 - Medical Student Work Room | 240 | E0078 | Workstation, L-Shaped w/Peninsula, Free Std, 78x72 | VV - GOVT FURNISHED & INSTALLED | 0 | This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFD04 | 4 - Medical Student Work Room | 240 | F0715 | Carrel, Study Table | VV - GOVT FURNISHED & INSTALLED | 12 | Study carrel with table. Equipped with shelf for one (1) 12" monitor and book shelf, wire access grommets, built-in cable chase for wire management and adjustable floor glides. A convenience outlet is required at point of use to service computer equipment if used. Work surface is 29" high. |

| | | | | | | | | | |
|------------------|---------------------------------|-------|-------------------------------|-----|--------|---|-------------------------------------|----|---|
| | | | 4 - Medical Student Work Room | | | Worksurface, w/Overhead Cab, Wall Mtd, 30" W | VV - GOVT FURNISHED & INSTALLED | | THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFD04 | | 240 | E0206 | | | 12 | |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFD04 | 4 - Medical Student Work Room | 240 | F0115 | Bookcase, Open, 5 Shelf | VV - GOVT FURNISHED & INSTALLED | 2 | Freestanding open shelf bookcase, approximately 82" high X 37" wide X 18" deep with 5 (five) adjustable shelves. Unit can be separate or part of a system with available add-on shelving. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFD04 | 4 - Medical Student Work Room | 240 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 0 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFD04 | 4 - Medical Student Work Room | 240 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 12 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFD04 | 4 - Medical Student Work Room | 240 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 6 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFD04 | 4 - Medical Student Work Room | 240 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 4 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFD04 | 4 - Medical Student Work Room | 240 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFD04 | 4 - Medical Student Work Room | 240 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 4 | PHI 13 gallon lockable shredding container. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFD04 | 4 - Medical Student Work Room | 240 | F3050 | Whiteboard, Dry Erase | VV - GOVT FURNISHED & INSTALLED | 1 | Whiteboard unit, approximately 36" H x 48" W consisting of a white porcelain enamel writing surface with an attached chalk tray. Magnetic surface available. Image can be easily removed with a standard chalkboard eraser. For use with water color pens. Unit is ready to hang. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFD04 | 4 - Medical Student Work Room | 400 | M0506* | Television, Flat Screen | VV - GOVT FURNISHED & INSTALLED | 1 | Flat screen television with approximately 60" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFD04 | 4 - Medical Student Work Room | 180 | A5212 | Bracket, Television, Wall-Mounted, Tilt/Angle | VV - GOVT FURNISHED & INSTALLED | 1 | A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFD04 | 4 - Medical Student Work Room | 180 | A5220 | Bracket, Television, Wall Backing | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFD04 | 4 - Medical Student Work Room | 180 | F0755 | Table, Conference, Wood | VV - GOVT FURNISHED & INSTALLED | 1 | Executive conference table. Dimensions are approximately 30" high, 48" wide with lengths varying from 74" to 96". These tables add traditional elegance to any conference room. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFD04 | 4 - Medical Student Work Room | 180 | F0220 | Chair, Conference | VV - GOVT FURNISHED & INSTALLED | 10 | Conference chair designed to complement the executive furniture package selected. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OFD04 | 4 - Medical Student Work Room | 240 | M1801 | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 12 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|---------------------------------|-----------|------------------------|-----------|-------|---|-------------------------------------|-----|--|
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | A1014 | Telephone, Wall Mounted, 1 Line, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line, with speaker. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | A1066 | Mirror, Float Glass, With SS Frame | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas. |

| | | | | | | | | | |
|------------------|---------------------------------|-------|------------------------|-----|--------|---|-------------------------------------|----|--|
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | A1132 | Rail, Accessory Mounting, Length As Required | VC - GOVT FURNISHED/CONTR INST | 1 | Horizontal equipment mounting rail with lock mounting devices capable of; supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | VV - GOVT FURNISHED & INSTALLED | 1 | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | CC - CONTRACTOR FURNISHED/INSTALLED | 10 | Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | E0210 | Worksurface, w/Overhead Cab, Wall Mtd, 48" W | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | E0930 | Locker, Supply, 6 Drawers, Mobile, 29"W x 20"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Mobile Supply Locker 2 Tray/Shelf 4 Drawers, 3"H 2 Drawers, 6"H Drawer Organizer Bins |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | E0948 | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | F0210 | Chair, Side, Without Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | F0280 | Chair, Swivel, Low Back | VV - GOVT FURNISHED & INSTALLED | 1 | Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | F2017 | Waste Receptacle, 24 GAL | VV - GOVT FURNISHED & INSTALLED | 1 | Rectangular steel waste receptacle with step-on lid and 24 gallon capacity. The receptacle is used to collect and temporarily store small quantities of paper refuse. Can be used in restrooms, patient areas, laboratories, pharmacies, etc. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | M0750 | Flowmeter, Air, Connect w/50 PSI Supply | VV - GOVT FURNISHED & INSTALLED | 1 | Air flowmeter. Unit has a stainless steel needle valve with clear flowtube for connection to 50 PSI air outlet from central pipeline system. Requires the appropriate adapter for connection to the wall outlet and fitting to connect to tubing. Database prices reflect fittings with an attached DISS power outlet. Other outlet and adapter configurations are available. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | M0755 | Flowmeter, Oxygen, Low Flow | VV - GOVT FURNISHED & INSTALLED | 1 | Oxygen flowmeter. Consists of a clear crystal flowtube calibrated to 3.5 or 8 LPM depending on manufacturer. For oxygen regulation in hospital settings. Database pricing includes DISS fitting and DISS power outlet and wall adapter. Other fitting and adapter configurations are available. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | *M0765 | Regulator, Vacuum | VV - GOVT FURNISHED & INSTALLED | 1 | PORTABLE Vacuum pressure regulator for connection to central piped vacuum system. Standard display scale is graduated at least from 0 to 200 mm Hg of vacuum. Displays on specialized regulators may cover other vacuum ranges. Regulator type (continuous, intermittent, continuous/intermittent, surgical, pediatric, thoracic, etc.) as required. To be used in delivery, neonatal, pediatrics or any area where suction is required. Database pricing reflects continuous regulators graduated to 200 mm Hg with a full line vacuum selection switch and DISS configured inlets and outlets. |

| | | | | | | | | | |
|------------------|---------------------------------|-------|------------------------|-----|--------|---|-------------------------------------|---|---|
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | M1825 | Printer, Computer | VV - GOVT FURNISHED & INSTALLED | 1 | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | M3070 | Hamper, Linen, Mobile, w/Lid | VV - GOVT FURNISHED & INSTALLED | 1 | Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | M4100 | Sphygmomanometer, Aneroid, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | M4116 | Monitor, Vital Signs | VV - GOVT FURNISHED & INSTALLED | 1 | Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | M7710 | Electrocardiograph, 12 Lead, Portable | VV - GOVT FURNISHED & INSTALLED | 1 | Used to detect the electrical signals associated with cardiac activity, diagnose cardiac abnormalities, determine a patient's response to drug therapy and reveal trends or changes in heart function. Capable of recording two or more leads simultaneously, recording an entire 12 lead ECG in about 10 seconds. Includes of a 3.5 inch, high density, floppy disk drive for test storage. Portable. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | M9025 | Table, Examination/Treatment, With Cabinet | VV - GOVT FURNISHED & INSTALLED | 0 | Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | M9006 | Table, Ultrasound, Mobile, Echocardiology | VV - GOVT FURNISHED & INSTALLED | 1 | Mobile exam table designed for ultrasound and echocardiography examinations. Table has an extra wide top with a 500 lb patient capacity, suitable for bariatric patients. Height range from 23" low to accommodate wheelchair transfers and those with ambulatory difficulties to a high of 39". Table includes motorized height adjustment, Fowler position, Trendelenburg and auto level adjustment. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|---------------------------------|-----------|--------------------------------|-----------|-------|---|-------------------------------------|-----|---|
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | A1011 | Telephone, Desk, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, 1 line. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | A1066 | Mirror, Float Glass, With SS Frame | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | A1132 | Rail, Accessory Mounting, Length As Required | VC - GOVT FURNISHED/CONTR INST | 1 | Horizontal equipment mounting rail with lock mounting devices capable of supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | VV - GOVT FURNISHED & INSTALLED | 1 | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. |

| | | | | | | | | | |
|------------------|---------------------------------|-------|--------------------------------|-----|--------|---|-------------------------------------|----|--|
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | CC - CONTRACTOR FURNISHED/INSTALLED | 10 | Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | E0210 | Worksurface, w/Overhead Cab, Wall Mtd, 48" W | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | E0912 | Locker, Supply, Med Surg, Wall Mtd | VV - GOVT FURNISHED & INSTALLED | 1 | Medical/Surgical Supply locker, Wall Mounted, approximately 23"W x 20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H 2 Drawers, 6"H 2 Tray/Shelf Dividers Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | E1500 | Rail, MOD, W/MNTD, HX144XD | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | F0210 | Chair, Side, Without Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | F0280 | Chair, Swivel, Low Back | VV - GOVT FURNISHED & INSTALLED | 1 | Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 2 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | *M0750 | Flowmeter, Air, Connect w/50 PSI Supply | VV - GOVT FURNISHED & INSTALLED | 1 | Portable Air flowmeter. Unit has a stainless steel needle valve with clear flowtube for connection to portable tanks. Requires the appropriate adapter for connection to the tank outlet and fitting to connect to tubing. Database prices reflect fittings with an attached DISS power outlet. Other outlet and adapter configurations are available. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | *M0755 | Flowmeter, Oxygen, Low Flow | VV - GOVT FURNISHED & INSTALLED | 1 | PORTABLE Oxygen flowmeter. Consists of a clear crystal flowtube calibrated to 3.5 or 8 LPM depending on manufacturer. For oxygen regulation in hospital settings. Database pricing includes DISS fitting and DISS power outlet and wall adapter. Other fitting and adapter configurations are available. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | *M0765 | Regulator, Vacuum | VV - GOVT FURNISHED & INSTALLED | 1 | PORTABLE Vacuum pressure regulator. Standard display scale is graduated at least from 0 to 200 mm Hg of vacuum. Displays on specialized regulators may cover other vacuum ranges. Regulator type (continuous, intermittent, continuous/intermittent, surgical, pediatric, thoracic, etc.) as required. To be used in delivery, neonatal, pediatrics or any area where suction is required. Database pricing reflects continuous regulators graduated to 200 mm Hg with a full line vacuum selection switch and DISS configured inlets and outlets. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | M1620 | Holder, Chart, Patient, Wall or Door Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall or door mounted patient chart holder. Constructed of durable plastic or metal. Used for holding patient records. Size as required. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NV/DIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 125 | M1802 | Work Station, Computer, Retractable, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | M3070 | Hamper, Linen, Mobile, w/Lid | VV - GOVT FURNISHED & INSTALLED | 1 | Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics. |

| | | | | | | | | | |
|------------------|---------------------------------|-------|--------------------------------|-----|-------|---|-------------------------------------|---|---|
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | M3072 | Frame, Infectious Waste Bag w/Lid | VV - GOVT FURNISHED & INSTALLED | 1 | Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | M4655 | Stretcher, Mobile, CRS, 9 Position | VV - GOVT FURNISHED & INSTALLED | 0 | Mobile stretcher. All corrosion resistant stainless steel construction. It consists of a tubular frame with side rails, a 9-position hydraulic base with pneumatic fowler adjustment, and a 2" pad. Unit is mounted on 8" conductive casters. Designed for patient transport as well as for minor surgical procedures. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | M9006 | Table, Ultrasound, Mobile, Echocardiology | VV - GOVT FURNISHED & INSTALLED | 1 | Mobile exam table designed for ultrasound and echocardiography examinations. Table has an extra wide top with a 500 lb patient capacity, suitable for bariatric patients. Height range from 23" low to accommodate wheelchair transfers and those with ambulatory difficulties to a high of 39". Table includes motorized height adjustment, Fowler position, Trendelenburg and auto level adjustment. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 55 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPE1 | 3 - Echocardiography Exam Room | 150 | X2105 | Scanner, Ultrasound, Cardiac (Echo) | VV - GOVT FURNISHED & INSTALLED | 1 | High definition, diagnostic ultrasound system for Radiology, Cardiology, Vascular, ob-gyn, Perinatology, and Surgical imaging applications. The unit employs curved, phased and linear array imaging technology. The system supports colorflow, pulse, continuous wave imaging modalities. On board software measurement packages available for all imaging applications. The system is DICOM 3.0 compatible, for easy linkage to filmless image management systems and review stations. In addition, a full line of probes and conventional recording devices are available. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|---------------------------------|-----------|---------------------------------------|-----------|-------|---|-------------------------------------|-----|--|
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPF1 | 1 - Ventilatory Test Room, Spirometry | 120 | A1012 | Telephone, Wall Mounted, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPF1 | 1 - Ventilatory Test Room, Spirometry | 120 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPF1 | 1 - Ventilatory Test Room, Spirometry | 120 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPF1 | 1 - Ventilatory Test Room, Spirometry | 120 | E0222 | Worksurface, Computer, O/H Cab, Wall Mtd, 48" W | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light 1 Tack board 1 Cantilevered Work Surface 1 Adjustable Keyboard Tray 1 CPU Holder |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPF1 | 1 - Ventilatory Test Room, Spirometry | 120 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPF1 | 1 - Ventilatory Test Room, Spirometry | 120 | F0280 | Chair, Swivel, Low Back | VV - GOVT FURNISHED & INSTALLED | 1 | Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPF1 | 1 - Ventilatory Test Room, Spirometry | 120 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPF1 | 1 - Ventilatory Test Room, Spirometry | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPF1 | 1 - Ventilatory Test Room, Spirometry | 120 | M0720 | Analyzer, Pulmonary Function, w/Computer | VV - GOVT FURNISHED & INSTALLED | 1 | Pulmonary function analyzer system. Unit includes whole body plethysmography, spirometer, computer, and gas analyzers. Computer based system for use in cardio-pulmonary areas. The system measures the ventilation, diffusion and distribution of gases in the lungs. It has automatic calibration and valves are pneumatically operated and controlled by the computer. Used to measure the performance of a patient's respiratory system; for out-patient or pre-surgical screening. Systems have specific high pressure air and oxygen and low pressure helium requirements. Refer to manufacturer's literature. |

| | | | | | | | | | |
|------------------|---------------------------------|-------|---------------------------------------|-----|--------|--|-------------------------------------|---|---|
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPF1 | 1 - Ventilatory Test Room, Spirometry | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPF1 | 1 - Ventilatory Test Room, Spirometry | 120 | M4040 | Scale, Weighing, 300 Pound Capacity | VV - GOVT FURNISHED & INSTALLED | 0 | Person weighing scale with 300 pound capacity. Unit consists of a rugged base frame of 3/32" thick steel with a non-slip surface and a speedometer dial with ultra sensitive registering mechanisms. Scale is designed for medical use. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPF1 | 1 - Ventilatory Test Room, Spirometry | 120 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPF1 | 1 - Ventilatory Test Room, Spirometry | 120 | C02Q0 | Cabinet, Sink, U/C/B, 1 Door, 36x24x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPF1 | 1 - Ventilatory Test Room, Spirometry | 120 | CB020 | Cabinet, W/H, 2 Shelf, 1 DO, Sloping Top, 38x24x13 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall hung cabinet with two adjustable shelves, solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings), and sloping top. Also referred to as a solid hinged single door case. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPF1 | 1 - Ventilatory Test Room, Spirometry | 120 | CT020 | Countertop, Solid Surface | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt back splash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPPF1 | 1 - Ventilatory Test Room, Spirometry | 120 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|---------------------------------|-----------|-------------------------------|-----------|-------|---|-------------------------------------|-----|--|
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | A1011 | Telephone, Desk, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, 1 line. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | A1066 | Mirror, Float Glass, With SS Frame | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | VV - GOVT FURNISHED & INSTALLED | 1 | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | CC - CONTRACTOR FURNISHED/INSTALLED | 8 | Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | E0210 | Worksurface, w/Overhead Cab, Wall Mtd, 48" W | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface |

| | | | | | | | | | |
|------------------|------------------------------------|-------|-------------------------------------|-----|--------|--|---------------------------------------|---|---|
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | E0912 | Locker, Supply, Med Surg, Wall Mtd | VV - GOVT FURNISHED & INSTALLED | 2 | Medical/Surgical Supply locker, Wall Mounted, approximately 23"W x 20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H 2 Drawers, 6"H 2 Tray/Shelf Dividers Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | E0954 | Cart, Emergency, Mobile, 66"H x 32"W x 22"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Cart body, style-A narrow, w/raised edge top 1 Accessory rail, side 1 Accessory rail, back 1 Defibrillator tray 1 IV pole 1 Breakaway bar 1 Flip-up shelf 1 Wastebasket 1 Oxygen tank holder 1 Electrical box-4 outlet 1 Cord wrap 4 Drawer, 3"H 3 Drawer, 6"H Drawer organizer bins. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | E1500 | Rail, MOD, W/MNTD, HX144XD | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | F0210 | Chair, Side, Without Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | F0280 | Chair, Swivel, Low Back | VV - GOVT FURNISHED & INSTALLED | 1 | Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | M0750 | Flowmeter, Air, Connect w/50 PSI Supply | VV - GOVT FURNISHED & INSTALLED | 1 | Air flowmeter. Unit has a stainless steel needle valve with clear flowtube for connection to 50 PSI air outlet from central pipeline system. Requires the appropriate adapter for connection to the wall outlet and fitting to connect to tubing. Database prices reflect fittings with an attached DISS power outlet. Other outlet and adapter configurations are available. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | M0755 | Flowmeter, Oxygen, Low Flow | VV - GOVT FURNISHED & INSTALLED | 1 | Oxygen flowmeter. Consists of a clear crystal flowtube calibrated to 3.5 or 8 LPM depending on manufacturer. For oxygen regulation in hospital settings. Database pricing includes DISS fitting and DISS power outlet and wall adapter. Other fitting and adapter configurations are available. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | M0765 | Regulator, Vacuum | VV - GOVT FURNISHED & INSTALLED | 2 | PORTABLE Vacuum pressure regulator for connection to portable vacuum system. Standard display scale is graduated at least from 0 to 200 mm Hg of vacuum. Displays on specialized regulators may cover other vacuum ranges. Regulator type (continuous, intermittent, continuous/intermittent, surgical, pediatric, thoracic, etc.) as required. To be used in delivery, neonatal, pediatrics or any area where suction is required. Database pricing reflects continuous regulators graduated to 200 mm Hg with a full line vacuum selection switch and DISS configured inlets and outlets. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | M1825 | Printer, Computer | VV - GOVT FURNISHED & INSTALLED | 1 | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | M3070 | Hamper, Linen, Mobile, w/Lid | VV - GOVT FURNISHED & INSTALLED | 1 | Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | M3072 | Frame, Infectious Waste Bag w/Lid | VV - GOVT FURNISHED & INSTALLED | 1 | Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | M4116 | Monitor, Vital Signs | VV - GOVT FURNISHED & INSTALLED | 1 | Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand. |

| | | | | | | | | | |
|------------------|---------------------------------|-------|-------------------------------|-----|-------|---|-------------------------------------|---|--|
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | M4255 | Stand, IV, Adjustable | VV - GOVT FURNISHED & INSTALLED | 1 | Adjustable IV stand with 4-hook arrangement. Stand has stainless steel construction with heavy weight base. It adjusts from 66 inches to 100 inches and is mounted on conductive rubber, ball bearing, swivel casters. Stand is used for administering intravenous solutions. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | M4655 | Stretcher, Mobile, CRS, 9 Position | VV - GOVT FURNISHED & INSTALLED | 0 | Mobile stretcher. All corrosion resistant stainless steel construction. It consists of a tubular frame with side rails, a 9-position hydraulic base with pneumatic fowler adjustment, and a 2" pad. Unit is mounted on 8" conductive casters. Designed for patient transport as well as for minor surgical procedures. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPEC1 | 2 - Reading room, Echo | 120 | M9006 | Table, Ultrasound, Mobile, Echocardiography | VV - GOVT FURNISHED & INSTALLED | 1 | Mobile exam table designed for ultrasound and echocardiography examinations. Table has an extra wide top with a 500 lb patient capacity, suitable for bariatric patients. Height range from 23" low to accommodate wheelchair transfers and those with ambulatory difficulties to a high of 39". Table includes motorized height adjustment, Fowler position, Trendelenburg and auto level adjustment. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | M7660 | Defibrillator/Monitor/Recorder, Portable | VV - GOVT FURNISHED & INSTALLED | 1 | Portable defibrillator-monitor-recorder. Integral unit system operable from self-contained rechargeable batteries. ECG may be viewed through paddles or patient cable. Options include external pacing and 12-Lead. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | M7710 | Electrocardiograph, 12 Lead, Portable | VV - GOVT FURNISHED & INSTALLED | 1 | Used to detect the electrical signals associated with cardiac activity, diagnose cardiac abnormalities, determine a patients response to drug therapy and reveal trends or changes in heart function. Capable of recording two or more leads simultaneously, recording an entire 12 lead ECG in about 10 seconds. Includes of a 3.5 inch, high density, floppy disk drive for test storage. Portable. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | M8133 | Ergometer, Upper Body | VV - GOVT FURNISHED & INSTALLED | 1 | Ergometer for measuring upper body exertion during an exercise regimen. The unit consists of a seat and a hand crank mechanism at shoulder height. The unit is used for physical rehabilitation protocols and stress testing. The unit quantifiably measures the effort exerted by the patient. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | M8185 | System, Stress Exercise, w/Treadmill | VV - GOVT FURNISHED & INSTALLED | 1 | Stress exercise system with treadmill and respiratory/metabolic assessment. The system includes an ECG amplifier, chart recorder, display, console, treadmill and modules for respiratory/metabolic assessment. Used to determine patient's functional capacity, predict and diagnose cardiopulmonary and vascular diseases and for rehabilitation of patients recovering from leg injuries or other type of illness. Some vendors require a NEMA 5-20R non-locking receptacle for their treadmills. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 55 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | OPTM1 | 5 - Stress Testing, Treadmill | 300 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|---------------------------------|-----------|---------------------------------|-----------|-------|--|-------------------------------------|-----|--|
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TPG01 | 21 - Toilet, Patient, Procedure | 75 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TPG01 | 21 - Toilet, Patient, Procedure | 75 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TPG01 | 21 - Toilet, Patient, Procedure | 75 | A5082 | Dispenser, Paper Towel, Sensor, Hands Free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TPG01 | 21 - Toilet, Patient, Procedure | 75 | A5090 | Disposal, Sanitary Napkin, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TPG01 | 21 - Toilet, Patient, Procedure | 75 | A5109 | Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TPG01 | 21 - Toilet, Patient, Procedure | 75 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TPG01 | 21 - Toilet, Patient, Procedure | 75 | A5200 | Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms. |

| | | | | | | | | | |
|------------------|---------------------------------|-------|---------------------------------|----|-------|---|-------------------------------------|---|--|
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TPG01 | 21 - Toilet, Patient, Procedure | 75 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TPG01 | 21 - Toilet, Patient, Procedure | 75 | P3000 | Lavatory, Vitreous China, Straight Back | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, vitreous china lavatory (approximate bowl size 7"x15"x10") with: straight-front apron, straight or contoured back; faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care areas. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TPG01 | 21 - Toilet, Patient, Procedure | 75 | P9050 | Toilet, Wall Hung, Siphon Jet | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|---------------------------------|-----------|---------------------------|-----------|-------|--|-------------------------------------|-----|--|
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | A1011 | Telephone, Desk, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, 1 line. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | A1132 | Rail, Accessory Mounting, Length As Required | VC - GOVT FURNISHED/CONTR INST | 1 | Horizontal equipment mounting rail with lock mounting devices capable of; supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | A1203 | Lift System, Overhead, Bariatric | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | An overhead ceiling mounted rail system specifically designed for bariatric patient lifting and movement within a patient room. The system will consist of recessed or ceiling mounted primary and secondary rails, lift motor with carriage, patient harness or seat, and a hand controller or control box with charger (other charging options may be available). System will facilitate lifting and movement of patient to and from bed, to stretcher, chair, bathroom or other requirements. Lifting capacity is 1000 pounds. Custom design of track layout by manufacturer is essential to meet individual facility requirements. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | A5107 | Dispenser, Glove, Surgical/Examination, Wall Mntd | VV - GOVT FURNISHED & INSTALLED | 1 | Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | A5108 | Waste Disposal Unit, Sharps | VV - GOVT FURNISHED & INSTALLED | 1 | A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | CC - CONTRACTOR FURNISHED/INSTALLED | 14 | Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | C02Q0 | Cabinet, Sink, U/C/B, 1 Door, 36x24x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | CD040 | Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | CS010 | Sink, SS, Single Compartment, 7.5x12x12 ID | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility. |

| | | | | | | | | | |
|------------------|---------------------------------|-------|---------------------------|-----|--------|---|-------------------------------------|---|---|
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | CT020 | Countertop, Solid Surface | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | E0915 | Locker, Supply, Medication, Wall Mtd, 23"W x 20"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Locked Drawer w/Locked Lid, 6"H 5 Drawers, 3"H 3 Drawers, 6"H 2 Tray/Shelves Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | E0948 | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | VV - GOVT FURNISHED & INSTALLED | 2 | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | F3010 | Board, Bulletin, 48 x 48 | VV - GOVT FURNISHED & INSTALLED | 1 | Open face bulletin board. Cork posting panel with moisture proof backing. Variety of frames to choose from. Used for posting notes and messages. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | M0750 | Flowmeter, Air, Connect w/50 PSI Supply | VV - GOVT FURNISHED & INSTALLED | 1 | Air flowmeter. Unit has a stainless steel needle valve with clear flowtube for connection to 50 PSI air outlet from central pipeline system. Requires the appropriate adapter for connection to the wall outlet and fitting to connect to tubing. Database prices reflect fittings with an attached DISS power outlet. Other outlet and adapter configurations are available. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | M0755 | Flowmeter, Oxygen, Low Flow | VV - GOVT FURNISHED & INSTALLED | 1 | Oxygen flowmeter. Consists of a clear crystal flowtube calibrated to 3.5 or 8 LPM depending on manufacturer. For oxygen regulation in hospital settings. Database pricing includes DISS fitting and DISS power outlet and wall adapter. Other fitting and adapter configurations are available. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | M0765 | Regulator, Vacuum | VV - GOVT FURNISHED & INSTALLED | 2 | Vacuum pressure regulator for connection to central piped vacuum system. Standard display scale is graduated at least from 0 to 200 mm Hg of vacuum. Displays on specialized regulators may cover other vacuum ranges. Regulator type (continuous, intermittent, continuous/intermittent, surgical, pediatric, thoracic, etc.) as required. To be used in delivery, neonatal, pediatrics or any area where suction is required. Database pricing reflects continuous regulators graduated to 200 mm Hg with a full line vacuum selection switch and DISS configured inlets and outlets. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | M1802 | Work Station, Computer, Retractable, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | M3070 | Hamper, Linen, Mobile, w/Lid | VV - GOVT FURNISHED & INSTALLED | 1 | Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | M3072 | Frame, Infectious Waste Bag w/Lid | VV - GOVT FURNISHED & INSTALLED | 1 | Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | M4100 | Sphygmomanometer, Aneroid, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | M4116 | Monitor, Vital Signs | VV - GOVT FURNISHED & INSTALLED | 1 | Electronic sphygmomanometer. LCD displays non-invasive blood pressure, pulse rate and temperature. Used in hospitals and clinics. Includes an optional mobile stand. |

| | | | | | | | | | |
|------------------|---------------------------------|-------|---------------------------|-----|----------|--|-------------------------------------|---|---|
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | M4200 | Otoscope/Ophthalmoscope, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | M4255 | Stand, IV, Adjustable | VV - GOVT FURNISHED & INSTALLED | 1 | Adjustable IV stand with 4-hook arrangement. Stand has stainless steel construction with heavy weight base. It adjusts from 66 inches to 100 inches and is mounted on conductive rubber, ball bearing, swivel casters. Stand is used for administering intravenous solutions. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | M4655 | Stretcher, Mobile, CRS, 9 Position | VV - GOVT FURNISHED & INSTALLED | 0 | Mobile stretcher. All corrosion resistant stainless steel construction. It consists of a tubular frame with side rails, a 9-position hydraulic base with pneumatic fowler adjustment, and a 2" pad. Unit is mounted on 8" conductive casters. Designed for patient transport as well as for minor surgical procedures. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | Existing | Adjustable power procedure table, converts from chair to procedure table | VV - GOVT FURNISHED & INSTALLED | 1 | Existing unit relocated by VA |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | M7401 | Light, Exam, Mobile, Spotlight, Mobile Stand | VV - GOVT FURNISHED & INSTALLED | 1 | The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | M7405 | Light, Exam, Ceiling Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Ceiling exam light. Consists of a lightheaded reflector supported by a ceiling mounted radial arm assembly that provides a wide range of positioning capabilities. Halogen bulbs and an intensity control provide cool, color corrected light. The minimum ceiling height in most cases is 8'-0"; refer to each manufacturer's specific installation requirements. Physical dimensions refer to the retracted light; one length of the dual swing arm around the center mount in width and depth and the combined height of the lamp head and folded arms. Unit may also have a center mount detachable and sterilizable control handle. For use in minor procedure or examination room applications. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | M7710 | Electrocardiograph, 12 Lead, Portable | VV - GOVT FURNISHED & INSTALLED | 1 | Used to detect the electrical signals associated with cardiac activity, diagnose cardiac abnormalities, determine a patient's response to drug therapy and reveal trends or changes in heart function. Capable of recording two or more leads simultaneously, recording an entire 12 lead ECG in about 10 seconds. Includes of a 3.5 inch, high density, floppy disk drive for test storage. Portable. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | M8810 | Stand, Mayo | VV - GOVT FURNISHED & INSTALLED | 1 | Adjustable instrument table. Table is corrosion resistant stainless steel construction and is mounted on two casters with two skid rails. It has telescopic upright adjusts from 39 inches to 60 inches with automatic locking device, and removable 13"x19" instrument tray. Designed for use in operating and procedure rooms. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | M9025 | Table, Examination/Treatment, With Cabinet | VV - GOVT FURNISHED & INSTALLED | 1 | Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms. You will want to evaluate whether or not you need an exam table and a stretcher or an exam procedure chair. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | | Wall mounted Hyfrecator | VV - GOVT FURNISHED & INSTALLED | | |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | M1300 | Dewar, Liquid Nitrogen | VV - GOVT FURNISHED & INSTALLED | 1 | Liquid nitrogen Dewar. Unit consists of a 50 liter capacity insulated storage cylinder with stainless steel inside, dispensing spout and mobility cart. Used for bulk liquid nitrogen storage. |
| | | | | 150 | X2105 | Scanner, Ultrasound, Cardiac (Echo) | VV - GOVT FURNISHED & INSTALLED | 1 | High definition, diagnostic ultrasound system for Radiology, Cardiology, Vascular, ob-gyn, Perinatology, and Surgical imaging applications. The unit employs curved, phased and linear array imaging technology. The system supports colorflow, pulse, continuous wave imaging modalities. On board software measurement packages available for all imaging applications. The system is DICOM 3.0 compatible, for easy linkage to filmless image management systems and review stations. In addition, a full line of probes and conventional recording devices are available. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | M8100 | Bath, Warming, Splint | VV - GOVT FURNISHED & INSTALLED | 1 | A warming bath for softening splinting sheets of thermoplastic material. Unit will be stainless steel and accommodate 18' x 24' sheets. The unit will include factory-set thermostat of approximately 175 degrees F (high) and 160 degrees F (low), a hinged insulated cover and a rear drain. Thermostat may also be adjusted internally to change range. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | TRPR1 | 18 - Spec. Procedure Room | 180 | X2126 | Scanner, Ultrasound, Portable, Urinary Retention | VV - GOVT FURNISHED & INSTALLED | 1 | A portable 3D ultrasound scanner for measuring the urinary bladder volume and post-void residual (PVR) volume in adults and children. Measures bladder volume noninvasively on a wide range of patients. Unit is battery operated and comes with a charging unit. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------|-----------------|-----------|-----------|-----------|-----|--------------|----------|-----|-------------|
|------------|-----------------|-----------|-----------|-----------|-----|--------------|----------|-----|-------------|

| | | | | | | | | | |
|------------------|---------------------------------|--------|----------------------------------|-----|--------|---|---------------------------------|---|---|
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WKTMT1 | 24 - Spec. Physician's Work Room | 225 | A1011 | Telephone, Desk, 1 Line | VV - GOVT FURNISHED & INSTALLED | 2 | Telephone, desk, 1 line. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WKTMT1 | 24 - Spec. Physician's Work Room | 225 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 2 | This JSN is to be used for determining and defining location of decorative artwork. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WKTMT1 | 24 - Spec. Physician's Work Room | 225 | E0042 | Workcenter, Computer, Free Standing, 48" W | VV - GOVT FURNISHED & INSTALLED | 2 | THIS TYPICAL INCLUDES: 1 Tool Rail 2 Paper Tray 1 Diagonal Tray 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WKTMT1 | 24 - Spec. Physician's Work Room | 225 | F0130 | Bookstack, Single | VV - GOVT FURNISHED & INSTALLED | 2 | Freestanding closed base single open faced book stack, approximately 84" H X 36" W X 13" D with six (6) or seven (7) adjustable shelves and one base shelf. Single-faced units should be transverse-brace secured, or wall, or floor anchored for stability. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WKTMT1 | 24 - Spec. Physician's Work Room | 225 | F0220 | Chair, Conference | VV - GOVT FURNISHED & INSTALLED | 4 | Conference chair designed to complement the executive furniture package selected. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WKTMT1 | 24 - Spec. Physician's Work Room | 225 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 2 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WKTMT1 | 24 - Spec. Physician's Work Room | 225 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 1 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WKTMT1 | 24 - Spec. Physician's Work Room | 225 | F0750 | Table, Office, (size as required) | VV - GOVT FURNISHED & INSTALLED | 1 | Office table, sized as required. May be used as either a four (4) to six (6) person conference table or as an extra work surface area. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WKTMT1 | 24 - Spec. Physician's Work Room | 225 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 2 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WKTMT1 | 24 - Spec. Physician's Work Room | 225 | F3050 | Whiteboard, Dry Erase | VV - GOVT FURNISHED & INSTALLED | 1 | Whiteboard unit, approximately 36" H x 48" W consisting of a white porcelain enamel writing surface with an attached chalk tray. Magnetic surface available. Image can be easily removed with a standard chalkboard eraser. For use with water color pens. Unit is ready to hang. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WKTMT1 | 24 - Spec. Physician's Work Room | 225 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WKTMT1 | 24 - Spec. Physician's Work Room | 225 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 2 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NV/DIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WKTMT1 | 24 - Spec. Physician's Work Room | 225 | M1825 | Printer, Computer | VV - GOVT FURNISHED & INSTALLED | 1 | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|---------------------------------|-----------|-----------------------|-----------|-------|---|-------------------------------------|-----|--|
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WTG19 | 25 - Waiting, General | 400 | A5077 | Dispenser, Hand Sanitizer, Hands-Free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WTG19 | 25 - Waiting, General | 400 | A5210 | Bracket, Television, Wall Mounted, w/Adjust Arm | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WTG19 | 25 - Waiting, General | 400 | A5220 | Bracket, Television, Wall Backing | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WTG19 | 25 - Waiting, General | 400 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN is to be used for determining and defining location of decorative artwork. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WTG19 | 25 - Waiting, General | 400 | F0206 | Chair, Side, Bariatric, With Arms | VV - GOVT FURNISHED & INSTALLED | 2 | A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WTG19 | 25 - Waiting, General | 400 | F0305 | Chair, Waiting Room, Single | VV - GOVT FURNISHED & INSTALLED | 15 | Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WTG19 | 25 - Waiting, General | 400 | F0740 | Table, Occasional, Lamp | VV - GOVT FURNISHED & INSTALLED | 2 | Occasional lamp table (end table) approximately 20" high X 27" wide X 27" deep with choice of finishes (wood, oak veneer, or high pressure laminate). |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WTG19 | 25 - Waiting, General | 400 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |

| | | | | | | | | | |
|------------------|---------------------------------|-------|-----------------------|-----|-------|------------------------------|---------------------------------|---|---|
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WTG19 | 25 - Waiting, General | 400 | F2300 | Rack, Magazine, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted magazine rack with nine (9) magazine holding compartments. |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WTG19 | 25 - Waiting, General | 400 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 2 - SPECIALTY CARE PATIENT AREA | WTG19 | 25 - Waiting, General | 400 | M0506 | Television, Flat Screen | VV - GOVT FURNISHED & INSTALLED | 1 | Flat screen television with approximately 32" to 40" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|------------------|-----------|-------------------------------|-----------|-------|--|---------------------------------|-----|---|
| 2 - PRIMARY CARE | 3 - SUPPORT AREA | RCA01 | 4 - Resuscitation Cart Alcove | 20 | M7660 | Defibrillator/Monitor/Recorder, Portable | VV - GOVT FURNISHED & INSTALLED | 1 | Portable defibrillator-monitor-recorder. Integral unit system operable from self-contained rechargeable batteries. ECG may be viewed through paddles or patient cable. Options include external pacing and 12-Lead. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|------------------|-----------|------------------------|-----------|-------|--|---------------------------------|-----|--|
| 2 - PRIMARY CARE | 3 - SUPPORT AREA | RCA02 | 1 - Alcove, Medication | 20 | M8085 | Lift, Patient, Electric, 600 Lb Cap, Bariatric | VC - GOVT FURNISHED/CONTR INST | 0 | A battery powered patient lift with an adjustable U shaped base and a minimum of 600 pound capacity for bariatric use. Unit comes with a battery charger. The unit is mounted on locking ball bearing casters for safety and stability and may require specialized slings. The database height refers to fully extended lifting arms. Designed for patient lifting and movement. |
| 2 - PRIMARY CARE | 3 - SUPPORT AREA | RCA02 | 1 - Alcove, Medication | 20 | M3150 | Distribution System, Medication, Automatic | VV - GOVT FURNISHED & INSTALLED | 1 | An automated dispensing system that provides controlled dispensing, inventory and security. Size and cost will vary dependent on number of modules selected. |
| 2 - PRIMARY CARE | 3 - SUPPORT AREA | RCA02 | 1 - Alcove, Medication | 20 | R6400 | Refrigerator, 5 CUFT | VV - GOVT FURNISHED & INSTALLED | 1 | Refrigerator approximately 35x24x24 in size. This unit has a positive mechanical latch with keyed cylinder lock. It has an automatic defrost system with built-in condensate evaporator. The unit is generally used in laboratories for cold storage. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|------------------|-----------|--------------------------------|-----------|-------|--|---------------------------------|-----|---|
| 2 - PRIMARY CARE | 3 - SUPPORT AREA | SRE01 | 2 - Storage, Medical Equipment | 120 | M2055 | Shelving, Storage, Wire, CRS, w/Adjustable Shelves | VV - GOVT FURNISHED & INSTALLED | 4 | Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|------------------|-----------|-------------------------|-----------|-------|--|---------------------------------|-----|---|
| 2 - PRIMARY CARE | 3 - SUPPORT AREA | UCCL1 | 7 - Utility Room, Clean | 120 | E0903 | Locker, Supply, w/Shelves, Wall Mtd, 23"W x 20"D | VV - GOVT FURNISHED & INSTALLED | 2 | THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Supply Locker 1 Drawer, 9"H 4 Tray/Shelves Drawer Organizers Consider the need for an E0921 to transport the locker from place to place. |
| 2 - PRIMARY CARE | 3 - SUPPORT AREA | UCCL1 | 7 - Utility Room, Clean | 120 | E0906 | Locker, Supply, General, Wall Mtd, 23"W x 20"D | VV - GOVT FURNISHED & INSTALLED | 2 | THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H 3 Drawers, 6"H 2 Drawers, 9"H 1 Tray/Shelf Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place. |
| 2 - PRIMARY CARE | 3 - SUPPORT AREA | UCCL1 | 7 - Utility Room, Clean | 120 | E0912 | Locker, Supply, Med Surg, Wall Mtd | VV - GOVT FURNISHED & INSTALLED | 2 | Medical/Surgical Supply locker, Wall Mounted, approximately 23"W x 20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H 2 Drawers, 6"H 2 Tray/Shelf Dividers Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place. |
| 2 - PRIMARY CARE | 3 - SUPPORT AREA | UCCL1 | 7 - Utility Room, Clean | 120 | E1500 | Rail, MOD, W/MNTD, HX144XD | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall. |

| | | | | | | | | | |
|------------------|------------------|-------|-------------------------|-----|-------|-------------------------------------|-------------------------------------|---|--|
| 2 - PRIMARY CARE | 3 - SUPPORT AREA | UCCL1 | 7 - Utility Room, Clean | 120 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 3 - SUPPORT AREA | UCCL1 | 7 - Utility Room, Clean | 120 | P8710 | Utility Center, Plumbing Connection | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Plumbing connection utility center, sometimes referred to as a 'GUY GRAY BOX'. This recessed utility center provides for hot and cold water connections and a drain connection at sink and other equipment locations. The utility center includes cutoff valves for the water connections, a plug seal for the drain and an outside cover to provide an aesthetic appearance when connections are no longer required. This center may be installed in locations where no plumbing fixtures are included in a design as a future flexibility device, saving many dollars for later facility modifications to incorporate sinks as functions change. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|-----------------------------------|-----------|---------------------|-----------|--------|---|-------------------------------------|-----|---|
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | CRA01 | 3 - Conference Room | 180 | A1011 | Telephone, Desk, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, 1 line. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | CRA01 | 3 - Conference Room | 180 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | CRA01 | 3 - Conference Room | 180 | A5212 | Bracket, Television, Wall-Mounted, Tilt/Angle | VV - GOVT FURNISHED & INSTALLED | 1 | A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | CRA01 | 3 - Conference Room | 180 | A5220 | Bracket, Television, Wall Backing | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | CRA01 | 3 - Conference Room | 180 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN is to be used for determining and defining location of decorative artwork. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | CRA01 | 3 - Conference Room | 180 | F0220 | Chair, Conference | VV - GOVT FURNISHED & INSTALLED | 8 | Conference chair designed to complement the executive furniture package selected. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | CRA01 | 3 - Conference Room | 180 | E0117 | Workstation, Straight, Free Standing, 48" W | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN provides a typical work station to quickly plan work areas in clinical or administrative spaces. THIS TYPICAL INCLUDES: 2 standard solid panels; 1 panel connector, 2-way corner; 2 finished end hardware kits; 1 cantilevered work surface; 1 lockable flipper unit; 1 light; 1 tack board; 1 tool rail; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file; 1 support panel. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | CRA01 | 3 - Conference Room | 180 | F0755 | Table, Conference, Wood | VV - GOVT FURNISHED & INSTALLED | 1 | Executive conference table. Dimensions are approximately 30" high, 48" wide with lengths varying from 74" to 96". These tables add traditional elegance to any conference room. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | CRA01 | 3 - Conference Room | 180 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | CRA01 | 3 - Conference Room | 180 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | CRA01 | 3 - Conference Room | 180 | M0507 | Video Teleconferencing System | VV - GOVT FURNISHED & INSTALLED | 1 | Shall be a video conferencing unit consisting of a camera, microphone, video/audio compression components, a component cart and a 32 inch monitor. It shall provide live audio-visual conferencing capabilities to dispersed geographic sites. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | CRA01 | 3 - Conference Room | 180 | M0512 | Television, HDTV, Large Screen, 60" | VV - GOVT FURNISHED & INSTALLED | 1 | A high definition (HDTV) multimedia, slim design, 60"W to 65"W color television. The TV will have a 16.9 wide screen aspect ratio with full HD 1080p resolution and HDMI connections. TV may be LED, Plasma or LCD. TV will include a stand. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | CRA01 | 3 - Conference Room | 180 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------|-----------------|-----------|-----------|-----------|-----|--------------|----------|-----|-------------|
|------------|-----------------|-----------|-----------|-----------|-----|--------------|----------|-----|-------------|

| | | | | | | | | | |
|------------------|-----------------------------------|-------|---|----|-------|--|---------------------------------|----|--|
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | LR004 | 4 - Locker Area, Clinical Staff Personal Property | 60 | A1040 | Locker, 2 Person, Side by Side, 72x15x18 | VV - GOVT FURNISHED & INSTALLED | 15 | Two person side by side locker. Steel unit. It consists of side by side compartments for hanging clothes and over/under compartments for hats, etc. Used for personal belongings storage. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | LR004 | 4 - Locker Area, Clinical Staff Personal Property | 60 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|-----------------------------------|-----------|------------------------|-----------|--------|---|---------------------------------|-----|---|
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | OFA03 | 2 - Extended Team Area | 60 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, multiple line. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | OFA03 | 2 - Extended Team Area | 60 | E0075 | Workstation, L-Shaped, Freestanding, 72x48 | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel-To-Panel Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 2 Lockable Flipper Units 2 Shelves, Storage/Display 3 Lights 2 Tackboards 2 Tool Rails 2 Paper Trays 1 Diagonal Tray 2 Cantilevered Work Surfaces 1 Adjustable Keyboard Tray 1 Hanging Pedestal, Box/File 1 Pencil Drawer 2 Support Panels |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | OFA03 | 2 - Extended Team Area | 60 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 1 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | OFA03 | 2 - Extended Team Area | 60 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 1 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | OFA03 | 2 - Extended Team Area | 60 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | OFA03 | 2 - Extended Team Area | 55 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | OFA03 | 2 - Extended Team Area | 60 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|-----------------------------------|-----------|-----------------------------|-----------|-------|---|-------------------------------------|-----|---|
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | A1012 | Telephone, Wall Mounted, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | A1080 | Mirror, Posture, Wall Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 0 | Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 0 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | A5212 | Bracket, Television, Wall-Mounted, Tilt/Angle | VV - GOVT FURNISHED & INSTALLED | 2 | A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | A5220 | Bracket, Television, Wall Backing | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing. |

| | | | | | | | | | |
|------------------|-----------------------------------|-------|-----------------------------|-----|-------|---|-------------------------------------|----|---|
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | C02C0 | Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Standing height under counter base cabinet with an adjustable shelf and a full width drawer above a solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings). Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | C02D0 | Cabinet, U/C/B, 4 Drawer, 36x24x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Standing height under counter base cabinet with four full width drawers of equal height. Also referred to as a drawer cabinet. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | C02Q0 | Cabinet, Sink, U/C/B, 1 Door, 36x24x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | CB020 | Cabinet, W/H, 2 Shelf, 1 DO, Sloping Top, 38x24x13 | CC - CONTRACTOR FURNISHED/INSTALLED | 8 | Wall hung cabinet with two adjustable shelves, solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings), and sloping top. Also referred to as a solid hinged single door case. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | CS010 | Sink, SS, Single Compartment, 7.5x12x12 ID | CC - CONTRACTOR FURNISHED/INSTALLED | 4 | Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | CT020 | Countertop, Solid Surface | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | F0225 | Chair, Dining Room | VV - GOVT FURNISHED & INSTALLED | 40 | Dining room chair with glides. Chair has straight legs with cushioned cloth or vinyl seat. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | F0795 | Table, Dining | VV - GOVT FURNISHED & INSTALLED | 10 | Dining table. Round 42" diameter or square 42" X 42". Used in dining facilities and can comfortably seat up to four (4) persons. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | F2015 | Basket, Wastepaper, Metal/Plastic, 2 Swinging Doors | VV - GOVT FURNISHED & INSTALLED | 2 | Metal receptacle for soiled / used towels or waste. Equipped with a removable tapered top with two independently operating self-closing, spring hinged doors. Used in public facilities for the collection and temporary storage of refuse. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | F3065 | Whiteboard/Bulletin Board, Combination | VV - GOVT FURNISHED & INSTALLED | 2 | A combination whiteboard and bulletin board, half LCS and half cork. Available with either aluminum or wood frame. It can be used in patient rooms or in any appropriate space in the facility. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | K1552 | Brewer, Coffee, Auto, Elect, 3 Burner, Front/Back | VV - GOVT FURNISHED & INSTALLED | 2 | Space saving front to back automatic coffee maker. This unit includes a heating tank, connection for a cold water supply, decanter service with three burners, funnel and a water flow controller. The unit is used for semi-automatic coffee brewing in cafeterias and commercial institutions. The unit automatically shuts off the water flow when enough has passed through to fill the pot. The unit is normally provided plumbed with a hot water faucet to the side for making other hot drinks (tea, cider, cocoa, etc.). The database height dimension does not include the clearance for coffee decanters warming on the upper burners. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | K4665 | Oven, Microwave, Consumer | VV - GOVT FURNISHED & INSTALLED | 4 | Counter mounted microwave oven for average duty use. The exterior cabinet can be metal or heavy duty impact resistant plastic. The oven delivers instant energy for rapid heating, defrosting or prime cooking. The oven has touch pad controls, digital timer, power level selector and preprogrammed selectors for commonly cooked items. This oven is commonly found in staff lounges. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | M0506 | Television, Flat Screen | VV - GOVT FURNISHED & INSTALLED | 0 | Flat screen television with approximately 32" to 40" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | M0512 | Television, HDTV, Large Screen, 60" | VV - GOVT FURNISHED & INSTALLED | 2 | A high definition (HDTV) multimedia, slim design, 60"W to 65"W color television. The TV will have a 16:9 wide screen aspect ratio with full HD 1080p resolution and HDMI connections. TV may be LED, Plasma or LCD. TV will include a stand. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | K2516 | Dishwasher, Undercounter, Commercial | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Commercial under counter dishwasher with multiple load cycles. Must be able to achieve a minimum water temperature of 180 degrees F from an incoming water temperature of 110 degrees F to ensure sanitation. Dishwasher is frontloading with digital display and made of stainless steel. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | SSLG4 | 33 - Lounge, Clinical Staff | 575 | R7250 | Refrigerator/Freezer, 20 Cubic Feet | VV - GOVT FURNISHED & INSTALLED | 4 | Refrigerator/freezer unit. This type unit includes a food saver system that helps keep food fresher. It also includes roll out wheels and is equipped for an optional automatic icemaker. This unit is of commercial or residential design and use. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|-----------------------------------|-----------|-----------------------------|-----------|-------|--|-------------------------------------|-----|--|
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | TLTU1 | 16 - Toilet, Clinical Staff | 60 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | TLTU1 | 16 - Toilet, Clinical Staff | 60 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | TLTU1 | 16 - Toilet, Clinical Staff | 60 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | TLTU1 | 16 - Toilet, Clinical Staff | 60 | A5090 | Disposal, Sanitary Napkin, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | TLTU1 | 16 - Toilet, Clinical Staff | 60 | A5109 | Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | TLTU1 | 16 - Toilet, Clinical Staff | 60 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | TLTU1 | 16 - Toilet, Clinical Staff | 60 | A5200 | Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | TLTU1 | 16 - Toilet, Clinical Staff | 60 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | TLTU1 | 16 - Toilet, Clinical Staff | 60 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | TLTU1 | 16 - Toilet, Clinical Staff | 60 | P9050 | Toilet, Wall Hung, Siphon Jet | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|-----------------------------------|-----------|--------------------|-----------|-------|---|---------------------------------|-----|--|
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | WRTM1 | 1 - PACT Team Area | 240 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 2 | Telephone, desk, multiple line. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | WRTM1 | 1 - PACT Team Area | 240 | E0123 | Workstation, Straight, Free Standing, 72" W | VV - GOVT FURNISHED & INSTALLED | 4 | This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | WRTM1 | 1 - PACT Team Area | 240 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 4 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | WRTM1 | 1 - PACT Team Area | 240 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 2 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |

| | | | | | | | | | |
|------------------|-----------------------------------|-------|--------------------|-----|--------|---|---------------------------------|---|---|
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | WRTM1 | 1 - PACT Team Area | 240 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 4 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | WRTM1 | 1 - PACT Team Area | 240 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | WRTM1 | 1 - PACT Team Area | 240 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | WRTM1 | 1 - PACT Team Area | 240 | M1840 | Printer/Copier/Fax Combination | VV - GOVT FURNISHED & INSTALLED | 1 | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine. |
| 2 - PRIMARY CARE | 4 - STAFF AND ADMINISTRATIVE AREA | WRTM1 | 1 - PACT Team Area | 240 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 4 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|-----------------------------|-----------|---------------------------|-----------|-------|--|-------------------------------------|-----|---|
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 1 - Office, Nurse Manager | 100 | A1016 | Telephone, Desk, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, with speaker. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 1 - Office, Nurse Manager | 100 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 1 - Office, Nurse Manager | 100 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN is to be used for determining and defining location of decorative artwork. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 1 - Office, Nurse Manager | 100 | F0110 | Bookcase, 3 Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 1 - Office, Nurse Manager | 100 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 2 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 1 - Office, Nurse Manager | 100 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 1 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 1 - Office, Nurse Manager | 100 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 1 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 1 - Office, Nurse Manager | 100 | F0635 | Desk, Double Pedestal | VV - GOVT FURNISHED & INSTALLED | 1 | Double pedestal flat top desk, 30" high X 60" wide X 30" deep with center pencil drawer, choices of combinations of file and box drawers, floor glides and modesty panel. |

| | | | | | | | | | |
|------------------|-----------------------------|-------|---------------------------|-----|--------|---|---------------------------------|---|---|
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 1 - Office, Nurse Manager | 100 | F0710 | Table, Computer, With Print Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Computer work table, approximately 31" high X 40" wide X 24" deep with retractable shelf(s) for keyboard and/or extra work space, adjustable shelves for printer and printer paper, and (optional) dual wheel casters (two locking). |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 1 - Office, Nurse Manager | 100 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 1 - Office, Nurse Manager | 100 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 1 - Office, Nurse Manager | 100 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|-----------------------------|-----------|------------------------------------|-----------|-------|--|-------------------------------------|-----|---|
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 2 - Office, Administrative Officer | 100 | A1016 | Telephone, Desk, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, with speaker. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 2 - Office, Administrative Officer | 100 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 2 - Office, Administrative Officer | 100 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN is to be used for determining and defining location of decorative artwork. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 2 - Office, Administrative Officer | 100 | F0110 | Bookcase, 3 Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 2 - Office, Administrative Officer | 100 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 2 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 2 - Office, Administrative Officer | 100 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 1 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 2 - Office, Administrative Officer | 100 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 1 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 2 - Office, Administrative Officer | 100 | F0635 | Desk, Double Pedestal | VV - GOVT FURNISHED & INSTALLED | 1 | Double pedestal flat top desk, 30" high X 60" wide X 30" deep with center pencil drawer, choices of combinations of file and box drawers, floor glides and modesty panel. |

| | | | | | | | | | |
|------------------|-----------------------------|-------|------------------------------------|-----|--------|---|---------------------------------|---|---|
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 2 - Office, Administrative Officer | 100 | F0710 | Table, Computer, With Print Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Computer work table, approximately 31" high X 40" wide X 24" deep with retractable shelf(s) for keyboard and/or extra work space, adjustable shelves for printer and printer paper, and (optional) dual wheel casters (two locking). |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 2 - Office, Administrative Officer | 100 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 2 - Office, Administrative Officer | 100 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | 2 - Office, Administrative Officer | 100 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|-----------------------------|-----------|-----------|-----------|-------|--|-------------------------------------|-----|---|
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | PIV | 120 | A1016 | Telephone, Desk, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, with speaker. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | PIV | 120 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | PIV | 120 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN is to be used for determining and defining location of decorative artwork. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | PIV | 120 | F0110 | Bookcase, 3 Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | PIV | 120 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 2 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | PIV | 120 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 1 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | PIV | 120 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 1 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |

| | | | | | | | | | |
|------------------|-----------------------------|-------|-----|-----|--------|---|---------------------------------|---|---|
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | PIV | 120 | F0635 | Desk, Double Pedestal | VV - GOVT FURNISHED & INSTALLED | 1 | Double pedestal flat top desk, 30" high X 60" wide X 30" deep with center pencil drawer, choices of combinations of file and box drawers, floor glides and modesty panel. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | PIV | 120 | F0710 | Table, Computer, With Print Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Computer work table, approximately 31" high X 40" wide X 24" deep with retractable shelf(s) for keyboard and/or extra work space, adjustable shelves for printer and printer paper, and (optional) dual wheel casters (two locking). |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | PIV | 120 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | PIV | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA01 | PIV | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 2 | LAPTOP top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|-----------------------------|-----------|--------------------|-----------|-------|--|-------------------------------------|-----|---|
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA02 | 6 - MSA Supervisor | 100 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, multiple line. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA02 | 6 - MSA Supervisor | 100 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA02 | 6 - MSA Supervisor | 100 | E0078 | Workstation, L-Shaped w/Peninsula, Free Std, 78x72 | VV - GOVT FURNISHED & INSTALLED | 1 | This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA02 | 6 - MSA Supervisor | 100 | F0110 | Bookcase, 3 Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA02 | 6 - MSA Supervisor | 100 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 2 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA02 | 6 - MSA Supervisor | 100 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 2 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA02 | 6 - MSA Supervisor | 100 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 1 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |

| | | | | | | | | | |
|------------------|-----------------------------|-------|--------------------|-----|--------|---|---------------------------------|---|---|
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA02 | 6 - MSA Supervisor | 100 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA02 | 6 - MSA Supervisor | 100 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | OFA02 | 6 - MSA Supervisor | 100 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|-----------------------------|-----------|--------------------------------|-----------|-------|------------------------------------|---------------------------------|-----|--|
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | RPR01 | 3 - Copier/Fax/Office Supplies | 100 | A1012 | Telephone, Wall Mounted, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | RPR01 | 3 - Copier/Fax/Office Supplies | 100 | F0465 | Cabinet, Storage, 2 Door, 5 Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Storage cabinet, 78" high X 48" wide X 24" deep with two (2) doors and five (5) adjustable shelves. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | RPR01 | 3 - Copier/Fax/Office Supplies | 100 | F0775 | Table, Work, 2 Drawer | VV - GOVT FURNISHED & INSTALLED | 1 | Work table approximately 32" high X 72" wide X 30" deep with two drawers and a hard wood top. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | RPR01 | 3 - Copier/Fax/Office Supplies | 100 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | RPR01 | 3 - Copier/Fax/Office Supplies | 100 | F2550 | Shredder, Paper Heavy Duty | VV - GOVT FURNISHED & INSTALLED | 0 | Shredder shall be able to process a minimum of 25 sheets of paper per pass at a minimum rate of 20 feet per minute. The unit shall have a 16 inch throat to accept paper. Paper shall be shredded into 1/4 inch strips. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | RPR01 | 3 - Copier/Fax/Office Supplies | 100 | M1810 | Copier, Floor Standing, Digital | VV - GOVT FURNISHED & INSTALLED | 0 | Floor standing copier. Unit features automatic paper size selection, automatic document feeder and sorter. The system also has zoom capabilities and automatic two-sided copying. For use where medium volume reproduction is required in the range of 30 to 40 copies per minute. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | RPR01 | 3 - Copier/Fax/Office Supplies | 100 | M1840 | Printer/Copier/Fax Combination | VV - GOVT FURNISHED & INSTALLED | 1 | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | RPR01 | 3 - Copier/Fax/Office Supplies | 100 | M1835 | Printer, Color Laser, Large | VV - GOVT FURNISHED & INSTALLED | 1 | Color laser printer designed for high volume use and network capable. The printer shall be capable of printing a minimum of 25 pages per minute (ppm) of black print and 20 ppm color print. Resolution shall be no less than 600 X 600 dpi. It shall be capable of printing on multiple media types (plain, inkjet, photo paper and transparencies) and be capable of accepting media sizes of 3 X 5 to 8.5 X 14 inches. The printer is used in multi-user network offices. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------|-----------------|-----------|-----------|-----------|-----|--------------|----------|-----|-------------|
|------------|-----------------|-----------|-----------|-----------|-----|--------------|----------|-----|-------------|

| | | | | | | | | | |
|------------------|-----------------------------|-------|--------------------|----|-------|--|-------------------------------------|---|--|
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | TLTU1 | 4 - Toilet, Unisex | 60 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | TLTU1 | 4 - Toilet, Unisex | 60 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | TLTU1 | 4 - Toilet, Unisex | 60 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | TLTU1 | 4 - Toilet, Unisex | 60 | A5090 | Disposal, Sanitary Napkin, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | TLTU1 | 4 - Toilet, Unisex | 60 | A5109 | Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | TLTU1 | 4 - Toilet, Unisex | 60 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | TLTU1 | 4 - Toilet, Unisex | 60 | A5200 | Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | TLTU1 | 4 - Toilet, Unisex | 60 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | TLTU1 | 4 - Toilet, Unisex | 60 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |
| 2 - PRIMARY CARE | 5 - PRIMARY CARE MANAGEMENT | TLTU1 | 4 - Toilet, Unisex | 60 | P9050 | Toilet, Wall Hung, Siphon Jet | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------|-----------------|-----------|----------------|-----------|-------|--|-------------------------------------|-----|---|
| 2 - PRIMARY CARE | 7 - HBPC | CRA01 | 1 - group room | 300 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 14 | Telephone, desk, multiple line. |
| 2 - PRIMARY CARE | 7 - HBPC | CRA01 | 1 - group room | 300 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 14 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |

| | | | | | | | | | |
|------------------|----------|-------|----------------|-----|--------------|--|--|----|--|
| 2 - PRIMARY CARE | 7 - HBPC | CRA01 | 1 - group room | 300 | E0078 | Workstation, L- Shaped w/Peninsula, Free Std, 78x72 | VV - GOVT FURNISHED & INSTALLED | 14 | This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file. |
| 2 - PRIMARY CARE | 7 - HBPC | CRA01 | 1 - group room | 300 | F0115 | Bookcase, Open, 5 Shelf | VV - GOVT FURNISHED & INSTALLED | 2 | Freestanding open shelf bookcase, approximately 82" high X 37" wide X 18" deep with 5 (five) adjustable shelves. Unit can be separate or part of a system with available add-on shelving. |
| 2 - PRIMARY CARE | 7 - HBPC | CRA01 | 1 - group room | 300 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 0 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 2 - PRIMARY CARE | 7 - HBPC | CRA01 | 1 - group room | 300 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 14 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) castor swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 2 - PRIMARY CARE | 7 - HBPC | CRA01 | 1 - group room | 300 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 6 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 2 - PRIMARY CARE | 7 - HBPC | CRA01 | 1 - group room | 300 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 4 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 2 - PRIMARY CARE | 7 - HBPC | CRA01 | 1 - group room | 300 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 2 - PRIMARY CARE | 7 - HBPC | CRA01 | 1 - group room | 300 | Shredder Box | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 4 | PHI 13 gallon lockable shredding container. |
| 2 - PRIMARY CARE | 7 - HBPC | CRA01 | 1 - group room | 300 | M1801 | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 14 | LAPTOP microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 2 - PRIMARY CARE | 7 - HBPC | CRA01 | 1 - group room | 300 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 0 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 2 - PRIMARY CARE | 7 - HBPC | CRA01 | 1 - group room | 300 | F3050 | Whiteboard, Dry Erase | VV - GOVT FURNISHED & INSTALLED | 1 | Whiteboard unit, approximately 36" H x 48" W consisting of a white porcelain enamel writing surface with an attached chalk tray. Magnetic surface available. Image can be easily removed with a standard chalkboard eraser. For use with water color pens. Unit is ready to hang. |
| 2 - PRIMARY CARE | 7 - HBPC | CRA01 | 1 - group room | 300 | M0506* | Television, Flat Screen | VV - GOVT FURNISHED & INSTALLED | 0 | Flat screen television with approximately 60" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control. |
| 2 - PRIMARY CARE | 7 - HBPC | CRA01 | 1 - group room | 300 | A5210 | Bracket, Television, Wall Mounted, w/Adjust Arm | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms. |
| 2 - PRIMARY CARE | 7 - HBPC | CRA01 | 1 - group room | 300 | A5220 | Bracket, Television, Wall Backing | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing. |
| 2 - PRIMARY CARE | 7 - HBPC | CRA01 | 1 - group room | 300 | A5220 | Bracket, Television, Wall Backing | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Office table, sized as required. May be used as either a four (4) to six (6) person conference table or as an extra work surface area. |
| 2 - PRIMARY CARE | 7 - HBPC | CRA01 | 1 - group room | 300 | M1840 | Printer/Copier/Fax Combination | VV - GOVT FURNISHED & INSTALLED | 1 | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-------------------|-----------|------------------------|-----------|--------|---|---------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | CLCCR | 10 - MHC: Consult Room | 100 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, multiple line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | CLCCR | 10 - MHC: Consult Room | 100 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | CLCCR | 10 - MHC: Consult Room | 100 | F0376 | Sofa, Loveseat, Upholstered | VV - GOVT FURNISHED & INSTALLED | 1 | Loveseat with metal or solid wood frame. Arms, back and cushions are foam padded and upholstered in woven textile fabric. Typically used in residential living room or family room setting. Seats 2 comfortably. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | CLCCR | 10 - MHC: Consult Room | 100 | F0740 | Table, Occasional, Lamp | VV - GOVT FURNISHED & INSTALLED | 1 | Occasional lamp table (end table) approximately 20" high X 27" wide X 27" deep with choice of finishes (wood, oak veneer, or high pressure laminate). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | CLCCR | 10 - MHC: Consult Room | 100 | F0750 | Table, Office, (size as required) | VV - GOVT FURNISHED & INSTALLED | 0 | Office table, sized as required. May be used as either a four (4) to six (6) person conference table or as an extra work surface area. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | CLCCR | 10 - MHC: Consult Room | 100 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | CLCCR | 10 - MHC: Consult Room | 100 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | CLCCR | 10 - MHC: Consult Room | 100 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | CLCCR | 10 - MHC: Consult Room | 100 | F0640 | Desk, Single Pedestal | VV - GOVT FURNISHED & INSTALLED | 1 | Single pedestal flat top desk, 30" high X 66" wide X 30" deep with right or left hand pedestal, one (1) box drawer, one (1) file drawer, modesty panel and floor glides. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | CLCCR | 10 - MHC: Consult Room | 100 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 1 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | CLCCR | 10 - MHC: Consult Room | 100 | M1802* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, (2) flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFA02 | 6 - HUD VASH | 120 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, multiple line. |

| | | | | | | | | | |
|------------------------------------|-------------------|-------|--------------|-----|--------|--|-------------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFA02 | 6 - HUD VASH | 120 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFA02 | 6 - HUD VASH | 120 | E0078 | Workstation, L-Shaped w/Peninsula, Free Std, 78x72 | VV - GOVT FURNISHED & INSTALLED | 1 | This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFA02 | 6 - HUD VASH | 120 | F0110 | Bookcase, 3 Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFA02 | 6 - HUD VASH | 120 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 2 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFA02 | 6 - HUD VASH | 120 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 2 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFA02 | 6 - HUD VASH | 120 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 1 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFA02 | 6 - HUD VASH | 120 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFA02 | 6 - HUD VASH | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFA02 | 6 - HUD VASH | 55 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFA02 | 6 - HUD VASH | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-------------------|-----------|---------------------------------|-----------|-------|-------------------------|---------------------------------|-----|--------------------------|
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFD03 | 4 - Registered Nurse Group Room | 240 | A1011 | Telephone, Desk, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, 1 line. |

| | | | | | | | | | |
|------------------------------------|-------------------|-------|---------------------------------|-----|-------|--|-------------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFD03 | 4 - Registered Nurse Group Room | 240 | A1066 | Mirror, Float Glass, With SS Frame | CC - CONTRACTOR FURNISHED/INSTALLED | 0 | A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFD03 | 4 - Registered Nurse Group Room | 240 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFD03 | 4 - Registered Nurse Group Room | 240 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFD03 | 4 - Registered Nurse Group Room | 240 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFD03 | 4 - Registered Nurse Group Room | 240 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | CC - CONTRACTOR FURNISHED/INSTALLED | 0 | Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFD03 | 4 - Registered Nurse Group Room | 240 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 0 | This JSN is to be used for determining and defining location of decorative artwork. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFD03 | 4 - Registered Nurse Group Room | 240 | E0063 | Workstation, L-Shaped w/Peninsula, Wall Mtd, 72x72 | VV - GOVT FURNISHED & INSTALLED | 0 | THIS TYPICAL INCLUDES: 3 Vertical Hanging Strips 2 Lockable Flipper Units 2 Shelves, Storage/Display 2 Lights 1 Tackboard 2 Tool Rails 2 Paper Trays 1 Diagonal Tray 1 Cantilevered Work Surface 1 Peninsula Work Surface |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFD03 | 4 - Registered Nurse Group Room | 240 | E0120 | Workstation, Straight, Free Standing, 60" W | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 3 Standard Solid Panels 1 Panel - to Panel Connector 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File 1 Support Panel |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | CLCCR | 10 - MHC: Consult Room | 240 | E0117 | Workstation, Straight, Free Standing, 48" W | VV - GOVT FURNISHED & INSTALLED | 3 | This JSN provides a typical work station to quickly plan work areas in clinical or administrative spaces. THIS TYPICAL INCLUDES: 2 standard solid panels; 1 panel connector, 2-way corner; 2 finished end hardware kits; 1 cantilevered work surface; 1 lockable flipper unit; |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFD03 | 4 - Registered Nurse Group Room | 240 | F0115 | Bookcase, Open, 5 Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Freestanding open shelf bookcase, approximately 82" high X 37" wide X 18" deep with 5 (five) adjustable shelves. Unit can be separate or part of a system with available add-on shelving. |

| | | | | | | | | | |
|------------------------------------|-------------------|-------|---------------------------------|-----|--------|---|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFD03 | 4 - Registered Nurse Group Room | 240 | F0210 | Chair, Side, Without Arms | VV - GOVT FURNISHED & INSTALLED | 0 | Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFD03 | 4 - Registered Nurse Group Room | 240 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 3 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFD03 | 4 - Registered Nurse Group Room | 240 | F0415 | Cabinet, Filing, Lateral, Full Height, 5 Drawer | VV - GOVT FURNISHED & INSTALLED | 1 | Full height five (5) drawer lateral filing cabinet, 65" high X 42" wide X 18" deep with floor levelers (front), locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFD03 | 4 - Registered Nurse Group Room | 240 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFD03 | 4 - Registered Nurse Group Room | 240 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFD03 | 4 - Registered Nurse Group Room | 240 | M1620 | Holder, Chart, Patient, Wall or Door Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall or door mounted patient chart holder. Constructed of durable plastic or metal. Used for holding patient records. Size as required. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFD03 | 4 - Registered Nurse Group Room | 240 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 3 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFD03 | 4 - Registered Nurse Group Room | 240 | M1825 | Printer, Computer | VV - GOVT FURNISHED & INSTALLED | 0 | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFD03 | 4 - Registered Nurse Group Room | 240 | M1840 | Printer/Copier/Fax Combination | VV - GOVT FURNISHED & INSTALLED | 1 | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFD03 | 4 - Registered Nurse Group Room | 240 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OFD03 | 4 - Registered Nurse Group Room | 240 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-------------------|-----------|------------------------|-----------|-------|---|---------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OPMH1 | 3 - Group Therapy Room | 300 | A1012 | Telephone, Wall Mounted, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OPMH1 | 3 - Group Therapy Room | 300 | A5212 | Bracket, Television, Wall-Mounted, Tilt/Angle | VV - GOVT FURNISHED & INSTALLED | 1 | A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs. |

| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OPMH1 | 3 - Group Therapy Room | 300 | A5220 | Bracket, Television, Wall Backing | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing. |
|------------------------------------|-------------------|-----------|--|-----------|--------|---|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OPMH1 | 3 - Group Therapy Room | 300 | E0945 | Cart, Computer, Mobile | VV - GOVT FURNISHED & INSTALLED | 1 | A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder 1 Wastebasket 1 Chart Holder 2 Drawers, 3"H 2 Drawers, 6"H 3 Accessory Rail, Side Drawer Organizer Bins |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OPMH1 | 3 - Group Therapy Room | 300 | F0295 | Chair, Stacking | VV - GOVT FURNISHED & INSTALLED | 16 | Stacking chair, approximately 34" H X 21" W X 24" D. May be stacked up to 20 high depending upon the model selected. These chairs are intended primarily as overflow capacity for conference rooms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OPMH1 | 3 - Group Therapy Room | 300 | F0435 | Cabinet, Storage, Multi Media | VV - GOVT FURNISHED & INSTALLED | 1 | Multi media storage cabinet, approximately 60" high X 36" wide X 14" deep. For the storage of various types of audio or video cassettes, DVDs, CDs, and other media material. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OPMH1 | 3 - Group Therapy Room | 300 | F0860 | Table, Mobile | VV - GOVT FURNISHED & INSTALLED | 4 | Mobile table. The unit provides mobile or isolated freestanding work surface. Characteristics and components include 3-1/2 inch casters and attached drawer bearers. Unit is used for general work applications, primarily in dry areas. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OPMH1 | 3 - Group Therapy Room | 300 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OPMH1 | 3 - Group Therapy Room | 300 | F3060 | Whiteboard, Projection Screen Combination | VV - GOVT FURNISHED & INSTALLED | 1 | Whiteboard and projection screen combination approximately 48" H x 72" W. Magnetic surface with matte finish for projection. Hard board stabilizer with aluminum foil back. For use with water color pens. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OPMH1 | 3 - Group Therapy Room | 300 | M0506* | Television, Flat Screen | VV - GOVT FURNISHED & INSTALLED | 0 | Flat screen television with approximately 60" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OPMH1 | 3 - Group Therapy Room | 300 | M0512 | Television, HDTV, Large Screen, 60" | VV - GOVT FURNISHED & INSTALLED | 1 | A high definition (HDTV) multimedia, slim design, 60"W to 65"W color television. The TV will have a 16.9 wide screen aspect ratio with full HD 1080p resolution and HDMI connections. TV may be LED, Plasma or LCD. TV will include a stand. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OPMH1 | 3 - Group Therapy Room | 300 | F2310 | Rack, Pamphlet, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted pamphlet rack up to 12 (twelve) pamphlet holding pockets. Unit is used to store and display educational pamphlets. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | OPMH1 | 3 - Group Therapy Room | 300 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 0 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| | | | | | | | | | |
| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | PHOD1 | 25 - Pharmacy, Storage/Dispensing Low Volume | 30 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |

| | | | | | | | | | |
|------------------------------------|-------------------|-------|--|----|--------|---|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | PHOD1 | 25 - Pharmacy, Storage/Dispensing Low Volume | 30 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | PHOD1 | 25 - Pharmacy, Storage/Dispensing Low Volume | 30 | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | VV - GOVT FURNISHED & INSTALLED | 1 | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | PHOD1 | 25 - Pharmacy, Storage/Dispensing Low Volume | 30 | E0978 | Cart, Wire, Mobile, 72"H x 48"W x 24"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Wire Cart, w/Casters 5 Wire Shelves w/Fences and Dividers 4 Vertical Back/Side Panels 1 Cart Cover Label Clips |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | PHOD1 | 25 - Pharmacy, Storage/Dispensing Low Volume | 30 | F0280 | Chair, Swivel, Low Back | VV - GOVT FURNISHED & INSTALLED | 3 | Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | PHOD1 | 25 - Pharmacy, Storage/Dispensing Low Volume | 30 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 7 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | PHOD1 | 25 - Pharmacy, Storage/Dispensing Low Volume | 30 | M1825 | Printer, Computer | VV - GOVT FURNISHED & INSTALLED | 4 | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | PHOD1 | 25 - Pharmacy, Storage/Dispensing Low Volume | 30 | M1830 | Printer, Label, Pharmacy | VV - GOVT FURNISHED & INSTALLED | 4 | Label printer for use in pharmacy applications. The printer shall be bench top standing. It shall be flexible enough to accommodate label sizes up to 4 inches, with a minimum print speed of 6 inches per second and a minimum resolution of 203 dpi. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | PHOD1 | 25 - Pharmacy, Storage/Dispensing Low Volume | 30 | M1855 | Facsimile Machine | VV - GOVT FURNISHED & INSTALLED | 1 | Plain paper facsimile unit used to transmit printed matter or images over standard telephone lines. The unit operates at a modem speed of 33.6 Kbps and automatically recognizes and communicates with a variety of standard facsimile machines. Commonly referred to as "fax" unit. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | PHOD1 | 25 - Pharmacy, Storage/Dispensing Low Volume | 30 | P1960 | Eyewash, Counter Top | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Counter top mounted emergency eye wash station. Unit is hand operated to provide streams of water to clear or dilute foreign particles or liquids from the eyes in emergency situations. It is equipped with a stainless steel bowl, face spray ring and dual automatic pressure compensation devices. The valve remains open until manually closed. Used in laboratories and areas of the hospital where employees are subject to exposure to foreign bodies or caustic liquid matter to the eyes. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | PHOD1 | 25 - Pharmacy, Storage/Dispensing Low Volume | 30 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-------------------|-----------|----------------------------|-----------|-------|-------------------------------------|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | TLTU1 | 2 - Toilet, Patient Unisex | 50 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | TLTU1 | 2 - Toilet, Patient Unisex | 50 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |

| | | | | | | | | | |
|------------------------------------|-------------------|-------|----------------------------|----|-------|--|-------------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | TLTU1 | 2 - Toilet, Patient Unisex | 50 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | TLTU1 | 2 - Toilet, Patient Unisex | 50 | A5090 | Disposal, Sanitary Napkin, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | TLTU1 | 2 - Toilet, Patient Unisex | 50 | A5109 | Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | TLTU1 | 2 - Toilet, Patient Unisex | 50 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | TLTU1 | 2 - Toilet, Patient Unisex | 50 | A5200 | Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | TLTU1 | 2 - Toilet, Patient Unisex | 50 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | TLTU1 | 2 - Toilet, Patient Unisex | 50 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | TLTU1 | 2 - Toilet, Patient Unisex | 50 | P9050 | Toilet, Wall Hung, Siphon Jet | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-------------------|-----------|------------------|-----------|-------|---|-------------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | WRC01 | 1 - Waiting Area | 400 | A5077 | Dispenser, Hand Sanitizer, Hands-Free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | WRC01 | 1 - Waiting Area | 400 | A5210 | Bracket, Television, Wall Mounted, w/Adjust Arm | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | WRC01 | 1 - Waiting Area | 400 | A5220 | Bracket, Television, Wall Backing | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | WRC01 | 1 - Waiting Area | 400 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN is to be used for determining and defining location of decorative artwork. |

| | | | | | | | | | |
|------------------------------------|-------------------|-------|------------------|-----|-------|------------------------------------|---------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | WRC01 | 1 - Waiting Area | 400 | F0206 | Chair, Side, Bariatric, With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | WRC01 | 1 - Waiting Area | 400 | F0305 | Chair, Waiting Room, Single | VV - GOVT FURNISHED & INSTALLED | 4 | Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | WRC01 | 1 - Waiting Area | 400 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | WRC01 | 1 - Waiting Area | 400 | F2300 | Rack, Magazine, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted magazine rack with nine (9) magazine holding compartments. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | WRC01 | 1 - Waiting Area | 400 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 1 - MENTAL HEALTH | WRC01 | 1 - Waiting Area | 400 | M0506 | Television, Flat Screen | VV - GOVT FURNISHED & INSTALLED | 1 | Flat screen television with approximately 32" to 40" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|------------------------------------|-----------|-------------------------------|-----------|--------|---|--|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | A1014 | Telephone, Wall Mounted, 1 Line, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line, with speaker. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | A1080 | Mirror, Posture, Wall Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | A1132 | Rail, Accessory Mounting, Length As Required | VC - GOVT FURNISHED/CONTRACTOR INSTALLED | 1 | Horizontal equipment mounting rail with lock mounting devices capable of supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | E0948* | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins - provide flat top with no lip. |

| | | | | | | | | | |
|------------------------------------|---------------------------------------|-------|----------------------------------|-----|--------|--|--|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | A5077 | Dispenser, Hand Sanitizer, Hands- Free | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | VV - GOVT FURNISHED & INSTALLED | 1 | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | CC - CONTRACTOR FURNISHED/INSTALLE D | 8 | Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | F0280 | Chair, Swivel, Low Back | VV - GOVT FURNISHED & INSTALLED | 1 | Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | F2010 | Basket, Wastepaper, Step- On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | M0035 | Analyzer, Auditory, Evoked Potential | VV - GOVT FURNISHED & INSTALLED | 1 | Evoked potential auditory analyzer. The unit features a large color monitor, a minimum of 4 channel analysis, a computer, built-in electrode impedance testing, a physiological signal amplifier, a digital auditory stimulator and a register recorder. The analyzer is used for analyzing the response of the central nervous system to a variety of external stimuli. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | U1000 | Otoacoustic emmissions (OAE) equipment | VV - GOVT FURNISHED & INSTALLED | 1 | U1000 *Need Otoacoustic emmissions (OAE) equipment in addition to (ABR) auditory evoked potentia- can do combo unit for combo OAE/ABR testing |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | AUDIOLOGY Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. Include HIPRO 2 hearing aid coupler |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | M1802 | Work Station, Computer, Retractable, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 0 | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited. |

| | | | | | | | | | |
|------------------------------------|---------------------------------------|-------|----------------------------------|-----|--------|---|--|---|--|
| | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | E0117 | Workstation, Straight, Free Standing, 48" W | VV - GOVT FURNISHED & INSTALLED | 3 | This JSN provides a typical work station to quickly plan work areas in clinical or administrative spaces. THIS TYPICAL INCLUDES: 2 standard solid panels; 1 panel connector, 2-way corner; 2 finished end hardware kits; |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | M4100 | Sphygmomanomet er, Aneroid, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 0 | Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | M4200* | Otoscope/Ophthal moscope, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn- on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms. *magnified otoscope heads required for wall-mounted otoscope |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | M4915 | Chair, Exam/Treatment, ENT, w/Adjustable Light | VV - GOVT FURNISHED & INSTALLED | 1 | ENT exam/treatment chair with adjustable light. Chair can be rotated 330 degrees locking at desired position. Unit is electrically powered for precise positioning and has an adjustable headrest and armrest. It may include an adjustable gooseneck light. Unit is designed for use during examinations, treatments, and minor procedures. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | M7401 | Light, Exam, Mobile, Spotlight, Mobile Stand | VV - GOVT FURNISHED & INSTALLED | 1 | The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | M8540 | Microscope, Operating, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted operating microscope. Unit consists of a binocular microscope body mounted to a wall support. A magnification changer to determine the magnification ratio is enclosed in the body tube of the microscope. The lens system consists of a range of objectives from 3 to 15 in 5 steps. Includes a fiberoptic halogen light source with beam-splitter, manual or pedal focusing controls and zoom capabilities. Used in clinics, hospitals and doctor's offices during surgery to clarify the surgeon's view of microscopic structures. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | M8540 | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXAU1 | 13 - Audiology Exam / Consult | 120 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|---------------------------------------|-----------|--------------------|-----------|-------|---|--|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | A1014 | Telephone, Wall Mounted, 1 Line, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line, with speaker. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | A1080 | Mirror, Posture, Wall Mounted | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | A1132 | Rail, Accessory Mounting, Length As Required | VC - GOVT FURNISHED/CONTR INST | 1 | Horizontal equipment mounting rail with lock mounting devices capable of; supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |

| | | | | | | | | | |
|------------------------------------|------------------------------------|-------|-----------------|-----|--------|---|-------------------------------------|----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | A5077 | Dispenser, Hand Sanitizer, Hands-Free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | VV - GOVT FURNISHED & INSTALLED | 0 | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | CC - CONTRACTOR FURNISHED/INSTALLED | 10 | Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | E0222 | Worksurface, Computer, O/H Cab, Wall Mtd, 48" W | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light 1 Tack board 1 Cantilevered Work Surface 1 Adjustable Keyboard Tray |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | F0280 | Chair, Swivel, Low Back | VV - GOVT FURNISHED & INSTALLED | 1 | Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | M0035 | Analyzer, Auditory, Evoked Potential | VV - GOVT FURNISHED & INSTALLED | 0 | Evoked potential auditory analyzer. The unit features a large color monitor, a minimum of 4 channel analysis, a computer, built-in electrode impedance testing, a physiological signal amplifier, a digital auditory stimulator and a register recorder. The analyzer is used for analyzing the response of the central nervous system to a variety of external stimuli. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | M0512 | Television, HDTV, Large Screen, 60" | VV - GOVT FURNISHED & INSTALLED | 1 | A high definition (HDTV) multimedia, slim design, 60"W to 65"W color television. The TV will have a 16.9 wide screen aspect ratio with full HD 1080p resolution and HDMI connections. TV may be LED, Plasma or LCD. TV will include a stand. |

| | | | | | | | | | |
|------------------------------------|------------------------------------|-------|-----------------|-----|-------|--|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | M0507 | Video Teleconferencing System | VV - GOVT FURNISHED & INSTALLED | 1 | Shall be a video conferencing unit consisting of a camera, microphone, video/audio compression components, a component cart and a 32 inch monitor. It shall provide live audio-visual conferencing capabilities to dispersed geographic sites. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | M4100 | Sphygmomanometer, Aneroid, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 0 | Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | M4200 | Otoscope/Ophthalmoscope, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | M4840 | ENT Unit, w/Air, Electric Power, Suction, Pressure | VV - GOVT FURNISHED & INSTALLED | 0 | Mobile ENT unit. Unit has air and electrical panels and integral suction and pressure system. Unit houses a control panel with functions selector, pressure regulator, pressure gauge and electrical outlets. It is equipped with foot-controlled vacuum and pressure plus a storage area. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | M4915 | Chair, Exam/Treatment, ENT, w/Adjustable Light | VV - GOVT FURNISHED & INSTALLED | 0 | ENT exam/treatment chair with adjustable light. Chair can be rotated 330 degrees locking at desired position. Unit is electrically powered for precise positioning and has an adjustable headrest and armrest. It may include an adjustable gooseneck light. Unit is designed for use during examinations, treatments, and minor procedures. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | F0755 | Table, Conference, Wood | VV - GOVT FURNISHED & INSTALLED | 1 | Executive conference table. Dimensions are approximately 30" high, 48" wide with lengths varying from 74" to 96". These tables add traditional elegance to any conference room. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 8 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | M7401 | Light, Exam, Mobile, Spotlight, Mobile Stand | VV - GOVT FURNISHED & INSTALLED | 1 | The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | Group Treatment | 190 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|------------------------------------|-----------|-----------------------------|-----------|-------|--|---------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | A1014 | Telephone, Wall Mounted, 1 Line, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line, with speaker. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | | | | 1 | **Computerized Dynamic Posturography (CDP) equipment needed (NeuroCom Smart EquiTest CDP platform w/ InVision and Long Force Plate) |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | M4840 | ENT Unit, w/Air, Electric Power, Suction, Pressure | VV - GOVT FURNISHED & INSTALLED | 1 | Mobile ENT unit. Unit has air and electrical panels and integral suction and pressure system. Unit houses a control panel with functions selector, pressure regulator, pressure gauge and electrical outlets. It is equipped with foot-controlled vacuum and pressure plus a storage area. |

| | | | | | | | | | |
|------------------------------------|---------------------------------------|-------|-----------------------------------|-----|-------|--|--|----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | A1080 | Mirror, Posture, Wall Mounted | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | A1132 | Rail, Accessory Mounting, Length As Required | VC - GOVT FURNISHED/CONTR INST | 1 | Horizontal equipment mounting rail with lock mounting devices capable of; supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | A5077 | Dispenser, Hand Sanitizer, Hands- Free | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | VV - GOVT FURNISHED & INSTALLED | 1 | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | CC - CONTRACTOR FURNISHED/INSTALLE D | 10 | Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | E0222 | Worksurface, Computer, O/H Cab, Wall Mtd, 48" W | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light 1 Tack board 1 Cantilevered Work Surface 1 Adjustable Keyboard Tray |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | F0280 | Chair, Swivel, Low Back | VV - GOVT FURNISHED & INSTALLED | 1 | Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | F2010 | Basket, Wastepaper, Step- On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |

| | | | | | | | | | |
|------------------------------------|------------------------------------|-------|-----------------------------|-----|--------|--|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | M0035 | Analyzer, Auditory, Evoked Potential | VV - GOVT FURNISHED & INSTALLED | 1 | Evoked potential auditory analyzer. The unit features a large color monitor, a minimum of 4 channel analysis, a computer, built-in electrode impedance testing, a physiological signal amplifier, a digital auditory stimulator and a register recorder. The analyzer is used for analyzing the response of the central nervous system to a variety of external stimuli. |
| | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | | ABR/OAE combo unit | VV - GOVT FURNISHED & INSTALLED | | ABR/OAE combo unit |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | M4100 | Sphygmomanometer, Aneroid, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | M4200 | Otoscope/Ophthalmoscope, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | M4840 | ENT Unit, w/Air, Electric Power, Suction, Pressure | VV - GOVT FURNISHED & INSTALLED | 1 | Mobile ENT unit. Unit has air and electrical panels and integral suction and pressure system. Unit houses a control panel with functions selector, pressure regulator, pressure gauge and electrical outlets. It is equipped with foot-controlled vacuum and pressure plus a storage area. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | M4915 | Chair, Exam/Treatment, ENT, w/Adjustable Light | VV - GOVT FURNISHED & INSTALLED | 1 | ENT exam/treatment chair with adjustable light. Chair can be rotated 330 degrees locking at desired position. Unit is electrically powered for precise positioning and has an adjustable headrest and armrest. It may include an adjustable gooseneck light. Unit is designed for use during examinations, treatments, and minor procedures. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | M7401 | Light, Exam, Mobile, Spotlight, Mobile Stand | VV - GOVT FURNISHED & INSTALLED | 1 | The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a castor base for easy movement. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | M8540 | Microscope, Operating, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted operating microscope. Unit consists of a binocular microscope body mounted to a wall support. A magnification changer to determine the magnification ratio is enclosed in the body tube of the microscope. The lens system consists of a range of objectives from 3 to 15 in 5 steps. Includes a fiberoptic halogen light source with beam-splitter, manual or pedal focusing controls and zoom capabilities. Used in clinics, hospitals and doctor's offices during surgery to clarify the surgeon's view of microscopic structures. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | M3073 | Container, Biohazard Waste, Step-on, Fire Safe | VV - GOVT FURNISHED & INSTALLED | 1 | A biohazard waste container with a step-on lid. The container will have a capacity of approximately 12 gallons and be made of a fire safe material. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXEN1 | 7 - AUD: Posturography Room | 150 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|------------------------------------|-----------|----------------------|-----------|-------|---|--|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | A1012 | Telephone, Wall Mounted, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | | VGN | VV - GOVT FURNISHED & INSTALLED | 1 | *Need Vestibularnystagmography (VNG) equipment w/ lightbar, goggles *Irrigator, caloric |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | A1066 | Mirror, Float Glass, With SS Frame | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | A1132 | Rail, Accessory Mounting, Length As Required | VC - GOVT FURNISHED/CONTRACTOR INSTALLED | 2 | Horizontal equipment mounting rail with lock mounting devices capable of; supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | VV - GOVT FURNISHED & INSTALLED | 0 | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. |
| | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | A5107 | Waste Disposal Unit, Sharps w/Glove Dispenser | VV - GOVT FURNISHED & INSTALLED | 3 | Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |

| | | | | | | | | | |
|------------------------------------|---------------------------------------|-------|-------------------------|-----|-------|--|--|----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | CC - CONTRACTOR FURNISHED/INSTALLED | 10 | Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN is to be used for determining and defining location of decorative artwork. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | E0948 | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | F0210 | Chair, Side, Without Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 2 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |

| | | | | | | | | | |
|------------------------------------|---------------------------------------|-------|-------------------------|-----|--------|--|---------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | M1620 | Holder, Chart, Patient, Wall or Door Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall or door mounted patient chart holder. Constructed of durable plastic or metal. Used for holding patient records. Size as required. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | M1802 | Work Station, Computer, Retractable, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | M3072 | Frame, Infectious Waste Bag w/Lid | VV - GOVT FURNISHED & INSTALLED | 1 | Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | M4100 | Sphygmomanomet er, Aneroid, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Aneroid sphygmomanometer. Unit is wall mounted and has large graphic dial display for easy reading from all angles. It has a 90 degree (angle) swivel and 10 degree (angle) forward tilt to reduce glare. Unit accuracy is within 1% of reading. Sturdy impact-resistant construction. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | M4200 | Otoscope/Ophthal moscope, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | M7401 | Light, Exam, Mobile, Spotlight, Mobile Stand | VV - GOVT FURNISHED & INSTALLED | 1 | The exam light shall be a mobile floor unit. The light will be a halogen bulb or LED that can produce a continuous and homogeneous spot of light adjustable from 5 to 9 inches in diameter from a set distance. The light intensity shall be a minimum of 750 foot-candles at a distance of 16 inches and have a color temperature of 3,200 degrees Kelvin. The unit will consist of an arm or sleeve of approximately 45 inches in length to allow for easy arm rotation and arm movement up and down. The unit shall be mounted on a caster base for easy movement. |

| | | | | | | | | | |
|------------------------------------|---------------------------------------|-------|-------------------------|-----|-------|--|--|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | M9025 | Table, Examination/Treat ment, With Cabinet | VV - GOVT FURNISHED & INSTALLED | 0 | Table, examination/treatment with cabinet. Cabinet type exam table with three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in examination/treatment rooms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | M8320 | Table, Treatment, Hi/Lo | VV - GOVT FURNISHED & INSTALLED | 1 | Hi/lo metal treatment table. Unit consists of a hydraulic electromechanical power system operated with a hand or foot control. Includes a foam pad, upholstered top with back section adjustable to a full chair position. Adjustable height from 24" to 39". Provides easy access for patients in wheelchair or stretcher. Designed for general examinations as well as orthopedic and Ob-Gyn. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | EXRG3 | 10 - Vestibulography | 150 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|---------------------------------------|-----------|--|-----------|-------|---|--|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | HAFR1 | 1 - AUD: Hearing Aid Fabrication / Modification Room | 120 | A1014 | Telephone, Wall Mounted, 1 Line, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line, with speaker. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | HAFR1 | 1 - AUD: Hearing Aid Fabrication / Modification Room | 120 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | HAFR1 | 1 - AUD: Hearing Aid Fabrication / Modification Room | 120 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | HAFR1 | 1 - AUD: Hearing Aid Fabrication / Modification Room | 120 | A5077 | Dispenser, Hand Sanitizer, Hands- Free | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |

| | | | | | | | | | |
|------------------------------------|---------------------------------------|-------|--|-----|-------|---|--|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | HAFR1 | 1 - AUD: Hearing Aid Fabrication / Modification Room | 120 | A5082 | Dispenser, Paper Towel, Sensor, Hands Free | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are place in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | HAFR1 | 1 - AUD: Hearing Aid Fabrication / Modification Room | 120 | CD040 | Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13 | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | HAFR1 | 1 - AUD: Hearing Aid Fabrication / Modification Room | 120 | CS010 | Sink, SS, Single Compartment, 7.5x12x12 ID | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | HAFR1 | 1 - AUD: Hearing Aid Fabrication / Modification Room | 120 | CT020 | Countertop, Solid Surface | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | HAFR1 | 1 - AUD: Hearing Aid Fabrication / Modification Room | 120 | E0906 | Locker, Supply, General, Wall Mtd, 23"W x 20"D | VV - GOVT FURNISHED & INSTALLED | 2 | THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H 3 Drawers, 6"H 2 Drawers, 9"H 1 Tray/Shelf Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | HAFR1 | 1 - AUD: Hearing Aid Fabrication / Modification Room | 120 | E1500 | Rail, MOD, W/MNTD, HX144XD | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | HAFR1 | 1 - AUD: Hearing Aid Fabrication / Modification Room | 120 | F0210 | Chair, Side, Without Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | HAFR1 | 1 - AUD: Hearing Aid Fabrication / Modification Room | 120 | F0280 | Chair, Swivel, Low Back | VV - GOVT FURNISHED & INSTALLED | 1 | Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl. |

| | | | | | | | | | |
|------------------------------------|---------------------------------------|-------|--|-----|--------|--|---------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | HAFR1 | 1 - AUD: Hearing Aid Fabrication / Modification Room | 120 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | HAFR1 | 1 - AUD: Hearing Aid Fabrication / Modification Room | 120 | F2010 | Basket, Wastepaper, Step- On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | HAFR1 | 1 - AUD: Hearing Aid Fabrication / Modification Room | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | HAFR1 | 1 - AUD: Hearing Aid Fabrication / Modification Room | 120 | M0020 | Hearing Aid Analyzer | VV - GOVT FURNISHED & INSTALLED | 1 | Hearing aid analyzer. It includes a complete acoustic test system, comprised of a control unit, color monitor, and hearing aid test box. For use in automatically testing, calculating and printing all electrical and acoustical performance data of any hearing aid in accordance with ANSI S3.22. |
| | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | HAFR1 | 1 - AUD: Hearing Aid Fabrication / Modification Room | 120 | | Hearing Aid Analyzer | VV - GOVT FURNISHED & INSTALLED | 1 | *STARKEY MODIFICATION BENCH w/ VACUUM for in-house repairs and modification/earmolds and hearing aids |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | HAFR1 | 1 - AUD: Hearing Aid Fabrication / Modification Room | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | HAFR1 | 1 - AUD: Hearing Aid Fabrication / Modification Room | 120 | M4915 | Chair, Exam/Treatment, ENT, w/Adjustable Light | VV - GOVT FURNISHED & INSTALLED | 0 | ENT exam/treatment chair with adjustable light. Chair can be rotated 330 degrees locking at desired position. Unit is electrically powered for precise positioning and has an adjustable headrest and armrest. It may include an adjustable gooseneck light. Unit is designed for use during examinations, treatments, and minor procedures. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|---------------------------------------|-----------|---------------------------------------|-----------|-------|----------------------------|---------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | OFD03 | 9 - Audiology Health Technician | 120 | A1011 | Telephone, Desk, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, 1 line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | OFD03 | 9 - Audiology Health Technician | 120 | 6515 | Hearing Aid Analyzer | VV - GOVT FURNISHED & INSTALLED | 1 | Hearing aid analyzer. It includes a complete acoustic test system, comprised of a control unit, color monitor, and hearing aid test box. For use in automatically testing, calculating and printing all electrical and acoustical performance data of any hearing aid in accordance with ANSI S3.22. |

| | | | | | | | | | |
|------------------------------------|---------------------------------------|-------|---------------------------------------|-----|-------|--|--|----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | OFD03 | 9 - Audiology Health Technician | 120 | E0945 | Cart, Computer, Mobile | VV - GOVT FURNISHED & INSTALLED | 2 | <p>A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase.</p> <p>This Typical may include:</p> <p>1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top</p> <p>1 Flip-Up Shelf</p> <p>1 Sharps Container Holder</p> <p>1 Wastebasket</p> <p>1 Chart Holder</p> <p>2 Drawers, 3"H</p> <p>2 Drawers, 6"H</p> <p>3 Accessory Rail, Side Drawer Organizer Bins</p> |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | OFD03 | 9 - Audiology Health Technician | 120 | A1066 | Mirror, Float Glass, With SS Frame | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | <p>A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas.</p> |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | OFD03 | 9 - Audiology Health Technician | 120 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | <p>Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.</p> |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | OFD03 | 9 - Audiology Health Technician | 120 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | <p>A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.</p> |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | OFD03 | 9 - Audiology Health Technician | 120 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLE D | 2 | <p>A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.</p> |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | OFD03 | 9 - Audiology Health Technician | 120 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | CC - CONTRACTOR FURNISHED/INSTALLE D | 10 | <p>Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote.</p> |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | OFD03 | 9 - Audiology Health Technician | 120 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 1 | <p>This JSN is to be used for determining and defining location of decorative artwork.</p> |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | OFD03 | 9 - Audiology Health Technician | 120 | E0063 | Workstation, L- Shaped w/Peninsula, Wall Mtd, 72x72 | VV - GOVT FURNISHED & INSTALLED | 1 | <p>THIS TYPICAL INCLUDES:</p> <p>3 Vertical Hanging Strips</p> <p>2 Lockable Flipper Units</p> <p>2 Shelves, Storage/Display</p> <p>2 Lights</p> <p>1 Tackboard</p> <p>2 Tool Rails</p> <p>2 Paper Trays</p> <p>1 Diagonal Tray</p> <p>1 Cantilevered Work Surface</p> <p>1 Peninsula Work Surface</p> <p>1 Adjustable Keyboard Tray</p> <p>1 Mobile Pedestal, Box/File</p> <p>1 Pencil Drawer</p> <p>1 Cpu Holder</p> |

| | | | | | | | | | |
|------------------------------------|---------------------------------------|-------|---------------------------------------|-----|--------------|--|--|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | OFD03 | 9 - Audiology Health Technician | 120 | F0115 | Bookcase, Open, 5 Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Freestanding open shelf bookcase, approximately 82" high X 37" wide X 18" deep with 5 (five) adjustable shelves. Unit can be separate or part of a system with available add-on shelving. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | OFD03 | 9 - Audiology Health Technician | 120 | E0824 | Module, Storage, Files/Shelves, Wall Mtd, 48"x16" | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 3 Shelves 2 Hanging File Drawers Shelf Dividers |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | OFD03 | 9 - Audiology Health Technician | 120 | F0210 | Chair, Side, Without Arms | VV - GOVT FURNISHED & INSTALLED | 2 | Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | OFD03 | 9 - Audiology Health Technician | 120 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 1 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | OFD03 | 9 - Audiology Health Technician | 120 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 1 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | OFD03 | 9 - Audiology Health Technician | 120 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | OFD03 | 9 - Audiology Health Technician | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | OFD03 | 9 - Audiology Health Technician | 120 | M1620 | Holder, Chart, Patient, Wall or Door Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall or door mounted patient chart holder. Constructed of durable plastic or metal. Used for holding patient records. Size as required. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | OFD03 | 9 - Audiology Health Technician | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | AUDIOLOGY Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. with HiPro 2 hearing aid coupler |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | OFD03 | 9 - Audiology Health Technician | 120 | M1825 | Printer, Computer | VV - GOVT FURNISHED & INSTALLED | 1 | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | OFD03 | 9 - Audiology Health Technician | 120 | Shredder Box | | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | OFD03 | 9 - Audiology Health Technician | 120 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|------------------------------------|-----------|----------------------------------|-----------|-------|---|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | PEHS4 | 4 - AUD: Suite, Audiometric Exam | 260 | A1011 | Telephone, Desk, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, 1 line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | PEHS4 | 4 - AUD: Suite, Audiometric Exam | 260 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | PEHS4 | 4 - AUD: Suite, Audiometric Exam | 260 | E0042 | Workcenter, Computer, Free Standing, 48" W | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Tool Rail 2 Paper Tray 1 Diagonal Tray 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | PEHS4 | 4 - AUD: Suite, Audiometric Exam | 260 | E0948 | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins *NO RAISED EDGE ON TOP |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | PEHS4 | 4 - AUD: Suite, Audiometric Exam | 260 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 2 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | PEHS4 | 4 - AUD: Suite, Audiometric Exam | 260 | F0280 | Chair, Swivel, Low Back | VV - GOVT FURNISHED & INSTALLED | 2 | Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | PEHS4 | 4 - AUD: Suite, Audiometric Exam | 260 | F0860 | Table, Mobile | VV - GOVT FURNISHED & INSTALLED | 1 | Mobile table. The unit provides mobile or isolated freestanding work surface. Characteristics and components include 3-1/2 inch casters and attached drawer bearers. Unit is used for general work applications, primarily in dry areas. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | PEHS4 | 4 - AUD: Suite, Audiometric Exam | 260 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |

| | | | | | | | | | |
|------------------------------------|---------------------------------------|-------|--|-----|--------|---|--|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | PEHS4 | 4 - AUD: Suite, Audiometric Exam | 260 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | PEHS4 | 4 - AUD: Suite, Audiometric Exam | 260 | M0025 | Audiometer, Diagnostic, Middle Ear, Impedance | VV - GOVT FURNISHED & INSTALLED | 1 | Diagnostic impedance audiometer. Unit includes a clinical ear analyzer and can link to a complete data base computer system that stores patient results. Used for diagnostic audiological testing for middle ear impedance / compliance. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | PEHS4 | 4 - AUD: Suite, Audiometric Exam | 260 | M0041 | Booth, Audio, Double Wall, Suite | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | Double wall audiometric testing suite with double walled examination and control rooms. Unit includes recessed incandescent lights, carpet, keyed locks on both outer doors, a twelve outlet surface mounted plug mold strip in both rooms. A 24"x30" viewing window and self contained ventilation system permit extended examinations. Unit also includes jack panel between the exam and control rooms. Height may require raising room ceiling. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | PEHS4 | 4 - AUD: Suite, Audiometric Exam | 260 | M0025 | Audiometer, Diagnostic, Middle Ear, Impedance | VV - GOVT FURNISHED & INSTALLED | 1 | Diagnostic impedance audiometer. Unit includes a clinical ear analyzer and can link to a complete data base computer system that stores patient results. Used for diagnostic audiological testing for middle ear impedance / compliance. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | PEHS4 | 4 - AUD: Suite, Audiometric Exam | 260 | | soundfield speakers, OSCAR wall-mounted headphone calibrator, external DVD/CD player | VV - GOVT FURNISHED & INSTALLED | 1 | soundfield speakers, OSCAR wall-mounted headphone calibrator, external DVD/CD player |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | PEHS4 | 4 - AUD: Suite, Audiometric Exam | 260 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | AUDIOLOGY Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. with HiPro 2 hearing aid coupler |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | PEHS4 | 4 - AUD: Suite, Audiometric Exam | 260 | M4200 | Otoscope/Ophthal moscope, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted otoscope and ophthalmoscope. Includes 6 foot line cord and plug and accepts and includes two handles. Contains head turn-on/turn-off, built-in speculum tray and 8 foot coiled cords. Unit is designed for use in patient exam rooms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | PEHS4 | 4 - AUD: Suite, Audiometric Exam | 260 | F0740 | Table, Occasional, Lamp | VV - GOVT FURNISHED & INSTALLED | 1 | Occasional lamp table (end table) approximately 20" high X 27" wide X 27" deep with choice of finishes (wood, oak veneer, or high pressure laminate). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | PEHS4 | 4 - AUD: Suite, Audiometric Exam | 260 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | PEHS4 | 4 - AUD: Suite, Audiometric Exam | 260 | m1803 | Workstation, Computer, Wall Mounted, Adjustable | VV - GOVT FURNISHED & INSTALLED | 1 | A wall mounted computer workstation with height adjustable monitor and keyboard arms. Keyboard and monitor can be stored within 8" to 10" of wall. Fingertip adjustability for keyboard and monitor enable frequent position changes. Unit contains an integrated cable management system to hide wires. A separate wall-mounted CPU holder is included. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | PEHS4 | 4 - AUD: Suite, Audiometric Exam | 260 | M1825 | Printer, Computer | VV - GOVT FURNISHED & INSTALLED | 1 | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|------------------------------------|-----------|----------------|-----------|--------|---|-------------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | RCP01 | 16 - Reception | 55 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, multiple line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | RCP01 | 16 - Reception | 55 | A6105 | Counter, Reception Control, Built-In | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backsplash/curb. Pricing based on a 30" depth. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | RCP01 | 16 - Reception | 55 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 1 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | RCP01 | 16 - Reception | 55 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | RCP01 | 16 - Reception | 55 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | RCP01 | 16 - Reception | 55 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|------------------------------------|-----------|--|-----------|-------|---------------------------------|---------------------------------|-----|----------------------------------|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | SRCH1 | 2 - AUD: Instrument Calibration and Storage Room | 160 | A1012 | Telephone, Wall Mounted, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line. |

| | | | | | | | | | |
|------------------------------------|------------------------------------|-------|--|-----|-------|--------------------------------|---------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | SRCH1 | 2 - AUD: Instrument Calibration and Storage Room | 160 | M2070 | Shelving, Storage, 77hx36wx18d | VV - GOVT FURNISHED & INSTALLED | 6 | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. |
|------------------------------------|------------------------------------|-------|--|-----|-------|--------------------------------|---------------------------------|---|--|

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|------------------------------------|-----------|--------------------|-----------|-------|--|---------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | SRSE1 | 6 - Equipment Area | 100 | M2055 | Shelving, Storage, Wire, CRS, w/Adjustable Shelves | VV - GOVT FURNISHED & INSTALLED | 2 | Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. |
| | | | | 100 | M2070 | Shelving, Storage, 77hx36wx18d | VV - GOVT FURNISHED & INSTALLED | 2 | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|------------------------------------|-----------|-------------------------|-----------|-------|---|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | TLTU1 | 3 - AUD: Patient Toilet | 60 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | TLTU1 | 3 - AUD: Patient Toilet | 60 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | TLTU1 | 3 - AUD: Patient Toilet | 60 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |

| | | | | | | | | | |
|------------------------------------|---------------------------------------|-------|----------------------------|----|-------|--|--|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | TLTU1 | 3 - AUD: Patient Toilet | 60 | A5090 | Disposal, Sanitary Napkin, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and uni-sex toilet rooms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | TLTU1 | 3 - AUD: Patient Toilet | 60 | A5109 | Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | TLTU1 | 3 - AUD: Patient Toilet | 60 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | TLTU1 | 3 - AUD: Patient Toilet | 60 | A5200 | Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | TLTU1 | 3 - AUD: Patient Toilet | 60 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | TLTU1 | 3 - AUD: Patient Toilet | 60 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | TLTU1 | 3 - AUD: Patient Toilet | 60 | P9050 | Toilet, Wall Hung, Siphon Jet | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------|-----------------|-----------|-----------|-----------|-----|--------------|----------|-----|-------------|
|------------|-----------------|-----------|-----------|-----------|-----|--------------|----------|-----|-------------|

| | | | | | | | | | |
|------------------------------------|---------------------------------------|-------|--------------------------|-----|-------|---|--|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | WTG11 | 12 - Waiting, General | 250 | A5077 | Dispenser, Hand Sanitizer, Hands- Free | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | WTG11 | 12 - Waiting, General | 250 | A5210 | Bracket, Television, Wall Mounted, w/Adjust Arm | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | WTG11 | 12 - Waiting, General | 250 | A5220 | Bracket, Television, Wall Backing | CC - CONTRACTOR FURNISHED/INSTALLE D | 1 | Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | WTG11 | 12 - Waiting, General | 250 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN is to be used for determining and defining location of decorative artwork. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | WTG11 | 12 - Waiting, General | 250 | F0206 | Chair, Side, Bariatric, With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | WTG11 | 12 - Waiting, General | 250 | F0305 | Chair, Waiting Room, Single | VV - GOVT FURNISHED & INSTALLED | 9 | Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | WTG11 | 12 - Waiting, General | 250 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |

| | | | | | | | | | |
|------------------------------------|------------------------------------|-------|-----------------------|-----|-------|------------------------------|---------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | WTG11 | 12 - Waiting, General | 250 | F2300 | Rack, Magazine, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted magazine rack with nine (9) magazine holding compartments. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | WTG11 | 12 - Waiting, General | 250 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 2 - AUDIOLOGY AND SPEECH PATHOLOGY | WTG11 | 12 - Waiting, General | 250 | M0506 | Television, Flat Screen | VV - GOVT FURNISHED & INSTALLED | 1 | Flat screen television with approximately 32" to 40" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|----------------------------------|-----------|-------|---|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | A1012 | Telephone, Wall Mounted, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | C02C0 | Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Standing height under counter base cabinet with an adjustable shelf and a full width drawer above a solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings). Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility. |

| | | | | | | | | | |
|------------------------------------|------------|-------|----------------------------------|-----|-------|--|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | C03P0 | Cabinet, Sink, U/C/B, 2 Door, 30" W | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Standing height under counter base sink cabinet. 36" H x 30" W x 22" D with two solid hinged doors. Also referred to as a double-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | C04F0 | Cabinet, U/C/B, 1 Shelf, 2 Half DR, 2 DO, 36x36x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 5 | Standing height under counter base cabinet with an adjustable shelf and two half width drawers above solid hinged doors. Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | CS200 | Sink, SS, Single Compartment, 12x28x16 ID | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. Coordinate actual outside sink dimensions with the actual clear dimension of cabinet specified to ensure that they are compatible. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | CT020 | Countertop, Solid Surface | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | D0755 | Tank Assembly, Boilout/Curing, Double | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Two basin washout and boil-out tank assembly with stainless steel tanks and gas heating elements. The unit includes a recirculating pump, wax trap and drain valve. The assembly requires an appropriate cabinet for support. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | D0904 | Workstation, Dental Lab, Tech, Single Station | VV - GOVT FURNISHED & INSTALLED | 4 | Modular technician's workstation for the dental laboratory. The workstation features integrated gas, air, and electrical lines which all connect to building supplies from a single utility panel. The unit contains an overhead task lighting (approx. 3000 Lux) array. The workstation also includes a dust extraction system with filtration, a minimum of 4 drawers for storage, an air gun, a gas valve for a Bunsen burner and electrical outlets for accessory equipment. The desktop is made from a fiber/cement mixture or similar material to resist heat, abrasion, and chemical attack. This unit has a standard length work surface that varies among manufacturers but is nominally 43". Depending on the manufacturer, workstation package configurations may include seating and other minor accessories. The workstation may require more than one electrical connection to the facility power grid to run the equipment used on the bench. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | D0942 | Workstation, Dental Lab, Microblasting | VV - GOVT FURNISHED & INSTALLED | 1 | Complete micro-blaster and dust extraction device integrated into a 34" high x 24" wide x 24" deep (nominal) cabinet. The micro-blaster can use 25 to 250 micron aluminum oxide, sand, glass bead or walnut shell abrasives. The unit includes micro-blasting pencils, canisters for clean blasting, one recirculating nozzle for gross blasting, an air chisel, an air nozzle and a protective safety shield. The micro-blaster connects to a dust extraction system suitably sized for the micro-blaster. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | D2580 | Casting Machine, Induction, Bench Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Bench mounted, microprocessor controlled induction casting machine. The unit is designed for safe clean casting of precious and non-precious dental alloys. The machine features automatic temperature control through a range of 900 to 1800 degrees C (1652 to 3272 degrees F), built-in optical pyrometer, a self-contained water cooling system and variable casting arm acceleration rate. The unit is designed for mounting on a low bench to bring it up to counter height for easy use. |

| | | | | | | | | | |
|------------------------------------|------------|-------|----------------------------------|-----|-------|---|---------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | D3295 | Chair, Rotary, Laboratory, Dental | VV - GOVT FURNISHED & INSTALLED | 4 | Rotary dental laboratory chair. The chair is used by technicians while working at a bench. Chairs also have casters and an adjustable backrest. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | D4100 | Cleaner, Steam, Dental | VV - GOVT FURNISHED & INSTALLED | 1 | Dental steam cleaner. The cleaner has a variable temperature control and is capable of generating up to 80 PSI of pressure. The unit is used for flushing out dirt, debris, wax and polishing compounds from models, dentures, impression trays and instruments. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | D4260 | Handpiece, Laboratory, Dental, Electric | VV - GOVT FURNISHED & INSTALLED | 4 | Portable dental laboratory handpiece. The unit has a straight handle and is electrically powered. The handpiece includes a controller and power cables. Unit is used to grind, polish or finish precious and non-precious metal alloys. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | D4351 | Sintering Oven | VV - GOVT FURNISHED & INSTALLED | 1 | Compact, light weight high temperature oven for use with all sintering materials in dental laboratories. Features include temperature accuracy to within +/- 2 degrees centigrade, automatic temperature calibration, automatic temperature adjustments with multiple programing options. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | D4360 | Pump, Vacuum, Dental Oven | VV - GOVT FURNISHED & INSTALLED | 1 | Vacuum pump. The pump is used in dental laboratories to provide a vacuum source for the vacuum oven listed at JSN D4350. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | D4500 | Furnace, Laboratory, Dental, Burnout | VV - GOVT FURNISHED & INSTALLED | 1 | Dental burnout furnace. The unit is used in dental laboratories for burnout of dental alloy rings and flasks. The furnace is capable of automatic or manual operation and has a automatic self-calibration system as well as a digital readout. The unit can hold a minimum of fifteen 1-3/4" inlay rings. Some model lines are available with several sizes of heating elements and/or for other power configurations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | D6250 | Lathe, Dental, Bench Mounted | VV - GOVT FURNISHED & INSTALLED | 4 | Dental lathe which can perform grinding or polishing work depending on the attachments to the spindles. The unit is bench mounted and has two speeds, generally 1725 and 3450 rpm, or is variable across its entire operating range up to 3600 rpm. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | D6600 | Mixer / Investor, With Vacuum | VV - GOVT FURNISHED & INSTALLED | 1 | Dental vacuum mixer-investor. Unit is used in dental laboratories to mix alginates and other materials as well as investing materials for inlays and crowns. Some units are equipped with a vibrating arm to assist in moving investments from the mixing chamber into the casting rings. Some models are microprocessor controlled. Units are mounted to a wall or bench for stability. Specify mounting when ordering. |

| | | | | | | | | | |
|------------------------------------|------------|-------|----------------------------------|-----|-------|---|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | D6650 | Former, Vacuum, With Motor, Vacuum Pump, Heater | VV - GOVT FURNISHED & INSTALLED | 1 | Vacuum former. Used in dental laboratories for adaptation of thermoplastic resins. Unit has a self contained motor, vacuum pump and heater. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | D8510 | Oven, Drying, Dental | VV - GOVT FURNISHED & INSTALLED | 1 | Dental model drying oven. The oven is used to dehydrate refractory models prior to bee's wax dipping. The unit provides efficient circulation of air to eliminate moisture as it evaporates. The unit has an adjustable damper, two shelves, a built-in thermostat, a secondary temperature controller and a glass thermometer. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | D9035 | Driver, Model Indexing Pins | VV - GOVT FURNISHED & INSTALLED | 1 | Model indexing pin driver used to accurately place indexing pins in multiple piece dental models and multiple piece die sets. The bench top instrument provides a means to accurately align, drill and insert indexing pins. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | D9050 | Trimmer, Model, Dental, 1/4 HP | VV - GOVT FURNISHED & INSTALLED | 1 | Dental model trimmer with a 1/4 or 1/3 HP motor and a 10" abrasive wheel. The trimmer is used in dental laboratories for trimming plaster and stone dental impression models. This is a light duty unit and its commonly used accessories include floor switches, water valves, water spray heads and splash shields. The database pricing is for the basic unit only. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | L2337 | Canopy, Hood, Fume, 6 foot | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | ⁴ Canopy fumehood. The unit includes a switched fan unit with pilot light; corrosion resistant steel, aluminum, or chemical resistant and fire retardant seamless fiberglass construction; dimensions as indicated on design drawings; fire suppression systems and any other special requirements to be defined during the facility design. It also includes a 3/4 horsepower motor blower. The static pressure loss shall not exceed 0.91 at 1290 cfm and 1.65 at 1935 cfm. It is equipped with baffles to maximize slot velocities and control fumes. Used in laboratories for low to moderate risk biological agents. Other sizes may be available. Blower motor mounted separate from the canopy and may not be included in the size specification. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | M2015 | Cabinet, Storage, Flammable, Freestanding | VV - GOVT FURNISHED & INSTALLED | 1 | Freestanding flammable safety storage cabinet. Size as required. Unit is of all welded steel wall construction with vented grounding attachments, raised leak proof door sill and adjustable shelving. Equipped with swinging doors and built-in key lock. Designed for storage of flammable fluids. Complies with OSHA standards, is FM approved and designed IAW NFPA 30. |

| | | | | | | | | | |
|------------------------------------|------------|-------|----------------------------------|-----|-------|--|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | P1965 | Eyewash, Eye/Face, Sink Mounted, Hands-free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A sink mounted eyewash station. The unit is designed for emergency eye and face rinsing from soft flow dual spray-heads. The Flow must be activated by the single momentary action and remain on until terminated. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | P2451 | Valve, Mixing, Thermostatic, Eyewash | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Emergency tempering valve thermostatically mixes hot and cold water to provide a safe fluid supply for a single emergency eye/face wash with a flow rate of 10 gpm (38.8l) |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | P2451 | Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13 | CC - CONTRACTOR FURNISHED/INSTALLED | 3 | Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNPL1 | 6 - Dental Prosthetic Laboratory | 250 | P7650 | Trap, Plaster, Small | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Plastic or metal bodied plaster trap. The unit has a one piece body which is approximately 12 inches deep. The top has 1.5 inch inlet and drain connections. The trap is used in laboratories to capture solids and preclude the clogging of drain lines. The installation must allow sufficient clearance above or below the unit (depending on the manufacturer) to remove the basket for cleaning. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|----------------------------------|-----------|-------|---|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | A1012 | Telephone, Wall Mounted, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | A5077 | Dispenser, Hand Sanitizer, Hands-Free | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | VV - GOVT FURNISHED & INSTALLED | 0 | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | A5106 | Dispenser, Glove, Surgical/Examination, Wall Mntd | VV - GOVT FURNISHED & INSTALLED | 1 | Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting. |

| | | | | | | | | | |
|------------------------------------|------------|-------|----------------------------------|-----|-------|---|--|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| | | | | 120 | X3150 | Rack, Apron/Gloves, Wall Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Apron and gloves rack. This is a wall unit which holds aprons and gloves. The body is heavy gauge steel finish in gray or green baked enamel, glove and apron holding arms are aluminum. The unit's convenient on wall storage will prolong the useful life of your protection aprons by helping prevent damage to internal components. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | D0670 | Console, Treatment Unit, Dental Operator | VC - GOVT FURNISHED/CONTRACTOR INSTALLED | 1 | A dental treatment console or work station (also called a "12 o'clock unit") approximately 45" W x 72" H x 30" D. Consists of a base unit with storage and equipment drawers, a bifold door cabinet with slide out shelves and CPU storage. A midsection with chase and power bar for ancillary equipment and shelf for a monitor and keyboard. Upper storage unit may be pass-through or non-pass-through with glass shelves and see-through cabinet doors. Unit may also be configured with a pivoting work surface to hold all doctor and assistant instrumentation or with a wash station w/SS sink and knee or foot activated faucet and solid surface or laminate countertop. Unit is also available in other widths and heights. Final makeup of this unit is dependant on individual facility requirements determined at time of purchase. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | D0680 | Console, Accessory/Side, Dental Operator | VC - GOVT FURNISHED/CONTRACTOR INSTALLED | 2 | An accessory or side console/cabinet approximately 60" W x 24" D x 32" H for use in a single chair dental operator. The console may be a left or a right unit used for the dentist or the assistant depending configuration of the operator. The unit may contain a sink component with waste drop, a round SS sink with faucet and soap dispenser, a solid surface counter top, a drawer storage module with writing surface and equipment drawers, a double door component with swing out shelves and a glove dispenser. Various combinations are available as well as different widths. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | D0685 | Cabinet, Storage, Dental Operator, Wall MNTD | VC - GOVT FURNISHED/CONTRACTOR INSTALLED | 2 | An upper wall mounted storage cabinet with two adjustable shelves providing additional space for dental supplies and equipment in a dental operative. Cabinet is approximately 34"W x 12"D x 24"H with other widths available. Cabinet is frequently mounted above JSN D0680, Console, Accessory/Side, Dental Operator. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | D3320 | Chair, Operating, Dental | VC - GOVT FURNISHED/CONTRACTOR INSTALLED | 1 | Dental operating chair designed for the treatment and comfort of dental patients. The chair shall be capable of multiple positions, shall swivel, contain an adjustable headrest and arm rests that pivot up and down. The chair shall operate by means of electrohydraulics. The upholstery shall be seamless with no crevices to catch debris and be easy to clean. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | D3380 | Stool, Operating, Dental, Doctor | VV - GOVT FURNISHED & INSTALLED | 1 | Dental operating stool. Used by the dentist in the care and treatment of patients. This chair has a gas cylinder to adjust the height of the chair. It also has backrest as an integral part of the unit. The unit is to be equipped with casters. Various color combinations of vinyl or fabric are available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | D3390 | Stool, Operating, Dental, Assistant | VV - GOVT FURNISHED & INSTALLED | 1 | Dental assistant's operating stool used in dental operatories during procedures. This chair has a body support arm or abdominal support that can be left or right hand adaptable. It is also gas cylinder operated for height adjustments. The chair is available in multiple vinyl or fabric color combinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | D3565 | Resin Curing Unit, Visible Light | VV - GOVT FURNISHED & INSTALLED | 1 | Visible light resin curing unit which provides a high intensity, cold light source of visible blue light for the polymerization of all visible light cured materials. The unit provides for time selections between 10 and 60 seconds or continuous operation and beeps at ten or twenty second intervals during use. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | D6050 | Light, Dental, Operating, Ceiling, Track | VC - GOVT FURNISHED/CONTRACTOR INSTALLED | 2 | Dental operating light used to illuminate the field of work. This is a single light unit on a cantilever arm mounted from a column which is suspended from a moving trolley in a ceiling track. The light can be used in installations where the ceiling height is between 8 and 10.5 feet; some units can mount to ceilings as high as 13 feet. Database physical dimensions refer to the light's maximum travel dimensions centered on the ceiling mounting track. The database weight includes the light, arm and trolley. Mounting this light may require reinforcing the ceiling or hanging. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | D6151 | Mount, Monitor Ceiling Track | VC - GOVT FURNISHED/CONTRACTOR INSTALLED | 1 | Monitor ceiling track mount with combination exam light. The monitor and light are attached to separate counterbalanced flex arms with independent trolleys. Typically used in dental operatories. Check individual vendors for monitor sizes. LED that has filters to reduce the 470nm blue light that cures composite. Provide Intraoral camera for each room that can be integrated with overhead monitor. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | D7090 | Utility Center, Dental, Wall or Floor Mounted | VC - GOVT FURNISHED/CONTRACTOR INSTALLED | 1 | Utility center. The unit contains electrical and quick connect air, waste and water utility connections. The center accommodates one umbilical and includes shut-off valves and regulators for both the air and water supplies. |

| | | | | | | | | | |
|------------------------------------|------------|-------|----------------------------------|-----|--------|---|--|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | D8250 | Delivery System, Dental Operating | VC - GOVT FURNISHED/CONTRACTOR INSTALLED | 1 | Dental operating unit. The dentist and/or dental hygienist uses the unit for treatment of dental patients. The unit contains the operating connections for handpieces, the water spray and the vacuum system. Chair mounted. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | D8850 | Amalgamator, Dental | VV - GOVT FURNISHED & INSTALLED | 1 | Dental amalgamator. The amalgamator is used in dental operatories to triturate alloys for restoration of teeth after removal of caries. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | M8556 | Electrosurgical Unit, Endoscopy | VV - GOVT FURNISHED & INSTALLED | 1 | Electrosurgical unit for endoscopy procedures. Unit is designed for tissue cutting, coagulation, polyp removal and general surgical procedures. Unit produces varying radio frequency electric current waveforms (cut, blended, coagulation), for different treatment procedures. Unit can support monopolar and bipolar electrosurgical instruments and includes a safety system which shuts off current if leads or cables are improperly connected. This unit is also a component of the M8605-M8607 and M8610-M8611 endoscopy carts. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | D9060 | Prophylaxis Unit, Ultrasonic | VV - GOVT FURNISHED & INSTALLED | 1 | Dental ultrasonic prophylaxis unit. Used in dental clinics for the removal of calculus. Unit requires water and air supplies. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 2 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | M1803 | Workstation, Computer, Wall Mounted, Adjustable | VV - GOVT FURNISHED & INSTALLED | 1 | A wall mounted computer workstation with height adjustable monitor and keyboard arms. Keyboard and monitor can be stored within 8" to 10" of wall. Fingertip adjustability for keyboard and monitor enable frequent position changes. Unit contains an integrated cable management system to hide wires. A separate wall-mounted CPU holder is included. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | X6600 | Radiographic Unit, Dental, Wall Mounted, 7 mA | VC - GOVT FURNISHED/CONTRACTOR INSTALLED | 1 | Dental radiographic unit. Wall mounted, 7 mA, 70 kVp, 120 VAC, electronic remote exposure control unit. The unit shall have electronic timing with automatic reset timing capability and main power correction unit to adjust for line voltage fluctuations. Tube head shall be of the oil immersed, shield type with total inherent filtration of 1.5 mm AL, with a focal spot of 0.6. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | X6610 | Sensor, Dental Imaging System | VV - GOVT FURNISHED & INSTALLED | 1 | A filmless digital imaging system using a sensor to acquire and digitize dental x-ray images for viewing, storing or printing. The sensor is used in conjunction with a film based x-ray system. Images are digitized and transmitted to a computer via a standard USB port and is compatible with laptop or desktop systems. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|----------------------------|-----------|-------|-------------------------------------|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | A1012 | Telephone, Wall Mounted, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |

| | | | | | | | | | |
|------------------------------------|------------|-------|----------------------------------|-----|-------|--|-------------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | A5077 | Dispenser, Hand Sanitizer, Hands-Free | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 140 | A5106 | Dispenser, Glove, Surgical/Examination, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 120 | X3150 | Rack, Apron/Gloves, Wall Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Apron and gloves rack. This is a wall unit which holds aprons and gloves. The body is heavy gauge steel finish in gray or green baked enamel, glove and apron holding arms are aluminum. The unit's convenient on wall storage will prolong the useful life of your protection aprons by helping prevent damage to internal components. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | M8556 | Electrosurgical Unit, Endoscopy | VV - GOVT FURNISHED & INSTALLED | 1 | Electrosurgical unit for endoscopy procedures. Unit is designed for tissue cutting, coagulation, polyp removal and general surgical procedures. Unit produces varying radio frequency electric current waveforms (cut, blended, coagulation), for different treatment procedures. Unit can support monopolar and bipolar electrosurgical instruments and includes a safety system which shuts off current if leads or cables are improperly connected. This unit is also a component of the M8605-M8607 and M8610-M8611 endoscopy carts. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | VV - GOVT FURNISHED & INSTALLED | 1 | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | D0670 | Console, Treatment Unit, Dental Operator | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A dental treatment console or work station (also called a "12 o'clock unit") approximately 45" W x 72" H x 30" D. Consists of a base unit with storage and equipment drawers, a bifold door cabinet with slide out shelves and CPU storage. A midsection with chase and power bar for ancillary equipment and shelf for a monitor and keyboard. Upper storage unit may be pass-through or non-pass-through with glass shelves and see-through cabinet doors. Unit may also be configured with a pivoting work surface to hold all doctor and assistant instrumentation or with a wash station w/SS |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | D0680 | Console, Accessory/Side, Dental Operator | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | An accessory or side console/cabinet approximately 60" W x 24" D x 32" H for use in a single chair dental operator. The console may be a left or a right unit used for the dentist or the assistant depending configuration of the operator. The unit may contain a sink component with waste drop, a round SS sink with faucet and soap dispenser, a solid surface counter top, a drawer storage module with writing surface and equipment drawers, a double door component with swing out shelves and a glove dispenser. Various combinations are available as well as different widths. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | D0685 | Cabinet, Storage, Dental Operator, Wall MNTD | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | An upper wall mounted storage cabinet with two adjustable shelves providing additional space for dental supplies and equipment in a dental operative. Cabinet is approximately 34"W x 12"D x 24"H with other widths available. Cabinet is frequently mounted above JSN D0680, Console, Accessory/Side, Dental Operator. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | D3320 | Chair, Operating, Dental | VV - GOVT FURNISHED & INSTALLED | 1 | Dental operating chair designed for the treatment and comfort of dental patients. The chair shall be capable of multiple positions, shall swivel, contain an adjustable headrest and arm rests that pivot up and down. The chair shall operate by means of electrohydraulics. The upholstery shall be seamless with no crevices to catch debris and be easy to clean. |

| | | | | | | | | | |
|------------------------------------|------------|-------|----------------------------|-----|--------|---|-------------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | D3380 | Stool, Operating, Dental, Doctor | VV - GOVT FURNISHED & INSTALLED | 1 | Dental operating stool. Used by the dentist in the care and treatment of patients. This chair has a gas cylinder to adjust the height of the chair. It also has backrest as an integral part of the unit. The unit is to be equipped with casters. Various color combinations of vinyl or fabric are available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | D3390 | Stool, Operating, Dental, Assistant | VV - GOVT FURNISHED & INSTALLED | 1 | Dental assistant's operating stool used in dental operatories during procedures. This chair has a body support arm or abdominal support that can be left or right hand adaptable. It is also gas cylinder operated for height adjustments. The chair is available in multiple vinyl or fabric color combinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | D3565 | Resin Curing Unit, Visible Light | VV - GOVT FURNISHED & INSTALLED | 1 | Visible light resin curing unit which provides a high intensity, cold light source of visible blue light for the polymerization of all visible light cured materials. The unit provides for time selections between 10 and 60 seconds or continuous operation and beeps at ten or twenty second intervals during use. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | D6050 | Light, Dental, Operating, Ceiling, Track | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Dental operating light used to illuminate the field of work. This is a single light unit on a cantilever arm mounted from a column which is suspended from a moving trolley in a ceiling track. The light can be used in installations where the ceiling height is between 8 and 10.5 feet; some units can mount to ceilings as high as 13 feet. Database physical dimensions refer to the light's maximum travel dimensions centered on the ceiling mounting track. The database weight includes the light, arm and trolley. Mounting this light may require reinforcing the ceiling or hanging |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | D6151 | Mount, Monitor Ceiling Track | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Monitor ceiling track mount with combination exam light. The monitor and light are attached to separate counterbalanced flex arms with independent trolleys. Typically used in dental operatories. Check individual vendors for monitor sizes. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | D7090 | Utility Center, Dental, Wall or Floor Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Utility center. The unit contains electrical and quick connect air, waste and water utility connections. The center accommodates one umbilical and includes shut-off valves and regulators for both the air and water supplies. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | D8250 | Delivery System, Dental Operating | VV - GOVT FURNISHED & INSTALLED | 1 | Dental operating unit. The dentist and/or dental hygienist uses the unit for treatment of dental patients. The unit contains the operating connections for handpieces, the water spray and the vacuum system. Chair mounted. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | D8850 | Amalgamator, Dental | VV - GOVT FURNISHED & INSTALLED | 1 | Dental amalgamator. The amalgamator is used in dental operatories to triturate alloys for restoration of teeth after removal of caries. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | D9060 | Prophylaxis Unit, Ultrasonic | VV - GOVT FURNISHED & INSTALLED | 0 | Dental ultrasonic prophylaxis unit. Used in dental clinics for the removal of calculus. Unit requires water and air supplies. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 2 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | M1803 | Workstation, Computer, Wall Mounted, Adjustable | VV - GOVT FURNISHED & INSTALLED | 1 | A wall mounted computer workstation with height adjustable monitor and keyboard arms. Keyboard and monitor can be stored within 8" to 10" of wall. Fingertip adjustability for keyboard and monitor enable frequent position changes. Unit contains an integrated cable management system to hide wires. A separate wall-mounted CPU holder is included. |

| | | | | | | | | | |
|------------------------------------|------------|-------|----------------------------|-----|-------|---|---------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | X6600 | Radiographic Unit, Dental, Wall Mounted, 7 mA | VV - GOVT FURNISHED & INSTALLED | 1 | Dental radiographic unit. Wall mounted, 7 mA, 70 kVp, 120 VAC, electronic remote exposure control unit. The unit shall have electronic timing with automatic reset timing capability and main power correction unit to adjust for line voltage fluctuations. Tube head shall be of the oil immersed, shield type with total inherent filtration of 1.5 mm AL, with a focal spot of 0.6. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 11 - Dental Treatment Room | 120 | X6610 | Sensor, Dental Imaging System | VV - GOVT FURNISHED & INSTALLED | 1 | A filmless digital imaging system using a sensor to acquire and digitize dental x-ray images for viewing, storing or printing. The sensor is used in conjunction with a film based x-ray system. Images are digitized and transmitted to a computer via a standard USB port and is compatible with laptop or desktop systems. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|--|-----------|-------|---|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | A1012 | Telephone, Wall Mounted, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | A5077 | Dispenser, Hand Sanitizer, Hands-Free | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 120 | X3150 | Rack, Apron/Gloves, Wall Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Apron and gloves rack. This is a wall unit which holds aprons and gloves. The body is heavy gauge steel finish in gray or green baked enamel, glove and apron holding arms are aluminum. The unit's convenient on wall storage will prolong the useful life of your protection aprons by helping prevent damage to internal components. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | VV - GOVT FURNISHED & INSTALLED | 1 | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | D0670 | Console, Treatment Unit, Dental Operator | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A dental treatment console or work station (also called a "12 o'clock unit") approximately 45" W x 72" H x 30" D. Consists of a base unit with storage and equipment drawers, a bifold door cabinet with slide out shelves and CPU storage. A midsection with chase and power bar for ancillary equipment and shelf for a monitor and keyboard. Upper storage unit may be pass-through or non-pass-through with glass shelves and see-through cabinet doors. Unit may also be configured with a pivoting work surface to hold all doctor and assistant instrumentation or with a wash station w/SS |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | D0680 | Console, Accessory/Side, Dental Operator | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | An accessory or side console/cabinet approximately 60" W x 24" D x 32" H for use in a single chair dental operator. The console may be a left or a right unit used for the dentist or the assistant depending configuration of the operator. The unit may contain a sink component with waste drop, a round SS sink with faucet and soap dispenser, a solid surface counter top, a drawer storage module with writing surface and equipment drawers, a double door component with swing out shelves and a glove dispenser. Various combinations are available as well as different widths. |

| | | | | | | | | | |
|------------------------------------|------------|-------|--|-----|-------|---|-------------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | D0685 | Cabinet, Storage, Dental Operator, Wall MNTD | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | An upper wall mounted storage cabinet with two adjustable shelves providing additional space for dental supplies and equipment in a dental operative. Cabinet is approximately 34"W x 12"D x 24"H with other widths available. Cabinet is frequently mounted above JSN D0680, Console, Accessory/Side, Dental Operator. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | D3320 | Chair, Operating, Dental | VV - GOVT FURNISHED & INSTALLED | 1 | Dental operating chair designed for the treatment and comfort of dental patients. The chair shall be capable of multiple positions, shall swivel, contain an adjustable headrest and arm rests that pivot up and down. The chair shall operate by means of electrohydraulics. The upholstery shall be seamless with no crevices to catch debris and be easy to clean. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | D3380 | Stool, Operating, Dental, Doctor | VV - GOVT FURNISHED & INSTALLED | 1 | Dental operating stool. Used by the dentist in the care and treatment of patients. This chair has a gas cylinder to adjust the height of the chair. It also has backrest as an integral part of the unit. The unit is to be equipped with casters. Various color combinations of vinyl or fabric are available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | D3390 | Stool, Operating, Dental, Assistant | VV - GOVT FURNISHED & INSTALLED | 1 | Dental assistant's operating stool used in dental operatories during procedures. This chair has a body support arm or abdominal support that can be left or right hand adaptable. It is also gas cylinder operated for height adjustments. The chair is available in multiple vinyl or fabric color combinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | D3565 | Resin Curing Unit, Visible Light | VV - GOVT FURNISHED & INSTALLED | 1 | Visible light resin curing unit which provides a high intensity, cold light source of visible blue light for the polymerization of all visible light cured materials. The unit provides for time selections between 10 and 60 seconds or continuous operation and beeps at ten or twenty second intervals during use. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | D6050 | Light, Dental, Operating, Ceiling, Track | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Dental operating light used to illuminate the field of work. This is a single light unit on a cantilever arm mounted from a column which is suspended from a moving trolley in a ceiling track. The light can be used in installations where the ceiling height is between 8 and 10.5 feet; some units can mount to ceilings as high as 13 feet. Database physical dimensions refer to the light's maximum travel dimensions centered on the ceiling mounting track. The database weight includes the light, arm and trolley. Mounting this light may require reinforcing the ceiling or hanging the mount from the underside of the slab above a suspended ceiling. Light to be LED. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | D6151 | Mount, Monitor Ceiling Track | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Monitor ceiling track mount with combination exam light. The monitor and light are attached to separate counterbalanced flex arms with independent trolleys. Typically used in dental operatories. Check individual vendors for monitor sizes. With Intraoral camera interface. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | D7090 | Utility Center, Dental, Wall or Floor Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Utility center. The unit contains electrical and quick connect air, waste and water utility connections. The center accommodates one umbilical and includes shut-off valves and regulators for both the air and water supplies. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | D8250 | Delivery System, Dental Operating | VV - GOVT FURNISHED & INSTALLED | 1 | Dental operating unit. The dentist and/or dental hygienist uses the unit for treatment of dental patients. The unit contains the operating connections for handpieces, the water spray and the vacuum system. The unit can be chair mounted. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | D8850 | Amalgamator, Dental | VV - GOVT FURNISHED & INSTALLED | 0 | Dental amalgamator. The amalgamator is used in dental operatories to triturate alloys for restoration of teeth after removal of caries. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | D9060 | Prophylaxis Unit, Ultrasonic | VV - GOVT FURNISHED & INSTALLED | 1 | Dental ultrasonic prophylaxis unit. Used in dental clinics for the removal of calculus. Unit requires water and air supplies. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 2 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |

| | | | | | | | | | |
|------------------------------------|------------|-------|--|-----|--------|---|---------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated. (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | M1803 | Workstation, Computer, Wall Mounted, Adjustable | VV - GOVT FURNISHED & INSTALLED | 1 | A wall mounted computer workstation with height adjustable monitor and keyboard arms. Keyboard and monitor can be stored within 8" to 10" of wall. Fingertip adjustability for keyboard and monitor enable frequent position changes. Unit contains an integrated cable management system to hide wires. A separate wall-mounted CPU holder is included. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | X6600 | Radiographic Unit, Dental, Wall Mounted, 7 mA | VV - GOVT FURNISHED & INSTALLED | 1 | Dental radiographic unit. Wall mounted, 7 mA, 70 kVp, 120 VAC, electronic remote exposure control unit. The unit shall have electronic timing with automatic reset timing capability and main power correction unit to adjust for line voltage fluctuations. Tube head shall be of the oil immersed, shield type with total inherent filtration of 1.5 mm AL, with a focal spot of 0.6. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 15 - Dental Treatment Room, Oral Hygiene | 140 | X6610 | Sensor, Dental Imaging System | VV - GOVT FURNISHED & INSTALLED | 1 | A filmless digital imaging system using a sensor to acquire and digitize dental x-ray images for viewing, storing or printing. The sensor is used in conjunction with a film based x-ray system. Images are digitized and transmitted to a computer via a standard USB port and is compatible with laptop or desktop systems. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|----------------------------------|-----------|-------|---|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNXD1 | 2 - X-Ray Area | 120 | A1012 | Telephone, Wall Mounted, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNXD1 | 2 - X-Ray Area | 120 | A1066 | Mirror, Float Glass, With SS Frame | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNXD1 | 2 - X-Ray Area | 120 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNXD1 | 2 - X-Ray Area | 120 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNXD1 | 2 - X-Ray Area | 120 | A5107 | Dispenser, Glove, Surgical/Examination, Wall Mntd | VV - GOVT FURNISHED & INSTALLED | 1 | Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNXD1 | 2 - X-Ray Area | 120 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 120 | X3150 | Rack, Apron/Gloves, Wall Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Apron and gloves rack. This is a wall unit which holds aprons and gloves. The body is heavy gauge steel finish in gray or green baked enamel, glove and apron holding arms are aluminum. The unit's convenient on wall storage will prolong the useful life of your protection aprons by helping prevent damage to internal components. |

| | | | | | | | | | |
|------------------------------------|------------|-------|----------------|-----|--------|--|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNXD1 | 2 - X-Ray Area | 120 | D3300 | Chair, Radiographic, Dental | VV - GOVT FURNISHED & INSTALLED | 1 | Dental x-ray chair. This chair is used in intraoral dental radiography and can be used as any dental chair, and is equipped with adjustable height capability. Standard dental operator chairs can be used for this purpose and may enhance clinical uniformity. Specify color at time of ordering. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNXD1 | 2 - X-Ray Area | 120 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNXD1 | 2 - X-Ray Area | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNXD1 | 2 - X-Ray Area | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNXD1 | 2 - X-Ray Area | 120 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNXD1 | 2 - X-Ray Area | 120 | X3150 | Rack, Apron/Gloves, Wall Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Apron and gloves rack. This is a wall unit which holds aprons and gloves. The body is heavy gauge steel finish in gray or green baked enamel, glove and apron holding arms are aluminum. The unit's convenient on wall storage will prolong the useful life of your protection aprons by helping prevent damage to internal components. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNXD1 | 2 - X-Ray Area | 120 | X6505 | Radiographic Unit, Dental, Panorgraphic & Cephalo. | VV - GOVT FURNISHED & INSTALLED | 1 | Dental panoramic and Cephalometric radiographic unit. This is a radiographic system for routine intra-oral examination. This unit shall provide radiographs of the maxillary sinus and the entire jawbone including temporomandibular joints. The unit shall be complete with control panel and mounting hardware. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNXD1 | 2 - X-Ray Area | 120 | X6600 | Radiographic Unit, Dental, Wall Mounted, 7 mA | VV - GOVT FURNISHED & INSTALLED | 1 | Dental radiographic unit. Wall mounted, 7 mA, 70 kVp, 120 VAC, electronic remote exposure control unit. The unit shall have electronic timing with automatic reset timing capability and main power correction unit to adjust for line voltage fluctuations. Tube head shall be of the oil immersed, shield type with total inherent filtration of 1.5 mm AL, with a focal spot of 0.6. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNXD1 | 2 - X-Ray Area | 120 | X6510 | Radiographic Unit, Dental, Cone Beam, 3-D Imaging | VV - GOVT FURNISHED & INSTALLED | 1 | A dental radiographic unit providing three-dimensional images. The unit uses a cone-shaped beam to acquire an image in a single pass. The unit provides a superior high resolution 3D image with low radiation dosage. Allows comprehensive examination and precise information on the anatomy of a patient's mouth, face and jaw areas by producing 3D images of all oral and maxillofacial structures. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNXD1 | 2 - X-Ray Area | 120 | X6610 | Sensor, Dental Imaging System | VV - GOVT FURNISHED & INSTALLED | 2 | A filmless digital imaging system using a sensor to acquire and digitize dental x-ray images for viewing, storing or printing. The sensor is used in conjunction with a film based x-ray system. Images are digitized and transmitted to a computer via a standard USB port and is compatible with laptop or desktop systems. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|-----------|-----------|-------|---------------------|---------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | LCCL1 | Sterile | 40 | F0515 | Cart, Supply, Linen | VV - GOVT FURNISHED & INSTALLED | 1 | Closed linen supply cart. Equipped with four (4) non-marking rubber tire roller bearing casters and heavy duty cover. May be used for the delivery and user storage of clean linen as well as the return of soiled linen. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------|-----------------|-----------|-----------|-----------|-----|--------------|----------|-----|-------------|
|------------|-----------------|-----------|-----------|-----------|-----|--------------|----------|-----|-------------|

| | | | | | | | | | |
|------------------------------------|------------|------|---------------------|----|-------|---------------------|---------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | LLC3 | Soiled Utility Room | 20 | F0515 | Cart, Supply, Linen | VV - GOVT FURNISHED & INSTALLED | 1 | Closed linen supply cart. Equipped with four (4) non-marking rubber tire roller bearing casters and heavy duty cover. May be used for the delivery and user storage of clean linen as well as the return of soiled linen. |
|------------------------------------|------------|------|---------------------|----|-------|---------------------|---------------------------------|---|---|

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|-----------------------------|-----------|-------|---------------------|---------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | LCSL1 | 8 - Soiled SPD Cart Holding | 60 | F0510 | Cart, Linen, Soiled | VV - GOVT FURNISHED & INSTALLED | 4 | Soiled linen collection cart, approximately 70" H x 68" W x 28" D with four (4) casters. Used to transport clean or soiled laundry. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|---------------------|-----------|-------|--------------------------------|-------------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | MECH1 | 4 - Mechanical Room | 80 | A1000 | Extinguisher, Fire | VV - GOVT FURNISHED & INSTALLED | 0 | 10 pound dry chemical fire extinguisher with charging gauge. Other types and sizes are available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | MECH1 | 4 - Mechanical Room | 80 | D4001 | Compressor, Dental Air, System | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Dental air compressor system. Two or more equally sized compressors, with provisions for automatic, alternating and simultaneous operation shall be provided for dental air (DA). Each compressor is to be sized to operate at 65% duty cycle for maintenance of standard demand. Dental compressed air (DCA), 90 PSIG, is used for utility control in dental units, power for lifts, locks, rotary and other pneumatic dental instruments and equipment. DCA shall be oil-free air with the following air standards as maximums: Water - dry to a pressure dew point of 33 degrees F at not less than 90 PSIG; Condensed hydrocarbons - 0.1ppm by weight or 0.1 mg/L; Permanent particulates - 1.0 ppm by weight or 1.0 mg/L. Dental lab air (DLA), 30 PSIG, which is normally used for laboratory restorative and fabrication techniques may be combined with DCA. The system consists of, but not limited to, the following: compressor intake filters, compressors, after-coolers (air cooled), air receiver, pre-filter, dryer (refrigerated), after-filter. Pricing, electrical data and dimensions based upon 16-17 DTRs, each pump sized at approximately 17.5 cfm @ 100 PSIG. Other sizes and configurations are available to meet specified demands. Include a unit that provide vacuum to dental exam rooms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | MECH1 | 4 - Mechanical Room | 80 | | Amalgam Separator | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Amalgam Separator TBD |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|------------------------|-----------|-------|--------------------------------|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD01 | 14 - Supervisor Office | 120 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, multiple line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD01 | 14 - Supervisor Office | 120 | A1080 | Mirror, Posture, Wall Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 0 | Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD01 | 14 - Supervisor Office | 120 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 0 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |

| | | | | | | | | | |
|------------------------------------|------------|-------|------------------------|-----|-------|--|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD01 | 14 - Supervisor Office | 120 | A5077 | Dispenser, Hand Sanitizer, Hands-Free | CC - CONTRACTOR FURNISHED/INSTALLED | 0 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD01 | 14 - Supervisor Office | 120 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 0 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD01 | 14 - Supervisor Office | 120 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD01 | 14 - Supervisor Office | 120 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | CC - CONTRACTOR FURNISHED/INSTALLED | 0 | Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD01 | 14 - Supervisor Office | 120 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN is to be used for determining and defining location of decorative artwork. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD01 | 14 - Supervisor Office | 120 | E0078 | Workstation, L-Shaped w/Peninsula, Free Std, 78x72 | VV - GOVT FURNISHED & INSTALLED | 1 | This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD01 | 14 - Supervisor Office | 120 | F0115 | Bookcase, Open, 5 Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Freestanding open shelf bookcase, approximately 82" high X 37" wide X 18" deep with 5 (five) adjustable shelves. Unit can be separate or part of a system with available add-on shelving. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD01 | 14 - Supervisor Office | 120 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 2 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD01 | 14 - Supervisor Office | 120 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 1 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD01 | 14 - Supervisor Office | 120 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 1 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD01 | 14 - Supervisor Office | 120 | F0405 | Cabinet, Filing, Full Height, 4-5 Drawer | VV - GOVT FURNISHED & INSTALLED | 1 | Four (4) or five (5) drawer letter size, vertical filing cabinet, 53" high X 15" wide X 29" deep with locking device. Each drawer has label holder, handle and roller cradle. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD01 | 14 - Supervisor Office | 120 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD01 | 14 - Supervisor Office | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |

| | | | | | | | | | |
|------------------------------------|------------|-------|------------------------|-----|--------|---|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD01 | 14 - Supervisor Office | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 2 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD01 | 14 - Supervisor Office | 120 | M1825 | Printer, Computer | VV - GOVT FURNISHED & INSTALLED | 1 | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD01 | 14 - Supervisor Office | 120 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 0 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|---------------------|-----------|-------|--|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD03 | 5 - Office, Dentist | 240 | A1011 | Telephone, Desk, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, 1 line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD03 | 5 - Office, Dentist | 240 | A1066 | Mirror, Float Glass, With SS Frame | CC - CONTRACTOR FURNISHED/INSTALLED | 0 | A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD03 | 5 - Office, Dentist | 240 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 0 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD03 | 5 - Office, Dentist | 240 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 0 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD03 | 5 - Office, Dentist | 240 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD03 | 5 - Office, Dentist | 240 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | CC - CONTRACTOR FURNISHED/INSTALLED | 0 | Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD03 | 5 - Office, Dentist | 240 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN is to be used for determining and defining location of decorative artwork. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD03 | 5 - Office, Dentist | 240 | E0063 | Workstation, L-Shaped w/Peninsula, Wall Mtd, 72x72 | VV - GOVT FURNISHED & INSTALLED | 3 | THIS TYPICAL INCLUDES: 3 Vertical Hanging Strips 2 Lockable Flipper Units 2 Shelves, Storage/Display 2 Lights 1 Tackboard 2 Tool Rails 2 Paper Trays |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD03 | 5 - Office, Dentist | 240 | F0115 | Bookcase, Open, 5 Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Freestanding open shelf bookcase, approximately 82" high X 37" wide X 18" deep with 5 (five) adjustable shelves. Unit can be separate or part of a system with available add-on shelving. |

| | | | | | | | | | |
|------------------------------------|------------|-------|------------------------|-----|--------|---|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD03 | 5 - Office, Dentist | 240 | F0210 | Chair, Side, Without Arms | VV - GOVT FURNISHED & INSTALLED | 2 | Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD03 | 5 - Office, Dentist | 240 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 1 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD03 | 5 - Office, Dentist | 240 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 1 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD01 | 14 - Supervisor Office | 120 | F0405 | Cabinet, Filing, Full Height, 4-5 Drawer | VV - GOVT FURNISHED & INSTALLED | 1 | Four (4) or five (5) drawer letter size, vertical filing cabinet, 53" high X 15" wide X 29" deep with locking device. Each drawer has label holder, handle and roller cradle. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD03 | 5 - Office, Dentist | 240 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD03 | 5 - Office, Dentist | 240 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD03 | 5 - Office, Dentist | 240 | M1620 | Holder, Chart, Patient, Wall or Door Mounted | VV - GOVT FURNISHED & INSTALLED | 0 | Wall or door mounted patient chart holder. Constructed of durable plastic or metal. Used for holding patient records. Size as required. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD03 | 5 - Office, Dentist | 240 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD03 | 5 - Office, Dentist | 240 | M1825 | Printer, Computer | VV - GOVT FURNISHED & INSTALLED | 1 | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | OFD03 | 5 - Office, Dentist | 240 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 0 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|------------------|-----------|-------|--|---------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | SRE01 | 3 - Storage Room | 100 | M2055 | Shelving, Storage, Wire, CRS, w/Adjustable Shelves | VV - GOVT FURNISHED & INSTALLED | 4 | Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. |

| | | | | | | | | | |
|------------------------------------|------------|-------|----------------------------------|-----|-------|----------------------------------|---------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | D9060 | Prophylaxis Unit, Ultrasonic | VV - GOVT FURNISHED & INSTALLED | 1 | Dental ultrasonic prophylaxis unit. Used in dental clinics for the removal of calculus. Unit requires water and air supplies. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | M8541 | Microscope, Operating Endodontic | VV - GOVT FURNISHED & INSTALLED | 1 | An operating microscope for use during endodontic procedures. Microscope has six steps of magnification with a range of 2.1x to 19.2. Unit is easily maneuverable and ergonomically and modularly designed for operator comfort and upgrade accommodation. Unit comes with various mounting options available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | | Electrosurgery unit | VV - GOVT FURNISHED & INSTALLED | 1 | Electrosurgery unit |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | | Implant Headpiece | VV - GOVT FURNISHED & INSTALLED | 1 | Implant Headpiece |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | | Versatilt | VV - GOVT FURNISHED & INSTALLED | 1 | Versatilt |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | DNTG1 | 10 - Dental Treatment Room Large | 140 | | Freestanding surgical handpiece | VV - GOVT FURNISHED & INSTALLED | 1 | Freestanding surgical handpiece |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|--------------------|-----------|-------|---|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | TLTU1 | 1 - Patient Toilet | 60 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | TLTU1 | 1 - Patient Toilet | 60 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | TLTU1 | 1 - Patient Toilet | 60 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | TLTU1 | 1 - Patient Toilet | 60 | A5090 | Disposal, Sanitary Napkin, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | TLTU1 | 1 - Patient Toilet | 60 | A5109 | Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | TLTU1 | 1 - Patient Toilet | 60 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |

| | | | | | | | | | |
|------------------------------------|------------|-------|--------------------|----|-------|--|-------------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | TLTU1 | 1 - Patient Toilet | 60 | A5200 | Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | TLTU1 | 1 - Patient Toilet | 60 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | TLTU1 | 1 - Patient Toilet | 60 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | TLTU1 | 1 - Patient Toilet | 60 | P9050 | Toilet, Wall Hung, Siphon Jet | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|-----------------------|-----------|-------|---------------------------------------|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | WTF01 | 16 - Waiting, General | 120 | A5077 | Dispenser, Hand Sanitizer, Hands-Free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | WTF01 | 16 - Waiting, General | 120 | F0250 | Chair, Arm, Lounge Type | VV - GOVT FURNISHED & INSTALLED | 1 | Lounge chair approximately 33" high X 28" wide X 29" deep, with arms and floor glides. Chair completely padded and upholstered in either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | WTF01 | 16 - Waiting, General | 120 | F0375 | Sofa, Upholstered | VV - GOVT FURNISHED & INSTALLED | 1 | Executive sofa with woven fabric textile or vinyl upholstery, foam padded arms, steel spring and foam rubber backs and seats, and floor glides. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | WTF01 | 16 - Waiting, General | 120 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 3 - DENTAL | WTF01 | 16 - Waiting, General | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|---------------------------------|-----------|-------|---|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYFD1 | 4 - Fitting and Dispensing Room | 140 | A1014 | Telephone, Wall Mounted, 1 Line, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line, with speaker. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYFD1 | 4 - Fitting and Dispensing Room | 140 | A1066 | Mirror, Float Glass, With SS Frame | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas. |

| | | | | | | | | | |
|------------------------------------|----------------|-------|---------------------------------|-----|--------|--|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYFD1 | 4 - Fitting and Dispensing Room | 140 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYFD1 | 4 - Fitting and Dispensing Room | 140 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYFD1 | 4 - Fitting and Dispensing Room | 140 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYFD1 | 4 - Fitting and Dispensing Room | 140 | E0078 | Workstation, L-Shaped w/Peninsula, Free Std, 78x72 | VV - GOVT FURNISHED & INSTALLED | 1 | This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYFD1 | 4 - Fitting and Dispensing Room | 140 | E0906 | Locker, Supply, General, Wall Mtd, 23"W x 20"D | VV - GOVT FURNISHED & INSTALLED | 2 | THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H 3 Drawers, 6"H 2 Drawers, 9"H 1 Tray/Shelf Divider |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYFD1 | 4 - Fitting and Dispensing Room | 140 | E0912 | Locker, Supply, Med Surg, Wall Mtd | VV - GOVT FURNISHED & INSTALLED | 2 | Medical/Surgical Supply locker, Wall Mounted, approximately 23"W x 20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H 2 Drawers, 6"H 2 Tray/Shelf Dividers |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYFD1 | 4 - Fitting and Dispensing Room | 140 | E1500 | Rail, MOD, W/MNTD, HX144XD | VV - GOVT FURNISHED & INSTALLED | 2 | Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYFD1 | 4 - Fitting and Dispensing Room | 140 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 1 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYFD1 | 4 - Fitting and Dispensing Room | 140 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYFD1 | 4 - Fitting and Dispensing Room | 140 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYFD1 | 4 - Fitting and Dispensing Room | 140 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYFD1 | 4 - Fitting and Dispensing Room | 140 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYFD1 | 4 - Fitting and Dispensing Room | 140 | M5520 | Lensometer | VV - GOVT FURNISHED & INSTALLED | 1 | Lensometer. Unit includes lamps, prism measuring lens marking device, cylinder axis wheel calibrated in two 180 degree segments and a green filter for tinted glass. The instrument may be inclined between 25 to 90 degrees. Used for measuring lenses. |

| | | | | | | | | | |
|------------------------------------|----------------|-------|---------------------------------|-----|-------|-------------------------------------|-------------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYFD1 | 4 - Fitting and Dispensing Room | 140 | M5705 | Gauge, Distance, Pupillary | VV - GOVT FURNISHED & INSTALLED | 1 | Pupillary distance gauge. Unit is electronic and features corneal reflection, LCD display, 0.5mm measurement increments, and measure fixation PD distance to 30 cm from infinity. Unit runs on battery power and is designed to measure the distance between pupils as well as corneal and pupil diameter. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYFD1 | 4 - Fitting and Dispensing Room | 140 | M5735 | Warmer, Spectacle, Plastic | VV - GOVT FURNISHED & INSTALLED | 1 | Plastic spectacle warmer. Bath type. Thermostatically controlled. For use with glass beads or salt. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYFD1 | 4 - Fitting and Dispensing Room | 140 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYFD1 | 4 - Fitting and Dispensing Room | 140 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|-------------------------|-----------|-------|---|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 10 - Visual Fields Room | 120 | A1016 | Telephone, Desk, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, with speaker. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 10 - Visual Fields Room | 120 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 10 - Visual Fields Room | 120 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 10 - Visual Fields Room | 120 | A5107 | Dispenser, Glove, Surgical/Examination, Wall Mntd | VV - GOVT FURNISHED & INSTALLED | 1 | Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 10 - Visual Fields Room | 120 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 10 - Visual Fields Room | 120 | C02Q0 | Cabinet, Sink, U/C/B, 1 Door, 36x24x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 10 - Visual Fields Room | 120 | CS010 | Sink, SS, Single Compartment, 7.5x12x12 ID | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 10 - Visual Fields Room | 120 | CT020 | Countertop, Solid Surface | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties. |

| | | | | | | | | | |
|------------------------------------|----------------|-------|-------------------------|-----|--------|---|---------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 10 - Visual Fields Room | 120 | E0210 | Worksurface, w/Overhead Cab, Wall Mtd, 48" W | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 10 - Visual Fields Room | 120 | F0300 | Chair, Task, Swivel, With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Task chair, approximately 34" H X 26" W X 22" D with adjustable arms and a five caster adjustable swivel base. Seat and back are foam padded and upholstered in woven fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 10 - Visual Fields Room | 120 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 10 - Visual Fields Room | 120 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 10 - Visual Fields Room | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 10 - Visual Fields Room | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 2 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 10 - Visual Fields Room | 120 | M1802 | Work Station, Computer, Retractable, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 10 - Visual Fields Room | 120 | M5500 | Autorefractor, Ophthalmic | VV - GOVT FURNISHED & INSTALLED | 1 | Ophthalmic autorefractor. Unit is a tabletop model consisting of a instant display TV monitor, forehead rest, measuring head, height adjustment ring, and joystick lever. It features an automatic fogging and a high speed printer. Designed for visual acuity screening. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 10 - Visual Fields Room | 120 | M5510 | Camera, Fundus, Digital | VV - GOVT FURNISHED & INSTALLED | 0 | The digital fundus camera system is designed for use in diagnosing and recording ocular disorders. It shall consist of a digital imager, computer, monitor, chin rest, joy stick and software to record, store, edit and print digital images. The system may also include a system table and an adjustable patient table. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 10 - Visual Fields Room | 120 | M5520 | Lensometer | VV - GOVT FURNISHED & INSTALLED | 1 | Lensometer. Unit includes lamps, prism measuring lens marking device, cylinder axis wheel calibrated in two 180 degree segments and a green filter for tinted glass. The instrument may be inclined between 25 to 90 degrees. Used for measuring lens. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 10 - Visual Fields Room | 120 | M5555 | Perimeter, Automated | VV - GOVT FURNISHED & INSTALLED | 1 | Automated ophthalmic perimeter. Unit has on screen display for rapid and accurate alignment of patients automatic pupil size measurement, seven different fixation aids, ergonomic chin rest, several threshold strategies, and high target intensity. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 10 - Visual Fields Room | 120 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 10 - Visual Fields Room | 120 | M6040 | Pachymeter, Ultrasound, Corneal | VV - GOVT FURNISHED & INSTALLED | 1 | Ultrasonic Pachymeter for measuring corneal thickness. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|-----------------------------------|-----------|-------|---|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 8 - Eye, Visual Field / Perimetry | 120 | A1016 | Telephone, Desk, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, with speaker. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 8 - Eye, Visual Field / Perimetry | 120 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 8 - Eye, Visual Field / Perimetry | 120 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 8 - Eye, Visual Field / Perimetry | 120 | A5107 | Dispenser, Glove, Surgical/Examination, Wall Mntd | VV - GOVT FURNISHED & INSTALLED | 1 | Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 8 - Eye, Visual Field / Perimetry | 120 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 8 - Eye, Visual Field / Perimetry | 120 | C02Q0 | Cabinet, Sink, U/C/B, 1 Door, 36x24x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 8 - Eye, Visual Field / Perimetry | 120 | CS010 | Sink, SS, Single Compartment, 7.5x12x12 ID | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 8 - Eye, Visual Field / Perimetry | 120 | CT020 | Countertop, Solid Surface | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 8 - Eye, Visual Field / Perimetry | 120 | E0210 | Worksurface, w/Overhead Cab, Wall Mtd, 48" W | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 2 Vertical Hanging Strips 1 Lockable Flipper Unit 1 Shelf, Storage/Display 1 Light 1 Cantilevered Work Surface |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 8 - Eye, Visual Field / Perimetry | 120 | F0300 | Chair, Task, Swivel, With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Task chair, approximately 34" H X 26" W X 22" D with adjustable arms and a five caster adjustable swivel base. Seat and back are foam padded and upholstered in woven fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 8 - Eye, Visual Field / Perimetry | 120 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 8 - Eye, Visual Field / Perimetry | 120 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |

| | | | | | | | | | |
|------------------------------------|----------------|-------|-----------------------------------|-----|--------|---|---------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 8 - Eye, Visual Field / Perimetry | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated. (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 8 - Eye, Visual Field / Perimetry | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 2 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 8 - Eye, Visual Field / Perimetry | 120 | M1802 | Work Station, Computer, Retractable, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 8 - Eye, Visual Field / Perimetry | 120 | M5500 | Autorefractor, Ophthalmic | VV - GOVT FURNISHED & INSTALLED | 1 | Ophthalmic autorefractor. Unit is a tabletop model consisting of a instant display TV monitor, forehead rest, measuring head, height adjustment ring, and joystick lever. It features an automatic fogging and a high speed printer. Designed for visual acuity screening. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 8 - Eye, Visual Field / Perimetry | 120 | M5510 | Camera, Fundus, Digital | VV - GOVT FURNISHED & INSTALLED | 0 | The digital fundus camera system is designed for use in diagnosing and recording ocular disorders. It shall consist of a digital imager, computer, monitor, chin rest, joy stick and software to record, store, edit and print digital images. The system may also include a system table and an adjustable patient table. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 8 - Eye, Visual Field / Perimetry | 120 | M5520 | Lensometer | VV - GOVT FURNISHED & INSTALLED | 1 | Lensometer. Unit includes lamps, prism measuring lens marking device, cylinder axis wheel calibrated in two 180 degree segments and a green filter for tinted glass. The instrument may be inclined between 25 to 90 degrees. Used for measuring lens. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 8 - Eye, Visual Field / Perimetry | 120 | M5555 | Perimeter, Automated | VV - GOVT FURNISHED & INSTALLED | 1 | Automated ophthalmic perimeter. Unit has on screen display for rapid and accurate alignment of patients automatic pupil size measurement, seven different fixation aids, ergonomic chin rest, several threshold strategies, and high target intensity. |
| | 4 - EYE CLINIC | EYVF1 | 8 - Eye, Visual Field / Perimetry | 120 | M5530 | Lamp, Slit, w/Applanation Tonometer | VV - GOVT FURNISHED & INSTALLED | 1 | Slit lamp with applanation tonometer. Unit consists of a base mounted ophthalmological slit lamp with head and chin rest and manual height and focusing adjustments. The instrument features a microscope head with parallel optics that will accept an applanation tonometer. Designed for use in ophthalmology during diagnostic examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 8 - Eye, Visual Field / Perimetry | 120 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | 8 - Eye, Visual Field / Perimetry | 120 | M6040 | Pachymeter, Ultrasound, Corneal | VV - GOVT FURNISHED & INSTALLED | 1 | Ultrasonic Pachymeter for measuring corneal thickness. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|----------------------|-----------|-------|---|-------------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | A1014 | Telephone, Wall Mounted, 1 Line, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line, with speaker. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | A1066 | Mirror, Float Glass, With SS Frame | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | piece, bright polished, stainless steel channel frame with 90" mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |

| | | | | | | | | | |
|------------------------------------|----------------|-------|----------------------|-----|-------|---|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | M5520 | Lensometer | VV - GOVT FURNISHED & INSTALLED | 1 | Lensometer. Unit includes lamps, prism measuring lens marking device, cylinder axis wheel calibrated in two 180 degree segments and a green filter for tinted glass. The instrument may be inclined between 25 to 90 degrees. Used for measuring lens. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | M5530 | Lamp, Slit, w/Appplanation Tonometer | VV - GOVT FURNISHED & INSTALLED | 1 | Slit lamp with applanation tonometer. Unit consists of a base mounted ophthalmological slit lamp with head and chin rest and manual height and focusing adjustments. The instrument features a microscope head with parallel optics that will accept an applanation tonometer. Designed for use in ophthalmology during diagnostic examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | M5535 | Ophthalmoscope, Binocular, Indirect | VV - GOVT FURNISHED & INSTALLED | 1 | Binocular indirect ophthalmoscope. Unit consists of headband and crown, halogen quartz lamp, multi-coated aspherical lenses, scleral depressor and mirror. It also includes a control switch that regulates the illumination from 2 to 6 volts. Used to examine presence of blood vessels in patient's pupils. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | M5600 | Unit, Exam, Eye, w/Motor Chair, Phoropter | VV - GOVT FURNISHED & INSTALLED | 1 | Eye exam phoropter unit with motor operated chair. Unit consists of an adjustable chair, and phoropter unit for eye examination, mounted on a stand. Stand includes an additive tray with keratometer arm and tray and a integral instrument tray. Unit is designed for use during ophthalmic examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | M5700 | Frame Set, Lens, Trial | VV - GOVT FURNISHED & INSTALLED | 1 | Trial lens frame set. Set consists of light weight and color-coded marked lenses, holding tray, and a complete assortment of other accessories. It is used to determine visual acuity. Set features horizontal and vertical bridge adjustments with individual adjustments for temple length and angle. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | C02Q0 | Cabinet, Sink, U/C/B, 1 Door, 36x24x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | CS010 | Sink, SS, Single Compartment, 7.5x12x12 ID | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | CT020 | Countertop, Solid Surface | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | M5562 | Tester, Visual Acuity, Video/Microprocessor Based | VV - GOVT FURNISHED & INSTALLED | 1 | A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | M6040 | Pachymeter, Ultrasound, Corneal | VV - GOVT FURNISHED & INSTALLED | 1 | Ultrasonic Pachymeter for measuring corneal thickness. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN is to be used for determining and defining location of decorative artwork. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | E0945 | Cart, Computer, Mobile | VV - GOVT FURNISHED & INSTALLED | 1 | A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 2 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |

| | | | | | | | | | |
|------------------------------------|----------------|-------|----------------------|-----|--------|---|--|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | M5025 | Table, Instrument, Ophthalmic, Adjustable | VV - GOVT FURNISHED & INSTALLED | 1 | Ophthalmic adjustable instrument table. Four toed pedestal type base with foot pedal brake or hand operated clamp for securing table adjustment. Designed for use with slit lamp, ophthalmometer, perimeter and screening instruments. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | M5027 | Table, Multiple Instrument, Ophthalmic | VV - GOVT FURNISHED & INSTALLED | 1 | A multiple instrument ophthalmic table. This table is designed to hold up to three ophthalmologic instruments allowing the patient to turn only slightly between them for testing. The table top is adjustable from approximately 26" to 38" and facilitates complete wheelchair accessibility to all instruments. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | M5500 | Autorefractor, Ophthalmic | VV - GOVT FURNISHED & INSTALLED | 1 | Ophthalmic autorefractor. Unit is a tabletop model consisting of a instant display TV monitor, forehead rest, measuring head, height adjustment ring, and joystick lever. It features an automatic fogging and a high speed printer. Designed for visual acuity screening. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | M5570 | Armed Forces Vision Tester | VV - GOVT FURNISHED & INSTALLED | 1 | Armed Forces Vision Tester. Unit is spring balanced for easy height adjustment and has a tension lock. It contains rotating drums for slide alignment and 5 point tests. It is designed to provide accurate vision screening for near point and far point vision. This unit is a special order item normally procured through DSCP. This item is designed for the government and is not available on the open market. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | M5575 | Tonometer, Noncontact | VV - GOVT FURNISHED & INSTALLED | 1 | Non-contact tonometer. Unit includes a built-in RX selector with four diopter corrections, air pulse button, head rest, and a digital display. Used for patient's eye observation, glaucoma screening, and other routine screening through a puff of air. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | M6045 | Corneal Topography Unit | VV - GOVT FURNISHED & INSTALLED | 1 | Computerized corneal mapping system for pre- and post- surgical diagnosis of astigmatism, refractive error, irregularly shaped corneas and other eye conditions. The unit performs analysis of 5,000 - 6,000 different points on a ring pattern reflected from the patient's cornea to quantify the curvature and contours of the corneal surface. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| | | | | | M5016 | Desk, Refraction w/console, w/o Sink | VC - GOVT FURNISHED/CONTRACTOR INSTALLED | 1 | The ophthalmic refraction desk shall be specifically designed to conduct eye examinations in ophthalmic clinics and hospital. It shall have a control console consisting of three rechargeable instrument wells, two 110v auxiliary switches to control accessories, two low voltage switches to control fixation lights, a separate on/off dimmer control for room lights and an indirect ophthalmoscope control with hanger that provides power to the instrument when lifted. This item may include an optional equipment stand/pole with one to three arms and the ability to accept a |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------|-----------------|-----------|-----------|-----------|-----|--------------|----------|-----|-------------|
|------------|-----------------|-----------|-----------|-----------|-----|--------------|----------|-----|-------------|

| | | | | | | | | | |
|------------------------------------|----------------|-------|---------------------------|-----|-------|---|-------------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | A1014 | Telephone, Wall Mounted, 1 Line, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line, with speaker. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | A1066 | Mirror, Float Glass, With SS Frame | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror 36X18, framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in toilet areas, Doctors examination offices, etc. May also be used above double lavatories, either wall or countertop mounted, found in restroom areas. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | M5530 | Lamp, Slit, w/Applanation Tonometer | VV - GOVT FURNISHED & INSTALLED | 1 | ophthalmological slit lamp with head and chin rest and manual height and focusing adjustments. The instrument features a microscope head with parallel optics that will accept an applanation tonometer. Designed for use in ophthalmology during diagnostic examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | M5535 | Ophthalmoscope, Binocular, Indirect | VV - GOVT FURNISHED & INSTALLED | 1 | halogen quartz lamp, multi-coated aspherical lenses, scleral depressor and mirror. It also includes a control switch that regulates the illumination from 2 to 6 volts. Used to examine presence of blood vessels in patient's pupils. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | M5600 | Unit, Exam, Eye, w/Motor Chair, Phoropter | VV - GOVT FURNISHED & INSTALLED | 1 | adjustable chair, and phoropter unit for eye examination, mounted on a stand. Stand includes an additive tray with keratometer arm and tray and a integral instrument tray. Unit is designed for use during ophthalmic examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | M5700 | Frame Set, Lens, Trial | VV - GOVT FURNISHED & INSTALLED | 1 | Trial lens frame set. Set consists of light weight and color-coded marked lenses, holding tray, and a complete assortment of other accessories. It is used to determine visual acuity. Set features horizontal and vertical bridge adjustments with individual adjustments for temple length and angle. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | C02Q0 | Cabinet, Sink, U/C/B, 1 Door, 36x24x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | CS010 | Sink, SS, Single Compartment, 7.5x12x12 ID | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | CT020 | Countertop, Solid Surface | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | M5562 | Tester, Visual Acuity, Video/Microprocessor Based | VV - GOVT FURNISHED & INSTALLED | 1 | to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | M6040 | Pachymeter, Ultrasound, Corneal | VV - GOVT FURNISHED & INSTALLED | 1 | Ultrasonic Pachymeter for measuring corneal thickness. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 3 - Photography Room | 150 | E0945 | Cart, Computer, Mobile | VV - GOVT FURNISHED & INSTALLED | 1 | A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 2 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |

| | | | | | | | | | |
|------------------------------------|----------------|-------|---------------------------|-----|--------------|---|--|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | M5025 | Table, Instrument, Ophthalmic, Adjustable | VV - GOVT FURNISHED & INSTALLED | 1 | Ophthalmic adjustable instrument table. Four toed pedestal type base with foot pedal brake or hand operated clamp for securing table adjustment. Designed for use with slit lamp, ophthalmometer, perimeter and screening instruments. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | M5027 | Table, Multiple Instrument, Ophthalmic | VV - GOVT FURNISHED & INSTALLED | 1 | A multiple instrument ophthalmic table. This table is designed to hold up to three ophthalmologic instruments allowing the patient to turn only slightly between them for testing. The table top is adjustable from approximately 26" to 38" and facilitates complete wheelchair accessibility to all instruments. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | M5500 | Autorefractor, Ophthalmic | VV - GOVT FURNISHED & INSTALLED | 1 | Ophthalmic autorefractor. Unit is a tabletop model consisting of a instant display TV monitor, forehead rest, measuring head, height adjustment ring, and joystick lever. It features an automatic fogging and a high speed printer. Designed for visual acuity screening. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | M5570 | Armed Forces Vision Tester | VV - GOVT FURNISHED & INSTALLED | 1 | Armed Forces Vision Tester. Unit is spring balanced for easy height adjustment and has a tension lock. It contains rotating drums for slide alignment and 5 point tests. It is designed to provide accurate vision screening for near point and far point vision. This unit is a special order item normally procured through DSCP. This item is designed for the government and is not available on the open market. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | M5575 | Tonometer, Noncontact | VV - GOVT FURNISHED & INSTALLED | 1 | Non-contact tonometer. Unit includes a built-in RX selector with four diopter corrections, air pulse button, head rest, and a digital display. Used for patient's eye observation, glaucoma screening, and other routine screening through a puff of air. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | M6045 | Corneal Topography Unit | VV - GOVT FURNISHED & INSTALLED | 0 | Computerized corneal mapping system for pre- and post-surgical diagnosis of astigmatism, refractive error, irregularly shaped corneas and other eye conditions. The unit performs analysis of 5,000 - 6,000 different points on a ring pattern reflected from the patient's cornea to quantify the curvature and contours of the corneal surface. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | Shredder Box | | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | M5016 | Desk, Refraction w/console, w/o Sink | vc - GOVT FURNISHED/CONTRACTOR INSTALLED | 1 | The ophthalmic refraction desk shall be specifically designed to conduct eye examinations in ophthalmic clinics and hospital. It shall have a control console consisting of three rechargeable instrument wells, two 110v auxiliary switches to control accessories, two low voltage switches to control fixation lights, a separate on/off dimmer control for room lights and an indirect ophthalmoscope control with hanger that provides power to the instrument when lifted. This item may include an optional equipment stand/pole with one to three arms and the ability to accept a phoropter arm. There shall be a swivel Lamp and a trial lens drawer. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | M5520 | Lensometer | VV - GOVT FURNISHED & INSTALLED | 1 | Lensometer. Unit includes lamps, prism measuring lens marking device, cylinder axis wheel calibrated in two 180 degree segments and a green filter for tinted glass. The instrument may be inclined between 25 to 90 degrees. Used for measuring lens. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | M5530 | Lamp, Slit, w/Applanation Tonometer | VV - GOVT FURNISHED & INSTALLED | 1 | ophthalmological slit lamp with head and chin rest and manual height and focusing adjustments. The instrument features a microscope head with parallel optics that will accept an applanation tonometer. Designed for use in ophthalmology during diagnostic examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | M5535 | Ophthalmoscope, Binocular, Indirect | VV - GOVT FURNISHED & INSTALLED | 1 | halogen quartz lamp, multi-coated aspherical lenses, scleral depressor and mirror. It also includes a control switch that regulates the illumination from 2 to 6 volts. Used to examine presence of blood vessels in patient's pupils. |

| | | | | | | | | | |
|------------------------------------|----------------|-------|---------------------------|-----|-------|---|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | M5600 | Unit, Exam, Eye, w/Motor Chair, Phoropter | VV - GOVT FURNISHED & INSTALLED | 1 | adjustable chair, and phoropter unit for eye examination, mounted on a stand. Stand includes an additive tray with keratometer arm and tray and a integral instrument tray. Unit is designed for use during ophthalmic examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | M5700 | Frame Set, Lens, Trial | VV - GOVT FURNISHED & INSTALLED | 1 | Trial lens frame set. Set consists of light weight and color-coded marked lenses, holding tray, and a complete assortment of other accessories. It is used to determine visual acuity. Set features horizontal and vertical bridge adjustments with individual adjustments for temple length and angle. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | C02Q0 | Cabinet, Sink, U/C/B, 1 Door, 36x24x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | CS010 | Sink, SS, Single Compartment, 7.5x12x12 ID | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | CT020 | Countertop, Solid Surface | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | M5562 | Tester, Visual Acuity, Video/Microprocessor Based | VV - GOVT FURNISHED & INSTALLED | 1 | to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | M6040 | Pachymeter, Ultrasound, Corneal | VV - GOVT FURNISHED & INSTALLED | 1 | Ultrasonic Pachymeter for measuring corneal thickness. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVS1 | 9 - Eye, Vision Screening | 120 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|-----------------|-----------|-------|---|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | MEDP1 | 13 - Medication | 80 | A1014 | Telephone, Wall Mounted, 1 Line, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line, with speaker. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | MEDP1 | 13 - Medication | 80 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | MEDP1 | 13 - Medication | 80 | A5077 | Dispenser, Hand Sanitizer, Hands-Free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | MEDP1 | 13 - Medication | 80 | A5082 | Dispenser, Paper Towel, Sensor, Hands Free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are place in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | MEDP1 | 13 - Medication | 80 | A5107 | Dispenser, Glove, Surgical/Examination, Wall Mntd | VV - GOVT FURNISHED & INSTALLED | 1 | Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | MEDP1 | 13 - Medication | 80 | A5108 | Waste Disposal Unit, Sharps | VV - GOVT FURNISHED & INSTALLED | 1 | A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | MEDP1 | 13 - Medication | 80 | C04P0 | Cabinet, Sink, U/C/B, 2 Door, 36x36x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Standing height under counter base sink cabinet with solid hinged doors. Also referred to as a double-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible. |

| | | | | | | | | | |
|------------------------------------|----------------|-------|-----------------|----|--------|---|-------------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | MEDP1 | 13 - Medication | 80 | CS250 | Sink, SS, Single Compartment, 6x12x9 ID | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | MEDP1 | 13 - Medication | 80 | CT020 | Countertop, Solid Surface | CC - CONTRACTOR FURNISHED/INSTALLED | 8 | A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | MEDP1 | 13 - Medication | 80 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | MEDP1 | 13 - Medication | 80 | F3050 | Whiteboard, Dry Erase | VV - GOVT FURNISHED & INSTALLED | 1 | Whiteboard unit, approximately 36" H x 48" W consisting of a white porcelain enamel writing surface with an attached chalk tray. Magnetic surface available. Image can be easily removed with a standard chalkboard eraser. For use with water color pens. Unit is ready to hang. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | MEDP1 | 13 - Medication | 80 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | MEDP1 | 13 - Medication | 80 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | MEDP1 | 13 - Medication | 80 | M3150 | Distribution System, Medication, Automatic | VV - GOVT FURNISHED & INSTALLED | 0 | An automated dispensing system that provides controlled dispensing, inventory and security. Size and cost will vary dependent on number of modules selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | MEDP1 | 13 - Medication | 80 | M3080 | Cabinet, Instrument, CRS, 2 Glass Door, 6 Shelf | VV - GOVT FURNISHED & INSTALLED | 3 | Non-magnetic stainless steel instrument cabinet with two glass doors and six shelves (five adjustable). Cabinet body has a single storage compartment and seamless welded face. Shelf heights are adjustable on full length perforated strips mounted to the back and inside front cabinet corners. Cabinet is mounted on glides or casters. Cabinet may be covered by a sloping top. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | MEDP1 | 13 - Medication | 80 | F0795 | Table, Dining | VV - GOVT FURNISHED & INSTALLED | 1 | Dining table. Round 42" diameter. Used in dining facilities and can comfortably seat up to four (4) persons. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | MEDP1 | 13 - Medication | 80 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 4 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | MEDP1 | 13 - Medication | 80 | R6200 | Refrigerator, U/C or F/S, 5 Cu Ft | VV - GOVT FURNISHED & INSTALLED | 1 | Utility refrigerator approximately 35" H x 24" W x 26" D. The unit has a two tray ice cube cooling system. The refrigerator fits standard architectural dimensions for undercounter installation. The unit is perfect for use in nurses' station, wards, and laboratories, pharmacies or wherever space is limited. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|-------------------------------------|-----------|-------|--------------------------------|---------------------------------|-----|---------------------------------|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | OFA07 | 16 - Workstation, Provider/Resident | 56 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 2 | Telephone, desk, multiple line. |

| | | | | | | | | | |
|------------------------------------|----------------|-------|-------------------------------------|----|--------|---|---------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | OFA07 | 16 - Workstation, Provider/Resident | 56 | E0123 | Workstation, Straight, Free Standing, 72" W | VV - GOVT FURNISHED & INSTALLED | 2 | areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | OFA07 | 16 - Workstation, Provider/Resident | 56 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 2 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | OFA07 | 16 - Workstation, Provider/Resident | 56 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 2 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | OFA07 | 16 - Workstation, Provider/Resident | 56 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | OFA07 | 16 - Workstation, Provider/Resident | | M1840 | Printer/Copier/Fax Combination | VV - GOVT FURNISHED & INSTALLED | 1 | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | OFA07 | 16 - Workstation, Provider/Resident | 56 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 2 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|------------------------------|-----------|-------|---|---------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | OFA07 | 20 - Workstation, Admin/Tech | 56 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 2 | Telephone, desk, multiple line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | OFA07 | 20 - Workstation, Admin/Tech | 56 | E0123 | Workstation, Straight, Free Standing, 72" W | VV - GOVT FURNISHED & INSTALLED | 2 | This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | OFA07 | 20 - Workstation, Admin/Tech | 56 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 2 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | OFA07 | 20 - Workstation, Admin/Tech | 56 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 2 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |

| | | | | | | | | | |
|------------------------------------|----------------|-------|------------------------------|----|--------|---|---------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | OFA07 | 20 - Workstation, Admin/Tech | 56 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 2 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | OFA07 | 20 - Workstation, Admin/Tech | 56 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 2 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|--------------------|-----------|--------|---|-------------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | RECP1 | 1 - Reception Area | 55 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 0 | Telephone, desk, multiple line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | RECP1 | 1 - Reception Area | 55 | A6105 | Counter, Reception Control, Built-In | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backsplash/curb. Pricing based on a 30" depth. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | RECP1 | 1 - Reception Area | 55 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 4 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | RECP1 | 1 - Reception Area | 55 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 3 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | RECP1 | 1 - Reception Area | 55 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 4 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | RECP1 | 1 - Reception Area | 55 | F2540 | Shredder, Paper, Security | VV - GOVT FURNISHED & INSTALLED | 1 | Paper shredder, approximately 21" high X 15" wide X 12" deep with shredding unit and waste receptacle. Security features will include cross-cut shredding. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | RECP1 | 1 - Reception Area | 55 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | RECP1 | 1 - Reception Area | 55 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 4 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | RECP1 | 1 - Reception Area | 55 | M1840 | Printer/Copier/Fax Combination | VV - GOVT FURNISHED & INSTALLED | 1 | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|-------------------------|-----------|-------|--|---------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | SRE01 | 14 - Storage, Equipment | 120 | M2055 | Shelving, Storage, Wire, CRS, w/Adjustable Shelves | VV - GOVT FURNISHED & INSTALLED | 4 | Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|------------------------------|-----------|-------|--|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | SRS01 | 15 - Storage Eyeglass Frame | 80 | A1014 | Telephone, Wall Mounted, 1 Line, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line, with speaker. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | OFA07 | 20 - Workstation, Admin/Tech | 56 | E0123 | Workstation, Straight, Free Standing, 72" W | VV - GOVT FURNISHED & INSTALLED | 1 | areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | OFA07 | 20 - Workstation, Admin/Tech | 56 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 1 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | MEDP1 | 13 - Medication | 80 | C04P0 | Cabinet, Sink, U/C/B, 2 Door, 36x36x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Standing height under counter base sink cabinet with solid hinged doors. Also referred to as a double-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | MEDP1 | 13 - Medication | 80 | CS250 | Sink, SS, Single Compartment, 6x12x9 ID | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | MEDP1 | 13 - Medication | 80 | CT020 | Countertop, Solid Surface | CC - CONTRACTOR FURNISHED/INSTALLED | 8 | A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | SRS01 | 15 - Storage Eyeglass Frame | 80 | M5520 | Lensometer | VV - GOVT FURNISHED & INSTALLED | 1 | Lensometer. Unit includes lamps, prism measuring lens marking device, cylinder axis wheel calibrated in two 180 degree segments and a green filter for tinted glass. The instrument may be inclined between 25 to 90 degrees. Used for measuring lens. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | SRS01 | 15 - Storage Eyeglass Frame | 80 | M2055 | Shelving, Storage, Wire, CRS, w/Adjustable Shelves | VV - GOVT FURNISHED & INSTALLED | 4 | Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|--|-----------|-------|-------------------------------------|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TLT01 | 23 - Toilet, Patient, Single User, Universal | 60 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |

| | | | | | | | | | |
|------------------------------------|----------------|-------|--|----|-------|--|-------------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TLTU1 | 23 - Toilet, Patient, Single User, Universal | 60 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TLTU1 | 23 - Toilet, Patient, Single User, Universal | 60 | A5082 | Dispenser, Paper Towel, Sensor, Hands Free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TLTU1 | 23 - Toilet, Patient, Single User, Universal | 60 | A5090 | Disposal, Sanitary Napkin, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TLTU1 | 23 - Toilet, Patient, Single User, Universal | 60 | A5109 | Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TLTU1 | 23 - Toilet, Patient, Single User, Universal | 60 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TLTU1 | 23 - Toilet, Patient, Single User, Universal | 60 | A5200 | Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TLTU1 | 23 - Toilet, Patient, Single User, Universal | 60 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TLTU1 | 23 - Toilet, Patient, Single User, Universal | 60 | P3000 | Lavatory, Vitreous China, Straight Back | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, vitreous china lavatory (approximate bowl size 7"x15"x10") with: straight-front apron, straight or contoured back; faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care areas. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TLTU1 | 23 - Toilet, Patient, Single User, Universal | 60 | P9050 | Toilet, Wall Hung, Siphon Jet | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|---------------------------|-----------|-------|---|-------------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | A1016 | Telephone, Desk, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, with speaker. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |

| | | | | | | | | | |
|------------------------------------|----------------|-------|---------------------------|-----|-------|---|-------------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | C02Q0 | Cabinet, Sink, U/C/B, 1 Door, 36x24x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | CS010 | Sink, SS, Single Compartment, 7.5x12x12 ID | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | CT020 | Countertop, Solid Surface | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | M5520 | Lensometer | VV - GOVT FURNISHED & INSTALLED | 1 | Lensometer. Unit includes lamps, prism measuring lens marking device, cylinder axis wheel calibrated in two 180 degree segments and a green filter for tinted glass. The instrument may be inclined between 25 to 90 degrees. Used for measuring lens. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | M5025 | Table, Instrument, Ophthalmic, Adjustable | VV - GOVT FURNISHED & INSTALLED | 1 | Ophthalmic adjustable instrument table. Four toed pedestal type base with foot pedal brake or hand operated clamp for securing table adjustment. Designed for use with slit lamp, ophthalmometer, perimeter and screening instruments. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | M5500 | Autorefractor, Ophthalmic | VV - GOVT FURNISHED & INSTALLED | 1 | Ophthalmic autorefractor. Unit is a tabletop model consisting of an instant display TV monitor, forehead rest, measuring head, height adjustment ring, and joystick lever. It features an automatic fogging and a high speed printer. Designed for visual acuity screening. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | M5575 | Tonometer, Noncontact | VV - GOVT FURNISHED & INSTALLED | 1 | Non-contact tonometer. Unit includes a built-in RX selector with four diopter corrections, air pulse button, head rest, and a digital display. Used for patient's eye observation, glaucoma screening, and other routine screening through a puff of air. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | M5562 | Tester, Visual Acuity, Video/Microprocessor Based | VV - GOVT FURNISHED & INSTALLED | 1 | technology. This equipment replaces the projector chart and projector in an eye examination lane. Wall bracing is required for mounting the unit directly to the wall without support from below. An optional floor stand can also be used. The unit requires an electrical outlet on the far end wall |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | M5531 | Lamp, Slit, Photographic w/Tonometer | VV - GOVT FURNISHED & INSTALLED | 1 | ophthalmological slit lamp, with head and chin rest and manual height and focusing adjustments. The instrument also features a microscope head with parallel optics that will accept an applanation tonometer. For use in ophthalmology during diagnostic examinations. Unit to be supplied with |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | M6040 | Pachymeter, Ultrasound, Corneal | VV - GOVT FURNISHED & INSTALLED | 1 | Ultrasonic Pachymeter for measuring corneal thickness. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | F0206 | Chair, Side, Bariatric, With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |

| | | | | | | | | | |
|------------------------------------|----------------|-------|---------------------------|-----|--------|---|---------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | M1802 | Work Station, Computer, Retractable, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | M5016 | Desk, Refraction w/console, w/o Sink | VC - GOVT FURNISHED/CONTR INST | 1 | The ophthalmic refraction desk shall be specifically designed to conduct eye examinations in ophthalmic clinics and hospital. It shall have a control console consisting of three rechargeable instrument wells, two 110v auxiliary switches to control accessories, two low voltage switches to control fixation lights, a separate on/off dimmer control for room lights and an indirect ophthalmoscope control with hanger that provides power to the instrument when lifted. This item may include an optional equipment stand/pole with one to three arms and the ability to accept a |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | M5520 | Lensometer | VV - GOVT FURNISHED & INSTALLED | 1 | Lensometer. Unit includes lamps, prism measuring lens marking device, cylinder axis wheel calibrated in two 180 degree segments and a green filter for tinted glass. The instrument may be inclined between 25 to 90 degrees. Used for measuring lens. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | M5530 | Lamp, Slit, w/Applanation Tonometer | VV - GOVT FURNISHED & INSTALLED | 1 | Slit lamp with applanation tonometer. Unit consists of a base mounted ophthalmological slit lamp with head and chin rest and manual height and focusing adjustments. The instrument features a microscope head with parallel optics that will accept an applanation tonometer. Designed for use in ophthalmology during diagnostic examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | M5535 | Ophthalmoscope, Binocular, Indirect | VV - GOVT FURNISHED & INSTALLED | 1 | Binocular indirect ophthalmoscope. Unit consists of headband and crown, halogen quartz lamp, multi-coated aspherical lenses, scleral depressor and mirror. It also includes a control switch that regulates the illumination from 2 to 6 volts. Used to examine presence of blood vessels in patient's pupils. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | M5545 | Ophthalmometer/Keratometer | VV - GOVT FURNISHED & INSTALLED | 0 | Keratometer/ophthalmometer. Unit features a focusing system, engraved focusing scale, positive fixation for rapid measurements, center and peripheral corneal measurements scale with a range from 30D to 60D. Unit is used for measuring corneal astigmatism. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | M5600 | Unit, Exam, Eye, w/Motor Chair, Phoropter | VV - GOVT FURNISHED & INSTALLED | 1 | Eye exam phoropter unit with motor operated chair. Unit consists of an adjustable chair, and phoropter unit for eye examination, mounted on a stand. Stand includes an additive tray with keratometer arm and tray and a integral instrument tray. Unit is designed for use during ophthalmic examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | TREY1 | 2 - Exam / Treatment Room | 130 | M5700 | Frame Set, Lens, Trial | VV - GOVT FURNISHED & INSTALLED | 1 | Trial lens frame set. Set consists of light weight and color-coded marked lenses, holding tray, and a complete assortment of other accessories. It is used to determine visual acuity. Set features horizontal and vertical bridge adjustments with individual adjustments for temple length and angle. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|--------------|-----------|-------|--|---------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | UCCL1 | Clean Supply | 80 | E0903 | Locker, Supply, w/Shelves, Wall Mtd, 23"W x 20"D | VV - GOVT FURNISHED & INSTALLED | 2 | THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Supply Locker 1 Drawer, 9"H 4 Tray/Shelves Drawer Organizers Consider the need for an E0921 to transport the locker from place to place. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | UCCL1 | Clean Supply | 80 | E0906 | Locker, Supply, General, Wall Mtd, 23"W x 20"D | VV - GOVT FURNISHED & INSTALLED | 2 | THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H 3 Drawers, 6"H 2 Drawers, 9"H 1 Tray/Shelf Divider |

| | | | | | | | | | |
|------------------------------------|----------------|-------|--------------|----|-------|-------------------------------------|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | UCCL1 | Clean Supply | 80 | E0912 | Locker, Supply, Med Surg, Wall Mtd | VV - GOVT FURNISHED & INSTALLED | 2 | Medical/Surgical Supply locker, Wall Mounted, approximately 23"W x 20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H 2 Drawers, 6"H 2 Tray/Shelf Dividers |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | UCCL1 | Clean Supply | 80 | E1500 | Rail, MOD, W/MNTD, HX144XD | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | UCCL1 | Clean Supply | 80 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | UCCL1 | Clean Supply | 80 | P8710 | Utility Center, Plumbing Connection | CC - CONTRACTOR FURNISHED/INSTALLED | 0 | Plumbing connection utility center, sometimes referred to as a 'GUY GRAY BOX'. This recessed utility center provides for hot and cold water connections and a drain connection at sink and other equipment locations. The utility center includes cutoff valves for the water connections, a plug seal for the drain and an outside cover to provide an aesthetic appearance when connections are no longer required. This center may be installed in locations where no plumbing fixtures are included in a design as a future flexibility device, saving many dollars for later facility modifications to |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|-----------------------|-----------|-------|---------------------------------------|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | WTG03 | 7 - Waiting, Dalation | 80 | A5077 | Dispenser, Hand Sanitizer, Hands-Free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | WTG03 | 7 - Waiting, Dalation | 80 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN is to be used for determining and defining location of decorative artwork. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | WTG03 | 7 - Waiting, Dalation | 80 | F0206 | Chair, Side, Bariatric, With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | WTG03 | 7 - Waiting, Dalation | 80 | F0305 | Chair, Waiting Room, Single | VV - GOVT FURNISHED & INSTALLED | 4 | Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | WTG03 | 7 - Waiting, Dalation | 80 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | WTG03 | 7 - Waiting, Dalation | 80 | F2300 | Rack, Magazine, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted magazine rack with nine (9) magazine holding compartments. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | WTG03 | 7 - Waiting, Dalation | 80 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------|-----------------|-----------|-----------|-----------|-----|--------------|----------|-----|-------------|
|------------|-----------------|-----------|-----------|-----------|-----|--------------|----------|-----|-------------|

| | | | | | | | | | |
|------------------------------------|----------------|-------|-----------------------|-----|-------|---|-------------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | WTG06 | 22 - Waiting, General | 130 | A5077 | Dispenser, Hand Sanitizer, Hands-Free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | WTG06 | 22 - Waiting, General | 130 | A5210 | Bracket, Television, Wall Mounted, w/Adjust Arm | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | WTG06 | 22 - Waiting, General | 130 | A5220 | Bracket, Television, Wall Backing | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | WTG06 | 22 - Waiting, General | 130 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN is to be used for determining and defining location of decorative artwork. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | WTG06 | 22 - Waiting, General | 130 | F0206 | Chair, Side, Bariatric, With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | WTG06 | 22 - Waiting, General | 130 | F0305 | Chair, Waiting Room, Single | VV - GOVT FURNISHED & INSTALLED | 4 | Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | WTG06 | 22 - Waiting, General | 130 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | WTG06 | 22 - Waiting, General | 130 | F2300 | Rack, Magazine, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted magazine rack with nine (9) magazine holding compartments. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | WTG06 | 22 - Waiting, General | 130 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | WTG06 | 22 - Waiting, General | 130 | M0506 | Television, Flat Screen | VV - GOVT FURNISHED & INSTALLED | 1 | Flat screen television with approximately 32" to 40" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|------------------------|-----------|-------|--------------------------------------|--------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYV1 | Humphrey Visual Fields | 120 | M5016 | Desk, Refraction w/console, w/o Sink | VC - GOVT FURNISHED/CONTR INST | 1 | The ophthalmic refraction desk shall be specifically designed to conduct eye examinations in ophthalmic clinics and hospital. It shall have a control console consisting of three rechargeable instrument wells, two 110v auxiliary switches to control accessories, two low voltage switches to control fixation lights, a separate on/off dimmer control for room lights and an indirect ophthalmoscope control with hanger that provides power to the instrument when lifted. This item may include an optional equipment stand/pole with one to three arms and the ability to accept a |

| | | | | | | | | | |
|------------------------------------|----------------|-------|------------------------|-----|-------|---|-------------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | M5520 | Desk, Refraction w/console, w/o Sink | VC - GOVT FURNISHED/CONTR INST | 1 | The ophthalmic refraction desk shall be specifically designed to conduct eye examinations in ophthalmic clinics and hospital. It shall have a control console consisting of three rechargeable instrument wells, two 110v auxiliary switches to control accessories, two low voltage switches to control fixation lights, a separate on/off dimmer control for room lights and an indirect ophthalmoscope control with hanger that provides power to the instrument when lifted. This item may include an optional equipment stand/pole with one to three arms and the ability to accept a |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | M5530 | Lamp, Slit, w/Aplplanation Tonometer | VV - GOVT FURNISHED & INSTALLED | 1 | Slit lamp with applanation tonometer. Unit consists of a base mounted ophthalmological slit lamp with head and chin rest and manual height and focusing adjustments. The instrument features a microscope head with parallel optics that will accept an applanation tonometer. Designed for use in ophthalmology during diagnostic examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | M5535 | Ophthalmoscope, Binocular, Indirect | VV - GOVT FURNISHED & INSTALLED | 1 | Binocular indirect ophthalmoscope. Unit consists of headband and crown, halogen quartz lamp, multi-coated aspherical lenses, scleral depressor and mirror. It also includes a control switch that regulates the illumination from 2 to 6 volts. Used to examine presence of blood vessels in patient's pupils. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | M5600 | Unit, Exam, Eye, w/Motor Chair, Phoropter | VV - GOVT FURNISHED & INSTALLED | 1 | Eye exam phoropter unit with motor operated chair. Unit consists of an adjustable chair, and phoropter unit for eye examination, mounted on a stand. Stand includes an additive tray with keratometer arm and tray and a integral instrument tray. Unit is designed for use during ophthalmic examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | M5700 | Ophthalmoscope, Binocular, Indirect | VV - GOVT FURNISHED & INSTALLED | 1 | Binocular indirect ophthalmoscope. Unit consists of headband and crown, halogen quartz lamp, multi-coated aspherical lenses, scleral depressor and mirror. It also includes a control switch that regulates the illumination from 2 to 6 volts. Used to examine presence of blood vessels in patient's pupils. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | C02Q0 | Cabinet, Sink, U/C/B, 1 Door, 36x24x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | CS010 | Sink, SS, Single Compartment, 7.5x12x12 ID | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | CT020 | Countertop, Solid Surface | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | A1011 | Telephone, Desk, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, 1 line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | A5075 | Dispenser, Soap, Disposable | VV - GOVT FURNISHED & INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | A5107 | Dispenser, Glove, Surgical/Examination, Wall Mntd | VV - GOVT FURNISHED & INSTALLED | 1 | Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |

| | | | | | | | | | |
|------------------------------------|----------------|-------|------------------------|-----|--------|--|-------------------------------------|----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | VV - GOVT FURNISHED & INSTALLED | 14 | Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | C0036 | Rail, Apron, 4x30x1 | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Apron rail. Also referred to as an apron front, apron panel, or knee space rail. Used to close in front knee space area and/or provide work surface support between two steel base cabinets or a steel base cabinet and wall. Apron rails should be ordered in pairs to provide both front and rear work surface support. Constructed of steel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | C03F0 | Cabinet, U/C/B, 1 Shelf, 2 Half DR, 2 DO, 36x30x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Standing height under counter base cabinet with an adjustable shelf and two half width drawers above solid hinged doors. Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | CE030 | Cabinet, W/H, 2 SH, 2 GDO, Sloping Top, 38x30x13 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall hung cabinet with two adjustable shelves, framed-glass hinged doors, and sloping top. Also referred to as a framed-glass hinged double door wall case. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | E0930 | Locker, Supply, 6 Drawers, Mobile, 29"W x 20"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Mobile Supply Locker 2 Tray/Shelf 4 Drawers, 3"H 2 Drawers, 6"H Drawer Organizer Bins |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | F0355 | Footstool, Straight | VV - GOVT FURNISHED & INSTALLED | 1 | Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 4 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | Humphrey Visual Fields | 120 | M8940 | Stool, Anesthesia, With Back | VV - GOVT FURNISHED & INSTALLED | 1 | Anesthesia stool with back. All stainless steel with well-curved back panel and wide conductive seat. Designed for the anesthesiologist during surgical procedures. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------|-----------------|-----------|-----------|-----------|-----|--------------|----------|-----|-------------|
|------------|-----------------|-----------|-----------|-----------|-----|--------------|----------|-----|-------------|

| | | | | | | | | | |
|------------------------------------|----------------|-------|-------------------|-----|-------|---|-------------------------------------|----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | M5520 | Lensometer | VV - GOVT FURNISHED & INSTALLED | 1 | Lensometer. Unit includes lamps, prism measuring lens marking device, cylinder axis wheel calibrated in two 180 degree segments and a green filter for tinted glass. The instrument may be inclined between 25 to 90 degrees. Used for measuring lens. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | M5025 | Table, Instrument, Ophthalmic, Adjustable | VV - GOVT FURNISHED & INSTALLED | 1 | Ophthalmic adjustable instrument table. Four toed pedestal type base with foot pedal brake or hand operated clamp for securing table adjustment. Designed for use with slit lamp, ophthalmometer, perimeter and screening instruments. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | M5500 | Autorefractor, Ophthalmic | VV - GOVT FURNISHED & INSTALLED | 1 | Ophthalmic autorefractor. Unit is a tabletop model consisting of a instant display TV monitor, forehead rest, measuring head, height adjustment ring, and joystick lever. It features an automatic fogging and a high speed printer. Designed for visual acuity screening. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | M5575 | Tonometer, Noncontact | VV - GOVT FURNISHED & INSTALLED | 1 | Non-contact tonometer. Unit includes a built-in RX selector with four diopter corrections, air pulse button, head rest, and a digital display. Used for patient's eye observation, glaucoma screening, and other routine screening through a puff of air. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | CS010 | Sink, SS, Single Compartment, 7.5x12x12 ID | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | CT020 | Countertop, Solid Surface | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | A1014 | Telephone, Wall Mounted, 1 Line, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line, with speaker. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | A5107 | Dispenser, Glove, Surgical/Examination, Wall Mntd | VV - GOVT FURNISHED & INSTALLED | 1 | Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | VV - GOVT FURNISHED & INSTALLED | 14 | Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | C0036 | Rail, Apron, 4x30x1 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Apron rail. Also referred to as an apron front, apron panel, or knee space rail. Used to close in front knee space area and/or provide work surface support between two steel base cabinets or a steel base cabinet and wall. Apron rails should be ordered in pairs to provide both front and rear work surface support. Constructed of steel. |

| | | | | | | | | | |
|------------------------------------|----------------|-------|-------------------|-----|--------|--|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | C03F0 | Cabinet, U/C/B, 1 Shelf, 2 Half DR, 2 DO, 36x30x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Standing height under counter base cabinet with an adjustable shelf and two half width drawers above solid hinged doors. Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | CE030 | Cabinet, W/H, 2 SH, 2 GDO, Sloping Top, 38x30x13 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall hung cabinet with two adjustable shelves, framed-glass hinged doors, and sloping top. Also referred to as a framed-glass hinged double door wall case. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | E0930 | Locker, Supply, 6 Drawers, Mobile, 29"W x 20"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Mobile Supply Locker 2 Tray/Shelf 4 Drawers, 3"H 2 Drawers, 6"H Drawer Organizer Bins |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | CT020 | Countertop, Solid Surface | CC - CONTRACTOR FURNISHED/INSTALLED | 5 | A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | E0930 | Locker, Supply, 6 Drawers, Mobile, 29"W x 20"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Mobile Supply Locker 2 Tray/Shelf 4 Drawers, 3"H 2 Drawers, 6"H Drawer Organizer Bins |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | F0355 | Footstool, Straight | VV - GOVT FURNISHED & INSTALLED | 1 | Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | M8940 | Stool, Anesthesia, With Back | VV - GOVT FURNISHED & INSTALLED | 1 | Anesthesia stool with back. All stainless steel with well-curved back panel and wide conductive seat. Designed for the anesthesiologist during surgical procedures. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | EYVF1 | FTD Visual Fields | 120 | E0123 | Workstation, Straight, Free Standing, 72" W | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|---|-----------|-------|--|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography | 180 | A1014 | Telephone, Wall Mounted, 1 Line, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line, with speaker. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | M5510 | Camera, Fundus, Digital | VV - GOVT FURNISHED & INSTALLED | 1 | The digital fundus camera system is designed for use in diagnosing and recording ocular disorders. It shall consist of a digital imager, computer, monitor, chin rest, joy stick and software to record, store, edit and print digital images. The system may also include a system table and an adjustable patient table. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | A5107 | Dispenser, Glove, Surgical/Examination, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | CC - CONTRACTOR FURNISHED/INSTALLED | 12 | Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | C0036 | Rail, Apron, 4x30x1 | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Apron rail. Also referred to as an apron front, apron panel, or knee space rail. Used to close in front knee space area and/or provide work surface support between two steel base cabinets or a steel base cabinet and wall. Apron rails should be ordered in pairs to provide both front and rear work surface support. Constructed of steel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | C03F0 | Cabinet, U/C/B, 1 Shelf, 2 Half DR, 2 DO, 36x30x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Standing height under counter base cabinet with an adjustable shelf and two half width drawers above solid hinged doors. Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | CE030 | Cabinet, W/H, 2 SH, 2 GDO, Sloping Top, 38x30x13 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall hung cabinet with two adjustable shelves, framed-glass hinged doors, and sloping top. Also referred to as a framed-glass hinged double door wall case. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | CS150 | Sink, SS, Single Compartment, 10x19x16 ID | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. Coordinate actual outside sink dimensions with the actual clear dimension of cabinet specified to ensure that they are |

| | | | | | | | | | |
|------------------------------------|----------------|-------|---|-----|--------|---|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | CT020 | Countertop, Solid Surface | CC - CONTRACTOR FURNISHED/INSTALLED | 5 | A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | E0930 | Locker, Supply, 6 Drawers, Mobile, 29"W x 20"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Mobile Supply Locker 2 Tray/Shelf 4 Drawers, 3"H 2 Drawers, 6"H Drawer Organizer Bins |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | M5551 | Tomography System, Optical Coherence (OCT) | VV - GOVT FURNISHED & INSTALLED | 1 | Optical Coherence Tomography (OCT) is an instrument used to take high resolution images of the retina that can help diagnose different diseases related to macular degeneration and diabetic retinopathy. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | 6540 | Camera, Fundus, Digital | VV - GOVT FURNISHED & INSTALLED | 1 | The digital fundus camera system is designed for use in diagnosing and recording ocular disorders. It shall consist of a digital imager, computer, monitor, chin rest, joy stick and software to record, store, edit and print digital images. The system may also include a system table and an adjustable patient table. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | E0945 | Cart, Computer, Mobile | VV - GOVT FURNISHED & INSTALLED | 1 | A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | F0355 | Footstool, Straight | VV - GOVT FURNISHED & INSTALLED | 1 | Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated. (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | M3072 | Frame, Infectious Waste Bag w/Lid | VV - GOVT FURNISHED & INSTALLED | 1 | Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | M4255 | Stand, IV, Adjustable | VV - GOVT FURNISHED & INSTALLED | 1 | Adjustable IV stand with 4-hook arrangement. Stand has stainless steel construction with heavy weight base. It adjusts from 66 inches to 100 inches and is mounted on conductive rubber, ball bearing, swivel casters. Stand is used for administering intravenous solutions. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | M4266 | Pump, Volumetric, Infusion, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 0 | Volumetric infusion pump. Pump is self-regulating with automatic sensor and adjustable rate. Equipped with visual and audible alarms and up to 10 hour capacity battery. For the administration of a wide variety of therapeutic agents where precise control is required. Unit provides individual control to IV lines simultaneously. |

| | | | | | | | | | |
|------------------------------------|----------------|-------|---|-----|-------|--------------------------------------|---------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | M4655 | Stretcher, Mobile, CRS, 9 Position | VV - GOVT FURNISHED & INSTALLED | 0 | Mobile stretcher. All corrosion resistant stainless steel construction. It consists of a tubular frame with side rails, a 9-position hydraulic base with pneumatic fowler adjustment, and a 2" pad. Unit is mounted on 8" conductive casters. Designed for patient transport as well as for minor surgical procedures. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | M8810 | Stand, Mayo | VV - GOVT FURNISHED & INSTALLED | 1 | Adjustable instrument table. Table is corrosion resistant stainless steel construction and is mounted on two casters with two skid rails. It has telescopic upright adjusts from 39 inches to 60 inches with automatic locking device, and removable 13"x19" instrument tray. Designed for use in operating and procedure rooms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | M8940 | Stool, Anesthesia, With Back | VV - GOVT FURNISHED & INSTALLED | 1 | Anesthesia stool with back. All stainless steel with well-curved back panel and wide conductive seat. Designed for the anesthesiologist during surgical procedures. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | X2112 | Scanner, Ultrasound, Ophthalmic | VV - GOVT FURNISHED & INSTALLED | 1 | A high-resolution ultrasound system capable of utilizing a range of transducer frequencies for imaging of various ophthalmic structures. Configurable as a B-scan, UMB, or combination system with optional A-scan. Features include four preset scan modes, integrated computer hardware, two RAID-configured SATA 1 TB or higher drives, 21" HD monitor, wireless keyboard and mouse interface. Able to interface with image management and EMR systems. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 4 - EYE CLINIC | XDUS1 | 11 - Ultrasound / Optical Coherence Tomography Room | 180 | X2100 | Scanner, Ultrasound, General Purpose | VV - GOVT FURNISHED & INSTALLED | 1 | High definition, diagnostic ultrasound system for Radiology, Cardiology, Vascular, ob-gyn, Perinatology, and Surgical imaging applications. The unit employs curved, phased and linear array imaging technology. The system supports colorflow, pulse and continuous wave imaging modalities. On board software measurement packages available for all imaging applications. The system is DICOM 3.0 compatible, for easy linkage to filmless image management systems and review stations. In addition, a full line of probes and conventional recording devices are available. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|--|-----------|----------------------------|-----------|-------|--|-------------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, multiple line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | E0078 | Workstation, L-Shaped w/Peninsula, Free Std, 78x72 | VV - GOVT FURNISHED & INSTALLED | 1 | This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | F0110 | Bookcase, 3 Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 2 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |

| | | | | | | | | | |
|------------------------------------|--|-------|----------------------------|-----|--------|--|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 2 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 1 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated. (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, multiple line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | E0078 | Workstation, L-Shaped w/Peninsula, Free Std, 78x72 | VV - GOVT FURNISHED & INSTALLED | 1 | This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | F0110 | Bookcase, 3 Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 2 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 2 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 1 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |

| | | | | | | | | | |
|------------------------------------|--|-------|----------------------------|-----|--------|--|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, multiple line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | E0078 | Workstation, L-Shaped w/Peninsula, Free Std, 78x72 | VV - GOVT FURNISHED & INSTALLED | 1 | This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | F0110 | Bookcase, 3 Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 2 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 2 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 1 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | 1 - ES: PT: Treatment Room | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|----------------------------------|-----------|------------------|-----------|--------|---|-------------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | RECP1 | 1 - Waiting Area | 60 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 2 | Telephone, desk, multiple line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | RECP1 | 1 - Waiting Area | 60 | A6105 | Counter, Reception Control, Built-In | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backsplash/curb. Pricing based on a 30" depth. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | RECP1 | 1 - Waiting Area | 60 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 4 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | RECP1 | 1 - Waiting Area | 60 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 3 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | RECP1 | 1 - Waiting Area | 60 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 4 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | RECP1 | 1 - Waiting Area | 60 | F2540 | Shredder, Paper, Security | VV - GOVT FURNISHED & INSTALLED | 1 | Paper shredder, approximately 21" high X 15" wide X 12" deep with shredding unit and waste receptacle. Security features will include cross-cut shredding. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | RECP1 | 1 - Waiting Area | 60 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | RECP1 | 1 - Waiting Area | 60 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 4 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | RECP1 | 1 - Waiting Area | 60 | M1840 | Printer/Copier/Fax Combination | VV - GOVT FURNISHED & INSTALLED | 1 | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|----------------------------------|-----------|----------------------------------|-----------|-------|--|---------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | STCS7 | 5 - Prosthetic Appliance Storage | 400 | E0975 | Cart, Wire, Mobile | VV - GOVT FURNISHED & INSTALLED | 10 | Wire Cart with Wire Shelves approximately 60"H x 42"W x 24"D. THIS TYPICAL INCLUDES: 1 Wire Cart, w/Casters 3 Wire Shelves 1 Stainless Steel Shelf 1 Wire Side/Back Panels |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | STCS7 | 5 - Prosthetic Appliance Storage | 400 | T0120 | Bench, Work, Wood Top, 1 Drawer, 1 Shelf, 34x72x30 | VV - GOVT FURNISHED & INSTALLED | 1 | Workbench with wood top approximately 72" W x 30" D x 34" H. Characteristics/components include laminated wood top, 1- 5/8 inches thick; legs constructed of welded heavy gauge steel with floor feet for maximum stability; and one drawer and shelf. Workbench is used in occupational therapy. |

| | | | | | | | | | |
|------------------------------------|----------------------------------|-------|----------------------------------|-----|-------|---|---------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | STCS7 | 5 - Prosthetic Appliance Storage | 400 | F2016 | Waste Receptacle, 40 GAL | VV - GOVT FURNISHED & INSTALLED | 1 | Rectangular steel waste receptacle with step-on lid and a 40 gallon capacity. The receptacle is used to collect and temporarily store small quantities of paper refuse. Can be used in restrooms, patient areas, laboratories, pharmacies, etc. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | STCS7 | 5 - Prosthetic Appliance Storage | 400 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | STCS7 | 5 - Prosthetic Appliance Storage | 400 | A1016 | Telephone, Desk, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, with speaker. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | STCS7 | 5 - Prosthetic Appliance Storage | 400 | E0948 | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|--|-----------|-------------------|-----------|-------|--|-------------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | Prosthetics Clerk | 100 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, multiple line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | Prosthetics Clerk | 100 | F0405 | Cabinet, Filing, Full Height, 4-5 Drawer | VV - GOVT FURNISHED & INSTALLED | 1 | Four (4) or five (5) drawer letter size, vertical filing cabinet, 53" high X 15" wide X 29" deep with locking device. Each drawer has label holder, handle and roller cradle. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | Prosthetics Clerk | 100 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | Prosthetics Clerk | 100 | E0078 | Workstation, L-Shaped w/Peninsula, Free Std, 78x72 | VV - GOVT FURNISHED & INSTALLED | 1 | This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | Prosthetics Clerk | 100 | F0110 | Bookcase, 3 Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | Prosthetics Clerk | 100 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 2 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |

| | | | | | | | | | |
|------------------------------------|--|-------|-------------------|-----|--------|---|---------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | Prosthetics Clerk | 100 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 4 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | Prosthetics Clerk | 100 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 2 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | Prosthetics Clerk | 100 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 1 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | Prosthetics Clerk | 100 | F0795 | Table, Dining | VV - GOVT FURNISHED & INSTALLED | 1 | Dining table. Round 42" diameter. Used in dining facilities and can comfortably seat up to four (4) persons. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | Prosthetics Clerk | 100 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | Prosthetics Clerk | 100 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | Prosthetics Clerk | 100 | F3050 | Whiteboard, Dry Erase | VV - GOVT FURNISHED & INSTALLED | 1 | Whiteboard unit, approximately 36" H x 48" W consisting of a white porcelain enamel writing surface with an attached chalk tray. Magnetic surface available. Image can be easily removed with a standard chalkboard eraser. For use with water color pens. Unit is ready to hang. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | Prosthetics Clerk | 100 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | Prosthetics Clerk | 100 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | Prosthetics Clerk | 100 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------|-----------------|-----------|-----------|-----------|-----|--------------|----------|-----|-------------|
|------------|-----------------|-----------|-----------|-----------|-----|--------------|----------|-----|-------------|

| | | | | | | | | | |
|------------------------------------|--|-------|---------------------------|-----|--------|---|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | ESH51 | Prosthetics Office / Exam | 120 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 2 | Telephone, desk, multiple line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | ESH51 | Prosthetics Office / Exam | 120 | A6105 | Counter, Reception Control, Built-In | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backsplash/curb. Pricing based on a 30" depth. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | ESH51 | Prosthetics Office / Exam | 120 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 4 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | ESH51 | Prosthetics Office / Exam | 120 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 3 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | ESH51 | Prosthetics Office / Exam | 120 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 4 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | ESH51 | Prosthetics Office / Exam | 120 | F2540 | Shredder, Paper, Security | VV - GOVT FURNISHED & INSTALLED | 1 | Paper shredder, approximately 21" high X 15" wide X 12" deep with shredding unit and waste receptacle. Security features will include cross-cut shredding. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | ESH51 | Prosthetics Office / Exam | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | ESH51 | Prosthetics Office / Exam | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 4 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | ESH51 | Prosthetics Office / Exam | 120 | M1840 | Printer/Copier/Fax Combination | VV - GOVT FURNISHED & INSTALLED | 1 | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 5 - PHYSICAL MEDICINE AND REHABILITATION | OFA02 | Prosthetics Clerk | 120 | F0795 | Table, Dining | VV - GOVT FURNISHED & INSTALLED | 1 | Dining table. Round 42" diameter. Used in dining facilities and can comfortably seat up to four (4) persons. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | ESH51 | Prosthetics Office / Exam | 120 | M3073 | Biohazard Waste, Step-on, Fire Safe | FURNISHED & INSTALLED | 1 | A biohazard waste container with a step-on lid. The container will have a capacity of approximately 12 gallons and be made of a fire safe material. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | ESH51 | Prosthetics Office / Exam | 120 | P3100 | Lavatory, Vitreous China, Slab Type | FURNISHED/INSTALLED | 1 | 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, and face rinsing from soft flow dual spray-heads. The Flow must be activated by the single momentary action and remain on until terminated. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | ESH51 | Prosthetics Office / Exam | 120 | P1965 | Eye/Face, Sink Mounted, Hands- | FURNISHED/INSTALLED | 1 | |

| | | | | | | | | | |
|------------------------------------|---------------------------------------|-------|---|-----|-------|--|--|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | ESHS1 | Prosthetics Office / Exam | 120 | E0803 | Module, Storage, File/Cabinet, Wall Mtd, 30"x16" | VV - GOVT FURNISHED & INSTALLED | 1 | This unit has 2 vertical hanging strips, 2 lockable flipper units and 3 hanging file drawers with shelf dividers. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | ESHS1 | Prosthetics Office / Exam | 120 | M9025 | Examination/Treatment, With Cabinet | VV - GOVT FURNISHED & INSTALLED | 1 | three section upholstered top adjustable to a full chair position. Concealed heel stirrups, dual outlets, drawers, and storage space with optional armboard. Unit is designed for general use in |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | ESHS1 | Prosthetics Office / Exam | 120 | M8240 | Parallel Bars, Physical Therapy | VC - GOVT FURNISHED/CONTRACTOR INSTALLED | 1 | WALL MOUNTED. Physical therapy parallel bars. Unit can have manual or electrically powered adjustments. Bar height is adjustable from 25" to 40" and the bar width is adjustable from 16" to 25". Hand rails are chrome plated 1-1/2" steel tubing. Walking aisle is a minimum of 24" wide and |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | ESHS1 | Prosthetics Office / Exam | 120 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 2 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | ESHS1 | Prosthetics Office / Exam | 120 | A1080 | Mirror, Posture, Wall Mounted | FURNISHED/CONTRACTOR INSTALLED | 4 | Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | ESHS1 | Prosthetics Office / Exam | 120 | F0340 | Stool, Self Adjusting | FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | ESHS1 | Prosthetics Office / Exam | 120 | F0465 | Cabinet, Storage, 2 Door, 5 Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Storage cabinet, 78" high X 48" wide X 24" deep with two (2) doors and five (5) adjustable shelves. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 6 - PROSTHETICS AND SENSORY AIDS | ESHS1 | Prosthetics Office / Exam | 120 | A5077 | Dispenser, Hand Sanitizer, Hands-Free | VV - GOVT FURNISHED & INSTALLED | 1 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 80 | F2000 | Wastepaper, Fire Resistant | FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 80 | F2000 | Wastepaper, Fire Resistant | FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|---------------------------------------|-----------|---|-----------|--------|---|---------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 80 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, multiple line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 80 | E0123 | Workstation, Straight, Free Standing, 72" W | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 80 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 1 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 80 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 1 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 80 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 80 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|---------------------------------------|-----------|---|-----------|-------|---|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBB2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | A5107 | Dispenser, Glove, Surgical/Examination, Wall Mntd | VV - GOVT FURNISHED & INSTALLED | 1 | Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBB2 | 8 - Laboratory, Blood/Phoresis Processing | 80 | M1830 | Printer, Label, Pharmacy | VV - GOVT FURNISHED & INSTALLED | 1 | Label printer for use in pharmacy applications. The printer shall be bench top standing. It shall be flexible enough to accommodate label sizes up to 4 inches, with a minimum print speed of 6 inches per second and a minimum resolution of 203 dpi. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBB2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | A5108 | Waste Disposal Unit, Sharps | VV - GOVT FURNISHED & INSTALLED | 1 | A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBB2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | C0025 | Cabinet, Wardrobe, 1 Door, 84x24x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wardrobe cabinet with a fixed shelf, clothing rod, and a solid or louvered right or left-hinged door (appropriate door hinge configuration to be indicated on the equipment elevation drawings), an optional locking door is available. Also referred to as a wardrobe case, unit or storage unit. Used for storage of clothing and personal items. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBB2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | C0046 | Frame, Apron, 2 Drawer, 4x48x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Apron frame with two standard drawers. Also referred to as a drawer frame or table frame. Used for a knee space as a combination frame and drawers to support a top between base cabinets or a base cabinet and a wall. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBB2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | C02C0 | Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Standing height under counter base cabinet with an adjustable shelf and a full width drawer above a solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings). Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBB2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | C02D0 | Cabinet, U/C/B, 4 Drawer, 36x24x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Standing height under counter base cabinet with four full width drawers of equal height. Also referred to as a drawer cabinet. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBB2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | C02Q0 | Cabinet, Sink, U/C/B, 1 Door, 36x24x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible. |

| | | | | | | | | | |
|------------------------------------|---------------------------------------|-------|---|-----|-------|---|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | C04E0 | Cabinet, U/C/B, 1 Shelf, 1 Drawer, 2 DO, 36x36x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 0 | Standing height under counter base cabinet with an adjustable shelf and a full width drawer above solid hinged doors. Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | C04P0 | Cabinet, Sink, U/C/B, 2 Door, 36x36x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Standing height under counter base sink cabinet with solid hinged doors. Also referred to as a double-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | CE090 | Cabinet, W/H, 2 SH, 2 GDO, Sloping Top, 41x36x16 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall hung cabinet with two adjustable shelves, framed-glass hinged doors, and sloping top. Also referred to as a framed-glass hinged double door wall case. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | CG040 | Cabinet, W/H, 2 SH, 2 SGDO, Sloping Top, 38x36x13 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall hung cabinet with two adjustable shelves, framed-glass sliding doors, and sloping top. Also referred to as a framed-glass sliding double door wall case. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | CG090 | Cabinet, W/H, 2 SH, 2 SGDO, Sloping Top, 41x36x16 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall hung cabinet with two adjustable shelves, framed-glass sliding doors, and sloping top. Also referred to as a framed-glass sliding double door wall case. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | CS270 | Sink, Epoxy Resin, 11x18x15 ID | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | One-piece cast epoxy resin sink (composition of molded epoxy resins and inert materials) connected with a drain and provided with a mixing faucet. For use in U/C/B sink cabinets and mounted under the epoxy resin countertops/work surfaces found in lab areas requiring optimum physical chemical resisting properties. For general purpose use in a lab area. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | CT060 | Countertop, Modified Epoxy Resin | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Modified epoxy resin countertop (composition of molded epoxy resins and inert materials) having a low sheen surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab areas requiring optimum physical and chemical resisting properties. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | D3295 | Chair, Rotary, Laboratory, Dental | VV - GOVT FURNISHED & INSTALLED | 3 | Rotary dental laboratory chair. The chair is used by technicians while working at a bench. Chairs also have casters and an adjustable backrest. |

| | | | | | | | | | |
|------------------------------------|---------------------------------------|-------|---|-----|--------|--|-------------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | F3010 | Board, Bulletin, 48 x 48 | VV - GOVT FURNISHED & INSTALLED | 1 | Open face bulletin board. Cork posting panel with moisture proof backing. Variety of frames to choose from. Used for posting notes and messages. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | L1502 | Centrifuge, Tabletop | VV - GOVT FURNISHED & INSTALLED | 1 | Tabletop laboratory centrifuge. This unit has a variable speed range of 1500 to 13000 RPM in part dependent on rotor assembly used. It includes a no brake option allowing rotor to spin to a gradual stop as well as the capability to enter combinations of time and RPM into the memory, and a door lock safety system. Heads accommodate a wide variety of tubes and can accommodate up to at least 76 tubes. Used in laboratories to prepare samples for further analysis. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | L1670 | Centrifuge, Refrigerated, Floor Model | VV - GOVT FURNISHED & INSTALLED | 0 | Refrigerated centrifuge. This is a floor standing unit with a solid state speed control system that has speeds ranging from approximately 150 to 6000 RPM. Other characteristics include a temperature range of -9 to +39 degrees C., dual range digital timer, rotor imbalance detection, a programmable memory and a dynamic brake with three deceleration rates. The unit also has a refrigeration system that consists of a low maintenance compressor and a coil wrapped insulated guard bowl. Used in laboratories for processing heat sensitive samples. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | L2280 | Hood, Laminar Flow, Horizontal, Free Standing, 6ft | CC - CONTRACTOR FURNISHED/INSTALLED | 0 | Horizontal laminar flow hood. This is a freestanding unit that meets or exceeds Class 100 requirements set for Federal Standard 209B. The unit will have HEPA filters, a washable and reusable pre-filter, a work surface and side walls of type 304 stainless steel construction, duplex electrical receptacles, high velocity return air slots that provide an air curtain at the work area, work surface and side walls and blowers with an average velocity of 100 fpm. Used for work with non-hazardous materials where clean particle free air is required. 6 foot model, other sizes available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | L2336 | Cabinet, Bio Safety, Class II/82, Bench Top, 4ft | CC - CONTRACTOR FURNISHED/INSTALLED | 0 | Class II, Type B2, benchtop biological safety cabinet. The unit includes two HEPA filters, one supply and one exhaust, zero probed, high intake velocity that averages 105 fpm, an audible alarm to notify operator of unsafe window positions an audio-visual alarm to monitor exhaust pressure, interior of type 304 stainless steel with side walls slotted for high velocity air return, an exterior of 16 gauge or heavier steel, two ground key petcocks, a grounded duplex receptacle. Used for low to moderate risk biological agents treated with toxic chemicals and radionucleotides. This unit requires 100% exhaust to the atmosphere. 4 foot model presented, other sizes are available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | M1825 | Printer, Computer | VV - GOVT FURNISHED & INSTALLED | 1 | High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available. |

| | | | | | | | | | |
|------------------------------------|---------------------------------------|-------|---|-----|-------|---|-------------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | M1855 | Facsimile Machine | VV - GOVT FURNISHED & INSTALLED | 1 | Plain paper facsimile unit used to transmit printed matter or images over standard telephone lines. The unit operates at a modem speed of 33.6 Kbps and automatically recognizes and communicates with a variety of standard facsimile machines. Commonly referred to as "fax" unit. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | M2015 | Cabinet, Storage, Flammable, Freestanding | VV - GOVT FURNISHED & INSTALLED | 1 | Freestanding flammable safety storage cabinet. Size as required. Unit is of all welded steel wall construction with vented grounding attachments, raised leak proof door sill and adjustable shelving. Equipped with swinging doors and built-in key lock. Designed for storage of flammable fluids. Complies with OSHA standards, is FM approved and designed IAW NFPA 30. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | M2055 | Shelving, Storage, Wire, CRS, w/Adjustable Shelves | VV - GOVT FURNISHED & INSTALLED | 1 | Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | M3072 | Frame, Infectious Waste Bag w/Lid | VV - GOVT FURNISHED & INSTALLED | 1 | Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | P1965 | Eyewash, Eye/Face, Sink Mounted, Hands-free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A sink mounted eyewash station. The unit is designed for emergency eye and face rinsing from soft flow dual spray-heads. The Flow must be activated by the single momentary action and remain on until terminated. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | R4700 | Ice Maker, Cubes, 250 Pound | CC - CONTRACTOR FURNISHED/INSTALLED | 0 | Ice cube maker approximately 39" H x 29" D x 26" W. This unit is self-contained and provides 250 pounds of ice every 24 hours. The exterior is made of sturdy stainless steel. It is used in hospitals, hotels, and restaurants for dispensing ice. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | R5100 | Freezer, Biological, -85, 19-25 Cubic Feet, Upright | VV - GOVT FURNISHED & INSTALLED | 1 | Biological freezer, -85 degrees centigrade, 19-25 cubic feet with temperature recorder, remote alarm, and storage baskets. Optional auxiliary water cooling available. Upright type freezer. |
| | | | | | R6070 | Refrigerator/Freezer, Biological, Upright, 18 Cu Ft | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Biological refrigerator with freezer. This unit includes a freezer compartment for general laboratory use. Its independent direct-set temperature controllers allow temperature selection for +2° to 14°C for the refrigerator, and from -20° to -30°C for the freezer. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | R6280 | Refrigerator, Lab, SS, 2 Door, 6 Shelves | VV - GOVT FURNISHED & INSTALLED | 0 | Laboratory refrigerator approximately 83x56x33 in size. This unit will have double-doors; stainless steel interior; six stainless steel shelves that are fully adjustable to one-half centers; blower coil cooler with automatic off cycle defrost and a seven day precision temperature recording clock. This unit is used in hospitals and research laboratories for general cold storage. |

| | | | | | | | | | |
|------------------------------------|---------------------------------------|-------|---|-----|-------|-----------------------------------|---------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBBD2 | 8 - Laboratory, Blood/Phoresis Processing | 120 | R6200 | Refrigerator, U/C or F/S, 5 Cu Ft | VV - GOVT FURNISHED & INSTALLED | 1 | Utility refrigerator approximately 35" H x 24" W x 26" D. The unit has a two tray ice cube cooling system. The refrigerator fits standard architectural dimensions for undercounter installation. The unit is perfect for use in nurses' station, wards, and laboratories, pharmacies or wherever space is limited. |
|------------------------------------|---------------------------------------|-------|---|-----|-------|-----------------------------------|---------------------------------|---|---|

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|---------------------------------------|-----------|---|-----------|-------|---|-------------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBVP1 | 1 - LAB: Blood Specimen Collection Room | 80 | A1014 | Telephone, Wall Mounted, 1 Line, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line, with speaker. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBVP1 | 1 - LAB: Blood Specimen Collection Room | 80 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBVP1 | 1 - LAB: Blood Specimen Collection Room | 80 | A5077 | Dispenser, Hand Sanitizer, Hands-Free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBVP1 | 1 - LAB: Blood Specimen Collection Room | 80 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBVP1 | 1 - LAB: Blood Specimen Collection Room | 80 | A5107 | Dispenser, Glove, Surgical/Examination, Wall Mntd | VV - GOVT FURNISHED & INSTALLED | 1 | Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBVP1 | 1 - LAB: Blood Specimen Collection Room | 80 | A5108 | Waste Disposal Unit, Sharps | VV - GOVT FURNISHED & INSTALLED | 1 | A container for collecting and transporting syringes and other sharps for decontamination and disposal. Available in 2 gallon and 8 gallon with locking rotor. Complies with OSHA regulations for handling sharps. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBVP1 | 1 - LAB: Blood Specimen Collection Room | 80 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |

| | | | | | | | | | |
|------------------------------------|---------------------------------------|-------|---|----|--------|---|---------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBVP1 | 1 - LAB: Blood Specimen Collection Room | 80 | E0948 | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBVP1 | 1 - LAB: Blood Specimen Collection Room | 80 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBVP1 | 1 - LAB: Blood Specimen Collection Room | 80 | F3025 | Board, Bulletin, Wood Framed | VV - GOVT FURNISHED & INSTALLED | 1 | Bulletin board approximately 36"W x 24"H. Wood framed 1/2" cork posting panel with moisture proof backing. Units are factory assembled and have keyhole hangers for easy installation. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBVP1 | 1 - LAB: Blood Specimen Collection Room | 80 | M1410 | Chair, Laboratory, Blood Drawing, w/Storage | VV - GOVT FURNISHED & INSTALLED | 1 | Laboratory blood drawing chair with storage. Chair has built-in storage cabinet(s) and locking arm assembly that may be positioned on either side of the fiberglass chair. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBVP1 | 1 - LAB: Blood Specimen Collection Room | 80 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBVP1 | 1 - LAB: Blood Specimen Collection Room | 80 | M1802 | Work Station, Computer, Retractable, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBVP1 | 1 - LAB: Blood Specimen Collection Room | 80 | M1830 | Printer, Label, Pharmacy | VV - GOVT FURNISHED & INSTALLED | 1 | Label printer for use in pharmacy applications. The printer shall be bench top standing. It shall be flexible enough to accommodate label sizes up to 4 inches, with a minimum print speed of 6 inches per second and a minimum resolution of 203 dpi. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBVP1 | 1 - LAB: Blood Specimen Collection Room | 80 | M3072 | Frame, Infectious Waste Bag w/Lid | VV - GOVT FURNISHED & INSTALLED | 1 | Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBVP1 | 1 - LAB: Blood Specimen Collection Room | 80 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |

| | | | | | | | | | |
|------------------------------------|---------------------------------------|-------|---|----|-------|-------------------------------------|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBVP1 | 1 - LAB: Blood Specimen Collection Room | | L1200 | Cabinet, Specimen, Pass Thru, CRS | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Pass-through specimen cabinet. The unit has a sight-proof interlocking door that permits only one door to open at a time. It also includes a removable spill tray, corrosion resistant stainless steel welded construction with seamless corners and burr-free edges and is able to adjust to wall thickness between 3-6 inches. Used for passage of specimens from patient |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | LBVP1 | 1 - LAB: Blood Specimen Collection Room | 80 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|---------------------------------------|-----------|--------------------------------|-----------|-------|--|---------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | SRR02 | 4 - LAB: Storage, Refrigerated | 50 | R6060 | Refrigerator, Biological, SS, 2 Door, 40 Cu Ft | VV - GOVT FURNISHED & INSTALLED | 0 | Biological refrigerator. This unit shall have a minimum volume of 40 cubic feet, double doors, stainless steel cooler storage with stainless steel drawers, three adjustable shelves and one stationary stainless steel shelf. This refrigerator is used in research laboratories and hospital pharmacies for storage and dispensing of drugs. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|---------------------------------------|-----------|------------------------|-----------|-------|--|---------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | SRS01 | 3 - LAB: Storage, Bulk | 100 | A1014 | Telephone, Wall Mounted, 1 Line, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line, with speaker. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | SRS01 | 3 - LAB: Storage, Bulk | 100 | M2055 | Shelving, Storage, Wire, CRS, w/Adjustable Shelves | VV - GOVT FURNISHED & INSTALLED | 4 | Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|---------------------------------------|-----------|--|-----------|-------|-------------------------------------|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | TLTU1 | 2 - LAB: Toilet, Urine Specimen Collection | 50 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | TLTU1 | 2 - LAB: Toilet, Urine Specimen Collection | 50 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |

| | | | | | | | | | |
|------------------------------------|---------------------------------------|-------|--|----|-------|--|-------------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | TLTU1 | 2 - LAB: Toilet, Urine Specimen Collection | 50 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | TLTU1 | 2 - LAB: Toilet, Urine Specimen Collection | 50 | A5090 | Disposal, Sanitary Napkin, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | TLTU1 | 2 - LAB: Toilet, Urine Specimen Collection | 50 | A5109 | Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | TLTU1 | 2 - LAB: Toilet, Urine Specimen Collection | 50 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | TLTU1 | 2 - LAB: Toilet, Urine Specimen Collection | 50 | A5200 | Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | TLTU1 | 2 - LAB: Toilet, Urine Specimen Collection | 50 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | TLTU1 | 2 - LAB: Toilet, Urine Specimen Collection | 50 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 7 - PATHOLOGY AND LABORATORY MEDICINE | TLTU1 | 2 - LAB: Toilet, Urine Specimen Collection | 50 | P9050 | Toilet, Wall Hung, Siphon Jet | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|-----------------------|-----------|-------|--|-------------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | DR001 | 5 - ES: Dressing Room | 35 | A1030 | Locker, 2 Person, Over/Under | VV - GOVT FURNISHED & INSTALLED | 1 | Two person locker, double tier, 72Hx12Wx18D. This unit includes hooks for coats and hats. Door equipped with safety guard handles. Designed for storage of coats, hats, and other personal belongings. Other width and depths are available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | DR001 | 5 - ES: Dressing Room | 35 | A1080 | Mirror, Posture, Wall Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | DR001 | 5 - ES: Dressing Room | 35 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|--|-----------|-------|--|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | OFA02 | 1 - ES: Office, Professional, Non Physician, Systems Furniture | 56 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, multiple line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | OFA02 | 1 - ES: Office, Professional, Non Physician, Systems Furniture | 56 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | OFA02 | 1 - ES: Office, Professional, Non Physician, Systems Furniture | 56 | E0078 | Workstation, L-Shaped w/Peninsula, Free Std, 78x72 | VV - GOVT FURNISHED & INSTALLED | 1 | This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | OFA02 | 1 - ES: Office, Professional, Non Physician, Systems Furniture | 56 | F0110 | Bookcase, 3 Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides. |

| | | | | | | | | | |
|------------------------------------|---------------|-------|--|----|--------|---|---------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | OFA02 | 1 - ES: Office, Professional, Non Physician, Systems Furniture | 56 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 2 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | OFA02 | 1 - ES: Office, Professional, Non Physician, Systems Furniture | 56 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 2 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | OFA02 | 1 - ES: Office, Professional, Non Physician, Systems Furniture | 56 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 1 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | OFA02 | 1 - ES: Office, Professional, Non Physician, Systems Furniture | 56 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | OFA02 | 1 - ES: Office, Professional, Non Physician, Systems Furniture | 56 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | OFA02 | 1 - ES: Office, Professional, Non Physician, Systems Furniture | 56 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|--------------|-----------|-------|--|---------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | SRLW1 | 11 - Storage | 100 | M4705 | Wheelchair, Patient Transport, Folding | VV - GOVT FURNISHED & INSTALLED | 1 | Folding patient transport wheelchair. Constructed of chrome plated steel with detachable armrest and footrests. Unit has heavy duty front casters with sealed radial high-precision ball bearing assembly. Unit is used for patient transport. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | SRLW1 | 11 - Storage | 100 | M4710 | Wheelchair, Patient, Bariatric, Transport, Folding | VV - GOVT FURNISHED & INSTALLED | 1 | Folding bariatric patient transport wheelchair with a capacity of at least 500 lbs. Constructed with a heavy duty steel frame and double cross brace, with detachable armrest and swing away footrests. Unit has heavy duty front casters and rear wheels with precision wheel bearings in front and rear assembly. Unit is used for patient movement. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|--------------------------|-----------|-------|--|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | TLTU1 | 10 - ES: Toilet, Patient | 50 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | TLTU1 | 10 - ES: Toilet, Patient | 50 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | TLTU1 | 10 - ES: Toilet, Patient | 50 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | TLTU1 | 10 - ES: Toilet, Patient | 50 | A5090 | Disposal, Sanitary Napkin, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | TLTU1 | 10 - ES: Toilet, Patient | 50 | A5109 | Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | TLTU1 | 10 - ES: Toilet, Patient | 50 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | TLTU1 | 10 - ES: Toilet, Patient | 50 | A5200 | Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms. |

| | | | | | | | | | |
|------------------------------------|---------------|-------|--------------------------|----|-------|-------------------------------------|-------------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | TLTU1 | 10 - ES: Toilet, Patient | 50 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | TLTU1 | 10 - ES: Toilet, Patient | 50 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | TLTU1 | 10 - ES: Toilet, Patient | 50 | P9050 | Toilet, Wall Hung, Siphon Jet | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|-----------------------------|-----------|-------|--|---------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | UCCL1 | 4 - ES: Utility Room, Clean | 120 | E0903 | Locker, Supply, w/Shelves, Wall Mtd, 23"W x 20"D | VV - GOVT FURNISHED & INSTALLED | 2 | THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Supply Locker 1 Drawer, 9"H 4 Tray/Shelves Drawer Organizers Consider the need for an E0921 to transport the locker from place to place. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | UCCL1 | 4 - ES: Utility Room, Clean | 120 | E0906 | Locker, Supply, General, Wall Mtd, 23"W x 20"D | VV - GOVT FURNISHED & INSTALLED | 2 | THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 2 Tray/Shelves 1 Drawer, 3"H 3 Drawers, 6"H 2 Drawers, 9"H 1 Tray/Shelf Divider Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | UCCL1 | 4 - ES: Utility Room, Clean | 120 | E0912 | Locker, Supply, Med Surg, Wall Mtd | VV - GOVT FURNISHED & INSTALLED | 2 | Medical/Surgical Supply locker, Wall Mounted, approximately 23"W x 20"D. THIS TYPICAL INCLUDES: 1 Wall Mounted Rail 1 Locked Storage Container 4 Tray/Shelves 5 Drawers, 3"H 2 Drawers, 6"H 2 Tray/Shelf Dividers Drawer Organizer Bins Consider the need for an E0921 to transport the locker from place to place. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | UCCL1 | 4 - ES: Utility Room, Clean | 120 | E1500 | Rail, MOD, W/MNTD, HX144XD | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted rail used for hanging (mounting) lockers, shelves and drawers on a wall. |

| | | | | | | | | | |
|------------------------------------|---------------|-------|-----------------------------|-----|-------|-------------------------------------|-------------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | UCCL1 | 4 - ES: Utility Room, Clean | 120 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | UCCL1 | 4 - ES: Utility Room, Clean | 120 | P8710 | Utility Center, Plumbing Connection | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Plumbing connection utility center, sometimes referred to as a 'GUY GRAY BOX'. This recessed utility center provides for hot and cold water connections and a drain connection at sink and other equipment locations. The utility center includes cutoff valves for the water connections, a plug seal for the drain and an outside cover to provide an aesthetic appearance when connections are no longer required. This center may be installed in locations where no plumbing fixtures are included in a design as a future flexibility device, saving many dollars for later facility modifications to incorporate sinks as functions change. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|----------------------|-----------|-------|---|-------------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | WRC01 | 3 - ES: Waiting Area | 120 | A5077 | Dispenser, Hand Sanitizer, Hands-Free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A touch free wall-mounted hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | WRC01 | 3 - ES: Waiting Area | 120 | A5210 | Bracket, Television, Wall Mounted, w/Adjust Arm | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | WRC01 | 3 - ES: Waiting Area | 120 | A5220 | Bracket, Television, Wall Backing | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | WRC01 | 3 - ES: Waiting Area | 120 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN is to be used for determining and defining location of decorative artwork. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | WRC01 | 3 - ES: Waiting Area | 120 | F0206 | Chair, Side, Bariatric, With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | WRC01 | 3 - ES: Waiting Area | 120 | F0305 | Chair, Waiting Room, Single | VV - GOVT FURNISHED & INSTALLED | 4 | Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included. |

| | | | | | | | | | |
|------------------------------------|---------------|-------|----------------------|-----|-------|------------------------------------|---------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | WRC01 | 3 - ES: Waiting Area | 120 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | WRC01 | 3 - ES: Waiting Area | 120 | F2300 | Rack, Magazine, Wall Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Wall mounted magazine rack with nine (9) magazine holding compartments. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | WRC01 | 3 - ES: Waiting Area | 120 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | WRC01 | 3 - ES: Waiting Area | 120 | M0506 | Television, Flat Screen | VV - GOVT FURNISHED & INSTALLED | 1 | Flat screen television with approximately 32" to 40" diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|---|-----------|-------|---|-------------------------------------|-----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDR01 | 12 - ES: General Purpose Radiology Room | 300 | A1012 | Telephone, Wall Mounted, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDR01 | 12 - ES: General Purpose Radiology Room | 300 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 0 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDR01 | 12 - ES: General Purpose Radiology Room | 300 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDR01 | 12 - ES: General Purpose Radiology Room | 300 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |

| | | | | | | | | | |
|------------------------------------|---------------|-------|---|-----|-------|---|-------------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDR01 | 12 - ES: General Purpose Radiology Room | 300 | A5106 | Waste Disposal Unit, Sharps w/Glove Dispenser | VV - GOVT FURNISHED & INSTALLED | 1 | The unit is designed for the disposal of sharps and complies with OSHA guidelines for the handling of sharps. It shall house a 5 quart container and be capable of being mounted on a wall. It shall have a glove dispenser attached. The unit shall be secured by a locked enclosure. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDR01 | 12 - ES: General Purpose Radiology Room | 300 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDR01 | 12 - ES: General Purpose Radiology Room | 300 | E0948 | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDR01 | 12 - ES: General Purpose Radiology Room | 300 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDR01 | 12 - ES: General Purpose Radiology Room | 300 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDR01 | 12 - ES: General Purpose Radiology Room | 300 | F0355 | Footstool, Straight | VV - GOVT FURNISHED & INSTALLED | 1 | Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDR01 | 12 - ES: General Purpose Radiology Room | 300 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDR01 | 12 - ES: General Purpose Radiology Room | 300 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |

| | | | | | | | | | |
|------------------------------------|---------------|-------|---|-----|-------|--|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDR01 | 12 - ES: General Purpose Radiology Room | 300 | M3070 | Hamper, Linen, Mobile, w/Lid | VV - GOVT FURNISHED & INSTALLED | 2 | Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDR01 | 12 - ES: General Purpose Radiology Room | 300 | M4255 | Stand, IV, Adjustable | VV - GOVT FURNISHED & INSTALLED | 0 | Adjustable IV stand with 4-hook arrangement. Stand has stainless steel construction with heavy weight base. It adjusts from 66 inches to 100 inches and is mounted on conductive rubber, ball bearing, swivel casters. Stand is used for administering intravenous solutions. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDR01 | 12 - ES: General Purpose Radiology Room | 300 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDR01 | 12 - ES: General Purpose Radiology Room | 300 | X1405 | Stand, Bucky, Vertical, Tilt, Automatic | VC - GOVT FURNISHED/CONTR INST | 1 | Vertical and tilting bucky stand. This unit is mounted to the floor and wall to provide a vibration-free mounting platform for the universal bucky. The grid line free radiographs are produced at exposure times as short as two milliseconds. Characteristics and components include aluminum interspaced grid with a 36 inch (914 mm) to 40 inch (1016 mm) focal range. The unit's cassette size sensing tray accommodates all cassette sizes between 5 and 17 inches. The unit tilts at angles of +90/-20 degrees from the vertical position. The unit is used in X-ray facilities for processing radiography images. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDR01 | 12 - ES: General Purpose Radiology Room | 300 | X3150 | Rack, Apron/Gloves, Wall Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Apron and gloves rack. This is a wall unit which holds aprons and gloves. The body is heavy gauge steel finish in gray or green baked enamel, glove and apron holding arms are aluminum. The unit's convenient on wall storage will prolong the useful life of your protection aprons by helping prevent damage to internal components. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDR01 | 12 - ES: General Purpose Radiology Room | 300 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDR01 | 12 - ES: General Purpose Radiology Room | 300 | X5900 | Radiographic Unit, 80 kW, Non-Tilt Table | VC - GOVT FURNISHED/CONTR INST | 1 | This system is specifically designed to perform radiographic examinations in the Radiology Department. This units characteristics and components include, 80kW micro-processor controlled X-ray generator, a non-tilting table with a floating table top and an adjustable bucky, a ceiling suspended 0.6/1.2 mm tube unit and vertical bucky stand. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|---|-----------|-------|---------------------------------|---------------------------------|-----|----------------------------------|
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDRF1 | 12 - ES: General Purpose Radiology Room | 300 | A1012 | Telephone, Wall Mounted, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line. |

| | | | | | | | | | |
|------------------------------------|---------------|-------|---|-----|-------|---|-------------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDRF1 | 12 - ES: General Purpose Radiology Room | 300 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 0 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDRF1 | 12 - ES: General Purpose Radiology Room | 300 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDRF1 | 12 - ES: General Purpose Radiology Room | 300 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| | | | | | A5107 | Dispenser, Glove, Surgical/Examination, Wall Mntd | VV - GOVT FURNISHED & INSTALLED | 1 | Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDRF1 | 12 - ES: General Purpose Radiology Room | 300 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDRF1 | 12 - ES: General Purpose Radiology Room | 300 | E0948 | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDRF1 | 12 - ES: General Purpose Radiology Room | 300 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDRF1 | 12 - ES: General Purpose Radiology Room | 300 | F0340 | Stool, Self Adjusting | VV - GOVT FURNISHED & INSTALLED | 1 | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDRF1 | 12 - ES: General Purpose Radiology Room | 300 | F0355 | Footstool, Straight | VV - GOVT FURNISHED & INSTALLED | 1 | Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips. |

| | | | | | | | | | |
|------------------------------------|---------------|-------|---|-----|-------|---|-------------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDRF1 | 12 - ES: General Purpose Radiology Room | 300 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDRF1 | 12 - ES: General Purpose Radiology Room | 300 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDRF1 | 12 - ES: General Purpose Radiology Room | 300 | M3070 | Hamper, Linen, Mobile, w/Lid | VV - GOVT FURNISHED & INSTALLED | 2 | Mobile linen hamper with hand or foot operated lid. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Holds 25" hamper bags. Mounted on ball bearing casters. For linen transport in hospitals and clinics. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDRF1 | 12 - ES: General Purpose Radiology Room | 300 | M4255 | Stand, IV, Adjustable | VV - GOVT FURNISHED & INSTALLED | 0 | Adjustable IV stand with 4-hook arrangement. Stand has stainless steel construction with heavy weight base. It adjusts from 66 inches to 100 inches and is mounted on conductive rubber, ball bearing, swivel casters. Stand is used for administering intravenous solutions. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDRF1 | 12 - ES: General Purpose Radiology Room | 300 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDRF1 | 12 - ES: General Purpose Radiology Room | 300 | X1405 | Stand, Bucky, Vertical, Tilt, Automatic | VC - GOVT FURNISHED/CONTR INST | 1 | Vertical and tilting bucky stand. This unit is mounted to the floor and wall to provide a vibration-free mounting platform for the universal bucky. The grid line free radiographs are produced at exposure times as short as two milliseconds. Characteristics and components include aluminum interspaced grid with a 36 inch (914 mm) to 40 inch (1016 mm) focal range. The unit's cassette size sensing tray accommodates all cassette sizes between 5 and 17 inches. The unit tilts at angles of +90/-20 degrees from the vertical position. The unit is used in X-ray facilities for processing radiography images. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDRF1 | 12 - ES: General Purpose Radiology Room | 300 | X3155 | Rack, Apron/Gloves, Mobile | VV - GOVT FURNISHED & INSTALLED | 1 | Apron and gloves rack. This is a mobile unit which holds aprons and gloves. The body is heavy gauge steel finish in gray or green baked enamel, glove and apron holding arms are aluminum. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDRF1 | 12 - ES: General Purpose Radiology Room | 300 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDRF1 | 12 - ES: General Purpose Radiology Room | 300 | X6185 | Rad/Fluoro Unit, Remote, 80 kW, 90/90 Table | VC - GOVT FURNISHED/CONTR INST | 1 | This system is specifically designed to perform radiographic/fluoroscopic examinations in the Radiology Department. On-line digital image processing will provide instant availability of images for review via infrared remote control. This units characteristics and components include, 80 kW micro-processor controlled X-ray generator, remote-controlled 90/90 table with 15" multi-field Image Intensifier and integrated tube support. The Digital Spot Imaging consists of a computer, keyboard with acquisition, viewing monitor and a slave monitor. The system shall be DICOM 3.0 compatible, for easy linkage to filmless image management systems and review stations. It is recommended that the TV monitors be ceiling suspended. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------|-----------------|-----------|-----------|-----------|-----|--------------|----------|-----|-------------|
|------------|-----------------|-----------|-----------|-----------|-----|--------------|----------|-----|-------------|

| | | | | | | | | | |
|------------------------------------|---------------|-------|-----------------------------|-----|-------|---|-------------------------------------|----|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | A1014 | Telephone, Wall Mounted, 1 Line, With Speaker | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line, with speaker. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | A5107 | Dispenser, Glove, Surgical/Examination, Wall Mntd | VV - GOVT FURNISHED & INSTALLED | 1 | Examination glove dispenser box for wall mounting. Fabricated of either cold rolled steel with a white baked enamel finish, plastic or acrylic. Provided with wall bracket to facilitate mounting and demounting. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | A5180 | Track, Cubicle, Surface Mounted, With Curtain | CC - CONTRACTOR FURNISHED/INSTALLED | 12 | Surface mounted cubicle track, with curtain. Track constructed of thick extruded aluminum. Equipped with self lubricating carriers, beaded drop chain hooks, and flame resistant curtain. To include removable end caps. Designed to be suspended around patient areas where privacy is needed. Price listed is per foot of the track, curtains to be priced per quote. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | C0036 | Rail, Apron, 4x30x1 | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Apron rail. Also referred to as an apron front, apron panel, or knee space rail. Used to close in front knee space area and/or provide work surface support between two steel base cabinets or a steel base cabinet and wall. Apron rails should be ordered in pairs to provide both front and rear work surface support. Constructed of steel. |

| | | | | | | | | | |
|------------------------------------|---------------|-------|-----------------------------|-----|-------|--|-------------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | C03F0 | Cabinet, U/C/B, 1 Shelf, 2 Half DR, 2 DO, 36x30x22 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Standing height under counter base cabinet with an adjustable shelf and two half width drawers above solid hinged doors. Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | CE030 | Cabinet, W/H, 2 SH, 2 GDO, Sloping Top, 38x30x13 | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall hung cabinet with two adjustable shelves, framed-glass hinged doors, and sloping top. Also referred to as a framed-glass hinged double door wall case. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | CS150 | Sink, SS, Single Compartment, 10x19x16 ID | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. Coordinate actual outside sink dimensions with the actual clear dimension of cabinet specified to ensure that they are compatible. For general purpose use throughout the facility. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | CT020 | Countertop, Solid Surface | CC - CONTRACTOR FURNISHED/INSTALLED | 5 | A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | E0930 | Locker, Supply, 6 Drawers, Mobile, 29"W x 20"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Mobile Supply Locker 2 Tray/Shelf 4 Drawers, 3"H 2 Drawers, 6"H Drawer Organizer Bins |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | E0945 | Cart, Computer, Mobile | VV - GOVT FURNISHED & INSTALLED | 1 | A mobile computer cart for use throughout the facility. The cart dimensions will be approximately 45" H x 30" W x 22" D with casters. May include drawers and miscellaneous other accessories that will be determined at time of purchase. This Typical may include: 1 Cart Body, w/Computer Support, Style-A Narrow, w/Raised Edge Top 1 Flip-Up Shelf 1 Sharps Container Holder 1 Wastebasket 1 Chart Holder 2 Drawers, 3"H 2 Drawers, 6"H 3 Accessory Rail, Side Drawer Organizer Bins |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | F0355 | Footstool, Straight | VV - GOVT FURNISHED & INSTALLED | 1 | Step stool. Used to assist patients getting on and off exam or surgical tables. Fitted with electrically conductive rubber tips. |

| | | | | | | | | | |
|------------------------------------|---------------|-------|-----------------------------|-----|--------|---|---------------------------------|---|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | M3072 | Frame, Infectious Waste Bag w/Lid | VV - GOVT FURNISHED & INSTALLED | 1 | Frame for an infectious waste collection bag. Made of heavy tubular stainless steel with heavy gauge welded steel platform. Adjust to hold 18" or 25" trash bags. Mounted on ball bearing casters and includes permanently mounted hinged lid. Provides means of bagging infectious waste at point of waste generation. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | M4255 | Stand, IV, Adjustable | VV - GOVT FURNISHED & INSTALLED | 1 | Adjustable IV stand with 4-hook arrangement. Stand has stainless steel construction with heavy weight base. It adjusts from 66 inches to 100 inches and is mounted on conductive rubber, ball bearing, swivel casters. Stand is used for administering intravenous solutions. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | M4266 | Pump, Volumetric, Infusion, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 1 | Volumetric infusion pump. Pump is self-regulating with automatic sensor and adjustable rate. Equipped with visual and audible alarms and up to 10 hour capacity battery. For the administration of a wide variety of therapeutic agents where precise control is required. Unit provides individual control to IV lines simultaneously. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | M4655 | Stretcher, Mobile, CRS, 9 Position | VV - GOVT FURNISHED & INSTALLED | 1 | Mobile stretcher. All corrosion resistant stainless steel construction. It consists of a tubular frame with side rails, a 9-position hydraulic base with pneumatic fowler adjustment, and a 2" pad. Unit is mounted on 8" conductive casters. Designed for patient transport as well as for minor surgical procedures. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | M8810 | Stand, Mayo | VV - GOVT FURNISHED & INSTALLED | 1 | Adjustable instrument table. Table is corrosion resistant stainless steel construction and is mounted on two casters with two skid rails. It has telescopic upright adjusts from 39 inches to 60 inches with automatic locking device, and removable 13"x19" instrument tray. Designed for use in operating and procedure rooms. |

| | | | | | | | | | |
|------------------------------------|---------------|-------|-----------------------------|-----|-------|--------------------------------------|---------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | M8940 | Stool, Anesthesia, With Back | VV - GOVT FURNISHED & INSTALLED | 1 | Anesthesia stool with back. All stainless steel with well-curved back panel and wide conductive seat. Designed for the anesthesiologist during surgical procedures. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XDUS1 | 9 - ES: US: Ultrasound Room | 180 | X2100 | Scanner, Ultrasound, General Purpose | VV - GOVT FURNISHED & INSTALLED | 1 | High definition, diagnostic ultrasound system for Radiology, Cardiology, Vascular, ob-gyn, Perinatology, and Surgical imaging applications. The unit employs curved, phased and linear array imaging technology. The system supports colorflow, pulse and continuous wave imaging modalities. On board software measurement packages available for all imaging applications. The system is DICOM 3.0 compatible, for easy linkage to filmless image management systems and review stations. In addition, a full line of probes and conventional recording devices are available. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|------------------------------------|-----------------|-----------|-----------------------------|-----------|-------|---|-------------------------------------|-----|---|
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XVC01 | 2 - ES: Common Viewing Room | 150 | A1011 | Telephone, Desk, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, 1 line. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XVC01 | 2 - ES: Common Viewing Room | 150 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XVC01 | 2 - ES: Common Viewing Room | 150 | E0048 | Workcenter, Computer, Free Standing, 72" W | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 2 Paper Tray 1 Diagonal Tray 1 Tool Rail 1 Freestanding Work Surface 1 Mobile Pedestal, Box/File 1 Adjustable Keyboard Tray This JSN provides a typical work station to quickly plan work areas in clinical or administrative spaces. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XVC01 | 2 - ES: Common Viewing Room | 150 | E0117 | Workstation, Straight, Free Standing, 48" W | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 2 standard solid panels; 1 panel connector, 2-way corner; 2 finished end hardware kits; 1 cantilevered work surface; 1 lockable flipper unit; 1 light; 1 tack board; 1 tool rail; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file; 1 support panel. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XVC01 | 2 - ES: Common Viewing Room | 150 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 2 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |

| | | | | | | | | | |
|------------------------------------|---------------|-------|-----------------------------|-----|--------|---|---------------------------------|---|--|
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XVC01 | 2 - ES: Common Viewing Room | 150 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XVC01 | 2 - ES: Common Viewing Room | 150 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XVC01 | 2 - ES: Common Viewing Room | 150 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 2 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 3 - OUTPATIENT / PACT CLINIC (265) | 8 - RADIOLOGY | XVC01 | 2 - ES: Common Viewing Room | 150 | X4124 | Console, PACS, Remote View, w/Four 2MP Monitors | VV - GOVT FURNISHED & INSTALLED | 1 | Four monitor remote viewing station for picture and retrieval (DIN/PACS) system. This station is for use by providers inside or outside radiology to review images. Station includes local image storage, image manipulation and simultaneous display of multiple images on four 1260 X 1600 monitors. Images are stored on a resident memory and roll off to long term storage as more recent images are sent to the station. Provider may request images from the PACS by LAN for image and result receipt. Console must be DICOM compliant. Input may be by keyboard, mouse, trackball or voice activated commands. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|----------------------------|-----------------|-----------|---------------------|-----------|-------|---|-------------------------------------|-----|---|
| 4 - STAFF AND SUPPORT AREA | 1 - ADMIN AREA | CRA01 | 1 - Conference Room | 240 | A1011 | Telephone, Desk, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, 1 line. |
| 4 - STAFF AND SUPPORT AREA | 1 - ADMIN AREA | CRA01 | 1 - Conference Room | 240 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 4 - STAFF AND SUPPORT AREA | 1 - ADMIN AREA | CRA01 | 1 - Conference Room | 240 | A5212 | Bracket, Television, Wall-Mounted, Tilt/Angle | VV - GOVT FURNISHED & INSTALLED | 1 | A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs. |
| 4 - STAFF AND SUPPORT AREA | 1 - ADMIN AREA | CRA01 | 1 - Conference Room | 240 | A5220 | Bracket, Television, Wall Backing | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing. |

| | | | | | | | | | |
|----------------------------|----------------|-------|---------------------|-----|-------|---|---------------------------------|---|--|
| 4 - STAFF AND SUPPORT AREA | 1 - ADMIN AREA | CRA01 | 1 - Conference Room | 240 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN is to be used for determining and defining location of decorative artwork. |
| 4 - STAFF AND SUPPORT AREA | 1 - ADMIN AREA | CRA01 | 1 - Conference Room | 240 | F0220 | Chair, Conference | VV - GOVT FURNISHED & INSTALLED | 8 | Conference chair designed to complement the executive furniture package selected. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters. |
| 4 - STAFF AND SUPPORT AREA | 1 - ADMIN AREA | CRA01 | 1 - Conference Room | 240 | E0117 | Workstation, Straight, Free Standing, 48" W | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN provides a typical work station to quickly plan work areas in clinical or administrative spaces. THIS TYPICAL INCLUDES: 2 standard solid panels; 1 panel connector, 2-way corner; 2 finished end hardware kits; 1 cantilevered work surface; 1 lockable flipper unit; 1 light; 1 tack board; 1 tool rail; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file; 1 support panel. |
| 4 - STAFF AND SUPPORT AREA | 1 - ADMIN AREA | CRA01 | 1 - Conference Room | 240 | F0755 | Table, Conference, Wood | VV - GOVT FURNISHED & INSTALLED | 1 | Executive conference table. Dimensions are approximately 30" high, 48" wide with lengths varying from 74" to 96". These tables add traditional elegance to any conference room. |
| 4 - STAFF AND SUPPORT AREA | 1 - ADMIN AREA | CRA01 | 1 - Conference Room | 240 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 4 - STAFF AND SUPPORT AREA | 1 - ADMIN AREA | CRA01 | 1 - Conference Room | 240 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 4 - STAFF AND SUPPORT AREA | 1 - ADMIN AREA | CRA01 | 1 - Conference Room | 240 | M0507 | Video Teleconferencing System | VV - GOVT FURNISHED & INSTALLED | 1 | Shall be a video conferencing unit consisting of a camera, microphone, video/audio compression components, a component cart and a 32 inch monitor. It shall provide live audio-visual conferencing capabilities to dispersed geographic sites. |
| 4 - STAFF AND SUPPORT AREA | 1 - ADMIN AREA | CRA01 | 1 - Conference Room | 240 | M0512 | Television, HDTV, Large Screen, 60" | VV - GOVT FURNISHED & INSTALLED | 1 | A high definition (HDTV) multimedia, slim design, 60"W to 65"W color television. The TV will have a 16.9 wide screen aspect ratio with full HD 1080p resolution and HDMI connections. TV may be LED, Plasma or LCD. TV will include a stand. |

| | | | | | | | | | |
|----------------------------|----------------|-------|---------------------|-----|--------|---|---------------------------------|---|---|
| 4 - STAFF AND SUPPORT AREA | 1 - ADMIN AREA | CRA01 | 1 - Conference Room | 240 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
|----------------------------|----------------|-------|---------------------|-----|--------|---|---------------------------------|---|---|

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|----------------------------|-----------------|-----------|----------------------------------|-----------|-------|------------------------------------|---------------------------------|-----|------------------------------------|
| 4 - STAFF AND SUPPORT AREA | 1 - ADMIN AREA | SRGC2 | Storage, Gas Cylinders, Interior | 60 | M2025 | Rack, Storage, Cylinder, Gas | VV - GOVT FURNISHED & INSTALLED | 1 | Rack, Storage, Cylinder, Gas |
| 4 - STAFF AND SUPPORT AREA | 1 - ADMIN AREA | SRGC2 | Storage, Gas Cylinders, Interior | 60 | M2117 | Truck, Hand, 2 Wheel, Gas Cylinder | VV - GOVT FURNISHED & INSTALLED | 1 | Truck, Hand, 2 Wheel, Gas Cylinder |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|----------------------------|---------------------|-----------|--|-----------|-------|---|-------------------------------------|-----|--|
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | A1011 | Telephone, Desk, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, 1 line. |
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | A5212 | Bracket, Television, Wall-Mounted, Tilt/Angle | VV - GOVT FURNISHED & INSTALLED | 2 | A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs. |
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | A5220 | Bracket, Television, Wall Backing | CC - CONTRACTOR FURNISHED/INSTALLED | 2 | Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing. |
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | A6046 | Artwork, Decorative, With Frame | VV - GOVT FURNISHED & INSTALLED | 2 | This JSN is to be used for determining and defining location of decorative artwork. |
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | F0220 | Chair, Conference | VV - GOVT FURNISHED & INSTALLED | 16 | Conference chair designed to complement the executive furniture package selected. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters. |
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | F0295 | Chair, Stacking | VV - GOVT FURNISHED & INSTALLED | 12 | Stacking chair, approximately 34" H X 21" W X 24" D. May be stacked up to 20 high depending upon the model selected. These chairs are intended primarily as overflow capacity for conference rooms. |
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | F0600 | Credenza, Executive, Wood | VV - GOVT FURNISHED & INSTALLED | 0 | Executive credenza with two (2) box drawers, two (2) file drawers, a center closed storage area with adjustable shelf and floor glides. |
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | E0117 | Workstation, Straight, Free Standing, 48" W | VV - GOVT FURNISHED & INSTALLED | 1 | This JSN provides a typical work station to quickly plan work areas in clinical or administrative spaces. THIS TYPICAL INCLUDES: 2 standard solid panels; 1 panel connector, 2-way corner; 2 finished end hardware kits; 1 cantilevered work surface; 1 lockable flipper unit; 1 light; 1 tack board; 1 tool rail; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file; 1 support panel. |
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | F0755 | Table, Conference, Wood | VV - GOVT FURNISHED & INSTALLED | 2 | Executive conference table. Dimensions are approximately 30" high, 48" wide with lengths varying from 74" to 96". These tables add traditional elegance to any conference room. |
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | F0765 | Table, Folding / Nesting | VV - GOVT FURNISHED & INSTALLED | 2 | Executive conference table. Dimensions are approximately 30" high, 48" wide with lengths varying from 74" to 96". These tables add traditional elegance to any conference room. |
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | F2005 | Basket, Wastepaper, Executive, Wood | VV - GOVT FURNISHED & INSTALLED | 0 | Executive wastepaper basket, approximately 15" high X 13" wide X 13" deep. |

| | | | | | | | | | |
|----------------------------|---------------------|-------|--|-----|--------|---|-------------------------------------|----|---|
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | F2100 | Lectern, Mobile, With Reading Light | VV - GOVT FURNISHED & INSTALLED | 1 | Portable floor lectern with reading light and self-contained audio. May use 110V or batteries (not included). Convenience outlet required if not using batteries. |
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | F3235 | Rack, Hat / Coat, Floor Standing | VV - GOVT FURNISHED & INSTALLED | 1 | Floor standing hat / coat rack. Decoratively styled unit that provides hat rack at top, coat bar and hotel type hangers. |
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 12 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to |
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | M0385 | Projector, Multimedia/Data | VV - GOVT FURNISHED & INSTALLED | 0 | The projector shall provide computer and video projections. Minimum features included: Brightness of not less than 1500 ANSI (American National Standards Institute) Lumens, and a minimum resolution format of 1024 X 768 pixels (XGA). The projector shall be portable and weigh no more than 10 pounds. It shall include a zoom lens and computer and video input ports. |
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | M0400 | Screen, Projection, 144x144, Remote Control | CC - CONTRACTOR FURNISHED/INSTALLED | 0 | Wall or ceiling mounted, roll-up type screen with remote control. Includes multiple controls to operate the screen from two or more locations, wireless remote control, adjustable preset limit switches, and black borders on all sides. Screen is housed in a solid wood or metal case with removable motor module. For a classroom, conference room, or large auditorium. |
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | M0507 | Video Teleconferencing System | VV - GOVT FURNISHED & INSTALLED | 1 | Shall be a video conferencing unit consisting of a camera, microphone, video/audio compression components, a component cart and a 32 inch monitor. It shall provide live audio-visual conferencing capabilities to dispersed geographic sites. |
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | M0512* | Television, HDTV, Large Screen, 60" | VV - GOVT FURNISHED & INSTALLED | 2 | A high definition (HDTV) multimedia, slim design, 80"W color television. The TV will have a 16.9 wide screen aspect ratio with full HD 1080p resolution and HDMI connections. TV may be LED, Plasma or LCD. TV will include a stand. |
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | F3050 | Whiteboard, Dry Erase | VV - GOVT FURNISHED & INSTALLED | 1 | Whiteboard unit, approximately 36" H x 48" W consisting of a white porcelain enamel writing surface with an attached chalk tray. Magnetic surface available. Image can be easily removed with a standard chalkboard eraser. For use with water color pens. Unit is ready to hang. |
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | F3050 | Shredder Box | VV - GOVT FURNISHED & INSTALLED | 1 | PHI 13 gallon lockable shredding container. |
| 4 - STAFF AND SUPPORT AREA | 2 - EDUCATION AREAS | CRA03 | 1 - Education/training/conference room | 500 | M1875 | Board, Copy, Electronic Facsimile | VV - GOVT FURNISHED & INSTALLED | 0 | Electronic facsimile copy board for use in conference rooms and classrooms. Available in a variety of sizes. Unit scans writing surface and makes a paper copy of the board's contents. The user can make multiple copies of a single scanning. Single sided version, single copy version, and office size boards are options. May have a PC interface option. Database pricing reflects a mobile two-panel copy-board with a minimum 33" x 66" writing surface. Depth dimension refers to depth at the caster level of the supporting frame. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|----------------------------|-----------------|-----------|--------------------------------------|-----------|-------|---------------|-------------------------------------|-----|--|
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | DOCK1 | 4 - A&D: Receiving and Shipping Dock | 130 | A6125 | Leveler, Dock | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Unit attaches to the face of the dock for easy installation. It consists of a counterbalance lip that can be extended to rest on the bed of the trailer for loading and unloading of merchandise. When the trailer departs, the lip will automatically retract behind the bumper face. Size will vary depending on the application. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | DOCK1 | 4 - A&D: Receiving and Shipping Dock | 130 | K0450 | Curtain, Air | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Air curtain. The unit is generally fabricated to size for operation. This unit is used at entrances and docks to prevent cold and humid or dry and hot air from entering through openings which are exposed to weather conditions. The database pricing reflects an unheated air door 6-1/2' wide with a 3" or 6" deep discharge nozzle to cover a standard two-door width entry. Some units run on 120V power; refer to the manufacturer's specifications for the model chosen. Larger width and industrial duty air doors are available. |

| | | | | | | | | | |
|----------------------------|----------|-------|---|-----|-------|---|------------------------------------|---|--|
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | DOCK1 | 4 - A&D: Receiving and Shipping Dock | 130 | K9300 | Washer, Pressure w/Sanitizer | VC - GOVT FURNISHED/CONTR INST | 1 | Pressure washer for cleaning and sanitizing kitchen or other areas. This is a wall mounted, motor operated unit with a spray gun. The washer sprays a detergent solution on each item to be cleaned and then rinses them using a combination of water and high pressure that blasts away the loosened dirt and grease. The washer can be either a stand alone unit or part of a set of stations operating from a central control. See JSN K1350 for the mobile version of this unit. The unit is used for cleaning in commercial areas and institutions such as hospitals. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | DOCK1 | 4 - A&D: Receiving and Shipping Dock | 130 | M2105 | Pallet Lift, Hydraulic, Manual, 48" Pallet | VV - GOVT FURNISHED & INSTALLED | 1 | Hydraulic manual pallet equipped with floor lock and wheels for easy transport. Unit accommodates 48" pallets and is designed to handle all types of lifting tasks. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | DOCK1 | 4 - A&D: Receiving and Shipping Dock | 130 | M2115 | Truck, Hand, 2 Wheel | VV - GOVT FURNISHED & INSTALLED | 1 | 2 wheel hand truck. Double handled with three supportive crossbars for heavy duty use. 800 pound weight capacity with two 8 or 10 inch wheels. For use in the warehouse. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | DOCK1 | 4 - A&D: Receiving and Shipping Dock | 130 | M2120 | Truck, Platform, 4 Wheel | VV - GOVT FURNISHED & INSTALLED | 1 | A 4 wheel platform truck (push cart). Truck has heavy duty platform and is mounted on four 8" diameter casters. The load capacity is 2000-2500 pounds. It is designed for use in the receiving and other material handling areas. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | DOCK1 | 4 - A&D: Receiving and Shipping Dock | 130 | M4025 | Scale, Roll On, Freestanding, 2000 Pound Capacity | VV - GOVT FURNISHED & INSTALLED | 1 | Freestanding roll on scale with a 2000 pound capacity. Unit consists of a heavy duty anodized aluminum or steel platform with powered digital readout. For use in food service or the laundry. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|----------------------------|-----------------|-----------|--|-----------|-------|---|------------------------------------|-----|---|
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | MMGS1 | 2 - A&D: Storage, Medical and General | 552 | F2700 | Reader, Bar Code, Hand Held, With Interface | VV - GOVT FURNISHED & INSTALLED | 1 | Hand held laser bar code reader with computer interface. Used for automated inventory, using bar code stickers / labels. Convenience outlet required at point of use. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | MMGS1 | 2 - A&D: Storage, Medical and General | 552 | M2085 | Shelving, Storage, Pallet | VV - GOVT FURNISHED & INSTALLED | 2 | Pallet storage shelving starter section. This unit is of heavy duty construction and has channel type bracing in between columns, heavy duty foot plate with 3-point security. The size will be determined by weight load. It is designed for easy forklift access in storage areas and warehouses. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | MMGS1 | 2 - A&D: Storage, Medical and General | 552 | M2090 | Shelving, Storage, Warehouse | VV - GOVT FURNISHED & INSTALLED | 1 | Warehouse storage shelving approximately 75 inches high by 36 inches wide by 24 inches deep. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | MMGS1 | 2 - A&D: Storage, Medical and General | 552 | M2105 | Pallet Lift, Hydraulic, Manual, 48" Pallet | VV - GOVT FURNISHED & INSTALLED | 0 | Hydraulic manual pallet equipped with floor lock and wheels for easy transport. Unit accommodates 48" pallets and is designed to handle all types of lifting tasks. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | MMGS1 | 2 - A&D: Storage, Medical and General | 552 | M2115 | Truck, Hand, 2 Wheel | VV - GOVT FURNISHED & INSTALLED | 1 | 2 wheel hand truck. Double handled with three supportive crossbars for heavy duty use. 800 pound weight capacity with two 8 or 10 inch wheels. For use in the warehouse. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | MMGS1 | 2 - A&D: Storage, Medical and General | 552 | M2130 | Truck, Hydraulic Lift, Electric | VV - GOVT FURNISHED & INSTALLED | 1 | Electric lift truck. Equipped with heavy duty hydraulic system and 12 V battery. For use within enclosed warehouse spaces. Adjustable 25" (approx) long forks. Complete with 10 amp charger. Counterweight must be used to help prevent tipping. NOTE: Not recommended for moving long distances or over uneven surfaces. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|----------------------------|-----------------|-----------|--------------------------------------|-----------|-------|--|------------------------------------|-----|--|
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | MMRP1 | 2 - A&D: Receiving and Issue area | 100 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, multiple line. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | MMRP1 | 2 - A&D: Receiving and Issue area | 100 | E0078 | Workstation, L-Shaped w/Peninsula, Free Std, 78x72 | VV - GOVT FURNISHED & INSTALLED | 1 | This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | MMRP1 | 2 - A&D: Receiving and Issue area | 100 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | MMRP1 | 2 - A&D: Receiving and Issue area | 100 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 1 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |

| | | | | | | | | | |
|----------------------------|----------|-------|---|-----|--------|---|--|---|---|
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | MMRP1 | 2 - A&D: Receiving and Issue area | 100 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 1 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | MMRP1 | 2 - A&D: Receiving and Issue area | 100 | F0775 | Table, Work, 2 Drawer | VV - GOVT FURNISHED & INSTALLED | 1 | Work table approximately 32" high X 72" wide X 30" deep with two drawers and a hard wood top. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | MMRP1 | 2 - A&D: Receiving and Issue area | 100 | F2700 | Reader, Bar Code, Hand Held, With Interface | VV - GOVT FURNISHED & INSTALLED | 1 | Hand held laser bar code reader with computer interface. Used for automated inventory, using bar code stickers / labels. Convenience outlet required at point of use. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | MMRP1 | 2 - A&D: Receiving and Issue area | 100 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | MMRP1 | 2 - A&D: Receiving and Issue area | 100 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | MMRP1 | 2 - A&D: Receiving and Issue area | 100 | M1840 | Printer/Copier/Fax Combination | VV - GOVT FURNISHED & INSTALLED | 1 | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | MMRP1 | 2 - A&D: Receiving and Issue area | 100 | M2020 | Cabinet, Storage, Safety, Built-In, Vented | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Safety storage cabinet. This unit is of double steel wall construction, with vented grounding attachment, raised leak proof door sill, and adjustable shelving. Equipped with two doors and three-point key lock. The construction meets standards set by OSHA and NFPA Code 30 requirements. Designed for storage of flammable type liquids. The cabinet fits into a laboratory casework configuration and its ventilation ports are in the back to leave the counterspace free. The cabinet requires ventilation ducting and an exhaust fan as part of the HVAC (heating, ventilation and air conditioning) system. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | MMRP1 | 2 - A&D: Receiving and Issue area | 100 | M2055 | Shelving, Storage, Wire, CRS, w/Adjustable Shelves | VV - GOVT FURNISHED & INSTALLED | 1 | Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | MMRP1 | 2 - A&D: Receiving and Issue area | 100 | M2105 | Pallet Lift, Hydraulic, Manual, 48" Pallet | VV - GOVT FURNISHED & INSTALLED | 0 | Hydraulic manual pallet equipped with floor lock and wheels for easy transport. Unit accommodates 48" pallets and is designed to handle all types of lifting tasks. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | MMRP1 | 2 - A&D: Receiving and Issue area | 100 | M2115 | Truck, Hand, 2 Wheel | VV - GOVT FURNISHED & INSTALLED | 1 | 2 wheel hand truck. Double handled with three supportive crossbars for heavy duty use. 800 pound weight capacity with two 8 or 10 inch wheels. For use in the warehouse. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | MMRP1 | 2 - A&D: Receiving and Issue area | 100 | M2125 | Stacker, Straddle, 127" Lift, 2000 lb Capacity | VV - GOVT FURNISHED & INSTALLED | 1 | Straddle stacker. Battery powered with 2000 pound lifting capacity. Unit lifts to heights up to 127". Equipped with a extra heavy duty hydraulic system. Unit has a built-in automatic battery charger. Electrical requirements are for the charger. Designed for pallet lifting. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | MMRP1 | 2 - A&D: Receiving and Issue area | 100 | M2130 | Truck, Hydraulic Lift, Electric | VV - GOVT FURNISHED & INSTALLED | 0 | Electric lift truck. Equipped with heavy duty hydraulic system and 12 V battery. For use within enclosed warehouse spaces. Adjustable 25" (approx) long forks. Complete with 10 amp charger. Counterweight must be used to help prevent tipping. NOTE: Not recommended for moving long distances or over uneven surfaces. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | MMRP1 | 2 - A&D: Receiving and Issue area | 100 | M7780 | Scanner, Document | VV - GOVT FURNISHED & INSTALLED | 1 | Scanner for recording printed material in an electronic format. Some models process both color and black-and-white images. Options include automatic paper feeders and transparency adapters. Most models require connection to a microcomputer for independent operation or use as part of a network. Larger models for high use applications which connect directly to a network without passing information through a microcomputer are available. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|----------------------------|-----------------|-----------|--|-----------|-------|--|--|-----|---|
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | OFA02 | 1 - A&D: Office, Storekeeper, Systems Furniture | 56 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, multiple line. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | OFA02 | 1 - A&D: Office, Storekeeper, Systems Furniture | 56 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |

| | | | | | | | | | |
|----------------------------|----------|-------|---|----|--------|--|---------------------------------|---|--|
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | OFA02 | 1 - A&D: Office, Storekeeper, Systems Furniture | 56 | E0078 | Workstation, L-Shaped w/Peninsula, Free Std, 78x72 | VV - GOVT FURNISHED & INSTALLED | 1 | This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | OFA02 | 1 - A&D: Office, Storekeeper, Systems Furniture | 56 | F0110 | Bookcase, 3 Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | OFA02 | 1 - A&D: Office, Storekeeper, Systems Furniture | 56 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 2 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | OFA02 | 1 - A&D: Office, Storekeeper, Systems Furniture | 56 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 2 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | OFA02 | 1 - A&D: Office, Storekeeper, Systems Furniture | 56 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 1 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | OFA02 | 1 - A&D: Office, Storekeeper, Systems Furniture | 56 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | OFA02 | 1 - A&D: Office, Storekeeper, Systems Furniture | 56 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 4 - STAFF AND SUPPORT AREA | 3 - AMMS | OFA02 | 1 - A&D: Office, Storekeeper, Systems Furniture | 56 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|----------------------------|------------------------------------|-----------|-------------------------------|-----------|-------|---------------------|---------------------------------|-----|---|
| 4 - STAFF AND SUPPORT AREA | 4 - ENVIRONMENTAL MANAGEMENT (EMS) | LCCL1 | 2 - Storage, Clean Linen Cart | 100 | F0515 | Cart, Supply, Linen | VV - GOVT FURNISHED & INSTALLED | 1 | Closed linen supply cart. Equipped with four (4) non-marking rubber tire roller bearing casters and heavy duty cover. May be used for the delivery and user storage of clean linen as well as the return of soiled linen. |
| 4 - STAFF AND SUPPORT AREA | 4 - ENVIRONMENTAL MANAGEMENT (EMS) | LCCL1 | 2 - Storage, Clean Linen Cart | 100 | F0510 | Cart, Linen, Soiled | VV - GOVT FURNISHED & INSTALLED | 4 | Soiled linen collection cart, approximately 70" H x 68" W x 28" D with four (4) casters. Used to transport clean or soiled laundry. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|----------------------------|------------------------------------|-----------|----------------------------------|-----------|-------|---|---------------------------------|-----|---|
| 4 - STAFF AND SUPPORT AREA | 4 - ENVIRONMENTAL MANAGEMENT (EMS) | SRHM1 | 3 - Infectious / Hazardous Waste | 120 | M2005 | Cabinet, Storage, Acid, Floor Standing, Shelves | VV - GOVT FURNISHED & INSTALLED | 1 | Floor standing acid storage cabinet. A 30 gallon capacity standard two door cabinet with adjustable shelves, three-point latch with key-lock and 2" raised leak proof sill. An 18-gauge steel frame with vents, 1 1/2" airspace between walls and epoxy finish resistant to chemical attack. Note: Not for use with nitric and sulfuric acids. |
| 4 - STAFF AND SUPPORT AREA | 4 - ENVIRONMENTAL MANAGEMENT (EMS) | SRHM1 | 3 - Infectious / Hazardous Waste | 120 | M2015 | Cabinet, Storage, Flammable, Freestanding | VV - GOVT FURNISHED & INSTALLED | 1 | Freestanding flammable safety storage cabinet. Size as required. Unit is of all welded steel wall construction with vented grounding attachments, raised leak proof door sill and adjustable shelving. Equipped with swinging doors and built-in key lock. Designed for storage of flammable fluids. Complies with OSHA standards, is FM approved and designed IAW NFPA 30. |

| | | | | | | | | | |
|----------------------------|------------------------------------|-------|----------------------------------|-----|-------|--------------------------------|---------------------------------|---|--|
| 4 - STAFF AND SUPPORT AREA | 4 - ENVIRONMENTAL MANAGEMENT (EMS) | SRHM1 | 3 - Infectious / Hazardous Waste | 120 | M2070 | Shelving, Storage, 77hx36wx18d | VV - GOVT FURNISHED & INSTALLED | 1 | Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room. |
|----------------------------|------------------------------------|-------|----------------------------------|-----|-------|--------------------------------|---------------------------------|---|--|

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|----------------------------|--|-----------|-----------------|-----------|-------|------------------------------------|-------------------------------------|-----|--|
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | LR002 | 1 - Locker Room | 150 | A1012 | Telephone, Wall Mounted, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, wall mounted, 1 line. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | LR002 | 1 - Locker Room | 150 | A1030 | Locker, 2 Person, Over/Under | VV - GOVT FURNISHED & INSTALLED | 10 | Two person locker, double tier, 72Hx12Wx18D. This unit includes hooks for coats and hats. Door equipped with safety guard handles. Designed for storage of coats, hats, and other personal belongings. Other width and depths are available. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | LR002 | 1 - Locker Room | 150 | A1080 | Mirror, Posture, Wall Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | LR002 | 1 - Locker Room | 150 | A5020 | Bench, Locker Room, Floor Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Locker room bench. Floor mounting -1-1/4" thick. Benches are sanded smooth with two coats of moisture-resistant sealer to ensure a protective, satin gloss surface, and mounted on strong steel pedestal anchored to the floor. Over all height of 18" includes pedestal. Size as required. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | LR002 | 1 - Locker Room | 150 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | LR002 | 1 - Locker Room | 150 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|----------------------------|--|-----------|------------------------|-----------|-------|---|-------------------------------------|-----|--|
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Male Staff | 50 | A1090 | Mirror, Float Glass, With SS Frame & Shelf | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror, approximately 36" H X 18" W framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners and an integral stainless steel, stain finish, shelf. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in restroom areas, Doctor examination areas, offices, etc. May also be used above double lavatories, either wall or countertop mounted. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Male Staff | 50 | A5030 | Bench, Stall, Shower, Built In | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Shower bench; built-in. Eighteen (18) gauge stainless steel frame with anchors built-in into the wall. Size and shape as required. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Male Staff | 50 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Male Staff | 50 | A5082 | Dispenser, Paper Towel, Sensor, Hands Free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Male Staff | 50 | A5090 | Disposal, Sanitary Napkin, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Male Staff | 50 | A5109 | Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Male Staff | 50 | A5110 | Grab Bar, 1-1/4" Dia., SS, 2 Wall, Shower Use | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall shower, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical applications in shower stalls where ADA (American's With Disabilities Act) requirements must be met. |

| | | | | | | | | | |
|----------------------------|--|-------|------------------------|----|-------|--|-------------------------------------|---|---|
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Male Staff | 50 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Male Staff | 50 | A5170 | Rod, Shower Curtain, 1"Diameter, W/Curtain & Hooks | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A concealed mounted, 1" outside diameter, satin finish stainless steel, shower curtain rod with white vinyl shower curtain (72" H) and SS shower curtain hooks. Rod and curtain available in various widths. For general purpose use at shower stall or bathtub locations. Pricing based upon standard shower stall dimensions of 36" x 36" and a standard curtain height of 72". |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Male Staff | 50 | A5200 | Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Male Staff | 50 | A5205 | Bar, Towel, 1" Diameter, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, 1" diameter, towel bar. Support posts and flanges are one piece, chrome-plated, cast heavy brass with satin finish. Towel bar shall not rotate within support posts. Available in 18", 24" and 30" widths. For general purpose use in shower or bathtub rooms. Pricing based upon a suggested standard width of 18". |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Male Staff | 50 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Male Staff | 50 | P3000 | Lavatory, Vitreous China, Straight Back | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, vitreous china lavatory (approximate bowl size 7"x15"x10") with: straight-front apron, straight or contoured back; faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care areas. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Male Staff | 50 | P5040 | Shower, Single, Hand-Held | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A complete, barrier-free, single hand-held, personal shower system. The shower system includes: pressure balanced mixing valve with high temperature limit stop; personal hand shower; shower hose; wall supply; and slide bar. For general purpose use throughout the facility in shower stalls. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Male Staff | 50 | P9050 | Toilet, Wall Hung, Siphon Jet | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|----------------------------|--|-----------|--------------------------|-----------|-------|---|-------------------------------------|-----|--|
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Female Staff | 50 | A1090 | Mirror, Float Glass, With SS Frame & Shelf | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror, approximately 36" H X 18" W framed in a one-piece, bright polished, stainless steel channel frame with 90° mitered corners and an integral stainless steel, stain finish, shelf. All edges of the mirror are protected by absorbing filler strips. Mirror has a galvanized steel back with integral horizontal hanging brackets and wall hanger for concealed mounting. For mounting above single wall mounted lavatories located in restroom areas, Doctor examination areas, offices, etc. May also be used above double lavatories, either wall or countertop mounted. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Female Staff | 50 | A5030 | Bench, Stall, Shower, Built In | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Shower bench; built-in. Eighteen (18) gauge stainless steel frame with anchors built-in into the wall. Size and shape as required. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Female Staff | 50 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Female Staff | 50 | A5082 | Dispenser, Paper Towel, Sensor, Hands Free | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Female Staff | 50 | A5090 | Disposal, Sanitary Napkin, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Female Staff | 50 | A5109 | Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Female Staff | 50 | A5110 | Grab Bar, 1-1/4" Dia., SS, 2 Wall, Shower Use | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall shower, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical applications in shower stalls where ADA (American's With Disabilities Act) requirements must be met. |

| | | | | | | | | | |
|----------------------------|--|-------|--------------------------|----|-------|--|-------------------------------------|---|---|
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Female Staff | 50 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Female Staff | 50 | A5170 | Rod, Shower Curtain, 1"Diameter, W/Curtain & Hooks | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A concealed mounted, 1" outside diameter, satin finish stainless steel, shower curtain rod with white vinyl shower curtain (72" H) and SS shower curtain hooks. Rod and curtain available in various widths. For general purpose use at shower stall or bathtub locations. Pricing based upon standard shower stall dimensions of 36" x 36" and a standard curtain height of 72". |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Female Staff | 50 | A5200 | Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Female Staff | 50 | A5205 | Bar, Towel, 1" Diameter, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, 1" diameter, towel bar. Support posts and flanges are one piece, chrome-plated, cast heavy brass with satin finish. Towel bar shall not rotate within support posts. Available in 18", 24" and 30" widths. For general purpose use in shower or bathtub rooms. Pricing based upon a suggested standard width of 18". |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Female Staff | 50 | F2010 | Basket, Wastepaper, Step-On | VV - GOVT FURNISHED & INSTALLED | 1 | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Female Staff | 50 | P3000 | Lavatory, Vitreous China, Straight Back | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, vitreous china lavatory (approximate bowl size 7"x15"x10") with: straight-front apron, straight or contoured back; faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care areas. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Female Staff | 50 | P5040 | Shower, Single, Hand-Held | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A complete, barrier-free, single hand-held, personal shower system. The shower system includes: pressure balanced mixing valve with high temperature limit stop; personal hand shower; shower hose; wall supply; and slide bar. For general purpose use throughout the facility in shower stalls. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTS1 | 4 - Shower, Female Staff | 50 | P9050 | Toilet, Wall Hung, Siphon Jet | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|----------------------------|--|-----------|--------------------------|-----------|-------|--|-------------------------------------|-----|--|
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTU1 | 2 - Toilet, Female Staff | 55 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTU1 | 2 - Toilet, Female Staff | 55 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTU1 | 2 - Toilet, Female Staff | 55 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTU1 | 2 - Toilet, Female Staff | 55 | A5090 | Disposal, Sanitary Napkin, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTU1 | 2 - Toilet, Female Staff | 55 | A5109 | Grab Bar, 1-1/4" Dia, SS, 2 Wall, W/C Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTU1 | 2 - Toilet, Female Staff | 55 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTU1 | 2 - Toilet, Female Staff | 55 | A5200 | Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTU1 | 2 - Toilet, Female Staff | 55 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |

| | | | | | | | | | |
|----------------------------|--|-------|--------------------------|----|-------|-------------------------------------|-------------------------------------|---|---|
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTU1 | 2 - Toilet, Female Staff | 55 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTU1 | 2 - Toilet, Female Staff | 55 | P9050 | Toilet, Wall Hung, Siphon Jet | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|----------------------------|--|-----------|------------------------|-----------|-------|--|-------------------------------------|-----|--|
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTU1 | 2 - Toilet, Male Staff | 55 | A1067 | Mirror, Float Glass, ADA Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTU1 | 2 - Toilet, Male Staff | 55 | A5075 | Dispenser, Soap, Disposable | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTU1 | 2 - Toilet, Male Staff | 55 | A5080 | Dispenser, Paper Towel, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTU1 | 2 - Toilet, Male Staff | 55 | A5090 | Disposal, Sanitary Napkin, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and unisex toilet rooms. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTU1 | 2 - Toilet, Male Staff | 55 | A5109 | Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTU1 | 2 - Toilet, Male Staff | 55 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTU1 | 2 - Toilet, Male Staff | 55 | A5200 | Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTU1 | 2 - Toilet, Male Staff | 55 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTU1 | 2 - Toilet, Male Staff | 55 | P3100 | Lavatory, Vitreous China, Slab Type | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Wall mounted, slab type, vitreous china, lavatory (approximate bowl size 7"x15"x10") with: faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care area. |
| 4 - STAFF AND SUPPORT AREA | 5 - EMS: LOCKERS, LOUNGES, TOILETS AND SHOWERS | TLTU1 | 2 - Toilet, Male Staff | 55 | P9050 | Toilet, Wall Hung, Siphon Jet | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|----------------------------|-----------------|-----------|--|-----------|-------|------------------------------------|---------------------------------|-----|--|
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | BMER1 | 1 - Biomedical Engineering Repair Shop | 200 | A1011 | Telephone, Desk, 1 Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, 1 line. |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | BMER1 | 1 - Biomedical Engineering Repair Shop | 200 | F0230 | Chair, Drafting, Rotary | VV - GOVT FURNISHED & INSTALLED | 1 | Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair. |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | BMER1 | 1 - Biomedical Engineering Repair Shop | 200 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | BMER1 | 1 - Biomedical Engineering Repair Shop | 200 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |

| | | | | | | | | | |
|----------------------------|-----------------|-------|--|-----|--------|---|--|---|--|
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | BMER1 | 1 - Biomedical Engineering Repair Shop | 200 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | BMER1 | 1 - Biomedical Engineering Repair Shop | 200 | T0005 | Electrical Safety Analyzer | VV - GOVT FURNISHED & INSTALLED | 1 | Electrical safety analyzer. Characteristics/components include combining all lead connected ECG lead tests measuring individual lead leakage; AC/DC measurement; current consumption; automatic neutral-ground and power-ground resistance and volts. This unit is used for electrical safety testing, preventive maintenance programs and equipment repair. Battery powered models are available. |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | BMER1 | 1 - Biomedical Engineering Repair Shop | 200 | T0015 | Defibrillator Analyzer, Automatic, Portable | VV - GOVT FURNISHED & INSTALLED | 1 | Defibrillator analyzer. Characteristics/components include automatic and portable with direct reading; accurately verifies the output characteristics of all defibrillators while simulating the resistance of the human body; output energy measured in joules or watt seconds on two scales of 0-200.0 or 0-1000; output energy remains displayed until the reset button is depressed once the defibrillator is fired; and output jacks provided for oscilloscope connection to observe defibrillator pulse wave shape. Shall include the optional pacemaker testing module if required by the end user. Battery powered models are available. |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | BMER1 | 1 - Biomedical Engineering Repair Shop | 200 | T0030 | Radiation-Light Field Analyzer | VV - GOVT FURNISHED & INSTALLED | 0 | Light and radiation field analyzer for quality assurance testing of radiation therapy devices. Unit is self contained and checks the coincidence of light and radiation fields, symmetry of radiation field, flatness of radiation field, and penumbra size of the radiation field. Unit has a built in graphics printer for hard copy output of scanned information. |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | BMER1 | 1 - Biomedical Engineering Repair Shop | 200 | T0801 | Workbench, Electric, Pedestal Base | VV - GOVT FURNISHED & INSTALLED | 1 | Electrical workbench approximately 34" H x 72" W x 36" D. Characteristics/components include butcher block maple top; with two drawer or door pedestals and an electronic riser wiring kit. This workbench is used in wood and metal workshops. Workbench is a mix and match construction and can be configured to end users needs. |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | BMER1 | 1 - Biomedical Engineering Repair Shop | 200 | E0048 | Workcenter, Computer, Free Standing, 72" W | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 2 Paper Tray 1 Diagonal Tray 1 Tool Rail 1 Freestanding Work Surface |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | BMER1 | 1 - Biomedical Engineering Repair Shop | 200 | T8030 | Electrosurgery Analyzer | VV - GOVT FURNISHED & INSTALLED | 0 | 2 Paper Tray |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | BMER1 | 1 - Biomedical Engineering Repair Shop | 200 | T8055 | Wattmeter, Ultrasonic | VV - GOVT FURNISHED & INSTALLED | 0 | 1 Diagonal Tray |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | BMER1 | 1 - Biomedical Engineering Repair Shop | 200 | A1132 | Rail, Accessory Mounting, Length As Required | VC - GOVT FURNISHED/CONTRACTOR INSTALLED | 8 | Horizontal equipment mounting rail with lock mounting devices capable of; supporting up to 75 pounds each, being repositioned, and mounting and dismounting of equipment without the use of tools (special tools may be required to unlock adapter that was previously locked to the rail). The rail must be capable of supporting medical equipment and accessories normally found in exam or patient rooms. The rail system must be capable of mounting and dismounting equipment without leaving or creating new holes in the finished surface of the wall. The rail system utilizes a series of mounting plates and adapters specific to the device being mounted to the rail. The plate and adapter rail mounting kit must be specified to match the equipment being mounted to the equipment rail. |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | BMER1 | 1 - Biomedical Engineering Repair Shop | 200 | E0948 | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | VV - GOVT FURNISHED & INSTALLED | 1 | THIS TYPICAL INCLUDES: 1 Cart Body, Style-A Narrow, w/Raised Edge Top 2 Drawers, 3" H 4 Drawers, 6" H 1 Accessory Rail, Side Drawer Organizer Bins |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | BMER1 | 1 - Biomedical Engineering Repair Shop | 200 | | | | | |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | BMER1 | 1 - Biomedical Engineering Repair Shop | 200 | | | | | |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | BMER1 | 1 - Biomedical Engineering Repair Shop | 200 | | | | | |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | BMER1 | 1 - Biomedical Engineering Repair Shop | 200 | F0780 | Table, Work, 60W x 30D | VV - GOVT FURNISHED & INSTALLED | 1 | Work table approximately 29" high X 60" wide X 30" deep with top and four (4) non-folding legs. |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | BMER1 | 1 - Biomedical Engineering Repair Shop | 200 | T8055 | Wattmeter, Ultrasonic | VV - GOVT FURNISHED & INSTALLED | 0 | 1 Diagonal Tray |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|----------------------------|-----------------|-----------|------------------------|-----------|-------|--------------------------------|---------------------------------|-----|---------------------------------|
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | OFAO2 | 2-Engineering Cubicles | 56 | A1015 | Telephone, Desk, Multiple Line | VV - GOVT FURNISHED & INSTALLED | 1 | Telephone, desk, multiple line. |

| | | | | | | | | | |
|----------------------------|-----------------|-------|------------------------|----|--------|--|-------------------------------------|---|--|
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | OFA02 | 2-Engineering Cubicles | 56 | A5145 | Hook, Garment, Double, SS, Surface Mounted | CC - CONTRACTOR FURNISHED/INSTALLED | 1 | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | OFA02 | 2-Engineering Cubicles | 56 | E0078 | Workstation, L-Shaped w/Peninsula, Free Std, 78x72 | VV - GOVT FURNISHED & INSTALLED | 1 | This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray; 1 mobile pedestal, box/file. |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | OFA02 | 2-Engineering Cubicles | 56 | F0110 | Bookcase, 3 Shelf | VV - GOVT FURNISHED & INSTALLED | 1 | Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides. |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | OFA02 | 2-Engineering Cubicles | 56 | F0205 | Chair, Side With Arms | VV - GOVT FURNISHED & INSTALLED | 1 | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base. |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | OFA02 | 2-Engineering Cubicles | 56 | F0275 | Chair, Swivel, High Back | VV - GOVT FURNISHED & INSTALLED | 1 | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | OFA02 | 2-Engineering Cubicles | 56 | F0420 | Cabinet, Filing, Lateral, Half Height | VV - GOVT FURNISHED & INSTALLED | 1 | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials. |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | OFA02 | 2-Engineering Cubicles | 56 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | OFA02 | 2-Engineering Cubicles | 56 | F3200 | Clock, Battery, 12" Diameter | VV - GOVT FURNISHED & INSTALLED | 1 | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included). |
| 4 - STAFF AND SUPPORT AREA | 6 - ENGINEERING | OFA02 | 2-Engineering Cubicles | 56 | M1801* | Computer, Microprocessing, w/Flat Panel Monitor | VV - GOVT FURNISHED & INSTALLED | 1 | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, dual flat panel monitors, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a dual 18 inch flat panel monitors. The computer is used throughout the facility to input, manipulate and retrieve information. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|----------------------------|-----------------|-----------|--------------------------------------|-----------|--------|---|---------------------------------|-----|--|
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | CMP02 | 2 - Tele Communication s Room/Closet | 100 | A0900 | Relay Rack, Aluminum | cc | 1 | Rack used to hold network components such as servers, switches, hubs, patch panels, router, etc. Racks are available in varying heights, channel depths, and channel width. The model numbers specified may be U.L. Listed version with 2 Top Angles, 7" height, 19" wide, blank Aluminum, with mounting holes on both sides (front and back). |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | CMP02 | 2 - Tele Communication s Room/Closet | 100 | *A0901 | Cable Management, Horizontal Base Unit | cc | 1 | Horizontal cable management unit for a 19" rack with a channel approximately 4"x4". Provides for professional finish to hide cables in a switch rack. Various models are quoted with fingered type exits or brackets and/or rear access holes. |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | CMP02 | 2 - Tele Communication s Room/Closet | 100 | A0902 | Rear Wire Frame | cc | 1 | For use with horizontal base unit for double sided management. This item is intended to be used with JSNs A0901 and/or A0903 model HC219 series from Hubbell only. |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | CMP02 | 2 - Tele Communication s Room/Closet | 100 | A0903 | Rear Hinged Cover, for LAN Rack | cc | 1 | This item is intended to be used with JSNs A0901 and/or A0902 model HC219 series from Hubbell only. |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | CMP02 | 2 - Tele Communication s Room/Closet | 100 | A0904 | Fiber Optic Cabinet, 36 Port, Rack Mounted | cc | 1 | This cabinet is designed to accommodate up to 6 six-packs of adapters or blank panels. This cabinet is specifically designed to accommodate Hubbell adapter panels as reflected in JSNs A0905 and A0906. |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | CMP02 | 2 - Tele Communication s Room/Closet | 100 | A0905 | Adapter Panel With Couplers, Blue, 6 Port, SM/MM | VV - GOVT FURNISHED & INSTALLED | 1 | Modular six-pack fiber adapter panel, designed to snap into Hubbell's enclosures such as JSN A0904. Loaded with 3 SM/MM SC duplex style blue adapters, standard density. |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | CMP02 | 2 - Tele Communication s Room/Closet | 100 | A0906 | Adapter Panel With Couplers, Yellow, 6 Port, SM/MM | VV - GOVT FURNISHED & INSTALLED | 1 | Modular six-pack fiber adapter panel, designed to snap into Hubbell's enclosures such as JSN A0904. Loaded with 3 SM/MM SC duplex style Yellow adapters, standard density. |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | CMP02 | 2 - Tele Communication s Room/Closet | 100 | A0908 | Patch Panel, 110 Block/RJ-45, Cat 5E, 48 Port, 568A | VV - GOVT FURNISHED & INSTALLED | 1 | This 48 Port/RJ45, Cat 5e (or better) patch panel is designed for the following applications. Gigabit 1000BASE-T, 100BASE-TX, ATM 155, TP-PMD (CDDI). |

| | | | | | | | | | |
|----------------------------|---------|-------|--------------------------------------|-----|-------|---|---------------------------------|---|--|
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | CMP02 | 2 - Tele Communication s Room/Closet | 100 | A0910 | Patch Panel, 110 Block/RJ-45, Cat 5E, 96 Port,568A | VV - GOVT FURNISHED & INSTALLED | 1 | This 96 Port/RJ45, Cat 5e (or better) patch panel is designed for the following applications. Gigabit 1000BASE-T, 100BASE-TX, ATM 155, TP-PMD (CDDI). |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | CMP02 | 2 - Tele Communication s Room/Closet | 100 | A0911 | Power Supply, Uninterruptable, Rack Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Uninterruptable Power Supply, Approximately 2200VA/1600W, Rack Mount with extendable Run Time. Unit must incorporate hot user swappable batteries and must have an overload indicator, replace battery indicator, audible alarm, automatic voltage regulation and include Smart Slot card and software. It must use RS232 DB-9 interface for communication. NEMA L5-30P power connector, and (8) NEMA 5-15R outlets. |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | CMP02 | 2 - Tele Communication s Room/Closet | 100 | A0912 | Battery Pack, Extended for use with UPS (A0911) | VV - GOVT FURNISHED & INSTALLED | 1 | Battery Pack for use with JSN A0911 to extend backup power availability. Battery rated at approximately 1600 VA. |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | CMP02 | 2 - Tele Communication s Room/Closet | 100 | A0913 | Switch, Local Area Network (LAN) | VV - GOVT FURNISHED & INSTALLED | 1 | Omni switch router, 9 slot chassis, 725W AC power supply and rack mount brackets. Supports high speed frame switching fabric. Software and Manual included. Requires management module JSN A0914 and works with Power Supply A0915. |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | CMP02 | 2 - Tele Communication s Room/Closet | 100 | A0914 | Management Processor Module for LAN Switch | VV - GOVT FURNISHED & INSTALLED | 1 | Management processor module with 10BaseT with layer-3 switching (HRE-X); 32 MB DRAM & 8 MB flash memory. Operates over the 22G distributed switching fabric. Works with Switch LAN JSN A0913 and Power Supply A0915. |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | CMP02 | 2 - Tele Communication s Room/Closet | 100 | A0915 | Power Supply, 725 W, for LAN Switch | VV - GOVT FURNISHED & INSTALLED | 1 | 725 Watt powersupply. Redundant or spare power supply for the 9 slot Omni Switch Router. Works with Switch LAN JSN A0913 and Management Processor JSN A0914. |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | CMP02 | 2 - Tele Communication s Room/Closet | 100 | A0916 | Switching Module, Desktop, Fast Ethernet | VV - GOVT FURNISHED & INSTALLED | 1 | High Density Fast Ethernet desktop switching module. Thirty-two 10/100Base TX switching ports, RJ-45 connectors. Supports Cat 5 twisted pair cable-100 ohm and CAM support for 1024 MAC addresses. |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | CMP02 | 2 - Tele Communication s Room/Closet | 100 | A0917 | Switching Module, MM Fiber, Gigabit Ethernet Server | VV - GOVT FURNISHED & INSTALLED | 1 | Gigabit Ethernet server switching module. Four 1000 base SX switching ports, SC connectors. Supports multi-mode fiber optic cable and CAM support for 4096 MAC addresses. Must be used in the Omni Switch/Router product only. |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | CMP02 | 2 - Tele Communication s Room/Closet | 100 | A0918 | Switching Module, SM, Gigabit Ethernet Server | VV - GOVT FURNISHED & INSTALLED | 1 | Gigabit Ethernet server switching module. Four 1000 Base LX switching ports, SC connectors. Supports single mode fiber optic cable and CAM support for 4096 MAC addresses. Must be used in the Omni Switch/Router product only. |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | CMP02 | 2 - Tele Communication s Room/Closet | 100 | F0280 | Chair, Swivel, Low Back | VV - GOVT FURNISHED & INSTALLED | 1 | Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl. |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | CMP02 | 2 - Tele Communication s Room/Closet | 100 | F2000 | Basket, Wastepaper, Fire Resistant | VV - GOVT FURNISHED & INSTALLED | 1 | Wastepaper basket, fire resistant, approximately 40 quart capacity. This unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations. Size and shape varies depending on the application and manufacturer selected. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|----------------------------|-----------------|-----------|---------------------------------|-----------|-------|--|---------------------------------|-----|--|
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | COMC1 | 1 - OIT Satellite Computer Room | 200 | A0900 | Relay Rack, Aluminum | VV - GOVT FURNISHED & INSTALLED | 3 | Rack used to hold network components such as servers, switches, hubs, patch panels, router, etc. Racks are available in varying heights, channel depths, and channel width. The model numbers specified may be U.L. Listed version with 2 Top Angles, 7" height, 19" wide, blank Aluminum, with mounting holes on both sides (front and back). |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | COMC1 | 1 - OIT Satellite Computer Room | 200 | A0901 | Cable Management, Horizontal Base Unit | VV - GOVT FURNISHED & INSTALLED | 26 | Horizontal cable management unit for a 19" rack with a channel approximately 2"x2". Provides for professional finish to hide cables in a switch rack. Various models are quoted with fingered type exits or brackets and/or rear access holes. |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | COMC1 | 1 - OIT Satellite Computer Room | 200 | A0902 | Rear Wire Frame | VV - GOVT FURNISHED & INSTALLED | 13 | For use with horizontal base unit for double sided management. This item is intended to be used with JSNs A0901 and/or A0903 model HC219 series from Hubbell only. |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | COMC1 | 1 - OIT Satellite Computer Room | 200 | A0903 | Rear Hinged Cover, for LAN Rack | VV - GOVT FURNISHED & INSTALLED | 13 | This item is intended to be used with JSNs A0901 and/or A0902 model HC219 series from Hubbell only. |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | COMC1 | 1 - OIT Satellite Computer Room | 200 | A0904 | Fiber Optic Cabinet, 36 Port, Rack Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | This cabinet is designed to accommodate up to 6 six-packs of adapters or blank panels. This cabinet is specifically designed to accommodate Hubbell adapter panels as reflected in JSNs A0905 and A0906. |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | COMC1 | 1 - OIT Satellite Computer Room | 200 | A0908 | Patch Panel, 110 Block/RJ-45, Cat 5E, 48 Port,568A | VV - GOVT FURNISHED & INSTALLED | 13 | This 48 Port/RJ45, Cat 5e (or better) patch panel is designed for the following applications. Gigabit 1000BASE-T, 100BASE-TX, ATM 155, TP-PMD (CDDI). |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | COMC1 | 1 - OIT Satellite Computer Room | 200 | A0911 | Power Supply, Uninterruptable, Rack Mounted | VV - GOVT FURNISHED & INSTALLED | 1 | Uninterruptable Power Supply, Approximately 2200VA/1600W, Rack Mount with extendable Run Time. Unit must incorporate hot user swappable batteries and must have an overload indicator, replace battery indicator, audible alarm, automatic voltage regulation and include Smart Slot card and software. It must use RS232 DB-9 interface for communication. NEMA L5-30P power connector, and (8) NEMA 5-15R outlets. |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | COMC1 | 1 - OIT Satellite Computer Room | 200 | A0912 | Battery Pack, Extended for use with UPS (A0911) | VV - GOVT FURNISHED & INSTALLED | 1 | Battery Pack for use with JSN A0911 to extend backup power availability. Battery rated at approximately 1600 VA. |

| | | | | | | | | | |
|----------------------------|---------|-------|---------------------------------|-----|-------|--|---------------------------------|---|---|
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | COMC1 | 1 - OIT Satellite Computer Room | 200 | A0913 | Switch, Local Area Network (LAN) | VV - GOVT FURNISHED & INSTALLED | 1 | Omni switch router, 9 slot chassis, 725W AC power supply and rack mount brackets. Supports high speed frame switching fabric. Software and Manual included. Requires management module JSN A0914 and works with Power Supply A0915. |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | COMC1 | 1 - OIT Satellite Computer Room | 200 | A0914 | Management Processor Module for LAN Switch | VV - GOVT FURNISHED & INSTALLED | 1 | Management processor module with 10BaseT with layer-3 switching (HRE-X); 32 MB DRAM & 8 MB flash memory. Operates over the 22G distributed switching fabric. Works with Switch LAN JSN A0913 and Power Supply A0915. |
| 4 - STAFF AND SUPPORT AREA | 7 - OIT | COMC1 | 1 - OIT Satellite Computer Room | 200 | A0915 | Power Supply, 725 W, for LAN Switch | VV - GOVT FURNISHED & INSTALLED | 1 | 725 Watt powersupply. Redundant or spare power supply for the 9 slot Omni Switch Router. Works with Switch LAN JSN A0913 and Management Processor JSN A0914. |

| Department | Functional Area | Room Code | Room Name | Room Area | JSN | Content Name | Acq Code | Qty | Description |
|--------------------|--------------------|-----------|-----------------------------|-----------|-------|------------------------------|---------------------------------|-----|---|
| 1- RECEPTION/LOBBY | 1- RECEPTION/LOBBY | RECP4 | 1 - Kiosk, Patient Check-In | 30 | M1890 | Kiosk, Educational, Stand-Up | VV - GOVT FURNISHED & INSTALLED | 1 | A free standing Kiosk providing educational information for patients. The kiosk will, as a minimum, include a computer, an LCD display of approximately 19" with a touch screen, keyboard with track ball, speakers, printer, card reader, bar code scanner and housed in a durable steel enclosure. The unit will contain all necessary software packages to satisfy a wide spectrum of information distribution. Final configuration of kiosk will be determined at time of purchase. |

Report Parameters

Sorted By: Blueprint Number, JSN

(END OF REPORT)