

QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)

RADIOLOGY SERVICES

The contractor will be evaluated in accordance with the following:

1. PURPOSE

This Quality Assurance Surveillance Plan (QASP) provides a systematic method to evaluate performance for the stated contract. This QASP explains the following:

- What will be monitored?
- How monitoring will take place.
- Who will conduct the monitoring?
- How monitoring efforts and results will be documented.

This QASP does not detail how the contractor accomplishes the work. Rather, the QASP is created with the premise that the contractor is responsible for management and quality control actions to meet the terms of the contract. It is the Government's responsibility to be objective, fair, and consistent in evaluating performance.

This QASP is a "living document" and the Government may review and revise it on a regular basis. However, the Government shall coordinate changes with the contractor through contract modification. Copies of the original QASP and revisions shall be provided to the contractor and Government officials implementing surveillance activities.

2. GOVERNMENT ROLES AND RESPONSIBILITIES

The following personnel shall oversee and coordinate surveillance activities.

a. Contracting Officer (CO) – The CO shall ensure performance of all necessary actions for effective contracting, ensure compliance with the contract terms, and shall safeguard the interests of the United States in the contractual relationship. The CO shall also assure that the contractor receives impartial, fair, and equitable treatment under this contract. The CO is ultimately responsible for the final determination of the adequacy of the contractor's performance.

Assigned CO: Kyle Bauman

Organization or Agency: Department of Veterans Affairs, Network 23 Contracting Office

b. Contracting Officer's Representative (COR) – The COR is responsible for technical administration of the contract and shall assure proper Government surveillance of the contractor's performance. The COR shall keep a quality assurance file. The COR is not empowered to make any contractual commitments or to authorize any contractual changes on the Government's behalf.

Assigned COR: Mike Caldwell

Organization or Agency: Department of Veterans Affairs, Nebraska Iowa Western Iowa Health Care System, Omaha Division

3. CONTRACTOR REPRESENTATIVES

The following employee(s) of the contractor serve as the contractor's program manager(s) for this contract.

Primary: _____

Alternate: _____

4. PERFORMANCE STANDARDS

The contractor is responsible for performance of ALL terms and conditions of the contract. CORs will provide contract progress reports quarterly to the CO reflecting performance on this plan and all other aspects of the resultant contract. The performance standards outlined in this QASP shall be used to determine the level of contractor performance in the elements defined. Performance standards define desired services. The Government performs surveillance to determine the level of Contractor performance to these standards.

The Performance Requirements are listed below in Section 6. The Government shall use these standards to determine contractor performance and shall compare contractor performance to the standard and assign a rating. At the end of the performance period, these ratings will be used, in part, to establish the past performance of the contractor on the contract.

5. METHODS OF QA SURVEILLANCE

Various methods exist to monitor performance. The COR shall use the surveillance methods listed below in the administration of this QASP.

- a. REVIEW OF DEPARTMENT'S TOTAL TURN AROUND TIME: If problems are identified after a review, the COR will review report to determine if the timeliness was associated with a VA or contractor physician.
- b. ONGOING PROVIDER PERFORMANCE EVALUATION (OPPE): Review of OPPE data pertinent to care performed for each provider working under this contract.
- c. REVIEW BY THE RADIOLOGY DEPARTMENT: All critical results or findings will be reviewed by the Radiology Department to ensure that any that require immediate medical attention are called into the ordering clinician.
- d. RANDOM INSPECTION OF QUALIFICATION DOCUMENTS: COR to review qualification documents.

6. SAMPLE QASP PERFORMANCE REPORT

Measures	PWS Reference	Performance Requirement	Standard	Acceptable Quality Level	Surveillance Method	Met AQL/DID NOT MEET AQL- CPAR RATING/ADD COMMENTS
Timeliness of Reports	4.5.4.1.	Prompt delivery (timeliness) of interpretations and return for routine/stat/immediate	Delivery 100% of the time	98% meet timeliness standards	Review of Department's total turn-around time--if problems are identified after a review, the COR will review report to determine if the timeliness was associated with a VA or contractor physician.	
Provider Quality Performance	4.5.4.2.	All contract physician(s) shall perform in accordance within clinical standards	OPPE documentation for all (100%) staff providing services under the contract. All staff (100%) meet Standards.	98% meet Standards	Review of Ongoing Provider Performance Evaluation (OPPE) data pertinent to care performed for each provider working under this contract.	

Preliminary Reads	4.5.4.3.	Contractor shall have a process in place to call the ordering clinician critical results or findings requiring immediate medical attention. Contacts should be identified in the final report with the time of contact.	All critical results or findings that require immediate medical attention are called into the ordering clinician.	95%	Review by the Radiology Department	
Qualifications of Key Personnel	4.5.4.4.	All contract physician(s) shall be board certified in accordance with ACR Standards.	All (100%) contract physician(s) are board certified.	100% No deviations accepted.	Random Inspection of qualification documents	

7. CPAR RATINGS ASSIGNED TO QASP ITEMS:

Metrics and methods are designed to determine rating for a given standard and acceptable quality level. The following ratings shall be used (Reference: CPARS User Manual <https://www.cpars.gov/pdfs/CPARS-Guidance.pdf> p. A2-1):

EXCEPTIONAL:	<p>Performance meets contractual requirements and exceeds many to the Government's benefit. The contractual performance of the element or sub-element being assessed was accomplished with few minor problems for which corrective actions taken by the contractor were highly effective.</p> <p>Note: To justify an Exceptional rating, you should identify <u>multiple</u> significant events in each category and state how it was a benefit to the GOVERNMENT. However a singular event could be of such magnitude that it alone constitutes an Exceptional rating. Also there should have been NO significant weaknesses identified.</p>
VERY GOOD:	<p>Performance meets contractual requirements and exceeds some to the Government's benefit. The contractual performance of the element or sub-element being assessed was accomplished with some minor problems for which corrective actions taken by the contractor were effective.</p> <p>Note: To justify a Very Good rating, you should identify a significant event in each category and state how it was a benefit to the GOVERNMENT. Also there should have been NO significant weaknesses identified.</p>
SATISFACTORY:	<p>Performance meets contractual requirements. The contractual performance of the element or sub-element contains some minor problems for which corrective actions taken by the contractor appear or were satisfactory.</p> <p>Note: To justify a Satisfactory rating, there should have been only minor problems, or major problems the contractor recovered from without impact to the contract. Also there should have been NO significant weaknesses identified.</p>
MARGINAL:	<p>Performance does not meet some contractual requirements. The contractual performance of the element or sub-element being assessed reflects a serious problem for which the contractor has not yet identified corrective actions. The contractor's proposed actions appear only marginally effective or were not fully implemented.</p> <p>Note: To justify Marginal performance, you should identify a significant event in each category that the contractor had trouble overcoming and state how it impacted the GOVERNMENT. A Marginal rating should be supported by referencing the management tool that notified the contractor of the contractual deficiency (e.g. Management, Quality, Safety or Environmental Deficiency Report or letter).</p>
UNSATISFACTORY :	<p>Performance does not meet most contractual requirements and recovery is not likely in a timely manner. The contractual performance of the element or sub-element being assessed contains serious problem(s) for which the contractor's corrective actions appear or were ineffective.</p> <p>Note: To justify an Unsatisfactory rating, you should identify multiple significant events in each category that the contractor had trouble overcoming and state how it impacted the GOVERNMENT. However, a singular problem could be of such serious magnitude that it alone constitutes an unsatisfactory rating. An Unsatisfactory rating should be supported by referencing the management tools used to notify the contractor of the contractual deficiencies (e.g. Management, Quality, Safety or Environmental Deficiency Reports, or letters).</p>

a. The Government shall document positive and/or negative performance. Any report may become a part of the supporting documentation for any contractual action and preparing annual past performance using CONTRACTOR PERFORMANCE ASSESSMENT REPORT (CPAR).

b. If contractor performance does not meet the Acceptable Quality level, the CO shall inform the contractor. This will normally be in writing unless circumstances necessitate verbal communication. In any case the CO shall document the discussion and place it in the contract file. When the COR and the CO determines formal written communication is required, the COR shall prepare a Contract Report (CR), and present it to CO. The CO will in turn review and will present to the contractor's program manager for corrective action.

The contractor shall acknowledge receipt of the CR in writing. The CR will specify if the contractor is required to prepare a corrective action plan to document how the contractor shall correct the unacceptable performance and avoid a recurrence. The CR will also state how long after receipt the contractor has to present this corrective action plan to the CO. The Government shall review the contractor's corrective action plan to determine acceptability. The CO shall also assure that the contractor receives impartial, fair, and equitable treatment. The CO is ultimately responsible for the final determination of the adequacy of the contractor's performance and the acceptability of the Contractor's corrective action plan.

Any CRs may become a part of the supporting documentation for any contractual action deemed necessary by the CO. See Sample CR on the following page.

SIGNED:

COR NAME/TITLE	DATE
----------------	------

SIGNED:

CONTRACTOR NAME/TITLE	DATE
-----------------------	------

CONTRACT REPORT				
1. CONTRACT NUMBER		2. REPORT NUMBER FOR THIS DISCREPANCY		
3. TO: <i>(Contracting Officer)</i>		4. FROM: <i>(Name of COR)</i>		
5. DATES				
a. CR PREPARED	b. RETURNED BY CONTRACTOR:	c. ACTION COMPLETE		
6. Issue Identified <i>(Describe in detail. Include reference to PWS Directive; attach continuation sheet if necessary.)</i>				
7. SIGNATURE OF COR			Date:	
8. SIGNATURE OF CONTRACTING OFFICER			Date:	
9a. TO <i>(Contracting Officer)</i>		9a. FROM <i>(Contractor)</i>		
10. CONTRACTOR RESPONSE AS TO CAUSE AND ACTIONS TO PREVENT RECURRENCE. <i>(Cite applicable quality control program procedures or new procedures. Attach continuation sheet(s) if necessary.)</i>				
11. SIGNATURE OF CONTRACTOR REPRESENTATIVE			Date:	
12. GOVERNMENT EVALUATION.				
13. GOVERNMENT ACTIONS				
14. CLOSE OUT				
	NAME	TITLE	SIGNATURE	DATE
CONTRACTOR NOTIFIED				
COR				
CONTRACTING OFFICER				