

three inches = one foot

one and one half inches = one foot

one inch = one foot

three quarters inch = one foot

one half inch = one foot

three eighths inch = one foot

one quarter inch = one foot


one eighth inch = one foot

FIRST FLOOR DOOR SCHEDULE																					
DOOR NUMBER	DOOR								FRAME							HARDWARE GROUP	FIRE RATING (MINUTES)	SIGN DETAIL	REMARKS		
	NOMINAL SIZE			TYPE	MATERIAL	FACING / FINISH	COLOR	GLASS	LOUVER		TYPE	MATERIAL	FINISH	GLASS	DETAILS						
	WIDTH	HEIGHT	THICKNESS						WIDTH	HEIGHT					HEAD					JAMB	THRESHOLD
100A	3'-8"	7'-0"	1 3/4"	(E) 2	HM	MP	--	--	--	--	(E) A	HM	MP	--	--	--	--	01	--	--	
100B	3'-8"	7'-0"	1 3/4"	(E) 2	HM	MP	--	--	--	--	(E) A	HM	MP	--	--	--	--	02	90	--	
101A	3'-0"	7'-0"	1 3/4"	(E) 1	WD	--	--	--	--	--	(E) A	HM	MP	--	--	--	--	03	--	--	
102A	3'-0"	7'-0"	1 3/4"	1	WD	--	--	--	--	--	A	HM	MP	--	6/AS902, SIM.	5/AS902, SIM.	4/AS902, SIM.	12	--	--	
103A	3'-0"	7'-0"	1 3/4"	(E) 1	WD	--	--	(E) WG	--	--	(E) A	WD	--	--	--	--	--	13A	--	--	
104A	3'-0"	7'-0"	1 3/4"	(E) 1	WD	--	--	--	--	--	(E) A	HM	MP	--	--	--	--	02	--	--	
105A	6'-4"	7'-0"	1 3/4"	(E) A2	ALM	FF	--	(E)	--	--	(E)	ALM	FF	--	--	--	--	02	--	--	
105B	3'-8"	7'-0"	1 3/4"	(E) 2	HM	MP	--	(E) WG	--	--	(E) C	HM	MP	(E)WG	--	--	--	02	--	Door Not operable	
105C	3'-0"	7'-0"	1 3/4"	(E) 1	WD	--	--	--	--	--	(E) A	HM	MP	--	--	--	--	06	--	--	
106A	3'-0"	7'-0"	1 3/4"	(E) 7	WD	--	--	--	--	--	(E) A	HM	MP	--	--	--	--	07	90	--	
107A	4'-0"	7'-0"	1 3/4"	(E) 1	WD	--	--	--	--	--	(E) A	HM	MP	--	--	--	--	07	--	--	
108A	3'-0"	7'-0"	1 3/4"	(E) 1	WD	--	--	--	--	--	(E) A	HM	MP	--	--	--	--	03	--	--	
109A	4'-8"	7'-0"	1 3/4"	PR (E) 1	WD	--	--	--	20"	11"	(E) B	HM	MP	--	--	--	--	08	--	--	
110A	3'-0"	7'-0"	1 3/4"	A1	ALM	FF	--	T2	--	--	--	ALM	FF	--	9/AS910	3 & 10 / AS910	7/AS910	23	--	--	
112A	3'-0"	7'-0"	1 3/4"	(E) 1	WD	--	--	--	--	--	(E) A	HM	MP	--	--	--	--	07	--	--	
113A	3'-0"	7'-0"	1 3/4"	(E) 1	WD	--	--	--	--	--	(E) A	HM	MP	--	--	--	--	07	--	--	
115A	3'-0"	7'-0"	1 3/4"	(E) 1	WD	--	--	--	--	--	(E) A	HM	MP	--	--	--	--	07	--	--	
116A	3'-0"	7'-0"	1 3/4"	(E) 1	WD	--	--	--	--	--	(E) A	HM	MP	--	--	--	--	07	--	--	
117A	3'-0"	7'-0"	1 3/4"	(E) 1	WD	--	--	--	--	--	(E) A	HM	MP	--	--	--	--	07	--	--	
118A	3'-0"	7'-0"	1 3/4"	(E) 1	WD	--	--	--	--	--	(E) A	HM	MP	--	--	--	--	06	--	--	
120A	3'-0"	7'-0"	1 3/4"	(E) 1	WD	--	--	--	--	--	(E) A	HM	MP	--	--	--	--	06	--	--	
121A	3'-0"	7'-0"	1 3/4"	(E) 1	WD	--	--	--	--	--	(E) A	HM	MP	--	--	--	--	06	--	--	
122A	4'-0"	7'-0"	1 3/4"	A1	ALM	FF	--	T2	--	--	--	ALM	FF	--	8/AS910	4/AS910	7/AS910	24	--	--	
123A	2'-4"	7'-0"	1 3/4"	(E) 1	WD	--	--	--	--	--	(E) A	HM	MP	--	--	--	3/AS902	03	--	--	
124A	3'-0"	7'-0"	1 3/4"	(E) 1	WD	--	--	--	--	--	(E) A	HM	MP	--	--	--	--	03	--	--	
124B	3'-0"	7'-0"	1 3/4"	(E) 1	WD	--	--	--	--	--	(E) A	HM	MP	--	--	--	--	03	--	--	
125A	3'-0"	7'-0"	1 3/4"	(E) 1	WD	--	--	--	--	--	(E) A	HM	MP	--	--	--	--	07	--	--	
126A	3'-0"	7'-0"	1 3/4"	(E) 1	WD	--	--	--	--	--	(E) A	HM	MP	--	--	--	3/AS902	09	--	--	
127A	3'-0"	7'-0"	1 3/4"	(E) 1	WD	--	--	--	--	--	(E) A	HM	MP	--	--	--	--	07	--	--	
128A	6'-4"	7'-0"	1 3/4"	(E) A2	ALM	FF	--	(E)	--	--	(E) A	HM	MP	--	--	--	--	02	--	--	
128B	6'-4"	7'-0"	1 3/4"	PR (E) 1	WD	--	--	(E)	--	--	(E) B	HM	MP	--	--	--	--	02	--	--	
1B1A	6'-0"	6'-8"	1 3/4"	PR 1	WD	--	--	--	--	--	(E) B	HM	MP	--	--	--	4/AS902	10	--	3, 8 & 10/AS912	
1B1B	6'-0"	7'-0"	1 3/4"	PR 1	WD	--	--	--	--	--	(E) B	HM	MP	--	--	--	4/AS902	10	--	3, 8 & 10/AS912	
1B1C	3'-0"	7'-0"	1 3/4"	(E) 2	HM	--	--	--	--	--	(E) A	HM	MP	--	--	--	--	01	--	8/AS912	
1B2A	3'-0"	7'-0"	1 3/4"	(E) 1	WD	--	--	--	--	--	(E) A	HM	MP	--	--	--	--	07	--	--	


ABBREVIATIONS

DOOR SCHEDULE/LEGEND

AC	ACCESSIBLE SIGNAGE	NA	NOT APPLICABLE
ALM	ALUMINUM	NR	NOT RATED
CL	CLEAR GLAZING	PC	POWDER COATED
(E)	EXISTING	PH	PANIC HARDWARE
FF	FACTORY FINISH	PR	PAIR/DOORS AND HARDWARE
FR	FIRE RATED ASSEMBLY (45 MIN. RATED)	SGL	SINGLE DOOR
HM	HOLLOW METAL	SST	STAINLESS STEEL
LLE	LAMINATED LOW-E GLAZING	STL	STEEL
LO	LAMINATED OBSCURE GLAZING	T1	TEMPERED, CLASS I (GLASS PANEL ≤ 9 SQ. FT.)
LP	LAMINATED PLASTIC	T2	TEMPERED, CLASS II (GLASS PANEL > 9 SQ. FT.)
MHO	MAGNETIC HOLD OPEN	WD	WOOD DOOR
MP	METAL PAINTED,	WG	WIRED GLAZING
REFER TO SPEC. SECTION 09 90 00			



1 DOOR TYPES



2 HOLLOW METAL FRAME TYPES

GENERAL NOTES:

- ALL DOORS SHALL BE FLUSH - 1 3/4" [44mm] THICK UNLESS NOTED OTHERWISE.
- TOP & SIDE RAILS SHALL BE 9" [229mm] MIN. BOTTOM RAILS SHALL BE 12" MIN. [305mm].
- DOOR TYPES 7 SHALL NOT BE USED FOR OPPOSING DOORS.
- EVEN NUMBERS ARE HOLLOW METAL; ODD NUMBERS ARE WOOD.
- DOOR HARDWARE SHALL BE CENTERED BETWEEN 34"-48" ABOVE FINISHED FLOOR.
- LATCHING OR LOCKING DOORS IN THE PATH OF TRAVEL SHALL HAVE DOOR HARDWARE THAT IS OPERABLE WITH A SINGLE EFFORT NOT REQUIRING THE ABILITY TO GRASP THE HARDWARE TO OPERATE DOOR.
- MAXIMUM EFFORT TO OPERATE BOTH INTERIOR AND EXTERIOR DOOR SHALL NOT EXCEED 5 POUNDS, PER UFAS 4.13.11.
- ALL DOOR THRESHOLD SHALL COMPLY WITH UFAS 4.13.8.

Revisions

Date

CONSULTANTS:

1827 E. Fir Avenue, Studio 103 / Fresno, CA 93720
T 559 322 2444 / www.hmcarchitects.com

HMC Architects

ARCHITECT/ENGINEERS:

HMC Architects

Drawing Title
DOOR SCHEDULES

Approved Project Director

Project Title
BUILDING 24
SEISMIC CORRECTION
AND ADDITION

Location
VAMC FRESNO, CA

Date
October 14, 2011

Checked
BB

Drawn
CLO

Project Number
570-215
Building Number
24

Drawing Number
AS901
Dwg. 86 of 180

Office of
Construction
and Facilities
Management

Department of
Veterans Affairs