



**KEY NOTES**

① COMBINATION ROOF/ OVERFLOW DRAIN. CONNECT NEW 3" RD LINE TO (E) 3" RD LINE IN ATTIC. PROVIDE NEW 3" OD LINE IN ATTIC AND ROUTE 1/4" BEYOND SURFACE OF EXTERIOR WALL.

**PLUMBING FIXTURE NOTE**

REFER TO SHEET PP600 FOR PLUMBING FIXTURE SCHEDULE.

① PLUMBING REMODEL ROOF PLAN  
SCALE: 1/8" = 1'-0"

one eighth inch = one foot  
one quarter inch = one foot  
three eighths inch = one foot  
one half inch = one foot  
three quarters inch = one foot  
one inch = one foot  
one and one half inches = one foot  
two inches = one foot  
three inches = one foot  
four inches = one foot

<b>CONSULTANTS:</b>		<b>ARCHITECT/ENGINEERS:</b>		<b>Drawing Title</b>		<b>Project Title</b>		<b>Project Number</b>		<b>Office of Construction and Facilities Management</b> 	
 895 W. Ashlan Ave. Suite 101 Clovis, CA 93612 p 559-348-2130 f 559-348-2131 www.lpengines.com Job #: 10-1098		 1827 E. Fir Avenue, Studio 103 / Fresno, CA 93720 T 559 322 2444 / www.hmcarchitects.com		PLUMBING REMODEL ROOF PLAN		BUILDING 24 SEISMIC CORRECTION AND ADDITION		570-215			
Revisions				Approved: Project Director		Location VAMC FRESNO, CA		Building Number 24			
Date						Date January 31, 2012		Checked K.K.			
								Drawn DN		Drawing Number PP105 Dwg. 115 of 180	