

Subject: 17028 - CORRECT RETRO COMMISSIONING

Project Number: 503-15-205 BLDG #5 Date: 8/23/2018

AWNING DETAIL 1

3"
4" EXTERIOR GRADE
PLYWOOD

EPDM MEMBRANE ROOFING
CONTINUOUS, RUN OVER
FASCIA BOARD AND UNDER
EDGE COUNTERFLASHING

.090 ALUMINUM ROOF
SHEATHING, SHOP
PAINTED BLACK

.060 ALUMINUM
COUNTERFLASHING
W/ CLOSED HEM
DRIP EDGE.
FIELD PNTD
WHITE

EXISTING BRICK
VENEER TO REMAIN

EXTERIOR GRADE
CURING SILICONE
SEALANT
CONT.

.060 ALUMINUM
THRU WALL FLASHING
FIELD PAINTED
BLACK
FIELD HEM

EXISTING STRUCTURAL
SUPPORT TO REMAIN

1x8 EXT.
TREATED
FASCIA
PAINTED
WHITE

3"
4" EXTERIOR GRADE
PLYWOOD

EXTERIOR GRADE
CURING SILICONE
SEALANT CONT.

SECTION THRU CANOPY

NTS (3 THUS)

* ALL PAINT TO BE EXTERIOR
GRADE ALKYD PAINT

* MEASURE LENGTH &
DEPTH OF EACH CANOPY
PRIOR TO DEMOLITION.
MATCH TO NEW CANOPIES.

* REPLACE LIGHT FIXTURES IN
CANOPY SOFFITS WITH LED
EXTERIOR RECESSED SQUARE
FIXTURES IN PREVIOUS FLXTURE
LOCATIONS. ATTACH TO EXISTING POWER SUPPLY.