


1 SITE PLAN
1/16" = 1'-0"



2 DEDUCTIVE ALTERNATE #9 ITEM #1
1/16" = 1'-0"

GENERAL NOTES

1. REFER TO SHEET 0001 FOR TYPICAL SYMBOLS AND ABBREVIATIONS
2. ACCESSIBLE PATH OF TRAVEL AS INDICATED ON PLAN IS A BARRIER-FREE ACCESS ROUTE WITHOUT ANY ABILITY LEVEL CHANGES EXCEEDING 1/4" RISE IN 1" MAX SLOPE. ON VERTICAL LEVEL CHANGES NOT EXCEEDING 1/4" MAX AND AT LEAST 48" WIDE SURFACE IS SLIP RESISTANT TYP. 2. PRIMARY SMOOTH CROSS SLOPE DOES NOT EXCEED 2% AND SLOPE IN THE DIRECTION OF TRAVEL IS LESS THAN 1% UNLESS OTHERWISE INDICATED. ACCESSIBLE PATH OF TRAVEL TO BE FREE OF OBSTRUCTING OBSTRUCTIONS TO THE MINIMUM AND PROTECTING OBJECTS GREATER THAN 4" PROTECTION FROM WALL AND ABOVE 27" AND LESS THAN 80" ARCHITECT AND CONTRACTOR TO VERIFY THAT ALL BARRIERS IN THE PATH OF TRAVEL HAVE BEEN REMOVED OR WILL BE REMOVED UNDER THIS PROJECT, AND PATH OF TRAVEL COMPLIES WITH USC 119.8.


LEGEND

- PROPERTY LINE
- ACCESSIBLE PATH OF TRAVEL
- CHAINLINK FENCE DETAILS, SEE SHEET 0001
- CONCRETE WALK, SEE CIVIL DRAWINGS
- AREA OF PAVES, SEE CIVIL DRAWINGS
- NEW BUILDING
- AREA OF ASPHALT CONCRETE, SEE CIVIL DRAWINGS
- AREA OF ASPHALT SEAL COAT, SEE CIVIL DRAWINGS

LIST OF ALTERNATES

| ALT # | PRIORITY | DESCRIPTION |
|-------|----------|---|
| 2 | 11 | EPIS INLET OF CENTRA |
| 3 | 10 | EPIS INLET OF PLASTIC |
| 4 | 9 | CEILING GYPSUM FINISHES & QUARTZ SURFACE |
| 5 | 8 | REMOVE WING WALL & ENTRY |
| 6 | 7 | REMOVE SUN SHADES |
| 7 | 6 | REMOVE ECO SCREENS |
| 8 | 5 | REMOVE TRELLIS |
| 9 | 1 | REMOVE HANDICAPPING |
| 10 | 3 | REDUCED AMOUNT FOR FIXED FURNISHING (CASEWORK) |
| 11 | 4 | CHANGE GLASS GUARDRAIL @ INTERIOR STAIR TO STEEL GUARDRAIL |
| 12 | 1 | REDUCE EXTERIOR GLAZING AND CHANGE EXTERIOR WALL FINISHES TO PAINTED CEMENT PLASTER |
| 13 | 2 | PORTION OF 1ST AND 2ND FLOOR AS UNFINISHED SPACE |

NOTE: REFER TO SHEET 0001 FOR DESCRIPTIVE INFORMATION REGARDING EACH ALTERNATIVE



| | | | | | | |
|---|--------------|---|---|--|--|--|
| Revision No. 1 Description ADDENDUM #1 Date 11/10/2014 | CONSULTANTS: | ARCHITECT/ENGINEERS: HMC Architects 1537 E. 1st Avenue Suite 101 Fresno, CA 93720 T 509 322 2444 www.hmcarchitects.com HMC PROJECT #103002-000 | Drawing Title SITE PLAN Approved: Project Director | Project Title Mental Health Psychosocial Rehab Recovery and Health Care for Homeless Veteran Center Location 2615 E. CLINTON AVE, FRESNO, CA 93703 Date 08/11/2014 | Project Number 570-217 Building Number 37 Drawing Number AS101 10/11/14 | Office of Construction and Facilities Management Department of Veterans Affairs |
|---|--------------|---|---|--|--|--|