

REQUESTING SERVICE: PHYSICAL MEDICINE AND REHAB PURCHASE ORDER: 652-B80060
 CHF,ACQ & MAT MGT
 V.A. Medical Center
 REC. WHSE. BLDG 500
 1201 BROAD ROCK BLVD.
 RICHMOND, VA 23249

THIS REQUIREMENT IS FOR FIVE SYSTEMS

Item No.	QTY	DESCRIPTION
	5	LOGIQ S7 with XDclear
1	5	<p>LOGIQ S7 with XDclear and Extended Warranty</p> <p>LOGIQ* S7 with XDclear general imaging ultrasound system provides sensational performance, smart design with specialized capabilities. Built upon Agile Acoustic Architecture technology, the LOGIQ S7 with XDclear probe technology helps you achieve great images using innovative tools including B-Flow* technology to help visualize real-time hemodynamic flow and vessel wall definition. CrossXBeam* (Spatial Compounding), SRI HD (Speckle Reduction Imaging in High Definition), and Coded Harmonics. Workflow features such as Raw Data for post-processing of images, Automatic Optimization, Easy 3D and Advanced 3D (w/ multiplanar displays) and Virtual Convex. The smart design of the LOGIQ S7 include a 23 inch high-resolution color flat panel monitor (1920x1080) with fully articulating arm, fully adjustable console, 10.1 inch wide color LCD touch screen, four active transducer ports and an integrated gel warmer. Scanning modes include B-Mode, M-Mode, Color Flow, Pulsed Wave, and Power Doppler. Other system features include: Windows** 7 operating platform, 776MB cine memory, approximately 500 GB internal hard drive, footrest, user programmable presets and digital copy of user documentation (eDocs). A DICOM*** software package providing provides Verify, Print, Store, Multiframe, Modality Worklist, MPPS (Modality Performed Procedure Step), Storage Commitment, and Media Exchange. Additionally, the LOGIQ S7 supports Multi-Modality Query Retrieve and Structured Reporting. Does not include network hardware, which may be required. Initial installation includes connection to customer network, a one-year standard warranty plus one year extended warranty and two days of On-site Applications Training. Training must be completed within six (6) months after Product delivery, otherwise GE Healthcare's obligation to provide the training will expire without refund. Additional On-site Applications Training days are available for purchase. Customer workflow permitting and abiding by SDMS criteria, sonographer install CE's may be provided during install training. *Trademark of General Electric Company. **Third party trademarks are the property of their respective owners. ***</p>

Item No.	QTY	DESCRIPTION
		DICOM is the registered trademark of the National Electrical Manufacturers Association for its standard publications relating to digital communications of medical information.
2	5	<p>L3-12-D Linear Array Probe</p> <p>Wideband Linear Array Probe. Applications vary depending on the ultrasound system and may include Vascular, Small Parts, Abdominal, and Pediatrics. Datasheets for specific ultrasound systems contain additional details including specific applications, biopsy availability, and additional probe technical specifications.</p>
3	5	<p>L8-18i-D Linear Array Probe</p> <p>Wideband Linear Array Probe. Applications vary depending on the ultrasound system and may include Intraoperative & Surgical, Small Parts, MSK, and Vascular. Datasheets for specific ultrasound systems contain additional details including specific applications, biopsy availability, and additional probe technical specifications.</p>
4	5	<p>C1-6-D XDclear* Convex Array Probe</p> <p>Convex Array probe with GE's highest performing XDclear* transducer technology, an innovative combination of advanced materials and acoustic design providing ultra-wide bandwidth and superb image quality. Applications vary depending on the ultrasound system and may include Abdominal, OB/GYN, Urology, and Vascular. Datasheets for specific ultrasound systems contain additional details including specific applications, biopsy availability, and additional probe technical specifications.</p> <p>*Trademark of General Electric Company</p>
5	5	<p>LOGIQ S7 LOGIQView</p> <p>Integrated, extended field of view B-mode imaging with measurement capability. Available on all linear and convex transducers.</p>
6	5	<p>LS7 B Steer+</p> <p>B Steer+ option can be used for B mode steering image to help improve needle visualization/reflectivity, enhance anatomical</p>

Item No.	QTY	DESCRIPTION
		access, upper carotid exams and vessel wall visualization.
7	5	SONY 898 and Install Kit SONY 898 printer and Install Kit
8	5	Low Cabinet Low cabinet optimizes system adjustability.
9	5	LS7 R3 Small Probe Holder Insert for small probes