

three inches = one foot  
one and one half inch = one foot  
one inch = one foot  
one quarter inch = one foot  
three quarters inch = one foot  
one half inch = one foot  
three eighths inch = one foot  
one eighth inch = one foot

ARCHITECTURAL EQUIPMENT SCHEDULE LEVEL 1															Notes												
Room Number	Room Name	Item No.	JSN No.	Quantity	Description	New	Group	Weight	Physical Size				ANCH Info	Anchorage Required, See General Notes 1 & 2	ANCH Info		Scope	Notes Requirements		Comments							
									Width	Depth	Diameter	Height			Anch Type	Anch Detail					Struct Calc						
FIRST FLOOR																											
1002	CONTROL	CPUR01	M1801	1	CPU	Yes	2		8"	1'-6 1/2"		1'-4"	POR	No			OFI	Electrical/Data									
1002	CONTROL	MON001		1	PC MONITOR	Yes	2		1'-6 1/2"	6"		1'-2"	POR	No			OFI	Electrical									
1004	ACTIVITY/MP	CPUR01		2	CPU	Yes	2		8"	1'-6"		1'-4"	POR	No			OFI	Electrical/Data									
1004	ACTIVITY/MP	MON001	M1801	2	PC MONITOR	Yes	2		1'-6 1/2"	6"		1'-2"	POR	No			OFI	Electrical									
1005	LIVING ROOM	TV02	M0515	1	TV-40" CLASS - PLASMA - 1080p - 600 Hz - HDTV	Yes	1		2'-4 3/4"	2'-14"		2'-8 5/8"	WALL	Yes	6/AE770	PER GC	OFI	Electrical									
1005	LIVING ROOM	TVB01		1	TV BRACKET	Yes	1		1'-3"	1'-12"		1'-10"	WALL	Yes	6/AE770	PER GC	OFI	Electrical									
1006	DINING RM	BEV01		1	BEVERAGE MACHINE - EXPRESS SYSTEM	Yes	2	160	1'-3"	2'-0 5/16"		2'-5 5/16"	COUNTER	Yes	PER MANUF.	PER MANUF.	OFI	Electrical	Plumbing								
1006	DINING RM	CPUR01		1	COFFEE BROWER - C-110	Yes	2	56	1'-11"	2'-1 3/4"		2'-3 3/4"	COUNTER	Yes	PER GC	PER GC	OFI	Electrical	Plumbing								
1006	DINING RM	CPC01		1	CAFE PC1	Yes	2		9 3/4"	1'-5 3/8"		2'-7"	COUNTER	Yes	PER GC	PER GC	OFI	Electrical	Plumbing								
1006	DINING RM	CTR01		1	CARETRACKER KIOSK 68156817	Yes	2		1'-6"	2'-78"		1'-2 1/4"	WALL	Yes	6/AE770		OFI	Electrical									
1006	DINING RM	REC01		1	BIN, RECYCLE	Yes	3		1'-6"	9"		2'-9 3/4"	POR	No			OFI	Electrical									
1006	DINING RM	REC02		1	BIN, RECYCLE-GLASS	Yes	3		1'-6"	9"		2'-9 3/4"	POR	No			OFI	Electrical									
1006	DINING RM	REC03		1	BIN, RECYCLE-CANS	Yes	3		1'-6"	9"		2'-9 3/4"	POR	No			OFI	Electrical									
1006	DINING RM	TV02	M0515	1	TV-40" CLASS - PLASMA - 1080p - 600 Hz - HDTV	Yes	1		2'-4 3/4"	2'-14"		2'-8 5/8"	WALL	Yes	6/AE770	PER GC	OFI	Electrical									
1006	DINING RM	TVB01		1	TV BRACKET	Yes	1		3'-0"	1'-12"		1'-10"	WALL	Yes	6/AE770	PER GC	OFI	Electrical									
1008	PATIENT ROOM	BED01	F2405	1	BED - 100 LOW BED	Yes	2	300	3'-0"	6'-8"	0"		POR	Yes	6/AE770		OFI	Electrical									
1008	PATIENT ROOM	CLK01		1	CLOCK	Yes	2		1'-0"	2"		2'-8"	POR	No			OFI	Electrical									
1008	PATIENT ROOM	LB01		1	BIN, LAUNDRY	Yes	3		1'-6"	1'-6"	0"	2'-8"	POR	No			OFI	Electrical									
1008	PATIENT ROOM	LF01		1	PATIENT LIFT CEILING TRACK - MAXI SKY 600	Yes	1		0'-0 1/2"	0"		0"	CEILING	Yes	18/AE881	PER GC	OFI	Electrical									
1008	PATIENT ROOM	TV01		1	TV-37" CLASS - 1080p - 60Hz - LCD HDTV	Yes	1		3'-0 1/2"	3'-18"		1'-10 5/8"	WALL	Yes	6/AE770	PER GC	OFI	Electrical									
1008	PATIENT ROOM	TVB01		1	TV BRACKET	Yes	1		3'-0"	1'-12"		1'-10"	WALL	Yes	6/AE770	PER GC	OFI	Electrical									
1009	PATIENT ROOM	BED01	F2405	1	BED - 100 LOW BED	Yes	2	300	3'-0"	6'-8"	0"		POR	Yes	6/AE770		OFI	Electrical									
1009	PATIENT ROOM	CLK01		1	CLOCK	Yes	2		1'-0"	2"		2'-8"	POR	No			OFI	Electrical									
1009	PATIENT ROOM	LB01		1	BIN, LAUNDRY	Yes	3		1'-6"	1'-6"	0"	2'-8"	POR	No			OFI	Electrical									
1009	PATIENT ROOM	LF01		1	PATIENT LIFT CEILING TRACK - MAXI SKY 600	Yes	1		0'-0 1/2"	0"		0"	CEILING	Yes	18/AE881	PER GC	OFI	Electrical									
1009	PATIENT ROOM	TV01		1	TV-37" CLASS - 1080p - 60Hz - LCD HDTV	Yes	1		3'-0 1/2"	3'-18"		1'-10 5/8"	WALL	Yes	6/AE770	PER GC	OFI	Electrical									
1009	PATIENT ROOM	TVB01		1	TV BRACKET	Yes	1		3'-0"	1'-12"		1'-10"	WALL	Yes	6/AE770	PER GC	OFI	Electrical									
1010	PATIENT ROOM	BED01	F2405	1	BED - 100 LOW BED	Yes	2	300	3'-0"	6'-8"	0"		POR	Yes	6/AE770		OFI	Electrical									
1010	PATIENT ROOM	CLK01		1	CLOCK	Yes	2		1'-0"	2"		2'-8"	POR	No			OFI	Electrical									
1010	PATIENT ROOM	LB01		1	BIN, LAUNDRY	Yes	3		1'-6"	1'-6"	0"	2'-8"	POR	No			OFI	Electrical									
1010	PATIENT ROOM	LF01		1	PATIENT LIFT CEILING TRACK - MAXI SKY 600	Yes	1		0'-0 1/2"	0"		0"	CEILING	Yes	18/AE881	PER GC	OFI	Electrical									
1010	PATIENT ROOM	TV01		1	TV-37" CLASS - 1080p - 60Hz - LCD HDTV	Yes	1		3'-0 1/2"	3'-18"		1'-10 5/8"	WALL	Yes	6/AE770	PER GC	OFI	Electrical									
1010	PATIENT ROOM	TVB01		1	TV BRACKET	Yes	1		3'-0"	1'-12"		1'-10"	WALL	Yes	6/AE770	PER GC	OFI	Electrical									
1011	PATIENT ROOM	BED01	F2405	1	BED - 100 LOW BED	Yes	2	300	3'-0"	6'-8"	0"		POR	Yes	6/AE770		OFI	Electrical									
1011	PATIENT ROOM	CLK01		1	CLOCK	Yes	2		1'-0"	2"		2'-8"	POR	No			OFI	Electrical									
1011	PATIENT ROOM	LB01		1	BIN, LAUNDRY	Yes	3		1'-6"	1'-6"	0"	2'-8"	POR	No			OFI	Electrical									
1011	PATIENT ROOM	LF01		1	PATIENT LIFT CEILING TRACK - MAXI SKY 600	Yes	1		0'-0 1/2"	0"		0"	CEILING	Yes	18/AE881	PER GC	OFI	Electrical									
1011	PATIENT ROOM	TV01		1	TV-37" CLASS - 1080p - 60Hz - LCD HDTV	Yes	1		3'-0 1/2"	3'-18"		1'-10 5/8"	WALL	Yes	6/AE770	PER GC	OFI	Electrical									
1011	PATIENT ROOM	TVB01		1	TV BRACKET	Yes	1		3'-0"	1'-12"		1'-10"	WALL	Yes	6/AE770	PER GC	OFI	Electrical									
1012	EQ. STOR.	SHL01	M2070	2	WIRE SHELVING, STOR. - A3872NS	Yes	3		3'-0"	1'-6"		6'-8"	POR	Yes	PER GC	PER GC	OFI	Electrical									
1013	HAC	CTRY01	F0500	1	CART, JANITOR	Yes	3		3'-0"	1'-6"		6'-8"	POR	Yes	PER GC	PER GC	OFI	Electrical									
1013	HAC	NRK01	A5135	1	SHELF W/ MOP RACK	Yes	2		2'-10"	8"		1'-1"	WALL	Yes	6/AE770		CFI	Electrical									
1016	PATIENT ROOM	BED01	F2405	1	BED - 100 LOW BED	Yes	2	300	3'-0"	6'-8"	0"		POR	Yes	6/AE770		OFI	Electrical									
1016	PATIENT ROOM	CLK01		1	CLOCK	Yes	2		1'-0"	2"		2'-8"	POR	No			OFI	Electrical									
1016	PATIENT ROOM	LB01		1	BIN, LAUNDRY	Yes	3		1'-6"	1'-6"	0"	2'-8"	POR	No			OFI	Electrical									
1016	PATIENT ROOM	LF01		1	PATIENT LIFT CEILING TRACK - MAXI SKY 600	Yes	1		0'-0 1/2"	0"		0"	CEILING	Yes	18/AE881	PER GC	OFI	Electrical									
1016	PATIENT ROOM	TV01		1	TV-37" CLASS - 1080p - 60Hz - LCD HDTV	Yes	1		3'-0 1/2"	3'-18"		1'-10 5/8"	WALL	Yes	6/AE770	PER GC	OFI	Electrical									
1016	PATIENT ROOM	TVB01		1	TV BRACKET	Yes	1		3'-0"	1'-12"		1'-10"	WALL	Yes	6/AE770	PER GC	OFI	Electrical									
1017	PATIENT ROOM	BED01	F2405	1	BED - 100 LOW BED	Yes	2	300	3'-0"	6'-8"	0"		POR	Yes	6/AE770		OFI	Electrical									
1017	PATIENT ROOM	CLK01		1	CLOCK	Yes	2		1'-0"	2"		2'-8"	POR	No			OFI	Electrical									
1017	PATIENT ROOM	LB01		1	BIN, LAUNDRY	Yes	3		1'-6"	1'-6"	0"	2'-8"	POR	No			OFI	Electrical									
1017	PATIENT ROOM	LF01		1	PATIENT LIFT CEILING TRACK - MAXI SKY 600	Yes	1		0'-0 1/2"	0"		0"	CEILING	Yes	18/AE881	PER GC	OFI	Electrical									
1017	PATIENT ROOM	TV01		1	TV-37" CLASS - 1080p - 60Hz - LCD HDTV	Yes	1		3'-0 1/2"	3'-18"		1'-10 5/8"	WALL	Yes	6/AE770	PER GC	OFI	Electrical									
1017	PATIENT ROOM	TVB01		1	TV BRACKET	Yes	1		3'-0"	1'-12"		1'-10"	WALL	Yes	6/AE770	PER GC	OFI	Electrical									
1018	PATIENT ROOM	BED01	F2405	1	BED - 100 LOW BED	Yes	2	300	3'-0"	6'-8"	0"		POR	Yes	6/AE770		OFI	Electrical									
1018	PATIENT ROOM	CLK01		1	CLOCK	Yes	2		1'-0"	2"		2'-8"	POR	No			OFI	Electrical									
1018	PATIENT ROOM	LB01		1	BIN, LAUNDRY	Yes	3		1'-6"	1'-6"	0"	2'-8"	POR	No			OFI	Electrical									
1018	PATIENT ROOM	LF01		1	PATIENT LIFT CEILING TRACK - MAXI SKY 600	Yes	1		0'-0 1/2"	0"		0"	CEILING	Yes	18/AE881	PER GC	OFI	Electrical									
1018	PATIENT ROOM	TV01		1	TV-37" CLASS - 1080p - 60Hz - LCD HDTV	Yes	1		3'-0 1/2"	3'-18"		1'-10 5/8"	WALL	Yes	6/AE770	PER GC	OFI										