


KEY

- ASBESTOS CONTAINING THERMAL INSULATION MAY EXIST ON MECHANICAL LINES INSIDE FINISHED INTERIOR WALLS AND CEILINGS
- ASBESTOS CONTAINING, NON-FRIABLE, CATEGORY 1, 12" x 12" VFT & MASTIC, WHITE W/BROWN SPOTTED
- ASBESTOS CONTAINING, NON-FRIABLE, CATEGORY 1, 12" x 12" VFT, WHITE W/YELLOW SPOTTED (MASTIC ONLY)
- ASBESTOS CONTAINING, NON-FRIABLE, CATEGORY 1, 9" x 9" VFT & MASTIC
- ASBESTOS CONTAINING, NON-FRIABLE, CATEGORY 1, 12" x 12" VFT, YELLOW & TAN WITH BLACK MASTIC
- ASBESTOS CONTAINING, NON-FRIABLE, CATEGORY 1, RESIDUAL BLACK HALLWAY FLOORING MASTIC

BUILDING NO. 1  
THIRD FLOOR



DRAWING TITLE				DRAWING TITLE	
VA Medical Center 4101 Woodworth Avenue Omaha, NE 68105					
JOB NUMBER	DRAWN BY	DATE	CAD FILE	SCALE	SHEET
			BT3.dwg	NONE	