




PANEL
1/2" = 1'-0"




PROPANE SEGMENT 1
A1.1 1/8" = 1'-0"




PROPANE ROUTING
A1.1 1/8" = 1'-0"



GENERATOR DIAGRAM
12" = 1'-0"



PROPANE SEGMENT 3
A1.1 1/4" = 1'-0"



SITE PLAN
A1.1 1/4" = 1'-0"

THIS IS A 24 X 36 SHEET.

Y:\Current\862 VA Griffin-Kilmer\Building\05AddendumA.rvt







GRIFFIN-KILMER
ACCESSIBILITY RENOVATIONS

DEMOLITION NOTES
1/4" = 1'-0"


(P)= REMOVE AND PROTECT, PREPARE AND THEN REINSTALL (E)
(E)= EXISTING...TO REMAIN
(R)= REMOVE EXISTING
(S)= REMOVE, SALVAGE AND GIVE TO OWNER

(R) ENTIRE LENGTHS OF BASEBOARD AND BASE SHOE ABUTTING
DOORS AND OPENINGS TO BE REMOVED.
PROTECT EXISTING SURFACES AS REQUIRED.
PROVIDE MATS AND BLANKETS TO PROTECT (E) SURFACES.


THE FOLLOWING ITEMS SHALL BE PROTECTED FOR
REINSTALLATION:
BATHROOM LAVATORY AND FAUCET.
BATHROOM TOWEL BAR AND TOILET PAPER HOLDER.
KITCHEN SINK BASE CABINET DOORS.




THIS IS A 24 X 36 SHEET.




Y:\Current\862 VA Griffin-Kilmer\Building\05AddendumA.rvt




STAIR LIFT ⑤




KITCHEN WEST ②



KITCHEN EAST ③



BATHROOM EAST ①



DECK ④

(N) MODULAR RAMPS.


THIS IS A 24 X 36 SHEET.

Y:\Current\862 VA Griffin-Kilmer\Building\05AddendumA.rvt

A

B


C




PLAN ABOVE COUNTER HEIGHT
A1.1 1/2" = 1'-0"

Specialty Equipment Schedule			
Type Mark	Type	Type Comments	Comments
CL1	CHAIR LIFT	ELECTRIC	DEDICATED CIRCUIT
RE1	WALL OVEN	ELECTRIC	DEDICATED CIRCUIT
RE2	COOK TOP	ELECTRIC	DEDICATED CIRCUIT
RE3	DOWNDRAFT VENT	ELECTRIC	DEDICATED CIRCUIT

PLUMBING FIXTURE SCHEDULE	
Type Mark	Type
P2	EXISTING LAV
P3	EXISTING FAUCET
P1	ComfortSeat



C



PLAN BELOW COUNTER HEIGHT
A1.1 1/2" = 1'-0"

DOOR SCHEDULE							
MARK	PANEL SIZE	FRAME TYPE	DESCRIPTION	Thickness	PANEL FINISH	FRAME FINISH	COMMENTS
01	4 0W 6 7T	CLAD		1 3/4"	ALUM	ALUM	
02	2 10W 6 8T	BARN		1 3/8"	STAIN	STAIN	
03	2 10W 6 8T	WOOD		1 3/8"	STAIN	STAIN	FURNISH DOOR AND HDWRE FOR FUTURE INSTALL BY OTHERS
04	2 10W 6 8T	BARN		1 3/8"	STAIN	STAIN	
05	3 0w 6 8t	WOOD		1 3/4"	STAIN	STAIN	
06	3 0w 6 8t 2	WOOD		1 3/8"	STAIN	STAIN	
07	3 0w 6 8t 20		EXISTING	1 3/4"			
Grand total: 7							



Griffin-Kilmer
ACCESSIBILITY RENOVATIONS









GRIFFIN-KILMER
ACCESSIBILITY RENOVATIONS

Addendum A
7 October 2012
10/12/2012 12:17:39 PM


INTERIOR
ELEVATIONS

A4.1




THIS IS A 24 X 36 SHEET.


Y:\Current\862 VA Griffin-Kilmer\Building\05AddendumA.rvt




TRANSVERSE AT RAISED DECK
A2.1 1/2" = 1'-0" ④




BATHROOM SOUTH
A2.1 1/2" = 1'-0" ⑥




BATHROOM EAST
A2.1 1/2" = 1'-0" ③



STAIR LIFT AT BOTTOM
A2.1 1/2" = 1'-0" ①



BASEMENT STAIR EAST
A2.1 1/2" = 1'-0" ⑤



BASEMENT STAIR WEST
A2.1 1/2" = 1'-0" ②

THIS IS A 24 X 36 SHEET.

Y:\Current\862 VA Griffin-Kilmer\Building\05AddendumA.rvt















ACCESSION RENOATIONS

Addendum A
7 October 2012
10/12/2012 12:17:41 PM


DETAILS

A8.1




THIS IS A 24 X 36 SHEET.


Y:\Current\862 VA Griffin-Kilmer\Building\05AddendumA.rvt




TRANSVERSE AT SINK
A2.1 1 1/2" = 1'-0" ⑥




VANITY FRONT
A2.1 1 1/2" = 1'-0" ③




TRANSVERSE AT COOKTOP
A2.1 1 1/2" = 1'-0" ④



VANITY TRANSVERSE
A2.1 1 1/2" = 1'-0" ⑦



TRANSVERSE AT END PULLOUT
A2.1 1 1/2" = 1'-0" ⑤



OVEN BASE CABINET
A4.1 1 1/2" = 1'-0" ②

THIS IS A 24 X 36 SHEET.

Y:\Current\862 VA Griffin-Kilmer\Building\05AddendumA.rvt



SEALANDER
ARCHITECTS
79 Main Street, Suite C
Ellsworth ME 04605
207.667.7755

GRIFFIN-KILMER ACCESSIBILITY RENOVATIONS

Addendum A
7 October 2012
10/12/2012 12:17:43 PM

DETAILS

A8.2

ABBREVIATION MEANING
(E) EXISTING
(N) NEW
(P) PROTECT
(R) REMOVE
(S) SALVAGE
ACX PLYWOOD GRADE ACX
ADJ ADJUSTABLE
AFF ABOVE FINISH FLOOR
AHU AIR HANDLING UNIT
APPR APPROXIMATE
B.O. BOTTOM OF
BLDG BUILDING
BS* BACKING SYSTEM, SEE DETAILS.
CL CENTERLINE
CDX PLYWOOD GRADE CDX
CLG CEILING
CLO CLOSET
CLR CLEAR
CMP COMPOSITE METAL PANEL
CMU CONCRETE MASONRY UNIT
CONC CONCRETE
CONT CONTINUOUS
CPT* CARPET
CT* CERAMIC TILE
CTR CENTER
CTSK COUNTERSINK
DATA DATA OUTLET
DBL DOUBLE
DIST DISTANCE
DUP DUPLEX CONVENIENCE OUTLET
EIFS EXTERIOR INSULATION AND FINISH SYSTEM
EJ EXPANSION JOINT
EP* EXTERIOR PAINT
EPDM ETHYLENE PROPYLENE DIENE MONOMER
EQ EQUAL
ERU ENERGY RECOVERY UNIT
F.O. FACE OF
FA FIRE ALARM
FD FLOOR DRAIN
FDN FOUNDATION
FE FIRE EXTINGUISHER
FEC FIRE EXTINGUISHER CABINET
FIN FINISH
FLR FLOOR
FSW FLOWING SEA WATER
FTG FOOTING
FTR FIN TUB RADIATOR
FU FURNACE UNIT
GA GAUGE
GALV GALVANIZED
GB* GRAB BAR
GFI GROUND FAULT INTERRUPT
GSM GALVANIZED SHEET METAL
GWB GYPSUM WALL BOARD
HB HOSE BIBB
HDWD HARDWOOD
HM HOLLOW METAL
HR HOUR
HR HOUR
IBC INTERNATIONAL BUILDING CODE
ID INSIDE DIAMETER
IF(O) INSIDE FACE (OF)
IP* INTERIOR PAINT
JAN. JANITOR
JBOX JUNCTION BOX
JT JOINT
LVL LAMINATED VENEER LUMBER
M/E/P MECHANICAL/ELECTRICAL/PLUMBING
MAX MAXIMUM
MB* MARKER BOARD
MIN MINIMUM
MIN MINUTE
MJ MOVEMENT JOINT
MTD MOUNTED
NFPA NATIONAL FIRE PROTECTION ASSOCIATION
OA OVERALL
OC ON CENTER
OD OUTSIDE DIAMETER
OF(O) OUTSIDE FACE (OF)
OFI OWNER FURNISHED CONTRACTOR INSTALLED
OFIO OWNER FURNISHED OWNER INSTALLED
OH OPPOSITE HAND
PEN PENETRATION
PERP PERPENDICULAR
PL* PLASTIC LAMINATE
PLY PLYWOOD
PM POWER MONUMENT
PS PROJECTION SCREEN
PSL PARALLEL STRAND LUMBER
QCO QUAD CONVENIENCE OUTLET
R.O ROUGH OPENING
RB RUBBER BASE
RD ROOF DRAIN
RF* RESINOUS FLOOR
RFT* RESILIENT FLOOR TILE
RJ* REVEAL JOINT
RS* RESILIENT SHEET
RS* ROOM SIGN
RWL RAIN WATER LEADER
SC-* SUSPENDED CEILING
SIM SIMILAR
SPLIT SPLIT DATA/PHONE JACK
ST STL STAINLESS STEEL
T.O... TOP OF
TB TACK BOARD
TEL TELEPHONE
TGM* TEMPERED GLASS MIRROR
TPO THERMOPLASTIC POLYOLEFIN
TYP TYPICAL
UN UNLESS OTHERWISE NOTED
UV UNIT VENTILATOR
WO WHERE OCCURS
WS* WORK SURFACE
WT* WINDOW TREATMENT
1. SEE ADDITIONAL ABBREVIATIONS ON ELECTRICAL, STRUCTURAL AND MECHANICAL DRAWINGS
2. ABBREVIATIONS ENDING IN * INDICATE SCHEDULED ITEMS, SUCH AS INTERIOR PAINT (IP1, IP2...)
3. SEE CASEWORK TYPES FOR CASEWORK NOMENCLATURE
4. SEE WALL TYPES FOR WALL NOMENCLATURE

ABBREVIATIONS 1
12" = 1'-0"

EARTH/COMPACT FILL
POUROS FILL/GRAVEL
CONCRETE
STEEL/OTHER METALS
CONTINUOUS FRAMING MEMBER
DISCONTUOUS FRAMING MEMBER
WOOD
PLYWOOD
BATT/LOOSE FILL INSULATION
RIGID INSULATION
GYPSUM BOARD
GLASS
MATERIAL SYMBOLS 5
1" = 1'-0"

PLAN REFERENCE NORTH MARK
PLAN NORTH
TRUE NORTH
DECLINATION
X DEGREES X MINUTES
REVISION MARK
ADDENDA (BEFORE BID) ARE LETTERED, BULLETINS (AFTER BID) ARE NUMBERED.
DATUM POINT, CONTROL POINT OR WORK POINT (DP, CP, OR WP)
PARTITION TYPE
SEE A9.0 0
FABRICATED PANEL TYPE (PLAN & ELEVATION)
WALL TYPES.
ON DEMOLITION SHEETS:
REMOVED.
REMAIN.
ON NEW WORK SHEETS:
NEW.
EXISTING.

DRAFTING SYMBOLS 2
1" = 1'-0"

PROJECT-SPECIFIC ABBREVIATIONS 6
12" = 1'-0"

DW DISHWASHER
P PLUMBING FIXTURE
RE RESIDENTIAL EQUIPMENT X

GENERAL SHEETS	
Sheet Number	Sheet Name
G1.00	GENERAL NOTES
G3.10	EXISTING PLANS
G3.11	EXISTING ELEVATIONS
G3.12	EXISTING ELEVATIONS

ARCHITECTURE SHEETS	
Sheet Number	Sheet Name
A1.1	SITE WORK
A1.2	FLOOR 1 DEMOLITION
A2.0	AXONOMETRICS
A2.1	FLOOR PLANS
A4.1	INTERIOR ELEVATIONS
A4.2	INTERIOR ELEVATIONS
A8.1	DETAILS
A8.2	DETAILS

GENERAL NOTES 3
12" = 1'-0"

CONTRACT DOCUMENTS: DOCUMENTS INCLUDE THIS DRAWINGS SET AND A PROJECT MANUAL.
PHASING: THIS PROJECT IS NOT PHASED
ALTERNATES: NONE.

FLOOR LABELING IN ORDER OF ASCENDANCE:
BASEMENT
FLOOR 1

THIS IS A RENOVATION PROJECT. MINOR VARIATIONS FROM SHOWN DIMENSIONS MAY EXIST. NOTIFY ARCHITECT OF DISCREPANCIES THAT MAY PRODUCE UNINTENDED CONSEQUENCES.


GRIDS LIE ON FACE OF STUD OR FACE OF STRUCTURAL SHEATHING.

SOME ADA/ DISABLED ACCESS REQUIREMENTS SPECIFY EXACT DIMENSIONS. COMPLY WITH EXACT DIMENSION WHERE NOTED. INDUSTRY AND/ OR SPECIFIED TOLERANCES DO NOT APPLY.

ITEMS REQUIRING ARCHITECT DECISION:

CODE ANALYSIS:
INTERNATIONAL RESIDENTIAL CODE (2009)
3.02.6 DWELLING/GARAGE SEPARATION: OPENINGS BETWEEN GARAGE AND RESIDENCE SHALL BE EQUIPPED WITH SOLID WOOD OR HONEYCOMB CORE STEEL DOORS NOT LESS THAN 1-3/8 INCHES, OR 20-MINUTE FIRE-RATED DOORS.

NFPA 37
GENERATOR SHALLL BE LOCATED FIVE FEET FROM OPENINGS IN WALLS AND COMBUSTIBLE WALLS.
PROVIDE MANUAL SHUT-OFF VALVE FOR FUEL SUPPLY.



PROJECT LOCATION 4
1" = 1'-0"

THIS IS A 24 X 36 SHEET.

Y:\Current\862 VA Griffin-Kilmer\Building\05AddendumA.rvt




SEALANDER ARCHITECTS
79 Main Street, Suite C
Ellsworth ME 04605
207.667.7755
GRIFFIN-KILMER ACCESSIBILITY RENOVATIONS

1
Addendum A
7 October 2012
10/12/2012 12:17:44 PM

GENERAL NOTES

G1.00



(E) FLOOR 1
A1.1
1/4" = 1'-0"

THIS IS A 24 X 36 SHEET.

Y:\Current\862 VA Griffin-Kilmer\Building\05AddendumA.rvt








SEALANDER
ARCHITECTS
79 Main Street, Suite C
Ellsworth ME 04605
207.667.7755


GRIFFIN-KILMER ACCESSIBILITY RENOVATIONS

Addendum A
7 October 2012
10/12/2012 12:17:45 PM
EXISTING PLANS

G3.10




Y:\Current\862 VA Griffin-Kilmer\Building\05AddendumA.rvt



EXISTING STAIR WEST
1/2" = 1'-0"

THIS IS A 24 X 36 SHEET.



EXISTING STAIR EAST
1/2" = 1'-0"

Griffin-Kilmer ACCESSIBILITY RENOVATIONS

EXISTING
ELEVATIONS

G3.12



SEALANDER
ARCHITECTS
79 Main Street, Suite C
Ellsworth ME 04605
207.667.7755