/usr/arch/sci/Bfloa.dgn

compressibleconc slab rigid insul cmu grout gyp bd clip conc grout gyp bd cmu

SCALE: 1/8 "=1'-0" FLOOR PLAN - SECTION 'B' SCALE 3/16"=1'-0" 70-17 03

detail typical typical detail

XX-XX XXXXXXXXXXXXXXXXXXXXXXXX

70-11 01 70-14/01 70-14/02 70-14/03

SHEET TITLE

AMENDMENT 1 16 AUG 93 DIMENSIONAL CODRD.

VA FORM 08-6231A, JAN 1990 Date Plotted: 05/23/94

Revisions	Date
1 AMENDMENT 1 DIMENSIONAL COORDINATION	16 AUG 93
2 COORDINATION	01 NOV 93

Architect | Engineer

KEY PLAN

DALL, BRADEN P.M., INC.
FGS PARTNERS INC
1825 MARKET CENTER BLVD., SUITE 520
DALLAS, TEXAS 75207-3329
(214) 748-2337 FAX (214)746-2584

STRUCTURAL ENGINEER
EDWARD L. WILSON, JR.
2909 MAPLE AVENUE
DALLAS, TEXAS 75201
(214) 871-8801

MEP AND CIVIL ENGINEERS
FRANKEL & HALLER, INC.
FORT WORTH, TEXAS 76102-3982
512 MAIN ST. SUITE 1500
(817) 335-3000 FAX (817) 335-1025

AS-BUILT DRAWINGS
DRAWINGS HAVE BEEN REVISED TO AGREE WITH VA MEDICAL CENTER AND CONTRACTOR'S SUBMITTED AS-BUILT CONDITIONS

Approved: Area Project Manager

Drawing Title: 1/8" REFLECTED CEILING PLAN LEVEL ONE AREA A

Project Title: SPINAL CORD INJURY CENTER

Building Number: 74 | Drawn: MA | Checked: TMC

Location: VA MEDICAL CENTER DALLAS, TEXAS

DRAWING NO. 74-34R

Dwg. Df

Project No. S49-031

Date: 07/28/93 | 12:07PM 23901 | F8931

Office of Facilities — Department of Veterans Affairs

74-3402 LEVEL ONE FLOOR PLAN SCALE 1/8" = 1'-0"

74-3401 ENTRY PORTE COCHERE SCALE 1/8" = 1'-0"

REFLECTED CEILING NOTES

1. CEILINGS IN PATIENT BATHS ARE 8'-1" A.F.F.
2. CEILINGS ARE 9'-0" A.F.F. UNLESS OTHERWISE NOTED. (TYPICAL)
3. CONTROL JOINT REFER TO DETAIL 74-89/9.
4. STANDARD SUSPENDED ACOUSTICAL TILE LAYOUTS, REFER 74-39/05
5. CEILING EXPANSION JOINT, REFER TO DETAILS 74-89/14 @ PLASTER, 74-89/18 @ ACOUST. TILE (GYP. BD. SIMILAR).
6. LIGHTS, SPRINKLER HEADS, SUPPLY & RETURN AIR GRILLES & OTHER ELEMENTS TO BE PLACED ON CENTERLINE OF TILE UNLESS OTHERWISE NOTED.
7. REFER TO DETAILS 74-89/04 FOR CEILING MOUNTED TV BRACKET & CAMERAS.
8. REFER TO DETAIL 74-89A/01 FOR SURGICAL LIGHTS, UTILITY COLUMNS & ARTICULATING COLUMN SUPPORTS.

REFLECTED CEILING PLAN LEGEND

- DR SUPPLY AIR DIFFUSER
- DR RETURN AIR GRILLE
- 6"W LINEAR FLUORESCENT LIGHT TROFFER
- DOWN LIGHT - REFER TO DETAIL 74-39/06
- WALL WASHER - REFER TO DETAIL 74-39/06
- 2 X 4 FLUORESCENT LIGHT FIXTURE
- 1 X 2 FLUORESCENT LIGHT FIXTURE
- 1 X 4 FLUORESCENT LIGHT FIXTURE
- INCANDESCENT LIGHT FIXTURE
- STRIP FIXTURE
- RECESSED FIXTURES
- HEAT DETECTOR
- SMOKE DETECTOR
- SMOKE DETECTOR WITH AUDIBLE ALARM
- SMOKE/ HEAT DETECTOR COMBINATION
- CEILING MOUNTED SPEAKER
- EMERGENCY SHOWER
- WALL MOUNTED EXIT SIGN
- CEILING MOUNTED EXIT SIGN
- CEILING HEIGHT ABOVE FINISHED FLOOR
- EXP. JOINT REFER TO DETAILS 74-39/07 & 74-39/10 (TYPICAL)
- PLASTER CEILING CONSTRUCTION
- 2 X 2 CEILING GRID WITH LAY-IN ACOUSTIC TILE
- GYP. BD. CEILING CONSTRUCTION