

A

B

C

D

E

F

A

B

C

D

E

F

ACCESSORIES SCHEDULE				
ACCESSORY KEY	ITEM DESCRIPTION	PROVIDED BY	INSTALLED BY	COMMENTS
A100	PAPER TOWEL DISPENSER	VA	GC	G.C. TO CLOSELY MONITOR PLACEMENT OF GOOSENECK SINK FIXTURE TO WORK WITH PAPER TOWEL DISPENSER
A101	SOAP DISPENSER	VA	GC	
A102	HAND SANITIZER DISPENSER	VA	GC	
A103	TOILET TISSUE DISPENSER	VA	GC	
A104	MIRROR	GC	GC	
A106	BIARIATRIC 24" GRAB BAR	GC	GC	
A109	SHOWER GRAB BAR	GC	GC	
A110	TYPICAL SWING-UP GRAB BAR WITH TOILET PAPER	GC	GC	REF. SPEC FOR IN WALL SUPPORTS, WHERE PULL DOWN GRAB BARS ARE LOCATED REF. SPEC FOR BACK STOP
A111	UTILITY SHELF	GC	GC	
A112	TYPICAL GRAB BARS W/ VERTICAL SHOWER CURTAIN ROD	GC	GC	
A113	SHOWER CURTAIN ROD	GC	GC	SWING STYLE GATE SHOWER CURTAIN FOR LIFT SYSTEM
A114	SINGLE VERTICAL GRAB BAR	GC	GC	
A115	STST RECESSED SHOWER NICHE	GC	GC	REF. SPEC FOR IN WALL SUPPORTS, WHERE PULL DOWN GRAB BARS ARE LOCATED REF. SPEC FOR BACK STOP
A116	BIARIATRIC SWING-UP GRAB BAR	GC	GC	
A117	42"x24"x36" GRAB BARS	GC	GC	
A118	BAR SHOWER SEAT	GC	GC	
A119	BIARIATRIC SINGLE VERTICAL GRAB BAR	GC	GC	REF. SPEC FOR IN WALL SUPPORTS
A120	ROBE HOOK	GC	GC	GC TO PROVIDE BLOCKS

EQUIPMENT SCHEDULE AUDITORIUM AND CHAPEL										
Equipment Number	Equipment Description	Qty.	Provided by	Installed by	Elec.	Data	Mech.	Plumb.	Notes	
CHAPL										
20001E	BROCHURE RACK	2	VA	VA						
20002E	BIBLE TABLE	1	VA	VA						
20003N	ALTAR TABLE	1	VA	VA						
20004N	SMALL PODIUM	1	VA	VA	Yes	Yes				
20005N	BAPTISTRY	1	VA	VA					MOVEABLE	
20007N	LARGE PODIUM	1	VA	VA	Yes	Yes				
20008E	PIANO	1	VA	VA	Yes					
20009N	STAGE/ALTAR CHAIRS	2	VA	VA						
20011E	LIGHT UP STAIN GLASS	1	VA	GC	Yes				MOUNT @ 6'-0" AFF. REF. ELEC	
20012E	BANNERS	2	VA	VA					REF. ELEVATION FOR MOUNTING HEIGHT	
20013E	ELECTRIC TABERNAACLE	1	VA	GC	Yes				MOUNT @ 6'-7" AFF. ELECTRICAL PLUG IN	
20014E	RECESSED TABERNAACLE	1	VA	VA						
20015E	CHAIR	2	VA	VA						
20021E	PLAQUES, ELEC.	16	VA	GC	Yes				REF. ELEC. STATION OF THE CROSS LIGHT UP SIGNS	
20022N	LOCK	1	VA	VA	Yes				HAS LOCK ON IT	
20026E	TABLE W/ COMPUTER	1	VA	VA	Yes	Yes				
20030E	SOFA	1	VA	VA						
20033E	BOOKCASE	1	VA	VA						
20034E	BOOKCASE	2	VA	VA						
20035E	LATERAL FILE	1	VA	VA						
20043N	PROJECTOR SCREEN	1	GC	GC	Yes	Yes			REF. ELEC. VA TO COORDINATE SIZING	
20043N	PROJECTOR	1	GC	GC	Yes	Yes			REF. ELEC	
20045N	80" TV	2	GC	GC	Yes	Yes			W/ "GET WELL" NETWORK, REF. ELEC FOR BRACKET	
20046E	EXISTING WALL-MNTD TV	1	VA	GC	Yes	Yes			W/ VIDEO CONFERENCING CAPABILITY, BRACKET TO BE REUSED GC TO COORDINATE WITH VA EXISTING EQUIPMENT TO BE RE-MOUNTED	
STORAGE										
20039E	TABLE RACK	4	VA	VA						
20040E	ROUND TABLES	1	VA	VA						
20041E	12 CHAIRS STACKED	12	VA	VA						

EQUIPMENT SCHEDULE PATIENT ROOMS										
Equipment Number	Equipment Description	Qty.	Provided by	Installed by	Elec.	Data	Mech.	Plumb.	Notes	
SDU										
11101E	PATIENT BED	20	VA	VA	Yes					
11101W	PATIENT BED	3	VA	VA	Yes					
11102N	WALL-MNTD BEDSIDE DUAL MONITOR	14	GC	GC	Yes	Yes			W/ 2 CPUs, 1 POWER SOURCE, 1 KEYBOARD, FOR DUAL MONITOR MOUNT, REF. SPEC	
11103N	2 CPUs, 1 POWER SOURCE, SINGLE CPU	42	VA	GC	Yes	Yes			GOES W/ NURSE DUAL WALL MNTD MONITORS, REF. SPEC	
11104E	PATIENT RECLINER	10	VA	VA	No					
11104N	PATIENT RECLINER	2	VA	VA	No					
11105E	OVERBED TABLE	10	VA	VA						
11105N	OVERBED TABLE	4	VA	VA						
11106N	PATIENT LOCKBOX	14	GC	VA	No				GC TO PROVIDE LOCK BOX	
11107N	GLOVE BOX	10	GC	GC					W/ TAN SOAP STONE, 1 TAMP FINISH, REF. SPEC	
11108E	WALL-MNTD SHARPS	10	VA	GC					W/ PROTECTIVE PLASTIC AROUND IT, MOUNT AT 54" AFF TO INSERT SLOT	
11108N	WALL-MNTD SHARPS	4	VA	GC					W/ PROTECTIVE PLASTIC AROUND IT, MOUNT AT 54" AFF TO INSERT SLOT	
11109N	PATIENT INFO BOARD	14	GC	GC					REF. SPEC	
11110E	WALL-MNTD TV	10	VA	GC	Yes	Yes			W/ "GET WELL" NETWORK, VA TO SUPPLY BRACKET	
11110F	WALL-MNTD TV	1	VA	GC	Yes	Yes			BRACKET SUPPLY BY VA	
11110N	WALL-MNTD TV	5	VA	GC	Yes	Yes			W/ "GET WELL" NETWORK, REF. ELEC FOR BRACKET	
11111E	IV POLE W/ PUMP	10	VA	VA	Yes					
11111N	IV POLE W/ PUMP	12	VA	VA	Yes					
11112E	B-PAP CART	1	VA	VA	Yes					
11113N	WALL-MNTD TELECONFERENCE MONITOR	14	VA	GC	Yes	Yes			TELE CONFERRING WITH REMOTE DOCTOR, DEVICE IN NURSE CALL ON HEADWALL TO TALK TO MONITOR SYSTEM FOR SINGLE MONITOR MOUNT, REF. SPEC	
11114E	BED SIDE STAND	10	VA	VA						
11114N	BED SIDE STAND	4	VA	VA						
11115E	SMALL BIO HAZARD BIN	4	VA	VA						
11116E	LARGE BIO HAZARD BIN	7	VA	VA						
11116N	LARGE BIO HAZARD BIN	4	VA	VA						
11117E	WHITE TRASH SM 32 GAL	10	VA	VA						
11117N	WHITE TRASH SM 32 GAL	3	VA	VA						
11118E	SOILED LINEN CART	10	VA	VA						
11118N	SOILED LINEN CART	5	VA	VA						
11120N	WALL-MNTD CLOCK	14	VA	GC	Yes				WIRELESS GPS W/ TRANSPONDER, REF. ELEC	
11122N	BIARIATRIC PATIENT BED	2	VA	VA	Yes				VA TO COORDINATE WITH HEADWALL MANUFACTURER PLACEMENT OF SERVICES ACCORDING TO BED TYPE AND SIZE	
11123N	EQUIPMENT ACCESSORY RAIL	14	GC	GC					OWNER TO DETERMINE TYPE AND SIZE W/ MANUFACTURER, REF. SPEC	
11124N	SLEEPER CHAIR	14	VA	VA	No					
11125N	BIARIATRIC PATIENT RECLINER	2	VA	VA	No					
11195N	VERTICAL HEADWALL - VTF LEFT	14	GC	GC	Yes	Yes	No	Yes	REF. SPEC	
11196N	VERTICAL HEADWALL - VTF RIGHT	14	GC	GC	Yes	Yes	No	Yes	REF. SPEC	
11197N	VITAL SIGNS MONITOR	14	VA	VA	Yes				CONNECTS TO VERTICAL EQUIP. MNT'G TRACK, FASCIA	
11198N	PPE CART	13	VA	VA					THESE CART ITEMS WILL MOVE INTO NRSV	
11199N	WALL-MNTD TELECONFERENCE CAMERA	14	VA	GC	Yes				REF. ELEC	

IMPORTANT NOTE: OVERHEAD LIFTS TO BE SUPPLIED BY VA THROUGH SEPERATE CONTRACTOR - STEP DOWN CONTRACTOR REQUIRED TO SUPPLY POWER AND FIELD COORDINATE INSTALLATION IN THE FIELD WITH ALL WALLS FINISHES, EQUIPMENT, MECHANICAL, ELECTRICAL, AND PLUMBING INSTALLATIONS

EQUIPMENT SCHEDULE SUPPORT AREAS										
Equipment Number	Equipment Description	Qty.	Provided by	Installed by	Elec.	Data	Mech.	Plumb.	Notes	
SDU										
11001E	MICROWAVE	1	VA	VA	Yes					
11001N	MICROWAVE	1	VA	VA	Yes					
11002N	BUNN COFFEE MAKER	1	VA	GC	Yes			Yes	W/ WATER LINE. FUTURE ITEM SUPPLIED BY VA OUTSIDE OF THIS PROJECT	
11003E	PHONE CHARGERS	2	VA	VA	Yes	No				
11003N	MULTI PHONE CHARGERS	1	VA	VA	Yes					
11004E	REFRIGERATOR	2	VA	GC	Yes					
11009N	LIN EX	1	VA	VA	Yes	Yes			MOUNT, ELEC. 85" AFF	
11010E	MOBILE STORAGE	1	VA	VA	Yes					
11020E	COFFEE MAKERS	1	VA	VA	Yes					
11022E	ICE MAKER	1	VA	GC	Yes			Yes	W/ FLOOR DRAIN	
11040E	DUAL MONITOR DESKTOP	2	VA	VA	Yes	Yes				
11041E	LASER PRINTER	1	VA	VA	Yes	Yes				
11042E	UC FRIDGE	1	VA	VA	Yes					
11043E	SUPPLY CART	1	VA	VA						
11044E	PHONES	2	VA	VA	No	Yes				
11044N	PHONES	1	VA	VA	No	Yes				
11045N	SLAVE MONITORS	3	VA	GC	Yes	Yes			1 IS WALL MOUNTED, FOR SINGLE MONITOR MOUNT, REF. SPEC, 2 ARE DESKTOPS SIT TO STAND STAND CONNECTS TO C-TOP	
11050E	DUAL MONITOR PC STAND	1	VA	VA	Yes					
11051E	DESKTOP PHONES	1	VA	VA		Yes				
11052E	SHRED-IT BOX	1	VA	VA	No					
11053E	SHARPS DISPOSAL CART	4	VA	VA						
11054E	2 DRIVE VERT FILE	2	VA	GC					FILE ITEMS TO GO INTO NEW FILE BUILT INS	
11056E	PRINTER	1	VA	VA	Yes	Yes				
11056N	TELEMETRY PRINTER	1	VA	VA	Yes	Yes				
11057E	WALL MNTD CMO WHITE BOARD	1	VA	GC	Yes	Yes			BRACKET PROVIDED BY VA	
11057N	WALL MNTD CMO WHITE BOARD	1	VA	GC	Yes	Yes			BRACKET PROVIDED BY VA	
11058E	LABEL PRINTER	2	VA	VA	Yes	Yes				
11059E	SCANNER	1	VA	VA	Yes	Yes				
11060E	DUAL MONITOR DESKTOP	1	VA	VA	Yes	Yes			@ MSA	
11070E	5 TWR PYXIS	1	VA	GC	Yes	Yes				
11071E	3 TWR LINEN SUPPLY STATION	1	VA	GC	Yes	Yes				
11071N	3 TWR LINEN SUPPLY STATION	1	VA	GC	Yes	Yes				
11072E	4 TWR SUPPLY DISPENSER	1	VA	GC	Yes	Yes				
11073E	2 TWR MED STATION	1	VA	GC	Yes	Yes				
11074E	MED STATION COMPUTER	1	VA	GC	Yes	Yes				
11075E	MEDS FRIDGE	1	VA	VA	Yes	Yes				
11076E	SOILED LINEN CART	1	VA	VA						
11077N	2 TWR SUPPLY DISPENSER	3	VA	GC	Yes	Yes				
11078E	DUAL MONITORS PC DESKTOP	6	VA	VA	Yes	Yes			PYXIS BRAIN ON EITHER SIDE OF STERILE STORAGE C347	
11080E	PRINTER	1	VA	VA	Yes	Yes				
11082E	WRISTBAND PRINTER	1	VA	VA	Yes	Yes				
11083E	I.T. PRINTER	1	VA	VA	Yes	Yes				
11084E	SCALE	1	VA	VA	Yes	Yes			REF. SPEC FOR CPU STAND	
11085N	CPU	4	VA	GC	Yes	Yes				
11086E	BLANKET WARMER	1	VA	VA	Yes					
11087E	CLEAN LINEN	2	VA	VA						
11088E	CRASH CART	2	VA	VA	Yes	Yes				
11089E	TELEMETRY MONITORS	3	VA	GC	Yes	Yes			6 ARE WALL MNTD, FOR TRIPLE MONITOR MOUNT, REF. SPEC, 4 ARE DESKTOPS, VA TO PROVIDE TO PROVIDE BRACKET 6 ARE WALL MNTD, FOR TRIPLE MONITOR MOUNT, REF. SPEC, 4 ARE DESKTOPS, VA TO PROVIDE TO PROVIDE BRACKET	
11089F	TELEMETRY MONITORS	5	VA	GC	Yes	Yes				
11089N	TELEMETRY MONITORS	2	VA	GC	Yes	Yes				
11090E	TRANSPORT MONITOR	1	VA	VA	Yes	Yes				
11091E	FAX / COPY	1	VA	VA	Yes	Yes			PUT DATA LINES IN, VA WILL DETERMINE IF EQUIPMENT PIECE WILL RELOCATE DESKTOP @ MAIN NURSE STATION	
11093N	TELEMETRY - SINGLE MONITOR	1	VA	VA	Yes	Yes				
11094N	WALKERS	1	VA	VA						
11095E	BLOOD PRESSURE CUFF CHARGERS	1	VA	GC	Yes					
11096E	BLOOD GLUCOSE CHARGER	1	VA	VA	Yes					
11097E	OXYGEN PARTIAL	2	VA	GC					G.C. TO PROVIDE BLOCKING AS REQ'D	
11098E	OXYGEN EMPTY	1	VA	GC					G.C. TO PROVIDE BLOCKING AS REQ'D	
11098N	OXYGEN FULL	2	VA	GC						
11099E	BLOOD GLUCOSE METER	3	VA	VA	Yes					
11099F	BLOOD GLUCOSE METER	3	VA	VA	Yes				FOR FUTURE P.O.C	
11099N	BLOOD GLUCOSE METER	4	VA	VA	Yes				FOR FUTURE P.O.C	
11110N	SCANNER	14	VA	VA	Yes					
11120E	TWIN BED	1	VA	VA	Yes					
11121N	SINGLE MONITOR	3	VA	VA	Yes	Yes				
11130E	FOOD CART	1	VA	VA	No				DOES NOT STORE IN STEP DOWN UNIT	
11140E	WHEEL CHAIR	3	VA	VA						
11141E	BLADEIR SCANNER	1	VA	VA	Yes					
11142E	POSITION AIDS	2	VA	VA						
11143E	HOVER JACK	1	VA	VA	Yes					
11144E	EVAC MAT AND RACK	1	VA	VA						
11145E	HOVER JACK BATTERY CART	1	VA	VA	Yes					
11146E	HOVER JACK PUMP	2	VA	VA	Yes					
11147E	VITAL SIGNS MONITOR	1	VA	VA	Yes	Yes				
11148E	ULTRA SOUND	1	VA	VA	Yes					
11149E	WOW (WORKSTATION ON WHEELS)	1	VA	VA	Yes					
11151E	SUPPLY RACK	1	VA	VA						
11152E	PICC CART	1	VA	VA						
11155N	VAPOTHERM	1	VA	VA	Yes					
11156N	KANGAROO PUMP	1	VA	VA	Yes					
11170E	SINGLE MONITOR DESKTOP	3	VA	VA	Yes	Yes			@SWAMP	
11171E	SHRED BOX	1	VA	VA	No					
11172E	COMPUTER CART	1	VA	VA	Yes					
11181E	SINGLE MONITORS DESKTOP	5	VA	VA	Yes	Yes			@ SWAMP	
11181N	SINGLE MONITOR DESKTOP	2	VA	VA	Yes	Yes			@ GREETER STATION	
11182E	PRINTER	1	VA	VA	Yes	Yes				
11185E	WALL MNTD WHITEBOARD	1	VA	GC					GC TO PROVIDE BLOCKG AS REQ'D	
11185E	INTUBATION TUB	1	VA	VA						
11194N	BIZ HUB	1	VA	VA	Yes	Yes			G.C. TO VERIFY WITH VA LOCATION AND PLACEMENT	

A

B

C

D

E

F

A

B

C

D

E

F

ACCESSORIES SCHEDULE (DEDUCT)				
ACCESSORY KEY	ITEM DESCRIPTION	PROVIDED BY	INSTALLED BY	COMMENTS
A100	PAPER TOWEL DISPENSER	VA	GC	G.C. TO CLOSELY MONITOR PLACEMENT OF GOOSENECK SINK FIXTURE TO WORK WITH PAPER TOWEL DISPENSER
A101	SOAP DISPENSER	VA	GC	
A102	HAND SANITIZER DISPENSER	VA	GC	
A103	TOILET TISSUE DISPENSER	VA	GC	
A104	MIRROR	GC	GC	
A106	BIARIATRIC 24" GRAB BAR	GC	GC	
A109	SHOWER GRAB BAR	GC	GC	
A110	TYPICAL SWING-UP GRAB BAR WITH TOILET PAPER	GC	GC	REF. SPEC FOR IN WALL SUPPORTS, WHERE PULL DOWN GRAB BARS ARE LOCATED REF. SPEC FOR BACK STOP
A111	UTILITY SHELF	GC	GC	
A112	TYPICAL GRAB BARS W/ VERTICAL SHOWER CURTAIN ROD	GC	GC	SWING STYLE GATE SHOWER CURTAIN FOR LIFT SYSTEM
A113	SINGLE VERTICAL GRAB BAR	GC	GC	
A115	STST RECESSED SHOWER NICHE	GC	GC	
A116	BIARIATRIC SINGLE VERTICAL GRAB BAR	GC	GC	REF. SPEC FOR IN WALL SUPPORTS, WHERE PULL DOWN GRAB BARS ARE LOCATED REF. SPEC FOR BACK STOP
A117	42"x24"x36" GRAB BARS	GC	GC	
A118	BAR SHOWER SEAT	GC	GC	
A119	BIARIATRIC SINGLE VERTICAL GRAB BAR	GC	GC	REF. SPEC FOR IN WALL SUPPORTS
A120	ROBE HOOK	GC	GC	GC TO PROVIDE BLOCK'G

EQUIPMENT SCHEDULE AUDITORIUM AND CHAPEL (DEDUCT)										
Equipment Number	Equipment Description	Qty.	Provided by	Installed by	Elec.	Data	Mech.	Plumb.	Requirements	
CHAPCL										Notes
20001E	BROCHURE RACK	1	VA	VA						
20002E	BIBLE TABLE	1	VA	VA						
20003N	ALTAR TABLE	1	VA	VA						
20004N	SMALL PODIUM	1	VA	VA	Yes	Yes				
20006N	BAPTISTRY	1	VA	VA						MOVEABLE
20007N	LARGE PODIUM	1	VA	VA	Yes	Yes				
20008E	PIANO	1	VA	VA	Yes					
20009N	STAGE/ALTAR CHAIRS	2	VA	VA						
20012E	BANNERS	2	VA	VA						REF. ELEVATION FOR MOUNTING HEIGHT MOUNT @ 6'-7" AFF. ELECTRICAL PLUG IN
20013E	ELECTRIC TABERNACLE	1	VA	GC	Yes					
20014E	RECESSED TABERNACLE	1	VA	VA						
20015E	CHAIR	2	VA	VA						
20025N	LOCK	1	VA	VA	Yes					HAS LOCK ON IT
20028E	TABLE W/ COMPUTER	1	VA	VA	Yes	Yes				
20032E	SOFA	1	VA	VA						
20033E	BOOKCASE	1	VA	VA						
20034E	BOOKCASE	2	VA	VA						
20038E	LATERAL FILE	1	VA	VA						
20043E	PROJECTOR SCREEN	1	VA	GC	Yes	Yes				REUSE EXISTING PROJECTOR SCREEN
20043N	PROJECTOR	1	VA	GC	Yes	Yes				REUSE EXISTING PROJECTOR
20039E	TABLE RACK	4	VA	VA						
20040E	ROUND TABLES	1	VA	VA						
20041E	12 CHAIRS STACKED	12	VA	VA						

EQUIPMENT SCHEDULE PATIENT ROOMS (DEDUCT)										
Equipment Number	Equipment Description	Qty.	Provided by	Installed by	Elec.	Data	Mech.	Plumb.	Requirements	
SDU										Notes
11101E	PATIENT BED	8	VA	VA	Yes					
11101N	PATIENT BED	2	VA	VA	Yes					
11102N	WALL-MNTD BEDSIDE DUAL MONITOR	12	VA	GC	Yes	Yes				W/ 2 CPUs, 1 POWER SOURCE, 1 KEYBOARD, FOR DUAL MONITOR MOUNT, REF. SPEC
11103N	2 CPUs, 1 POWER SOURCE, SINGLE CPU	36	VA	GC	Yes	Yes				GOES W/ NURSE DUAL WALL MNTD MONITORS, REF. SPEC
11104E	PATIENT RECLINER	8	VA	VA	No					
11104N	PATIENT RECLINER	2	VA	VA	No					
11105E	OVERBED TABLE	8	VA	VA						
11105N	OVERBED TABLE	4	VA	VA						
11106N	PATIENT LOCKBOX	12	GC	VA	No					GC TO PROVIDE LOCK BOX
11107N	GLOVE BOX	13	GC	GC						W/ TAN SOAP STONE, LT4887 FINISH, REF. SPEC
11108E	WALL-MNTD SHARPS	8	VA	GC						W/ PROTECTIVE PLASTIC AROUND IT, MOUNT AT 54" AFF. TO INSERT SLOT
11108N	WALL-MNTD SHARPS	4	VA	GC						W/ PROTECTIVE PLASTIC AROUND IT, MOUNT AT 54" AFF. TO INSERT SLOT
11109N	PATIENT INFO BOARD	12	VA	GC						REF. SPEC
11110E	WALL-MNTD TV	8	VA	GC	Yes	Yes				W/ "GET WELL" NETWORK, VA TO SUPPLY BRACKET
11110F	WALL-MNTD TV	1	VA	GC	Yes	Yes				BRACKET SUPPLY BY VA
11110N	WALL-MNTD TV	5	VA	GC	Yes	Yes				W/ "GET WELL" NETWORK, REF. ELEC FOR BRACKET
11111E	IV POLE W/ PUMP	8	VA	VA	Yes					
11111N	IV POLE W/ PUMP	12	VA	VA	Yes					
11112E	B-PAP CART	1	VA	VA	Yes					
11113N	WALL-MNTD TELECONFERENCE MONITOR	12	VA	GC	Yes	Yes				TELE CONFERRING WITH REMOTE DOCTOR, DEVICE IN NURSE CALL ON HEADWALL TO TALK TO MONITOR SYSTEM, FOR SINGLE MONITOR MOUNT, REF. SPEC
11114E	BED SIDE STAND	8	VA	VA						
11114N	BED SIDE STAND	4	VA	VA						
11115E	SMALL BIO HAZARD BIN	4	VA	VA						
11116E	LARGE BIO HAZARD BIN	5	VA	VA						
11116N	LARGE BIO HAZARD BIN	4	VA	VA						
11117E	WHITE TRASH SM 32 GAL	8	VA	VA						
11117N	WHITE TRASH SM 32 GAL	3	VA	VA						
11118E	SOILED LINEN CART	9	VA	VA						
11118N	SOILED LINEN CART	4	VA	VA						
11120N	WALL-MNTD CLOCK	12	VA	GC	Yes					WIRELESS GPS W/ TRANSPONDER, REF. ELEC
11122N	BIARIATRIC PATIENT BED	2	VA	VA	Yes					VA TO COORDINATE WITH HEADWALL, MANUFACTURER PLACEMENT OF SERVICES ACCORDING TO BED TYPE AND SIZE
11123N	EQUIPMENT ACCESSORY RAIL	12	GC	GC						OWNER TO DETERMINE TYPE AND SIZE W/ MANUFACTURER, REF. SPEC
11124N	SLEEPER CHAIR	12	VA	VA	No					
11125N	BIARIATRIC PATIENT RECLINER	2	VA	VA	No					
11195N	VERTICAL HEADWALL - VTF LEFT	12	GC	GC	Yes	Yes	No	Yes		REF. SPEC
11196N	VERTICAL HEADWALL - VTF RIGHT	12	GC	GC	Yes	Yes	No	Yes		REF. SPEC
11197N	VITAL SIGNS MONITOR	12	VA	VA	Yes					CONNECTS TO VERTICAL EQUIP. MNT'G TRACK, FASQIA
11198N	PPE CART	11	VA	VA						THESE CART ITEMS WILL MOVE INTO NRSV
11199N	WALL-MNTD TELECONFERENCE CAMERA	12	VA	GC	Yes					REF. ELEC

IMPORTANT NOTE: OVERHEAD LIFTS TO BE SUPPLIED BY VA THROUGH SEPERATE CONTRACTOR - STEP DOWN CONTRACTOR REQUIRED TO SUPPLY POWER AND FIELD COORDINATE INSTALLATION IN THE FIELD WITH ALL WALLS FINISHES, EQUIPMENT, MECHANICAL, ELECTRICAL, AND PLUMBING INSTALLATIONS

EQUIPMENT SCHEDULE SUPPORT AREAS (DEDUCT)												
Equipment Number	Equipment Description	Qty	Provided by	Installed by	Elec.	Data	Mech.	Plumb.	Requirements			
Notes												
SDU												
11001E	MICROWAVE	1	VA	VA	Yes							
11001N	MICROWAVE	1	VA	VA	Yes							
11002N	BUNN COFFEE MAKER	1	VA	GC	Yes			Yes	W/ WATER LINE, FUTURE ITEM SUPPLIED BY VA OUTSIDE OF THIS PROJECT			
11003E	PHONE CHARGERS	2	VA	VA	Yes	No						
11003N	MULTI PHONE CHARGERS	1	VA	VA	Yes							
11004E	REFRIGERATOR	2	VA	GC	Yes							
11006N	LIN EX	1	VA	VA	Yes	Yes			MOUNT, ELEC. 85" AFF			
11010E	MOBILE STORAGE	1	VA	VA	Yes							
11020E	COFFEE MAKERS	1	VA	VA	Yes							
11022E	ICE MAKER	1	VA	GC	Yes			Yes	W/ FLOOR DRAIN			
11040E	DUAL MONITOR DESKTOP	2	VA	VA	Yes	Yes						
11041E	LASER PRINTER	1	VA	VA	Yes	Yes						
11042E	UC FRIDGE	1	VA	VA	Yes							
11043E	SUPPLY CART	1	VA	VA	No	No	Yes					
11044E	PHONES	2	VA	VA	No	Yes						
11044N	PHONES	1	VA	VA	No	Yes						
11045N	SLAVE MONITORS	3	VA	GC	Yes	Yes						
									1 IS WALL MOUNTED, FOR SINGLE MONITOR MOUNT, REF. SPEC, 2 ARE DESKTOPS			
11050E	DUAL MONITOR PC STAND	1	VA	VA	Yes				SIT TO STAND STAND CONNECTS TO C-TOP			
11051E	DESKTOP PHONES	1	VA	VA	Yes	Yes						
11052E	SHRED-IT BOX	1	VA	VA	No							
11053E	SHARPS DISPOSAL CART	4	VA	VA								
11054E	2 DRWR VERT FILE	2	VA	GC					FILE ITEMS TO GO INTO NEW FILE BUILT INS			
11056E	PRINTER	1	VA	VA	Yes	Yes						
11056N	TELEMETRY PRINTER	1	VA	VA	Yes	Yes						
11057E	WALL MNTD CMO WHITE BOARD	1	VA	GC	Yes	Yes			BRACKET PROVIDED BY VA			
11057N	WALL MNTD CMO WHITE BOARD	1	VA	GC	Yes	Yes			BRACKET PROVIDED BY VA			
11058E	LABEL PRINTER	2	VA	VA	Yes	Yes						
11059E	SCANNER	1	VA	VA	Yes	Yes						
11060E	DUAL MONITOR DESKTOP	1	VA	VA	Yes	Yes			@ MSA			
11070E	5 TWR PYXIS	1	VA	GC	Yes	Yes						
11071E	3 TWR LINEN SUPPLY STATION	1	VA	GC	Yes	Yes						
11071N	3 TWR LINEN SUPPLY STATION	1	VA	GC	Yes	Yes						
11072E	4 TWR SUPPLY DISPENSER	1	VA	GC	Yes	Yes						
11073E	2 TWR MED STATION	1	VA	GC	Yes	Yes						
11074E	MED STATION COMPUTER	1	VA	GC	Yes	Yes						
11075E	MEDS FRIDGE	1	VA	VA	Yes	Yes						
11077N	2 TWR SUPPLY DISPENSER	3	VA	GC	Yes	Yes			PYXIS BRAIN ON EITHER SIDE OF STERILE STORAGE C347			
11078E	DUAL MONITORS PC DESKTOP	6	VA	VA	Yes	Yes						
11080E	PRINTER	1	VA	VA	Yes	Yes						
11082E	WRISTBAND PRINTER	1	VA	VA	Yes	Yes						
11083E	I.T. PRINTER	1	VA	VA	Yes	Yes						
11084E	SCALE	1	VA	VA	Yes	Yes						
11085N	CPU	4	VA	GC	Yes	Yes			REF. SPEC FOR CPU STAND			
11086E	BLANKET WARMER	1	VA	VA	Yes	Yes						
11087E	CLEAN LINEN	2	VA	VA	Yes	Yes						
11088E	CRASH CART	2	VA	VA	Yes	Yes						
11089E	TELEMETRY MONITORS	3	VA	GC	Yes	Yes			6 ARE WALL MNTD, FOR TRIPLE MONITOR MOUNT, REF. SPEC, 4 ARE DESKTOPS, VA TO PROVIDE TO PROVIDE BRACKET			
11089F	TELEMETRY MONITORS	5	VA	GC	Yes	Yes			6 ARE WALL MNTD, FOR TRIPLE MONITOR MOUNT, REF. SPEC, 4 ARE DESKTOPS, VA TO PROVIDE TO PROVIDE BRACKET			
11089N	TELEMETRY MONITORS	2	VA	GC	Yes	Yes			6 ARE WALL MNTD, FOR TRIPLE MONITOR MOUNT, REF. SPEC, 4 ARE DESKTOPS, VA TO PROVIDE TO PROVIDE BRACKET			
11090E	TRANSPORT MONITOR	1	VA	VA	Yes	Yes						
11093N	TELEMETRY - SINGLE MONITOR	1	VA	VA	Yes	Yes			DESKTOP @ MAIN NURSE STATION			
11094N	WALKERS	1	VA	VA	Yes	Yes						
11096E	BLOOD PRESSURE CUFF CHARGERS	1	VA	GC	Yes	Yes						
11096E	BLOOD GLUCOSE CHARGER	1	VA	VA	Yes	Yes						
11097E	OXYGEN PARTIAL	2	VA	GC					G.C. TO PROVIDE BLOCKING AS REQ'D			
11098E	OXYGEN EMPTY	1	VA	GC					G.C. TO PROVIDE BLOCKING AS REQ'D			
11098N	OXYGEN FULL	2	VA	GC								
11099E	BLOOD GLUCOSE METER	3	VA	VA	Yes	Yes						
11099F	BLOOD GLUCOSE METER	3	VA	VA	Yes	Yes			FOR FUTURE P.O.C			
11099N	BLOOD GLUCOSE METER	4	VA	VA	Yes	Yes			FOR FUTURE P.O.C			
11101N	SCANNER	12	VA	VA	Yes	Yes						
11102E	TWIN BED	1	VA	VA								
11121N	SINGLE MONITOR	3	VA	VA	Yes	Yes						
11130E	FOOD CART	1	VA	VA	No				DOES NOT STORE IN STEP DOWN UNIT			
11141E	BLADER SCANNER	1	VA	VA	Yes	Yes						
11142E	POSITION AIDS	2	VA	VA								
11143E	HOVER JACK	1	VA	VA	Yes							
11144E	EVAC MAT AND RACK	1	VA	VA								
11145E	HOVER JACK BATTERY CART	1	VA	VA	Yes							
11146E	HOVER JACK PUMP	2	VA	VA	Yes							
11147E	VITAL SIGNS MONITOR	1	VA	VA	Yes							
11148E	ULTRA SOUND	2	VA	VA	Yes	Yes						
11149E	WOW (WORKSTATION ON WHEELS)	1	VA	VA	Yes							
11151E	SUPPLY RACK	1	VA	VA								
11152E	PICO CART	1	VA	VA								
11155N	VAPOTHERM	1	VA	VA	Yes							
11156N	KANGAROO PUMP	3	VA	VA	Yes							
11170E	SINGLE MONITOR DESKTOP	4	VA	VA	Yes	Yes			@SWAMP			
11171E	SHRED BOX	1	VA	VA	No							
11172E	COMPUTER CART	1	VA	VA	Yes							
11181E	SINGLE MONITORS DESKTOP	5	VA	VA	Yes	Yes			@ SWAMP			
11182E	PRINTER	1	VA	VA	Yes	Yes						
11185E	WALL MNTD WHITEBOARD	1	VA	GC					GC TO PROVIDE BLOCKG AS REQ'D			
11186E	INTUBATION TUB	1	VA	VA								
11194N	BIZ HUB	1	VA	VA	Yes	Yes			G.C. TO VERIFY WITH VA LOCATION AND PLACEMENT			