

THIS IS A BRAND NAME ONLY REQUIREMENT

Original equipment ONLY; NO copied or remanufactured or “gray market” items. All parts must be covered by the manufacturer’s warranty. Authorized dealers: A letter from the manufacturer stating your company is an authorized distributor of the product must be in possession by the due date and be available for submission, if requested.

All suppliers MUST BE registered in VIP by the due date and time of quote submission, and at the time of Award.

Only electronic offers will be accepted. Offers are due to Katherine.Fairley@va.gov by Thursday, September 26, 3:00 pm. Pacific Time.

All interested companies shall provide quotations for the following:

BRAND NAME ONLY:

MANUFACTURER NAME – GE HEALTHCARE, GE MEDICAL SYSTEMS

PRICE/COST SCHEDULE

ITEM INFORMATION

ITEM NO.	DESCRIPTION OF SUPPLIES/SERVICES	QTY	UNIT	UNIT PRICE	AMOUNT
0001	CARESCAPE Life Upgrade Program for B650 ITEM NO: 2074459-001 Trade-in addendum with serial numbers must be provided by the time of order. Equipment must be returned to GE Includes the Qty of (Ten) 10 Each of the following items: ITEM NO: 2094148-001 CARESCAPE Life Upgrade Program from Dash Monitor to CARESCAPE Monitor B650. Includes the following software licenses: PGAS and CHMO. ITEM NO. 2105375-002 B650 VER02 UPGRADE FRAME W. BATTERY SUPPORT (SQC)	10.00	EA		

ITEM NO. 2036984-001 BTRY FLEX-353P 11.1V 18650 LI-10N
SMBUS

ITEM NO. 2064607-001 CARESCAPE B650 ESP V2
SOFTWARE

ITEM NO. M1206309 B650 Upgrade PSM, PDM and E-module
support, recorder

ITEM NO. 2066171-013 B650 V2 ENGLISH US GOV
LOCALIZATION

ITEM NO. M1176055 B650 English US keyboard Software setting

ITEM NO. M1174792 B650 Power frequency setting 60HZ

ITEM M1197453 B650 6ORP - Upgrade Anesthesia Software
Package

ITEM NO. M1197454 B650 6PAC - Upgrade Post Anesthesia
Care Software Package

ITEM NO. M1197455 B650 6ICU - Upgrade Critical Care
Software Package

ITEM NO. M1197456 B650 6ECP - Upgrade Emergency Care
Software Package

ITEM NO. M1197457 B650 6NIC - Upgrade Neonatal Care
Software Package

ITEM NO. 2094149-001 B650 PARR AND 12ST FOR DASH W
CARDIAC SW PACKAGE

ITEM NO. 2094150-001 B650 PCOP FOR DASH W
CARDIOPULMONARY SW PACKAGE

ITEM NO. 2094151-001 B650 AVOA FOR DASH WITH AVOAXM

ITEM NO. 2094152-001 B650 P12S FOR DASH WITH 12SL W.
ACI-TIPI

ITEM NO. M1174758 B650 PQTC - Multi-Lead QT/QTC Analysis License

ITEM NO. 2064606-002 B650 PPCO - PICCO CARDIAC OUTPUT LICENSE

ITEM NO. 2064610-001 B650 PSCV - CENTRAL VENOUS OXYGEN SATURATION LICENSE

ITEM NO. 86236 Power Cord, USA

0002	1.00 JB
INSTALLATION CHARGE	
ITEM NO: 2083083-001	

0003	10.00 EA
Patient Data Module (PDM), Patient Cables	
ITEM NO. 2042084-001	

Includes the Qty of (Ten) 10 Each of the following parts:

ITEM NO. 2041390-001 Masimo SpO2
ITEM NO. 2041390-003 English
ITEM NO. 2041575-002 60Hz
ITEM NO. 2041575-003 Invasive Pressures
ITEM NO. 2041390-041 Battery
ITEM NO. 2041390-044 No Bedside Dock

0004	10.00 EA
DINACLICK Airhose, 12 ft (3.6M) Care	
Hose w/Rectangle Connector to Adult 2T	
DINACLICK Connector	
ITEM NO: 2058203-002	

0005	10.00 EA
Cuff, NIBP, Dura-Cuf, Ad Assortment	
Pack, 2TB, Submin, 6/bx	
ITEM NO: 2297	

0006	1.00 JB
-------------	---------

INSTALLATION CHARGE ITEM NO: 2083083-001		
0007	10.00 EA	CARESCAPE Respiratory Module E-sCO, single width module with CO2 & O2 airway gas measurement ITEM NO: M1199049
0008	10.00 EA	D-fend Pro+ Water Trap, green, single patient use, (for critical care modules E-sCO/E-sCOV) ITEM NO: M1200227
0009	1.00 JB	INSTALLATION CHARGE ITEM NO: 2083083-001
0010	10.00 EA	ECG Trunk Cable, 3/5-lead, AHA, 3.6 m/12 ft. ITEM NO: 2106305-001
0011	8.00 EA	Sensor LNCS tc-1 tip-clip ear reusable ea. ITEM NO: 2027261-001
0012	1.00 JB	INSTALLATION CHARGE ITEM NO: 2083083-001
0013	9.00 EA	VHM-P (NON-LOCKING) VARIABLE HEIGHT ARM, 25-45 LBS/11.3-20.4 KG ITEM NO: 2096394-001
0014	9.00 EA	Quad Hooks with 3in/7.6 CM Down

Post for VHM-P/PL Arms ITEM NO: 2100261-001		
0015	25-inch wall channel ITEM NO: 416537-006	9.00 EA
0016	INSTALLATION CHARGE FOR Mounting - Wall Mounts / Wall Channels CARESCAPE Monitor Options ITEM NO: 2083083-001	1.00 JB
0017	CARESCAPE Central Station V2 MAI 700 ATO MODEL ITEM NO. 2092670-001 Includes the Qty of One (1) Each of the following items: ITEM NO. 2092695-008 UPGRADE – CSCS V2.1SW WITH MAI700 INTEGRATED HW FROM CIC PRO V5 ITEM NO. 2092690-47 CSCS V2.1 ENGLISH US GOVERNMENT LOCALIZATION WITH eMANUALS ITEM NO. 2081739-004 CSCS ENGLISH-US KEYBOARD WITH MOUSE ITEM NO. 80274-006 6ft North American Power Cord	1.00 EA
0018	PRN 50-M+ 2in Strip Printer ITEM NO: 2063806-013	1.00 EA
0019	CIC Laser Printer ITEM NO: 2039670-001	1.00 EA
0020		1.00 EA

	GE Thermal paper, 50 MM X 27.4 M (2IN X 90 FT), Blank, 48 rolls ITEM NO: 2106823-001	
0021	CSCS V2 STRIP PRINTER ACCESSORY KIT ITEM NO: 2100519-001	1.00 EA
0022	InSite Connectivity: A broadband-based service network that connects to GE Healthcare's Support Center via a secure Internet connection to enable on-demand digital services. ITEM NO: 2025330-001	1.00 EA
0023	Hardware upgrade. To receive upgrade discounted pricing, return of existing hardware within 30 days of installation is required. ITEM NO: 2038769-001	1.00 EA
0024	INSTALLATION CHARGE FOR CSCS v2.x All-in-one Upg from CIC v5 OPTIONS ITEM NO: 2083083-001	1.00 JB
0025	Patient Monitoring Clinical Applications Training On-Site B850/B650/B450/B40/VC150 Support – 1 Day Training and/or Go Live Support ITEM NO: 2016373-349	8.00 EA
0026	Configuration On site-CARESCAPE Bx50 Monitors, Per Unit, 2day ITEM NO: 2016373-006	1.00 EA
0027	CSCS CLINICAL USER AND CONFIGURATION TRAINING ITEM NO: 2016373-400	1.00 EA

0028	1.00 JB	INSTALLATION CHARGE FOR CSCS Accessories and Training OPTIONS ITEM NO: 2083083-001
0029	5.00 EA	Network Design/Consult Seg Network -15+ Nodes ITEM NO: 2036075-001
0030	14.00 EA	Network Design/Consult Seg Network -<15 Nodes ITEM NO: 2036075-034
0031	19.00 EA	Network Equipment w/ Cisco (Minimum 7 nodes) ITEM NO: 2036075-009
0032	1.00 EA	Network Equipment – UPS for Switches/ Routers (Per 20 Nodes) ITEM NO: 2036075-011
0033	19.00 EA	Network Equipment Install (Minimum 7 Nodes) ITEM NO: 2036075-012
0034	1.00 EA	Switch / Segment Integration – Fiber Switch per 11 Segments ITEM NO: 2095405-006
0035	1.00 EA	Network Fiber Run Install - Dust Carts ITEM NO: 2036075-186
0036	19.00 EA	

Network Drop Install w/Cat6, Dust Carts ITEM NO: 2036075-020		
0037	1.00 EA	Network Integration between IX and Hospital Network using Integrated Services Router (ISR) ITEM NO: NETWORKING-INT-B-ISR
0038	1.00 EA	CONFIGURE IX NETWORK ROUTER TO PATIENT MONITOR TO MUSE ITEM NO: ENABLE-BX50-TO-MUSE
0039	1.00 EA	CARESCAPE Networking documentation kit and labels ITEM NO: 2036075-058
		GRAND TOTAL

Delivery shall be provided no later than 90 days after receipt of order. FOB Destination. The contractor shall deliver the line items to VA Palo Alto Health Care System, 3801 Miranda Ave., Palo Alto, CA 94304.

Place of Performance:

Address: 3801 Miranda Ave.
Palo Alto, CA
Postal Code: 94304-1207
Country: UNITED STATES

The full text of FAR provisions or clauses may be accessed electronically at <http://acquisition.gov/comp/far/index.html>.

The full text of VAAR provisions or clauses may be accessed electronically at <https://www.va.gov/oal/library/vaar/index.asp>

The following solicitation provisions apply to this acquisition:

1. FAR 52.212-1, "Instructions to Offerors–Commercial Items" (OCT 2018)
2. FAR 52.212-3, "Offerors Representations and Certifications–Commercial Items" (OCT 2018)

Offerors must complete annual representations and certifications on-line at <http://orca.bpn.gov> in accordance with FAR 52.212-3, "Offerors Representations and Certifications–Commercial Items." If paragraph (j) of the provision is applicable, a written submission is required.

The following contract clauses apply to this acquisition:

- FAR 52.212-4, "Contract Terms and Conditions–Commercial Items" (OCT 2018)

The following clauses are incorporated into 52.212-4 as an addendum to this contract:

- 52.203-17 Contractor Employee Whistleblower Rights and Requirements to Inform Employees of Whistleblower Rights (APR 2014)
- 52.204-4 Printed or Copied Double-Sided on Postconsumer Fiber Content Paper (MAY 2011)
- 52.232-40 Providing Accelerated Payments to Small Business Subcontractors (DEC 2013)
- VAAR 852.203-70 Commercial Advertising (MAY 2008)
- VAAR 852.219-10 VA Notice of Total Service-Disabled Veteran-Owned Small Business Set-Aside (JUL 2019)
- VAAR 852.232-72 Electronic Submission of Payment Requests (NOV 2018)
- VAAR 852.246-71 Rejected Goods (OCT 2018)
-
- FAR 52.212-5, "Contract Terms and Conditions Required to Implement Statutes or Executive Orders- Commercial Items" (AUG 2019)

The following subparagraphs of FAR 52.212-5 are applicable:

Subparagraphs (b) 1, 4, 8, 22, 25, 26, 27, 28(i), 29(i), 30(i), 31, 32, 33(i), 34, 42, 46, 49 and 55 are considered checked and apply.

The following clauses and provisions applies to this acquisition:

ADDENDUM to FAR 52.212-1 INSTRUCTIONS TO OFFERORS – COMMERCIAL ITEMS

The following provisions are incorporated into 52.212-1 as an addendum to this solicitation:

THE GOVERNMENT INTENDS TO MAKE AWARD BASED ON INITIAL QUOTES. ACCORDINGLY, VENDORS ARE ENCOURAGED TO SUBMIT THEIR INITIAL QUOTES BASED UPON MOST FAVORABLE TERMS, PRICES, TECHNICAL AND OTHER FACTORS.

1) Vendors shall provide a quote in two (2) separate volumes:

- (a) Volume 1: Completed “Price-Cost Schedule”.
- (b) Volume 2: Vendor Quote.

2) Responses shall be on all or none basis; no partial submission.

3) Vendor shall be an Original Equipment Manufacturer (OEM) authorized dealer, authorized distributor or authorized reseller for the proposed items such that OEM warranty and service are provided and maintained by the OEM.

- FAR 52.212-2, “EVALUATION – COMMERCIAL ITEMS (OCT 2014)

(a) The Government will award an order resulting from this solicitation to the responsible quoter whose quote conforming to the solicitation will be most advantageous to the Government, price and other factors considered.

The following factors shall be used to evaluate offers:

1. Technical: The vendor’s quote must be an “exact match” to the description and part numbers listed within the “price-cost Schedule” of the solicitation for all line items. A vendor must be technically acceptable in these factors to be considered for award. Technically acceptable is considered providing an “exact match” to the description and part numbers listed within the “price-cost schedule” of the solicitation.

The technical ratings are defined as follows:

Acceptable: Quote is an “exact match” to the description and part numbers listed within the “price-cost schedule” of the solicitation.

Unacceptable: Quote is not an “exact match” to the description and part numbers listed within the “price-cost schedule” of the solicitation.

2. Price: The government will evaluate price by adding the total amount of all the requested items. Vendors are encouraged to submit their quotes with the most advantageous pricing and discounts.

All quotations shall be emailed to Katherine.Fairley@va.gov.

This is an open-market combined synopsis/solicitation for a GE Carescape Life Upgrade Program for B650 as defined herein. The government intends to award a purchase order as a result of this combined synopsis/solicitation that will include the terms and conditions set forth herein. To facilitate the award process, all quotes must include a statement regarding the terms and conditions herein as follows:

"The terms and conditions in the solicitation are acceptable to be included in the award document without modification, deletion, or addition."

OR

"The terms and conditions in the solicitation are acceptable to be included in the award document with the exception, deletion, or addition of the following:"

Quoter shall list exception(s) and rationale for the exception(s).

Submission shall be received not later than Thursday, September 26, 2019, 3:00 p.m. Pacific Time. Emailed offers will be accepted. Late submissions shall be treated in accordance with the solicitation provision at FAR 52.212-1(f).

Point of Contact: Katherine Fairley, Contract Specialist, Phone: 925-372-2270, Fax: (925) 372-2220, Katherine.Fairley@va.gov.
