



Chula Vista
Community Based Outpatient Clinic
Initial Outfitting, Transition & Activation

General Conditions and Statement of Work
Pkg. 01- Monitor Arms

Aug 13, 2019

1 Introduction

VA San Diego Healthcare System (VASDHCS) has a requirement to purchase Pkg. 01- Monitor Arms with an authorized vendor to supply and deliver the item(s) identified in Table 1 below. This requirement is in support of a brand name or equal requirement. This requirement is in support of the activation of the Chula Vista Community Based Outpatient Clinic. Item(s) are to be delivered to the location specified in section 2.5.

Table 1 – Package Items Summary

CLIN	JSN Item #	Item Description	Quantity
0001	A5225	Evolvr2-FMS : Dual Monitor Arm with 2 Motion Limbs & 2 sliders Evolve	42
0002	A5225A	EDGE 2-MS-SLV : Dual Monitor Arm with 2 Motion Limbs & 2 sliders for shallow worksurfaces	27
0003	A5225B	Edge SLV Gromit Mount: Single Monitor Arm with 1 motion Limb for shallow work surfaces.	6
0004	A5225C	ESI Edge 2-Clampon M180A Stable Rise: Dual Monitor Arm with 1 single arm motion limb 1 single arm and 1 single arm with 1 fixed arm and 1 motion limb BOTH with sliders (2) for shallow worksurfaces	36

2 General Conditions

2.1 Site and Warehouse Address

2.1.1 The address of the Chula Vista CBOC and Activation Warehouse are provided below. Further information on delivery is located in section 2.5.2

Chula Vista CBOC
353 H Street
Chula Vista, CA, 91910

Activation Warehouse
1330 30th St., Suite G
San Diego, CA 92154

1.

2.2 Contractor shall provide all necessary materials, equipment, labor, supervision, and management to provide and deliver items listed in **Table 1**.

2.3 Delivery Schedule

Items shall be delivered no earlier than the estimated delivery start date and no later than the delivery end date listed in **Table 2** below. Coordination with the VA COR is required for the delivery of items. Dates are based on the current construction schedule which is subject to change. Specific dates will be set prior to delivery.

Table 2 – Anticipated Building Outfitting Schedule

Est. Delivery Start Date	Est. Delivery End Date
No earlier than 4/30/2020	No later than 7/31/2020

2.4 Schedule and Order Management

- 2.4.1** The above delivery schedule is based upon the current construction schedule, which is subject to change. The vendor shall not increase prices for a change in delivery date for up to 30+ days due to construction delays.
- 2.4.2** The awardees actual delivery dates will be confirmed by VA upon award.
- 2.4.3** Post-award the vendor will coordinate delivery prior to beginning any work. Once the dates have been confirmed, modifications to the schedule are subject to written approval by the COR and the vendor. Schedule changes that are beyond the dates specified in the contract will require approval by the Contracting Officer and a contract modification.

2.5 Delivery and Receiving

- 2.5.1** Contractor shall provide SV1 – Furniture, and Installation Support Services – Delivery in accordance with the terms of the IDIQ base contract.
- 2.5.2** Delivery and receipt of the proposed items is anticipated to be directed to the location identified below. Confirmation of delivery location will be provided post-award. To coordinate delivery, contact the VA POC: **Hope Fulgham** at (858)333-9826, Hope.Fulgham@va.gov, or **Ismaila Ndiaye**, at 858)228-6138 Ismaila.Ndiaye@va.gov.

☐ **Chula Vista CBOC** *(Direct Delivery to address detailed in paragraph 2.1.1)*

☒ **Activation Warehouse** *(Direct Delivery to address detailed in paragraph 2.1.1)*

- 2.5.3** The delivery of items identified in this document shall take place during normal business hours which are defined as: 0700 to 1530 (i.e.: 7:00am to 3:30pm Pacific Standard Time), Monday through Friday, and excluding Federal Holidays.
- 2.5.4** Delivery trucks will not be permitted to remain at the loading dock. Trucks shall be unloaded, moved from the dock, and then brought back to the dock if required to haul out any waste, tools, or excess materials.
- 2.5.5** Labeling of delivered items shall include the VA facilities contract number and VA purchase order number for identification and reference upon receipt of product.

2.6 Use of Warehouse

- 2.6.1** If the vendor requires the use of the Government's activation contractor's warehouse to meet the requirements of this contract the vendor must provide a certificate of insurance prior to the delivery and offloading of the item(s). This insurance certificate must be completed and presented to the COR prior to delivery.
- 2.6.2** The vendor shall communicate through the VA POC any required coordination requirements.

2.7 Job Site Cleanliness

- 2.7.1** Contractor shall provide SV1 –Installation Support Services Questions – Job Site Cleanliness in accordance with the terms of the IDIQ base contract.

2.7.2 There are no dumpsters available for vendor use. All vendor trash is to be handled by the vendor and removed from site daily.

2.7.3 The removal of waste and/or excess material shall be conducted through the loading dock area.

2.8 Installation and Final Acceptance

2.8.1 Contractor shall provide SV1 –Installation Support Questions Services –Final Acceptance in accordance with the terms of the IDIQ base contract.

2.8.2 The vendor is required to manage and coordinate delivery and acceptance at the Activation Warehouse with the VA POC.

2.8.3 The vendor is required to define the need for a staging area to accommodate item delivery, if needed. Post-award, this information will be confirmed with the vendor.

2.8.4 The vendor is required to provide detailed assemblage and install instructions as part of this contract.

2.8.5 The vendor shall protect all finished spaces and surfaces as required from delivery - damage. The vendor shall use covering and protection to the extent necessary to prevent damage to finished spaces. Any damage occurred during delivery is the responsibility of the vendor. The vendor will be responsible for paying for and repairing any damage or noted deficiencies to finished spaces and surfaces that occur as a result of the vendor's (or associated sub-contractors) installation.

2.8.6 Assembly and installation will be by others. During the entire duration of assembly and installation, the vendor will have a competent representative reachable via phone as the vendor's contact, and to serve as the interface between the vendor and VA COR. All instructions provided from COR to the representative will be binding as if given to the vendor's main contact. The COR may provide specific instructions, however, only the Contracting Officer may change the terms or conditions of the contract.

2.9 Training- Not applicable.

2.10 Furniture Design Services

2.10.1 Contractor shall provide SV1 –Installation Question Support Services –Services in accordance with the terms of the IDIQ base contract.

2.10.2 Contractor will be required to provide basic assembly instruction for furniture being requested.

2.10.3 The contractor shall attend an in-person meeting at the VA Main Facility, located at 3350 La Jolla Village Dr., San Diego, CA 92161, to gather all information and refine a delivery schedule no later than 10 days after award.

2.10.4 The product must not be placed into production without clearance from the COR.

2.10.5 The contractor shall provide final assembly and installation details for the products for sign-off prior to scheduling manufacturing.

2.10.6 The contractor shall track manufacturing schedule and notify COR with updates of estimated completion date by email.

2.11 Product Inspection and Warranty

2.11.1 The Contractor shall provide Installation Support Services – and Warranty for the items in accordance with the terms of the IDIQ base contract.

- 2.11.2** The Contractor shall verify and inspect all items. Any and all deficiencies (damage/overage/shortage) shall be brought to the attention of the assigned VA COR in writing, preferably via email, immediately upon identification.
- 2.11.3** The Contractor shall store damaged items in the location designated by the COR. The Contractor shall maintain a complete file of all documents relating to each discrepancy and copies of all Discrepancy Reports shall be forwarded to the COR on a daily basis.
- 2.11.4** Contractor shall repair or coordinate with the COR for replacement of damaged, defective, or missing items.
- 2.11.5** The warranty of an item is to start on the date of acceptance of the products/services by the COR.
- 2.11.6** The Contractor agrees to furnish, without cost to the Government, replacement of all parts and material which are found to be defective during the warranty period. The cost of installation and travel of replacement material and parts shall be borne by the Contractor.

2.12 PROTECTION OF PROPERTY

- 2.12.1** Contractor shall provide protection of property in accordance with the requirements of the IDIQ base contract.

3.00 DELIVERABLES

VA San Diego, Chula Vista

A5225

353 H Street

Chula Vista, CA 91910

Project: Chula Vista Community
Based Outpatient Clinic

Total Quantity: 42

Rooms: 1101, 1201, 1203, 1204, 1205, 1206, 1308, 1401, 1421, 1423, 1505, 1506, 1507, 1508, 1510, 1511, 1512, 1513, 1514, 1515, 1516, 1517, 1518, 2002, 2004, 2011, 2102, 2104, 2106, 2112, 2401, 2403, 2601, 2706, 2707, 1405, 1407,

- ☐ Finish Samples Required if Checked ☐ Manufacturer Certified Installation Required if Checked
☐ BMET Training Required if Checked ☐ End User Training Required if Checked
☐ On-Site Coordinated Delivery Required if Checked ☒ Advanced Warehouse Delivery Required if Checked

**Item Name: Brand Name or
EQUAL:
Evolvr2-FMS-SLV with adj
Motion arm and slide**

Dual Monitor Arm with 2 Motion Limbs &
2 sliders Evolve

Finishes: Silver

Salient Characteristics:

- Desk mounted bracket that supports two LCD computer monitors
- Extends LCD'S up to 25" with and adjustment range of 18"
- Maximum combined weight supported not to exceed 50lbs
- Finger touch dynamic height adjustment
- For worksurfaces 24.0"–36.0" deep or corner applications
- 28.8" arm extension
- 4.0" arm retraction

- +80°/-60° tilt
- $\pm 90^\circ$ rotation
- 4.4 lbs.–15.4 lbs. weight capacity (*per arm*)
- 16.0" pole height
- VESA quick release
- 180° lock-out feature
- Desk clamp and grommet mount included
- 47.0" max. monitor width (*bezel measured left to right*)
- Patented slider design for exclusive ESI use
- Exceeds BIFMA x5.5 requirements
- Warranty 15 yr.

VA San Diego, Chula Vista

A5225A

353 H Street
Chula Vista, CA 91910

Project: Chula Vista Community
Based Outpatient Clinic

Total Quantity: 27

- ☐ Finish Samples Required if Checked ☐ Manufacturer Certified Installation Required if Checked
☐ BMET Training Required if Checked ☐ End User Training Required if Checked
☐ On-Site Coordinated Delivery Required if Checked ☒ Advanced Warehouse Delivery Required if Checked

**Item Name: Brand Name or
EQUAL:
EDGE 2-MS-SLV**

Dual Monitor Arm with 2 Motion Limbs &
2 sliders for shallow worksurfaces

Finishes: Silver

- See quantity for ones that are Gromit mounted and
- Finger touch dynamic height adjustment

- Recommended for worksurfaces 24.0" deep or less
- 10.5" height adjustment range
 - 3.4"–14.0" (low/high)
- 16.0" arm extension
- 6.5" arm retraction
- +45°/-50° monitor tilt
- ±90° VESA rotation
- 4.4 lbs.– 15.4 lbs. weight capacity (*per arm*)
- VESA quick release
- 180° lock-out feature
- Desk clamp and grommet mount included
- Sliders provide 9.0" of additional horizontal adjustability
- Patented slide design for exclusive ESI use
- Exceeds BIFMA x5.5 requirements
- Benching system mount(s) available. Call Customer Service for details
- 28.0" max. monitor width (*bezel measured left to right*)
- Warranty: 15 yr.

VA San Diego, Chula Vista

A5225B

353 H Street

Chula Vista, CA 91910

Project: Chula Vista Community
Based Outpatient Clinic

Total Quantity: 6

- ☐ Finish Samples Required if Checked ☐ Manufacturer Certified Installation Required if Checked
- ☐ BMET Training Required if Checked ☐ End User Training Required if Checked
- ☐ On-Site Coordinated Delivery Required if Checked ☒ Advanced Warehouse Delivery Required if Checked
-

**Item Name: Brand Name or
EQUAL:
Edge SLV Gromit Mount**

Single Monitor Arm with 1 motion Limb
for shallow work surfaces.

Finishes: Silver

Salient Characteristics:

- Finger touch dynamic height adjustment
- Recommended for worksurfaces 24.0"–36.0" deep
- 12.0" height adjustment range
 - 7.0"–19.0" (low/high)
- 22.0" arm extension
- 4.0" arm retraction
- ±90° monitor tilt
- ±90° VESA rotation
- 6.5 lbs.–17.6 lbs. weight capacity
- VESA quick release
- 180° lock-out feature
- Desk clamp and grommet mount included
- Exceeds BIFMA x5.5 requirements
- Benching system mount(s) available. Call the Customer Service Dept for details
- Warranty: 15 yr.
- **Min. 300lb Weight Capacity**

VA San Diego, Chula Vista

A5225C

353 H Street
Chula Vista, CA 91910

Project: Chula Vista Community
Based Outpatient Clinic

Total Quantity: 36

- ☐ Finish Samples Required if Checked ☐ Manufacturer Certified Installation Required if Checked
☐ BMET Training Required if Checked ☐ End User Training Required if Checked
☐ On-Site Coordinated Delivery Required if Checked ☒ Advanced Warehouse Delivery Required if Checked

Item Name: Brand Name or EQUAL:
ESI Edge2-MS Clamp on M1802A Stable rise

Dual Monitor Arm with 1 single arm motion limb 1 single arm and 1 single
arm with 1 fixed arm and 1 motion limb BOTH with sliders (2) for
shallow worksurfaces

Finishes: Silver

**Brand Name or EQUAL:
ESI Edge2-MS Clamp on M1802A Stable rise**

Salient Characteristics:

- Desk mounted bracket that supports two LCD computer monitors
- Extends LCD'S up to 25" with and adjustment range of 18"
- Maximum combined weight supported not to exceed 50lbs
- Finger touch dynamic height adjustment
- For worksurfaces 24.0"–36.0" deep or corner applications
- 28.8" arm extension
- 4.0" arm retraction
- +80°/-60° tilt
- ±90° rotation
- 4.4 lbs.–15.4 lbs. weight capacity (*per arm*)
- 16.0" pole height
- VESA quick release
- 180° lock-out feature
- Desk clamp and grommet mount included
- 47.0" max. monitor width (*bezel measured left to right*)
- Patented slider design for exclusive ESI use
- Exceeds BIFMA x5.5 requirements
- Warranty 15 yr.