

SHIP TO:
ON-SITE WAREHOUSE B90085
V.A. Medical Center
WAREHOUSE BLDG 1
2215 FULLER ROAD
ANN ARBOR, MI 48105

REQUESTING SERVICE:
SURGERY SERVICE (112)

Qty	Product Description
1	OEC Elite™ CFD 31 cm Digital Mobile Super C-arm Vascular 15 MD(Vascular 15 Platform with up to 15 fps Cine)
1	Medrad Mark 7 Arterion Injector Pedestal System
1	OEC Interface Cable for Medrad injectors
1	Stille ImagiQ2 Operating / Guided Imaging Table
1	Headrest, Adjustable, ImagiQ2, Stille
2	Radiation Shield, Loop, Blue, Stille
1	IDI, Ilex 55, #A280-0600, 55In 4K Mobile Display With Stand
1	Trade-In: 2008 Philips Pulsera, s/n 579569 *Trade-In must be picked up within 14-days of New Equipment Delivery

Qty	Description
1	<p>OEC Elite™ CFD 31 cm Digital Mobile Super C-arm Vascular 15 MD(Vascular 15 Platform with up to 15 fps Cine)</p> <p>OEC ELITE CFD: Vascular 15 Software Includes: Additional imaging profiles: Vascular; real-time digital subtraction (DSA); reference image hold; peak opacification; roadmapping; re-registration; variable landmarking; mask save/recall; digital Cine pulse mode with 15 pps; 15 fps Cine with recording/playback rates of 4, 8 and 15 fps; and frame-by-frame review</p> <p>31 cm CMOS Flat Panel Detector (CFD): High image quality at low dose with a CMOS crystalline structure flat panel detector; tri-mode imaging capabilities at 31 cm, 21 cm, and 15 cm; easily removable grid; and integrated laser aimer</p> <p>MD C-arm: Designed to enhance C-arm movement and positioning capabilities for optimal imaging: motorized adjustment of lateral rotation, cephalad/caudal tilt, and horizontal motion; 141° orbital rotation (53° overscan and 88° underscan); 33.0" (84 cm) depth in arc; 8.0" (20 cm) horizontal travel; 18.0" (46 cm) vertical travel; cable pushers and low resistance wheels; motorized vertical lift and low-profile X-ray tube; remote user interface (RUI); 3 set position recall; and last position recall</p>

<i>Part Number</i>	<i>Qty</i>	<i>Description</i>	<i>List Price</i>	<i>Net Price</i>
		<p>OEC ELITE CFD STANDARD PACKAGE INCLUDES:</p> <p>Imaging: Live Zoom up to 4x with no change in technique; Digital Pen; squircle image retains 100% shape when rotated; image annotation; measurement tools; SmartMetal; AutoTrak Automatic Brightness Stabilization (ABS); General-Purpose Dynamic Range Management (GDRM); Minimal Difference Spatiotemporal noise filter (MDST); noise filter with on-screen indicator; automatic and manual digital brightness and contrast control; negate mode; save/auto-save feature; swap/auto-swap feature; last image hold; 40,000 image storage; preset imaging profiles: General, General HD, Orthopedic, Spine and 9900; and multi-functional footswitch and handheld controls</p> <p>Image Viewing: Incredible detail displayed with 32" (81 cm) 4K UHD color display with anti-glare and touchscreen capabilities; Viewing versatility with articulating monitor display for optimal viewing with travel of 45" (114 cm) horizontal, 17" (43 cm) vertical, 27" (67 cm) forward, and 5° up/ 5° down tilt</p> <p>Workstation with Intuitive User Interface: SmartConnect start up; flat work surfaces and storage bins; ergonomically designed handles and low friction wheels; simple touchscreen operations; physical and virtual keyboard with image control keypad; multi-purpose image directory; integrated DICOM interface; radiation dose structured report (RDSR) and X-ray dose summary; room-in-use indicator interface; examination list and customized patient information</p> <p>Dose Management: Selectable modes can be used individually or in combination and include continuous fluoroscopy, pulse, low dose, HLF, and digital spot; on-screen PreView Collimator; and Smart Window</p> <p>X-ray Generator and Power Management: 15 kW power from standard wall outlet; patented generator battery buffer design; power monitoring with on-screen display; controlled shutdown process; accidental power loss protection with a 20 second battery back-up power to workstation and C-arm</p> <p>Connectivity: Multiple ports including: ethernet, room interface, video output, video input, USB</p>		

<i>Part Number</i>	<i>Qty</i>	<i>Description</i>	<i>List Price</i>	<i>Net Price</i>
		Security: Password protection, blank screen function, delete all patient information		
		Warranty: One-year warranty		
		OEC Clinical Excellence: Up to 3 days of in-service training by our ARRT certified Clinical Imaging Specialists (CIS) during warranty period; entails up to 8 hours of training per day on system function/operation, provided from 7am to 5pm, Monday through Friday, excluding holidays; post-training skills assessment; radiographers may be eligible for Continuing Education credits approved by the American Society of Radiologic Technologists (ASRT); includes all CIS travel expenses; additional on-line training materials will be provided for future reference		
	1	Medrad Mark 7 Arterion Injector Pedestal System		
		Medrad Mark 7 Arterion Injector Pedestal System		
	1	OEC Interface Cable for Medrad injectors		
		OEC Interface Cable (Allows Interface To Medrad)		
	1	Stille ImagiQ2 Operating / Guided Imaging Table		
		System includes		
		- Radiolucent carbon-fiber top, 661lb patient weight capacity		
		- 90.5"L x 22" W carbon-fiber top		
		- Cantilevered 66.93" nominal imaging area		
		- 56" fixed side rails		
		- Motorized motions:		
		- Height adjustment from 28" to 43"		
		- Lateral roll +/- 15 degrees		
		- Trendelenberg/reverse trendelenberg +/- 20 degrees		
		- Manual motions:		
		- Longitudinal panning, 35.4"		
		- Lateral panning, 9.9"		
		- Extended battery option		
		- Retractable wheel locking design		
		- 2 years labor, 3 years parts warranty		
		Accessories Included		
		- Hand control complete, Qty 1		
		- Hand control extension cable, Qty 1		
		- Pan handle, Qty 1		
		- Table mattress, 2 inch		
		WARRANTY:		
		- Stille imaging products are warranted to be free		

<i>Part Number</i>	<i>Qty</i>	<i>Description</i>	<i>List Price</i>	<i>Net Price</i>
		from failures due to defects in materials or workmanship, for a period of two years (24 months) to include parts and labor, 3 years (36 months) parts only.		
		- During the warranty period, Stille-Sonesta will repair or replace without charge, at its sole discretion, any parts which are deemed to be defective as described above.		
	1	Headrest, Adjustable, ImagiQ2, Stille		
		Headrest, Adjustable, ImagiQ2, Stille		
	2	Radiation Shield, Loop, Blue, Stille		
		Radiation Shield, Loop, Blue, Stille		
	1	IDI, Ilex 55, #A280-0600, 55In 4K Mobile Display With Stand		
		An easy-to-position mobile video management system with built-in video integration.		
		System Overview		
		<ul style="list-style-type: none"> • Accepts analog and digital signals from multiple sources including: C-Arm, ultrasound, hemodynamics, microscopes, cameras, image guidance, & PACS • 55" (140cm) 4K ultra-high resolution medical grade monitor displaying 1, 2 or 4 images at a time • Motorized column with 20" (51cm) vertical travel • Three equipment shelves with power receptacles and cables. • Remote control video formatting • Bluetooth speaker system • Built in USB charging station 		
		Stand		
		<ul style="list-style-type: none"> • 5" casters (125mm) with three position locking system for easy transport and positioning • 20" (51cm) motorized vertical travel • Video input ports: 4) DVI, (2) SDI, (2) VGA, (2) SOG, (2) S video, (2) Display ports • Bluetooth speaker system • Three equipment shelves with power receptacles and cables 		
		Monitor		
		<ul style="list-style-type: none"> • 55" (140cm) TFT LCD (LED) • 4K resolution, 3840 x 2160 pixels • Aspect: 16:9 • Contrast Ratio - 1400:1 • Response - 5ms • Pixel Pitch .315 x .315mm 		

<i>Part Number</i>	<i>Qty</i>	<i>Description</i>	<i>List Price</i>	<i>Net Price</i>
--------------------	------------	--------------------	-------------------	------------------

Note:Installation of MDS systems within the Continental US

WARRANTY:

The IDI Ilex 55 includes a 1 year warranty. Warranty terms are specified and service provided by the manufacturer. During this period any warranty claims should be addressed directly with the manufacturer:

Image Diagnostics, Inc.

310 Authority Drive

Fitchburg, MA 01420

(978) 829-0009, Fax (978) 829-0027

Trade-In: 2008 Philips Pulsera, s/n 579569

*Trade-In must be picked up within 14-days of New Equipment Delivery

Trade-in

Equipment/Vehicle Mfr.	Model & Description	ID/Serial #	Quantity
Trade-In: 2008 Philips Pulsera, s/n 559963			1.00
Trade-In: 2008 Philips Pulsera, s/n 579569			1.00