

SHIP TO: CHIEF, A&MM  
V.A. Medical Center  
700 SOUTH 19TH ST  
BIRMINGHAM, AL 35233

<b>Qty</b>	<b>Product Description</b>
1	OEC Elite™ CFD 31 cm Digital Mobile Ergo C-arm Vascular 15 (Vascular 15 Platform with up to 15 fps Cine)
1	Sony UP-991AD, Sony Hybrid Graphic Printer
1	Non-Inventory DOD-RMF Maintenance per year.
1	Trade In: 9800 9 GSP, Serial number 89-2121 *Trade-In must be picked up within 14-days of New Equipment Delivery

### ***Optional Items***

1	Service, Training, 1 Week Excludes Accommodation, Technical Training, Elite
---	---

<b>Qty</b>	<b>Description</b>
1	<p><b>OEC Elite™ CFD 31 cm Digital Mobile Ergo C-arm Vascular 15 (Vascular 15 Platform with up to 15 fps Cine)</b></p> <p>OEC ELITE CFD:  Vascular 15 Software Includes: Additional imaging profiles: Vascular; real-time digital subtraction (DSA); reference image hold; peak opacification; roadmapping; re-registration; variable landmarking; mask save/recall; digital Cine pulse mode with 15 pps; 15 fps Cine with recording/playback rates of 4, 8 and 15 fps; and frame-by-frame review</p> <p>31 cm CMOS Flat Panel Detector (CFD): High image quality at low dose with a CMOS crystalline structure flat panel detector; tri-mode imaging capabilities at 31 cm, 21 cm, and 15 cm; easily removable grid; and integrated laser aimer</p> <p>Ergo C-arm: Ergonomic design to ease physical demands of positioning a C-arm: low-profile X-ray tube for large field of view; radial dial color coded brakes; full length handles along C-arm; manual adjustment of lateral rotation, cephalad/ caudal tilt, wig-wag, and horizontal motion; 152° orbital rotation (55° overscan and 97° underscan); SmartView 180°/180° flip-flop; lateral height: 39.0" (99 cm); 22,500 HU/min housing cooling rate; cable pushers; low resistance wheels; and motorized vertical lift</p>

<i><b>Part Number</b></i>	<i><b>Qty</b></i>	<i><b>Description</b></i>	<i><b>List Price</b></i>	<i><b>Net Price</b></i>
		<p>OEC ELITE CFD STANDARD PACKAGE INCLUDES:</p> <p>Imaging: Live Zoom up to 4x with no change in technique; Digital Pen; squircle image retains 100% shape when rotated; image annotation; measurement tools; SmartMetal; AutoTrak Automatic Brightness Stabilization (ABS); General-Purpose Dynamic Range Management (GDRM); Minimal Difference Spatiotemporal noise filter (MDST); noise filter with on-screen indicator; automatic and manual digital brightness and contrast control; negate mode; save/auto-save feature; swap/auto-swap feature; last image hold; 40,000 image storage; preset imaging profiles: General, General HD, Orthopedic, Spine and 9900; and multi-functional footswitch and handheld controls</p> <p>Image Viewing: Incredible detail displayed with 32" (81 cm) 4K UHD color display with anti-glare and touchscreen capabilities; Viewing versatility with articulating monitor display for optimal viewing with travel of 45" (114 cm) horizontal, 17" (43 cm) vertical, 27" (67 cm) forward, and 5° up/ 5° down tilt</p> <p>Workstation with Intuitive User Interface: SmartConnect start up; flat work surfaces and storage bins; ergonomically designed handles and low friction wheels; simple touchscreen operations; physical and virtual keyboard with image control keypad; multi-purpose image directory; integrated DICOM interface; radiation dose structured report (RDSR) and X-ray dose summary; room-in-use indicator interface; examination list and customized patient information</p> <p>Dose Management: Selectable modes can be used individually or in combination and include continuous fluoroscopy, pulse, low dose, HLF, and digital spot; on-screen PreView Collimator; and Smart Window</p> <p>X-ray Generator and Power Management: 15 kW power from standard wall outlet; patented generator battery buffer design; power monitoring with on-screen display; controlled shutdown process; accidental power loss protection with a 20 second battery back-up power to workstation and C-arm</p> <p>Connectivity: Multiple ports including: ethernet, room interface, video output, video input, USB</p>		

<b>Qty</b>	<b>Description</b>
	Security: Password protection, blank screen function, delete all patient information
	Warranty: One-year warranty
	OEC Clinical Excellence: Up to 3 days of in-service training by our ARRT certified Clinical Imaging Specialists (CIS) during warranty period; entails up to 8 hours of training per day on system function/operation, provided from 7am to 5pm, Monday through Friday, excluding holidays; post-training skills assessment; radiographers may be eligible for Continuing Education credits approved by the American Society of Radiologic Technologists (ASRT); includes all CIS travel expenses; additional on-line training materials will be provided for future reference
1	<b>Sony UP-991AD, Sony Hybrid Graphic Printer</b> Graphic Hybrid Printer: Analog video and digital USB 2.0 interfaces; Excellent print quality and contrast; Front panel LCD display for easy operation; Fast print speed; Multiple images per sheet (two, four, six); Fully automatic cutter; Compact design for easy integration into workstation cart
1	<b>Non-Inventory DOD-RMF Maintenance @ \$7,500.00 per year.</b>
1	<b>Trade In: 9800 9 GSP, Serial number 89-2121</b> *Trade-In must be picked up within 14-days of New Equipment Delivery

## Optional Items

<b><i>Qty</i></b>	<b><i>Description</i></b>
1	Service, Training, 1 Week Excludes Accommodation, Technical Training, Elite

**Trade-in Addendum**

Equipment/Vehicle Mfr.	Model & Description	ID/Serial #	Quantity
Trade In: 9800 9 GSP, Serial number 89-2121			1.00