

SHIP TO:
CHIEF, A&M MB98017
V.A. Medical Center
V.A. WESTSIDE (537)
2030 H. TAYLOR ST.
CHICAGO, IL 60612

P.O.#537-B98017

1. Project Summary

1.1 Essential Aspects of the Bid

Diagnostic Workstations (x2), Each with:

- HP 24 w/ 256GB SSD drive and 32GB RAM
- Barco Coronis Fusion Dual Head 6MP Color diagnostic monitor (setup as 2x 3MP) with MXRTS600 display controller
- HP 24" monitor
- LFH3500 Speech Mic
- Smart card Keyboard
- UPS
- Programmable Mouse
- Onsite installation

1.2 Cost overview

Description
Hardware and system software
Implementation Services

2 Proposed Configuration

2.1 Hardware and system software

Item	Qty	Description
1	2	70 Ent 1mg Workstation HP (Also SA/ EI WEB / IMPAX PACS)
1.1	2 x 1	HPI NO ADAPTERS NEEDED OPTION FIO 24 G4: HPI 24 G4 NO ADAPTERS NEEDED OPTION
1.2	2 x 1	HPI LINUX READY AMS 24 G4
1.3	2 x 1	HPI LOCALIZATION KIT USA FIO FOR Z4G4: HPI Localization Kit USA FIO for 24 G4
1.4	2 x 1	HPI 3/3/3 USA FIO for 24 G4
1.5	2 x 1	HP USB Smartcard Keyb US Int'l: HP USB Smartcard Keyb US International
1.6	2 x 1	APC UPS 1300VA: UPS for one Small Workflow Manager , DS, CS, TS, OT, Basix server, or CM. APC BACK-UPS 1300VA/780 Watts 120V (model BR1300G) Contains (5) NEMA 5-15R output connections for battery backup and (5) NEMA 5-15R output connections for surge protection Input 120V/60 Hz, 6 foot cord with NEMA 5-15 plug
1.7	2 x 1	HPI AMD RAD PRO WX 3100 4GB GFXI FIO 24: HPI AMD RADEON PRO WX 3100 4GB GFXI
1.8	2 x 1	HPI E243 24-IN LED MONITOR USA: HP E243 24-In LED Monitor USA

1.9	2 x 1	K&H WIN7 ULTIMATE EMBED X32/X64 1-2 CPU: WINDOWS 7 ULTIMATE FOR EMBEDDED SYSTEMS X32/X64 (1-2- CPU) (ESD)
1.10	2 x 1	Phillips SpeechMike III Pro Premium Push-Button (LFH3500): Phillips SpeechMike III Pro Premium with push-button. Model number LFH3500. For use with Talk 4.0 and 4.1.
1.11	2 x 1	IMP TALKSTN UC RADIOLOGY CLIENT
1.12	2 x 1	HPI Z4 G4 8-CORE CPU 32GB MEM 256GB SSD: HPI Z4 G4 with 8-Core CPU, 32GB Memory, 256GB SSD
1.13	2 x 1	BARCO COR' FUS C LED GMP I H I F MXRTSG00: Barco Coronis Fusion colour GMP single head, single stand, Including the MXRT-5600 display controller. Setup as 2x3MP for our Enterprise • Imaging and IMPAX applications.
2	-1 2	- LOGITECH G403 PRDGY GAMING MOUSE

2.2 Implementation Services

2.2.1 Summary

Platform Infrastructure (Workstations)
Project Management

2.2.2 Implementation Details

! Platform Infrastructure (Workstations)

- On-site staging of Diagnostic Workstation+ Monitor (excluding application configuration)

3. Warranty

Warranty		
#:	Product	Service Level
1	70 Ent 1mg Workstation HP (Also SA/ EI WEB / IMPAX PACS)	
2	LOGITECH G403 PRDGY GAMING MOU◆	

5. Annexes

5.1 Detailed list of Services

Agfa • Implementation

Qty	UOM	Description
7.00	HRS	On-site staging of Diagnostic Workstation+ Monitor (excluding application configuration): This service provides the operating system, diagnostic <i>video</i> card installation and network configuration based on the staging details and language.

Agfa • ProjectManagement

Qty	UOM	Description
2.00	HRS	PACS Project Management per Hour